



PeopleSoft Project Insights — XYZ_TRACE_UTILITY

Technical Developer Reference • App Designer XML Parser

Dont Migrate

Generated: 6/15/2026, 7:29:50 PM | 28 of 28 objects | All objects (no filter)

PROJECT DEFINITION

Project Name	XYZ_TRACE_UTILITY	Description	Dont Migrate
Developed By	QI8A	Last Updated	2021-11-10-23.07.36.013707
Source DB	FSTLS	Target DB	FSGCZ
Last Updated By	QI8A	Release	Financials/SCM 9.20.00.000

Long Description

* Do not Migrate *

This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.

Record3 objects

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
1	RECORD XYZ_TRC_UTL_DVW	Custom Changed	Absent	Copy	Yes	Yes

Updated By: QI8A

Updated At: 2021-01-15-19.29.11.820238

Type: Dynamic View

Fields: 5

Descr: Trace Utility (XYZ)

* Do not Migrate *

This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.

SQL — Record View SQL: XYZ_TRC_UTL_DVW

SELECT ' ',' ',' ',' ',' ',' ',' ' FROM %Table (INSTALLATION)

2	RECORD XYZ_TRC_UTL_WRK	Custom Changed	Absent	Copy	Yes	Yes
---	---------------------------	----------------	--------	------	-----	-----

Updated By: QI8A

Updated At: 2021-11-03-15.48.06.323894

Type: Derived

Fields: 13

Descr: Trace Utility (XYZ)

* Do not Migrate *

This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.

3	RECORD WEBLIB_TRC_XYZ	Custom Changed	Absent	Copy	Yes	Yes
---	--------------------------	----------------	--------	------	-----	-----

Updated By: QI8A

Updated At: 2021-01-15-19.29.12.820491

Type: Derived

Fields: 1

Field

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
---	-------------	------------	------------	--------	-------	-------

4	FIELD ENV_NAME_XYZ				Custom Changed	Absent	Copy	Yes	Yes
Updated By: QI8A Updated At: 2021-01-15-19.29.13.819977 Type: 0 = Character Length: 4 Long Name: Environment * Do not Migrate * This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.									
Translate									
#	OBJECT KEYS				SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
5	FIELD ENV_NAME_XYZ	VALUE DBG1	EFFDT 2021-10-04		Custom Changed	Absent	Copy	Yes	Yes
6	FIELD ENV_NAME_XYZ	VALUE DBG2	EFFDT 2021-10-04		Custom Changed	Absent	Copy	Yes	Yes
7	FIELD ENV_NAME_XYZ	VALUE DBG3	EFFDT 2021-10-04		Custom Changed	Absent	Copy	Yes	Yes
8	FIELD ENV_NAME_XYZ	VALUE DBH	EFFDT 2017-01-01		Custom Changed	Absent	Copy	Yes	Yes
9	FIELD ENV_NAME_XYZ	VALUE DBI	EFFDT 2019-08-28		Absent	Absent	None	No	No
10	FIELD ENV_NAME_XYZ	VALUE DBK	EFFDT 2021-01-28		Custom Changed	Absent	Copy	Yes	Yes
11	FIELD ENV_NAME_XYZ	VALUE DBT	EFFDT 2017-01-01		Absent	Absent	None	No	No
12	FIELD ENV_NAME_XYZ	VALUE DBV	EFFDT 2021-02-22		Custom Changed	Absent	Copy	Yes	Yes
13	FIELD ENV_NAME_XYZ	VALUE GCC	EFFDT 2019-09-03		Custom Changed	Absent	Copy	Yes	Yes
14	FIELD ENV_NAME_XYZ	VALUE TLS	EFFDT 2020-04-14		Custom Changed	Absent	Copy	Yes	Yes
Page									
#	OBJECT KEYS				SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
15	PAGE TRC_UTIL_XYZ				Custom Changed	Absent	Copy	Yes	Yes
Updated By: QI8A Updated At: 2021-10-04-18.27.15.700352 Type: Standard Page Fields: 10 * Do not Migrate * This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.									
Menu									
#	OBJECT KEYS				SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
16	MENU MENU_TRC_DEV_XYZ				Custom Changed	Absent	Copy	Yes	Yes
* Do not Migrate. Only for Config environment* This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.									

 Component

Object

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
17	COMPONENT TRC_UTIL_XYZ	Custom Changed	Absent	Copy	Yes	Yes

Updated By: QI8A

Actions: Update/Display

Pages: 1

Market: GBL

** Do not Migrate **

This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.

 Record PeopleCode

Object

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
18	RECORD XYZ_TRC_UTL_DVW	Custom Changed	Absent	Copy	Yes	Yes
	FIELD DELETE_PB					
	EVENT FieldChange					

Updated By: QI8A

Updated At: 2021-01-15-19.29.15.820482

Event: FieldChange

PeopleCode — XYZ_TRC_UTL_DVW > DELETE_PB > FieldChange

```
import XYZ_DELETE_TRACE:*;  
  
Component XYZ_DELETE_TRACE:DeleteTraceFile &DelTrace;  
  
&DelTrace.HandleEvent (CurrentRowNumber (), GetField(Field.DELETE_PB), "FieldChange");
```

19	RECORD XYZ_TRC_UTL_DVW	Custom Changed	Absent	Copy	Yes	Yes
	FIELD VIEW_PB					
	EVENT FieldChange					

Updated By: QI8A

Updated At: 2021-01-15-19.29.16.819897

Event: FieldChange

```

If %UserId = "QI8A" Or
    %UserId = "QI8A" Then

    Local string &rncntrl;
    Local ProcessRequest &procRqst;
    Local Record &recRun, &recParm;
    Local string &strBindValue;

    /* delete the old file in /tmp before copying the new file in */
    &fileTrace = GetFile("/tmp/" | XYZ_TRC_UTL_DVW.DESCR125.Value, "r", %FilePath_Absolute);
    If &fileTrace <> Null Then
        &fileTrace.Delete();
    End-If;

    /* copy the trace file to /tmp */
    &ExitCode = Exec("cp " | XYZ_TRC_UTL_DVW.DESCR254.Value | " /tmp", %Exec_Synchronous + %FilePath_Absolute);
    rem WinMessage("&ExitCode=" | &ExitCode);

    &rncntrl = "TRC_DUMP_XYZ";
    &strBindValue = XYZ_TRC_UTL_DVW.DESCR125.Value;

    &recRun = CreateRecord(Record.AEREQUESTTBL);

    /*Create run control */
    &recRun.OPRID.Value = %OperatorId;
    &recRun.RUN_CNTL_ID.Value = &rncntrl;
    &recRun.AE_APPLID.Value = "TRC_DUMP_XYZ";

    If &recRun.SelectByKey() Then
        &recRun.Update();
    Else
        &recRun.OPRID.Value = %OperatorId;
        &recRun.RUN_CNTL_ID.Value = &rncntrl;
        &recRun.AE_APPLID.Value = "TRC_DUMP_XYZ";
        &recRun.Insert();
    End-If;

    &recParm = CreateRecord(Record.AEREQUESTPARM);

    /*Create run control parameters for equity id*/
    &recParm.OPRID.Value = %OperatorId;
    &recParm.RUN_CNTL_ID.Value = &rncntrl;
    &recParm.AE_APPLID.Value = "TRC_DUMP_XYZ";
    &recParm.AE_STATE_RECNAME.Value = "XYZ_TRC_DMP_AET";
    &recParm.AE_BIND_VAR.Value = "DESCR125";

    If &recParm.SelectByKey() Then
        &recParm.AE_BIND_VALUE.Value = &strBindValue;
        &recParm.Update();
    Else
        &recParm.OPRID.Value = %OperatorId;
        &recParm.RUN_CNTL_ID.Value = &rncntrl;
        &recParm.AE_APPLID.Value = "TRC_DUMP_XYZ";
        &recParm.AE_STATE_RECNAME.Value = "XYZ_TRC_DMP_AET";
        &recParm.AE_BIND_VAR.Value = "DESCR125";
        &recParm.AE_BIND_VALUE.Value = &strBindValue;
        &recParm.Insert();
    End-If;

    &procRqst = CreateProcessRequest();
    &procRqst.ProcessType = "Application Engine";
    &procRqst.ProcessName = "TRC_DUMP_XYZ";
    &procRqst.RunControlID = &recParm.RUN_CNTL_ID.Value;
    &procRqst.RunLocation = "PSUNX"; /* server name */
    &procRqst.Schedule();

    If &procRqst.Status <> 0 Then
        MessageBox(0, "", 9999, 999, "ERROR!!! TRC_DUMP_XYZ Failed");
        Exit (1);
    End-If;

```

20	RECORD XYZ_TRC_UTL_DVW	FIELD VIEW_PB	EVENT RowInit	Custom Changed	Absent	Copy	Yes	Yes
Updated By: QI8A Updated At: 2021-01-15-19.29.16.820051 Event: RowInit								

PeopleCode — XYZ_TRC_UTL_DVW > VIEW_PB > RowInit

```
If %UserId = "QI8A" Or
    %UserId = "QI8A" Then
    XYZ_TRC_UTL_DVW.VIEW_PB.Visible = True;
    XYZ_TRC_UTL_DVW.VIEW_PB.Visible = True;
Else
    XYZ_TRC_UTL_DVW.VIEW_PB.Visible = False;
End-If;
```

21	RECORD XYZ_TRC_UTL_WRK	FIELD DELETE_ALL_PB	EVENT FieldChange	Custom Changed	Absent	Copy	Yes	Yes
----	---------------------------	------------------------	----------------------	----------------	--------	------	-----	-----

Updated By: QI8A

Updated At: 2021-11-03-22.02.11.767553

Event: FieldChange

PeopleCode — XYZ_TRC_UTL_WRK > DELETE_ALL_PB > FieldChange

```
import XYZ_DELETE_TRACE:*;

Component XYZ_DELETE_TRACE:DeleteTraceFile &DelTrace;

&DelTrace.HandleEvent(0, GetField(Field.DELETE_ALL_PB), "FieldChange");
```

22	RECORD XYZ_TRC_UTL_WRK	FIELD ENV_NAME_XYZ	EVENT FieldChange	Custom Changed	Absent	Copy	Yes	Yes
----	---------------------------	-----------------------	----------------------	----------------	--------	------	-----	-----

Updated By: QI8A

Updated At: 2021-01-15-19.29.16.820077

Event: FieldChange

PeopleCode — XYZ_TRC_UTL_WRK > ENV_NAME_XYZ > FieldChange

```
import XYZ_DELETE_TRACE:*;

Component XYZ_DELETE_TRACE:DeleteTraceFile &DelTrace;

&DelTrace.HandleEvent(CurrentRowNumber(), GetField(Field.ENV_NAME_XYZ), "FieldChange");
```

23	RECORD XYZ_TRC_UTL_WRK	FIELD REFRESH_BTN	EVENT FieldChange	Custom Changed	Absent	Copy	Yes	Yes
----	---------------------------	----------------------	----------------------	----------------	--------	------	-----	-----

Updated By: QI8A

Updated At: 2021-01-15-19.29.16.820116

Event: FieldChange

PeopleCode — XYZ_TRC_UTL_WRK > REFRESH_BTN > FieldChange

```
import XYZ_DELETE_TRACE:*;

Component XYZ_DELETE_TRACE:DeleteTraceFile &DelTrace;

&DelTrace.HandleEvent(0, GetField(Field.REFRESH_BTN), "FieldChange");
```

SQL Object

Report

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
24	SQL ID XYZ_TRC_UTL_DVW	Custom Changed	Absent	Copy	Yes	Yes

Updated By: QI8A

Updated At: 2021-01-15-19.29.16.820260

SQL Type: View SQL (Record View)

Statements: 1

SQL — XYZ_TRC_UTL_DVW

```
SELECT ' ',' ',' ',' ',' ',' ',' ' FROM %Table (INSTALLATION)
```

Page PeopleCode 1 object

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
25	PAGE TRC_UTIL_XYZ	Custom Changed	Absent	Copy	Yes	Yes

Updated By: QI8A

Updated At: 2021-01-15-19.29.16.820482

PeopleCode — TRC_UTIL_XYZ > Activate

```
import XYZ_DELETE_TRACE:*;

Component XYZ_DELETE_TRACE:DeleteTraceFile &DelTrace;

&DelTrace = create XYZ_DELETE_TRACE:DeleteTraceFile();
```

Portal Registry Structure 1 object

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
26	PORTAL LABEL OBJECT EMPLOYEE C TRC_UTIL_XYZ_GBL_1	Custom Changed	Absent	Copy	Yes	Yes

Updated By: EC2B

Label: Delete Trace

Ref Type: Content Ref

Application Package 1 object

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
27	PACKAGE XYZ_DELETE_TRACE	Custom Changed	Absent	Copy	Yes	Yes

Updated By: QI8A

Updated At: 2021-01-15-19.29.17.820402

Descr: Trace Utility (XYZ)

** Do not Migrate **

This is Custom Trace Utility, should not be migrated to Any other environment without consulting the AppTech support team.

App Package PeopleCode 1 object

#	OBJECT KEYS	SRC STATUS	TGT STATUS	ACTION	TAKE?	DONE?
28	PACKAGE PATH XYZ_DELETE_TRACE DeleteTraceFile	Custom Changed	Absent	Copy	Yes	Yes

Updated By: Y65S

Updated At: 2021-11-03-15.58.56.997818

```

class DeleteTraceFile
    method DeleteTraceFile();
    method HandleEvent(&intRow As integer, &inField As Field, &inEventName As string);
private
    method initialize();
    method Refresh();
    method DeleteAll();
    method Delete(&intRow As integer);
    method InitEvent(&intRow As integer, &inField As Field);
    method ChangeAppServer();

    instance Rowset &ROWSET_LEVEL0, &ROWSET_LEVEL1;
    instance string &TRACE_DIR, &TRACE_DIR_DB, &HTTP_URL, &HTTP_URL_DB, &INSTANCE, &DIR_FILES;
    instance array of string &FNAMES;
end-class;

method DeleteTraceFile
    %This.initialize();
end-method;

method initialize

    &TRACE_DIR = GetEnv("XYZ_TRACE") | "/";
    %This.Refresh();

end-method;

method Refresh

    Local integer &rownum;
    Local string &Filename, &ShortFilename;
    Local string &strURI;
    Local integer &find;

    &ROWSET_LEVEL0 = GetLevel0();
    &ROWSET_LEVEL1 = &ROWSET_LEVEL0.GetRow(1).GetRowset(Scroll.XYZ_TRC_UTL_DVW);
    &ROWSET_LEVEL1.Flush();

    &TRACE_DIR_DB = &TRACE_DIR | XYZ_TRC_UTL_WRK.ENV_NAME_XYZ.LongTranslateValue | "/";
    &strURI = %Session.GetLocalNode().PortalURI;
    &find = Find(":", &strURI, 7);
    XYZ_TRC_UTL_WRK.URL_1.Value = Substring(&strURI, 1, &find) | "30091/TRACE/FS" | XYZ_TRC_UTL_WRK.ENV_NAME_XYZ.Value |
"/";

    /* Populate the grid with login ID trace */
    REM &DIR_FILES = &TRACE_DIR_DB | "*.tracesql";
    &DIR_FILES = &TRACE_DIR_DB | %UserId | "*.tracesql";
    &FNAMES = FindFiles(&DIR_FILES, %FilePath_Absolute);

    &rownum = 1;

    While &FNAMES.Len > 0
        &Filename = &FNAMES.Shift();
        If Substring(&Filename, Len(&TRACE_DIR_DB) + 1, 5) <> "PSAPP" Then
            /* List the files */
            If &rownum = 1 Then /* this just prevents a blank line */
                &rownum = 0;
            Else
                &ROWSET_LEVEL1.InsertRow(0);
            End-If;
            &ROWSET_LEVEL1.GetRow(1).GetRecord(Record.XYZ_TRC_UTL_DVW).DESCR254.Value = &Filename;
            &ShortFilename = Substring(&Filename, Len(&TRACE_DIR_DB) + 1, Len(&Filename) - Len(&TRACE_DIR_DB));
            &ROWSET_LEVEL1.GetRow(1).GetRecord(Record.XYZ_TRC_UTL_DVW).DESCR125.Value = &ShortFilename;
        End-If;
    End-While;

    /* Populate the grid with 0 Ids */
    REM &DIR_FILES = &TRACE_DIR_DB | "*.tracesql";

```



```

&DIR_FILES = &TRACE_DIR_DB | "O*.tracesql";
If %UserId = "QI8A" Or
    %UserId = "QI8A" Then
    &DIR_FILES = &TRACE_DIR_DB | "*.tracesql";
End-If;

&FNAMES = FindFiles(&DIR_FILES, %FilePath_Absolute);

While &FNAMES.Len > 0
    &Filename = &FNAMES.Shift();

    If Substring(&Filename, Len(&TRACE_DIR_DB) + 1, 5) <> "PSAPP" Or
        Substring(&Filename, Len(&TRACE_DIR_DB) + 1, 14) = "PSAPP_PSSUBHND" Or
        Find("JavaClient", &Filename) > 0 Then
        /* List the files */
        If &rownum = 1 Then /* this just prevents a blank line */
            &rownum = 0;
        Else
            &ROWSET_LEVEL1.InsertRow(0);
        End-If;
        &ROWSET_LEVEL1.GetRow(1).GetRecord(Record.XYZ_TRC_UTL_DVW).DESCR254.Value = &Filename;
        &ROWSET_LEVEL1.GetRow(1).GetRecord(Record.XYZ_TRC_UTL_DVW).DESCR125.Value = Substring(&Filename, Len(&TRACE_DIR_D
B) + 1, Len(&Filename) - Len(&TRACE_DIR_DB));
        End-If;

    End-While;

    /* Populate the grid with O Ids */
    REM &DIR_FILES = &TRACE_DIR_DB | "*.tracesql";
    &DIR_FILES = &TRACE_DIR_DB | "o*.tracesql";

    &FNAMES = FindFiles(&DIR_FILES, %FilePath_Absolute);

    While &FNAMES.Len > 0
        &Filename = &FNAMES.Shift();
        If Substring(&Filename, Len(&TRACE_DIR_DB) + 1, 5) <> "PSAPP" Then
            /* List the files */
            If &rownum = 1 Then /* this just prevents a blank line */
                &rownum = 0;
            Else
                &ROWSET_LEVEL1.InsertRow(0);
            End-If;
            &ROWSET_LEVEL1.GetRow(1).GetRecord(Record.XYZ_TRC_UTL_DVW).DESCR254.Value = &Filename;
            &ROWSET_LEVEL1.GetRow(1).GetRecord(Record.XYZ_TRC_UTL_DVW).DESCR125.Value = Substring(&Filename, Len(&TRACE_DIR_D
B) + 1, Len(&Filename) - Len(&TRACE_DIR_DB));
            End-If;
        End-While;

        &ROWSET_LEVEL1.Sort(XYZ_TRC_UTL_DVW.DESCR125, "A");

    end-method;

method Delete
    /* &intRow as Integer */

    Local File &MyFile;
    Local string &str;

    /* Delete only trace files */
    &ROWSET_LEVEL0 = GetLevel0();
    &ROWSET_LEVEL1 = &ROWSET_LEVEL0.GetRow(1).GetRowset(Scroll.XYZ_TRC_UTL_DVW);

    If All(&ROWSET_LEVEL1(&intRow).XYZ_TRC_UTL_DVW.DESCR254.Value) Then
        &MyFile = GetFile(XYZ_TRC_UTL_DVW.DESCR254.Value, "R", %FilePath_Absolute);
        &MyFile.Delete();
        &str = String(%Datetime);
        &ROWSET_LEVEL1(&intRow).XYZ_TRC_UTL_DVW.DESCR15.Value = Substring(&str, 6, Len(&str) - 7);
    Else
        WinMessage("No file to delete.");
    End-If;

```

```

end-method;

method DeleteAll

    Local File &MyFile;
    Local string &Filename;
    Local integer &i;

    /* Delete only trace files */
    &ROWSET_LEVEL0 = GetLevel0();
    &ROWSET_LEVEL1 = &ROWSET_LEVEL0.GetRow(1).GetRowset(Scroll.XYZ_TRC_UTL_DVW);

    For &i = 1 To &ROWSET_LEVEL1.ActiveRowCount
        &Filename = &ROWSET_LEVEL1(&i).XYZ_TRC_UTL_DVW.DESCR254.Value;
        rem WinMessage(&Filename);
        If All(&Filename) And
            Substring(&Filename, Len(&TRACE_DIR_DB) + 1, 5) <> "PSAPP" Then
            &MyFile = GetFile(&Filename, "R", %FilePath_Absolute);
            &MyFile.Delete();
        End-If;
    End-For;
    %This.Refresh();

end-method;

method ChangeAppServer
    /* refresh the grid */
    %This.Refresh();
end-method;

method HandleEvent
    /* &intRow as Integer, +/
    /* &inField as Field, +/
    /* &inEventName as String +/

    Local integer &i;

    &i = &intRow;
    %This.InitEvent(&i, &inField As Field);

    Evaluate &inEventName
    When = "FieldChange"

        Evaluate &inField.Name
        When = Field.REFRESH_BTN
            %This.Refresh();
            Break;

        When = Field.DELETE_PB
            %This.Delete(&intRow);
            Break;

        When = Field.DELETE_ALL_PB
            %This.DeleteAll();
            Break;

        When = Field.ENV_NAME_XYZ
            %This.ChangeAppServer();
            Break;

    When-Other
    End-Evaluate;

    Break;
    When-Other
    End-Evaluate;

end-method;

method InitEvent
    /* &intRow as Integer, +/
    /* &inField as Field +/

```

```
/* Add code here if there are some initial steps to be done before the event */  
end-method;
```