Jenkins Task-2

Task Description:

Create a simple script file and push it to repo. Create a project in Jenkins connected to your GitHub repository. When a commit is made to your repo, automatically build must get triggered from Jenkins and the output must be shared to me via email.

Techstacks needs to be used :

Created hello.sh(sample script):

```
#!/bin/bash
echo "Hello, Jenkins build triggered from GitHub!"
echo "Automation build has been completed Successfully"
~
~
~
~
~
~
~
~
~
~
~
~
```

```
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   hello.sh


hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$ git add .

hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$ git commit -m "intial commit"
[main (root-commit) 2fa8122] intial commit
 1 file changed, 3 insertions(+)
 create mode 100644 hello.sh

hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 273 bytes | 91.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/sudheerttech-eng/sample-project.git
 * [new branch]      main -> main

hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$
```

Created Jenkins file:

```
pipeline {
    agent any

    stages {
        stage('Checkout') {
            steps {
                git branch: 'main', url: 'https://github.com/sudheerttech-eng/sample-project'
            }
        }

        stage('Build') {
            steps {
                sh 'chmod +x hello.sh'
                sh './hello.sh'
            }
        }
    }

    post {
        always {
            emailext(
                subject: "Jenkins Build - ${currentBuild.fullDisplayName}",
                body: """Build result: ${currentBuild.currentResult}
                Console log: ${env.BUILD_URL}console""",
                to: 'sudheert.tech@gmail.com'
            )
        }
    }
}

~
~
~
~
~
~
~
~
~
~
```

```
hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   Jenkinsfile


hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$ git add .

hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$ git commit -m "Jenkinsfile has been committed"
[main 21ee800] Jenkinsfile has been committed
 1 file changed, 29 insertions(+)
 create mode 100644 Jenkinsfile

hp@LAPTOP-M939AS8F MINGW64 ~/OneDrive/Desktop/Company/code/sample-project (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 580 bytes | 145.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/sudheerttech-eng/sample-project.git
   2fa8122..21ee800  main -> main
```

New Item

Enter an item name

Sample-jenkin

Select an item type

Pipeline
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

Multibranch Pipeline
Creates a set of Pipeline projects according to detected branches in one SCM repository.

Organization Folder
Creates a set of multibranch project subfolders by scanning for repositories.

OK

Jenkins / Sample-jenkin / Configure

Configure

- General
- Triggers
- Pipeline
- Advanced

Definition

Pipeline script from SCM

SCM

Git

Repositories

Repository URL

https://github.com/sudheerttech-eng/sample-project

Credentials

- none -

+ Add

Advanced

+ Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/main

+ Add Branch

Repository browser

(Auto)

Additional Behaviours

Save

Apply





Configure Email in Jenkins:

Install Email Extension Plugin: Manage Jenkins → Plugins → Available Plugins



Configure Email notification:

go to **Manage Jenkins → Configure System**



Set the App passwords from Gmail Account Settings:





Building the pipeline:



Sample-jenkin / #14

```
 > git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/Sample-jenkin/.git # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/sudheerttech-eng/sample-project # timeout=10
Fetching upstream changes from https://github.com/sudheerttech-eng/sample-project
 > git --version # timeout=10
 > git --version # 'git version 2.43.0'
 > git fetch --tags --force --progress -- https://github.com/sudheerttech-eng/sample-project +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 24df947319926b42b304670ba93fcc23d52d8eab (refs/remotes/origin/main)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f 24df947319926b42b304670ba93fcc23d52d8eab # timeout=10
 > git branch -a -v --no-abbrev # timeout=10
 > git branch -D main # timeout=10
 > git checkout -b main 24df947319926b42b304670ba93fcc23d52d8eab # timeout=10
Commit message: "updated Jenkinsfile"
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] sh
+ chmod +x hello.sh
[Pipeline] sh
+ ./hello.sh
Hello, Jenkins build triggered from GitHub!
Automation build has been completed Successfully
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] emailext
Sending email to: sudheert.tech@gmail.com
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Jenkins / Sample-jenkin / Stages

Stages

March 8, 2026

#14
20:25 - 5s

Start — Checkout SCM — Checkout — Build — Post Actions — End

Email notification received:

Jenkins Build - Sample-jenkin #14 Inbox ×

S **sudheert.tech@gmail.com**
to me

Build result: SUCCESS
Console log: http://18.207.136.216:8080/job/Sample-jenkin/14/console

Reply Forward



Whenever a commit is pushed to the Git repository, Jenkins should automatically build the project and send an email notification with the build results.