# Jenkins Task

## Task Description:

Launch jenkins and explore creating projects and users.

## Techstacks needs to be used :

EC2 instance created:




Installed JDK version in Ec2 server:

```
sudo apt update
sudo apt install fontconfig openjdk-21-jre
```

```
ubuntu@ip-172-31-65-35:~$ java -version
openjdk version "21.0.10" 2026-01-20
OpenJDK Runtime Environment (build 21.0.10+7-Ubuntu-124.04)
OpenJDK 64-Bit Server VM (build 21.0.10+7-Ubuntu-124.04, mixed mode, sharing)
ubuntu@ip-172-31-65-35:~$
```

Installed Jenkins in Ec2 server:

```
sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc \
  https://pkg.jenkins.io/debian-stable/jenkins.io-2026.key
echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc]" \
  https://pkg.jenkins.io/debian-stable binary/ | sudo tee \
  /etc/apt/sources.list.d/jenkins.list > /dev/null
sudo apt update
sudo apt install jenkins
```

## Start Jenkins:

```
sudo systemctl enable jenkins
sudo systemctl start jenkins
```

```
ubuntu@ip-172-31-65-35:~$ sudo systemctl enable jenkins
Synchronizing state of jenkins.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable jenkins
ubuntu@ip-172-31-65-35:~$ sudo systemctl start jenkins
ubuntu@ip-172-31-65-35:~$ sudo systemctl status jenkins
● jenkins.service - Jenkins Continuous Integration Server
     Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)
     Active: active (running) since Sun 2026-03-08 07:23:43 UTC; 3h 0min ago
   Main PID: 3963 (java)
      Tasks: 38 (limit: 1008)
     Memory: 459.5M (peak: 501.5M)
        CPU: 1min 13.951s
     CGroup: /system.slice/jenkins.service
             └─3963 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpP

Mar 08 07:34:58 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:58.931+0000 [id=232]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:58 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:58.935+0000 [id=232]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:58 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:58.981+0000 [id=231]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:58 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:58.985+0000 [id=231]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:59 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:59.103+0000 [id=233]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:59 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:59.103+0000 [id=233]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:59 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:59.149+0000 [id=230]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:59 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:59.149+0000 [id=233]	INFO	jenkins.InitReactorRunner$1#
Mar 08 07:34:59 ip-172-31-65-35 jenkins[3963]: 2026-03-08 07:34:59.594+0000 [id=232]	INFO	jenkins.InitReactorRunner$1#
```

Added 8080 port to the EC2 security group:




Browsed [http://18.207.136.216:8080/](http://18.207.136.216:8080/)




Get the admin password from server(**/var/lib/jenkins/secrets/initialAdminPassword**) and clicked on continue:

```
ubuntu@ip-172-31-65-35:~$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
8f2b6f0284d549b9b437f923a73b3005
```

Create first admin user:






## Create jenkin Project:






Run the pipeline by clicking **Build Now** and stages will shows:









## Console output:




## Create Jenkins Users: Manage Jenkins -> Users




kins
Jenkins' own user database
Users 2
Create User
These users can log into Jenkins. This is a sub set of this list, which also contains auto-created users who really just made some commits on some projects and have no direct Jenkins access.
User ID
Name
admin
admin
devuser
devuser