




Solving analytical queries on Redshift Cluster

Queries used to solve given analytical problems and the screenshot of their output from query editor on the redshift cluster.

1. Top 10 ATMs where most transactions are in the 'inactive' state

select a.atm_number, a.atm_manufacturer, l.location, count(trans_id) as total_transaction_count, sum(case when atm_status = 'Inactive' then 1 else 0 end) as inactive_transaction_count, (inactive_transaction_count/total_transaction_count)*100 as count_percent from spar_nord_atm_data.fact_atm_trans f, spar_nord_atm_data.dim_atm a, spar_nord_atm_data.dim_location l where f.atm_id = a.atm_id and a.atm_location_id = l.location_id group by a.atm_number, a.atm_manufacturer, l.location having count_percent > 50 order by inactive_transaction_count desc limit 10;








2. Number of ATM failures corresponding to the different weather conditions recorded at the time of the transactions

select f.weather_main,
count(trans_id) as total_transaction_count,
sum(case when atm_status = 'Inactive' then 1 else 0 end) as inactive_count,
case when coalesce(inactive_count, 0) = 0 then 0.0000
else trunc((cast(inactive_count as
numeric(10,4))/total_transaction_count)*100, 2)
end as inactive_count_percent
from spar_nord_atm_data.fact_atm_trans f
where f.weather_main != "
group by f.weather_main order by inactive_count_percent desc
limit 10;








3. Top 10 ATMs with the most number of transactions throughout the year

select a.atm_number, a.atm_manufacturer, l.location,
count(trans_id) as total_transaction_count
from spar_nord_atm_data.fact_atm_trans f, spar_nord_atm_data.dim_atm a,
spar_nord_atm_data.dim_location l
where f.atm_id = a.atm_id and a.atm_location_id = l.location_id
group by a.atm_number, a.atm_manufacturer, l.location
order by total_transaction_count desc
limit 10;







4. Number of overall ATM transactions going inactive per month for each month

select d.year, d.month,

count(trans_id) as total_transaction_count,

sum(case when atm_status = 'Inactive' then 1 else 0 end) as inactive_count,

case when coalesce(inactive_count, 0) = 0 then 0.0000

else trunc((cast(inactive_count as


numeric(10,4))/total_transaction_count)*100, 2)

end as inactive_count_percent

from spar_nord_atm_data.fact_atm_trans f inner join

spar_nord_atm_data.dim_date d on f.date_id = d.date_id

group by d.year, d.month order by inactive_count_percent desc;








5. Top 10 ATMs with the highest total withdrawn amount throughout the year

select a.atm_number, a.atm_manufacturer, l.location,
sum(transaction_amount) as total_transaction_amount
from spar_nord_atm_data.fact_atm_trans f, spar_nord_atm_data.dim_atm a,
spar_nord_atm_data.dim_location l
where f.atm_id = a.atm_id and a.atm_location_id = l.location_id
group by a.atm_number, a.atm_manufacturer, l.location
order by total_transaction_amount desc limit 10;








6. Number of failed ATM transactions across various card types

select ct.card_type,
count(trans_id) as total_transaction_count,
sum(case when atm_status = 'Inactive' then 1 else 0 end) as inactive_count,
case when coalesce(inactive_count, 0) = 0 then 0.0000
else trunc((cast(inactive_count as
numeric(10,4))/total_transaction_count)*100, 2)
end as inactive_count_percent
from spar_nord_atm_data.fact_atm_trans f,
spar_nord_atm_data.dim_card_type ct
where f.card_type_id = ct.card_type_id
group by ct.card_type order by inactive_count_percent desc
limit 10;








7. Number of transactions happening on an ATM on weekdays and on weekends throughout the year. Order this by the ATM number, ATM_manufacturer, location, weekend_flag and then total_transaction_count

select a.atm_number, a.atm_manufacturer, l.location,
case when d.weekday in ('Saturday', 'Sunday') then 1 else 0 end as
weekend_flag, count(trans_id) as total_transaction_count
from spar_nord_atm_data.fact_atm_trans f, spar_nord_atm_data.dim_atm a,
spar_nord_atm_data.dim_location l,
spar_nord_atm_data.dim_date d
where f.atm_id = a.atm_id and a.atm_location_id = l.location_id and
f.date_id= d.date_id
group by a.atm_number, a.atm_manufacturer, l.location, weekend_flag
order by a.atm_number, a.atm_manufacturer, l.location, weekend_flag,
total_transaction_count limit 10;







8. Most active day in each ATMs from location "Vejgaard"

select a.atm_number, a.atm_manufacturer, l.location, d.weekday, count(trans_id) as total_transaction_count from spar_nord_atm_data.fact_atm_trans f inner join spar_nord_atm_data.dim_atm a on f.atm_id = a.atm_id inner join spar_nord_atm_data.dim_location l on a.atm_location_id = l.location_id inner join spar_nord_atm_data.dim_date d on f.date_id = d.date_id where l.location = 'Vejgaard' and d.weekday in (select d.weekday from spar_nord_atm_data.fact_atm_trans f inner join spar_nord_atm_data.dim_location l on f.weather_loc_id = l.location_id where l.location = 'Vejgaard' group by d.weekday order by count(f.trans_id) desc limit 1) group by a.atm_number, a.atm_manufacturer, l.location, d.weekday order by total_transaction_count;

