

Analysis of User Experience Using AI Features in Mobile Video Editing Software With UEQ Methods

Anies

Information Systems Department,
BINUS Online Learning
Bina Nusantara University
Jakarta, Indonesia 11480
anies@binus.ac.id

Bangga Ari Saputra

Information Systems Department,
BINUS Online Learning
Bina Nusantara University
Jakarta, Indonesia 11480
bangga.saputra@binus.ac.id

Sunardi

Information Systems Department,
BINUS Online Learning
Bina Nusantara University
Jakarta, Indonesia 11480
sunardi@binus.ac.id

Abstract—The rapid advancement of digital technology has made video editing more accessible, especially through mobile apps. However, there is a gap in the literature with respect to the impact of Artificial Intelligence (AI) functionalities on user experience (UX) in mobile video editing applications, particularly in the context of Indonesia. This research analyzes user experience of CapCut, an Mobile video editing application with AI features, through the User Experience Questionnaire (UEQ). The Participative UX Design Approach was employed to identify six main aspects: attractiveness, perspicuity, efficiency, dependability, stimulation, and novelty using data from 104 respondents. The results indicate that CapCut has a positive user experience, especially in the aspects of Attractiveness (1.801), Stimulation (1.899), and Novelty (2.293). On the other hand, users encountered difficulties in Perspicuity (1.163) and Dependability (0.630) regarding the automatic subtitle generator which does not support the diverse Indonesian accents. This research points out that CapCut needs to enhance AI feature performance for better accuracy and reliability. To improve the user experience, developers could incorporate visual markers in the subtitle editor that flag possible errors and allow users to specify certain Indonesian dialects to be used when generating subtitles.

Keywords—artificial intelligence, CapCut, mobile video editing, user experience, user experience questionnaire (UEQ)

I. INTRODUCTION

The fast advancements in digital technologies has had an enormous effect on video editing and many other aspects of human life[1]. The transformation brought about by the Fourth Industrial Revolution is especially visible in the information and communication technology domain [2]. In the past, video editing has been done using complex programs running on personal computers, which required a high level of skills and time [3].

But as technology evolved, mobile applications began to be used for video editing, making them more versatile and user friendly to a wider audience. This change speaks to the increasing popularity of visually appealing and well-edited high quality material especially among the social media audience and entertainers[4]. Devices such as laptops and tablets have evolved to be usable for video editing and creation. However, with the rise of smartphones, these devices have become less popular as tools for video editing, particularly among content creators. As shown in Fig. 1, smartphones are the predominant device used for internet access in Indonesia, aligning with the statistic that 98.9% of internet users utilize smartphones for video creation and editing as of January 2024[5]. This marks Indonesia as the first nation to fully switch to using smartphones as the primary device for both consuming and creating content. Side by side, the market for mobile video editing apps has evolved as well due to high demand. Mobile video editing apps are integrated with artificial technology for automatic trimming, color refinement, and facial recognition which all create intuitive effects. These are all AI-powered capabilities aiming to streamline the editing process and increase the effectiveness and accessibility of the apps for ease of use for amateurs and professionals alike.

Although AI becomes mainstream in mobile video editing apps, there are still few studies investigating its effect on user experience (UX) in an Indonesian context. An example is in Than Htut Soe's study, "AI Video Editing Tools: What Editors Want and How Far Is AI From Delivering?" [6], which strongly argues about the ability of AI to enhance the efficiency of the process of editing videos but limits its scope to desktop applications in a global context. Similarly, the implementation of AI in video editing, as highlighted by Mangapul Siahaan, shows great potential to simplify processes and increase efficiency [7]. This demonstrates that while AI offers significant opportunities for innovation in video editing, the exploration of its practical implications on UX, especially in mobile platforms, remains an open area of research[8].

In line with the above analysis, the present study is aimed to fill this gap by exploring the user experience with mobile video editing programs concentrating on AI-based features. The specific focus is on UX features of the software and Ease of Use, Satisfaction, and Effectiveness indices using User Experience Questionnaire[9]. This study aims to identify areas for improving AI-powered features in mobile video editing apps to better meet user needs and expectations. Although functions like automatic trimming, color refinement, and facial recognition enhance accessibility and efficiency, they often fail to address diverse user preferences and technical challenges, particularly in Indonesia. Using CapCut as a case




Fig. 1. Device usage distribution for internet access in Indonesia.

study—due to its popularity and rich AI features—the study provides practical recommendations for developers to enhance accessibility, efficiency, and user satisfaction for both amateur and professional users while considering Indonesia’s language and cultural context.

II. LITERATURE REVIEW

A. Artificial Intelligence

Artificial Intelligence (AI) is an important area of computer science that works to create systems or machines able to do human-centric tasks, like reasoning and human intelligence in general AI combines the automated effort and the machine learning and pattern recognition in which algorithms and models are considered to be the central pieces[10]. AI has produced innovation in an ever-expanding range of activities like speaker verification, photo identification, cars without drivers, medicine, etc.

B. Mobile Video Editing Apps

Mobile video editing apps simplify editing tasks traditionally performed on desktops. CapCut offers AI-powered features, including automatic script generation, background removal, and stabilization, making video editing accessible for beginners and professionals[11].

CapCut is a popular video editing application for both smartphones and laptops, widely used by beginner editors [12]. CapCut was the second most downloaded application in Indonesia for the year 2023, accumulating 53.9 million downloads, right after TikTok which had 67.4 million downloads. This remarkable achievement illustrates how important CapCut is in Indonesia's digital content creation landscape. Its seamless integration with social media platforms such as TikTok and Instagram, as well as its simple to use interface, makes it a preferred choice for video producers who need to create content in a timely manner.

In comparison to other mobile editing tools like VN, InShot, Kinemaster and even paid options, CapCut provides a greater socially integrated experience which is tailored for fast paced editing workflows of contemporary mobile creators. Furthermore, while VN, InShot, and Kinemaster incorporate AI-powered features such as automatic trimming, background stabilization, and basic scene detection, their capabilities in multilingual subtitle generation remain limited. CapCut distinguishes itself by offering an integrated automatic subtitle generator, although challenges persist in accurately handling diverse Indonesian accents. This distinction reinforces the rationale for selecting CapCut as a relevant case study for AI-driven mobile video editing user experience within the Indonesian context.

C. User Experience

User Experience refers to a person’s response or perception during the anticipated use of a service, product, or system, as defined by the International Organisation for Standardization[13]. It is influenced by both external factors, such as the company’s image, product marketing, system performance, and support, as well as internal factors, including the user’s previous experiences, attitudes, skills, personality, and the way the product is used[14].

D. User Experience Questionnaire

The User Experience Questionnaire (UEQ) is a structured rating tool for capturing the user’s perspective towards a

product or service, in this case an evaluated UEQ’s study self-reported data[15]. The 26 questions contained in this tool are divided into six components of user experience: attractiveness, perspicuity, efficiency, dependability, stimulation, and novelty. Each item is scored using a seven-point Likert scale with the endpoints “strongly agree” and “strongly disagree” [16].

The UEQ measures responses on a seven-point Likert scale with a range of 1 to 7. Scale levels, in the order of increasing value, are: 1-“very bad”, 2-“bad”, 3-“poor”, 4-“good”, 5-“very good”, 6-“excellent”, 7- “extraordinary”. Respondents choose the value that they determine accurately describes their opinion for every aspect noted in the UEQ. Those ratings are consolidated into UEQ scores permitting the comparison and analysis of the user experience concerning various products[17].

III. RESEARCH METHODOLOGY

This research begins with problem identification and a literature review on user experience theories and AI in mobile video editing applications, focusing on journals, theses, dissertations, and other documents[18]. After this, data collection occurs which includes the formulation of survey instruments and the direct observation of CapCut users to obtain quantitative data concerning their perceptions, problems, and level of satisfaction.

Next, the User Experience Questionnaire (UEQ) is deployed to determine the levels of novelty, perspicuity, efficiency, stimulation, dependability, and attractiveness[19]. The data are then categorized and interpreted to establish the merits and demerits of the application. There is a flow diagram of the Research Framework in Fig. 2 which illustrates how the tasks form a chain starting from the problem identification through to the conclusion.




Fig. 2. Research framework.

The UEQ method was chosen for its advantages in quickly and comprehensively evaluating user experience. UEQ covers six main dimensions: novelty, perspicuity, efficiency, stimulation, dependability, and attractiveness. Using a 7-point Likert scale, this method allows respondents to clearly express their level of satisfaction. UEQ has been widely

applied in similar studies[20]. Therefore, UEQ is considered relevant for assessing the user experience of mobile applications with AI features, such as CapCut. Based on the preceding research flow, the subsequent step in this study progresses through three key stages: Preparation, Data Collection, and Data Processing, culminating in the final Outcome.

A. Preparation

First stage entails clarifying the problems related to the study. This problem includes studying all the AI features of the CapCut application, which is the main subject of this research. Furthermore, some primary data is collected to prepare the theoretical framework and to seek pertinent materials to be used in developing the research further. The authors chose CapCut as a case study because it aligns with and meets the needs of this research which investigates user experience of AI-based mobile video editing applications in Indonesia.

B. Data Collection

The data for this particular research was acquired through a structured quantitative methodology that utilized the standard User Experience Questionnaire (UEQ) because of its thoroughness and common usage for assessing the usability of digital products. User experience is evaluated through six core components: Attractiveness, Perspicuity, Efficiency, Dependability, Stimulation, and Novelty. The described dimensions are measured by means of 26 semantic differential items and a 7-point Likert scale with 1 being “very negative” and 7 “very positive.”

To improve the reliability of the responses and mitigate bias, the questionnaire has randomized item order, alternating the use of positive and negative adjectives, which enhances the unbiased nature of the responses. As shown in Fig.3, each question focuses on a pair of opposing adjectives which prompt users to evaluate effortlessly but carefully for all six UEQ dimensions. This approach has been found useful in several studies and is particularly effective for capturing both the hedonic and pragmatic quality facets of the user experience. In addition, A Google Form link (<https://forms.gle/6G1B2KUdtGLyn6Y88>) was utilized to publish the questionnaire, which was accessible to the public for a duration of three weeks. Participants were drawn from video editing forums, social media influencer groups, and communities of users who actively utilize the CapCut application, using purposive sampling techniques.

This approach was effective in guaranteeing that the respondents understood how to use CapCut’s AI functions, such as the automatic subtitles and other editing functionalities, well enough to interpret them accurately. Responses received totaled 107, but after the exclusion of three due to straight lining bias, the total cleaned dataset was 104. This cleaning process will improve the validity of the dataset by reducing the impact of biased, nonsensical, or non-serious answers. To minimize further bias, study participants were not offered any form of incentive. All items were painstakingly analyzed for culturally appropriate treatment within the Indonesian framework as well. To facilitate further exploration of user diversity, which is presented in the subsequent section, basic demographic data such as age, gender, and region were also captured.

	1	2	3	4	5	6	7		
annoying	☐	☐	☐	☐	☐	☐	☐	enjoyable	1
not understandable	☐	☐	☐	☐	☐	☐	☐	understandable	2
creative	☐	☐	☐	☐	☐	☐	☐	dull	3
easy to learn	☐	☐	☐	☐	☐	☐	☐	difficult to learn	4
valuable	☐	☐	☐	☐	☐	☐	☐	inferior	5
boring	☐	☐	☐	☐	☐	☐	☐	exciting	6
not interesting	☐	☐	☐	☐	☐	☐	☐	interesting	7
unpredictable	☐	☐	☐	☐	☐	☐	☐	predictable	8
fast	☐	☐	☐	☐	☐	☐	☐	slow	9
inventive	☐	☐	☐	☐	☐	☐	☐	conventional	10
obstructive	☐	☐	☐	☐	☐	☐	☐	supportive	11
good	☐	☐	☐	☐	☐	☐	☐	bad	12
complicated	☐	☐	☐	☐	☐	☐	☐	easy	13
unlikeable	☐	☐	☐	☐	☐	☐	☐	pleasing	14
usual	☐	☐	☐	☐	☐	☐	☐	leading edge	15
unpleasant	☐	☐	☐	☐	☐	☐	☐	pleasant	16
secure	☐	☐	☐	☐	☐	☐	☐	not secure	17
motivating	☐	☐	☐	☐	☐	☐	☐	demotivating	18
meets expectations	☐	☐	☐	☐	☐	☐	☐	does not meet expectations	19
inefficient	☐	☐	☐	☐	☐	☐	☐	efficient	20
clear	☐	☐	☐	☐	☐	☐	☐	confusing	21
impractical	☐	☐	☐	☐	☐	☐	☐	practical	22
organized	☐	☐	☐	☐	☐	☐	☐	cluttered	23
attractive	☐	☐	☐	☐	☐	☐	☐	unattractive	24
trendy	☐	☐	☐	☐	☐	☐	☐	unfriendly	25
conservative	☐	☐	☐	☐	☐	☐	☐	innovative	26

Fig. 3. User Experience Questionnaire Items.

C. Data Analysis Method

Data from the User Experience Questionnaire (UEQ) were analyzed following the instructions in UEQ Data Analysis Handbook. Each response to an item captured on a 7-point Likert scale was converted to a value between -3 and +3 in accordance with the scoring guidelines. Such transformation enables obtaining mean values for each of the six UX components: Attractiveness, Perspicuity, Efficiency, Dependability, Stimulation, and Novelty.

The internal consistency was evaluated by computing Cronbach’s Alpha for each constituent of the dimensions. The UEQ manual served as the basis for suggesting acceptability thresholds above 0.6, which was used for the calculations. Mean and standard deviation for each dimension were captured as descriptive statistics. The resulting scores were then evaluated against benchmark metrics found within the UEQ benchmark database, which allows for a relative assessment of CapCut’s performance against numerous other evaluated products. All analysis procedures conform to those prescribed within the UEQ guidelines.

IV. RESULT AND DISCUSSION

A. Overview of User Profiles and Data

This section presents a detailed overview of the demographic characteristics of the participants and their interactions with the AI-enabled features of CapCut. A total of 107 content creators participated in the study. The majority were female (64.8%), with the remaining 35.2% being male. Most respondents (58.1%) were within the age group of 26–33 years, followed by 28.6% in the 18–25 range, and 11.4% between 34–41 years old. Only 1% of participants were older than 41, indicating a concentration of younger adult users in the sample.

Geographically, participants were primarily based in Sumatra and Java, the two most populous and digitally active regions in Indonesia. These areas are known for having high internet penetration and mobile device usage, making them representative of the country’s digital content creation landscape. The User Experience Questionnaire (UEQ) was utilized to evaluate six core UX dimensions: Attractiveness, Perspicuity, Efficiency, Stimulation, Dependability, and Novelty. According to survey responses, CapCut was the most frequently used application among participants for content creation. The most utilized AI-powered features in

CapCut included Automatic Beat Synchronization (46.2%), Auto Subtitle (32.7%), and Background Removal (11.5%). These data suggest a strong preference for automated editing tools that enhance workflow speed and accessibility for everyday creators.

B. Data Analysis

This study drew on information from 107 responses obtained through the User Experience Questionnaire (UEQ). All results were converted from the 7-point Likert scale to the standard UEQ metric which ranges from -3 (very negative) to +3 (very positive). Such normalization makes it easier to interpret and compare results across different studies.

To evaluate the internal reliability of the questionnaire, Cronbach's Alpha was calculated for each of the six dimensions of user experience. The results presented in Table 1 indicate that all six dimensions surpassed the scales' reliability criterion of 0.6, confirming satisfactory internal consistency among the responses. The figures were as follows: Attractiveness (Cronbach's Alpha = 0.88), Stimulation, Efficiency, Dependability, Perspicuity, and Novelty (0.91, 0.85, 0.84, 0.76, and 0.79, respectively).

TABLE I. CRONBACH'S ALPA

Variance	Alpha
Attractiveness	0.88
Perspicuity	0.76
Efficiency	0.85
Dependability	0.84
Stimulation	0.91
Novelty	0.79

During the data preparation phase, about 2.8 percent of responses were omitted due to being overly uniform, such as providing the same score across the board. These responses were classified as outliers and were eliminated to improve the overall validity of the dataset and mitigate the potential for bias.

Following the UEQ handbook guidelines, the original 7-point Likert scale responses were transformed into a standardized -3 to +3 scale to align with UEQ interpretation standards. According to UEQ benchmarks, scores above +1.00 are considered favorable (good to excellent experience), while scores below 0.00 are considered non-favorable (below average to very bad). The mapping was as follows: 1 was converted to -3, 2 to -2, 3 to -1, 4 to 0, 5 to +1, 6 to +2, and 7 to +3. This transformation process ensured that the calculated mean scores for each dimension accurately represented the original user evaluations, with positive values indicating positive experiences and negative values indicating negative experiences. As shown in Table 2, the Novelty dimension received the highest average score with 2.293 and a standard deviation of 0.34. This particularly strong user appreciation indicates CapCut's creative and innovative features. Following was the Stimulation dimension with an average score of 1.899 and a standard deviation of 1.29. This suggests that users found the application highly engaging and motivational. Attractiveness and Efficiency scored an average of 1.801 and 1.690 respectively, with their standard deviations being 1.38 and 1.06. This "Good" achievement is still in line with the UEQ benchmark. On the other hand, the Perspicuity and Dependability dimensions reflected notable concern areas.

The average score for the Perspicuity dimension was 1.163, with a standard deviation of 1.24, which places this result in the classification of "Below Average."

TABLE II. UEQ SCALES

UEQ Scales (Mean and Variance)		
Attractiveness	1.801	1.38
Perspicuity	1.163	1.24
Efficiency	1.690	1.06
Dependability	0.630	0.93
Stimulation	1.899	1.29
Novelty	2.293	0.34

This means that users struggled with understanding the feature's the automatic subtitle editor's workflows. Issues in Perspicuity suggest a lack of adequately clear, or too intuitive, interface design leading to outcomes that may be over-dependent on the design for ease, especially for untrained users.

The lowest score, highlighted by an average of 0.630 and a standard deviation of 0.93, was recorded for the Dependability dimension. This result, in particular, points out the absence of user trust on the dependability of AI-powered features. Users pointed out errors in the automatic subtitle generator that involved transcribing Indonesian regional accents and dialects. For multilingual users like Indonesians, dependability of AI functions is indispensable to ensure trust and satisfaction.




Fig. 4. Benchmark graph.

Figure 4 presents the benchmarking data relative to other products. CapCut surpassed 75 percent of comparable applications in Attractiveness and Efficiency and placed in the top 10 percent worldwide for Novelty and Stimulation. However, it was in the bottom 50 percent for Perspicuity and bottom 25 percent for Dependability. These results confirm the need for interfaces to be designed with greater consideration of local cultures and AI-powered transcription interfaces to employ more sophisticated sensitivity to cultural context.

C. Discussion

A The findings from this study indicate a gap in user experience evaluation of CapCut. On one hand, the application seems to enjoy compliments for its engaging, innovative, and aesthetically pleasing interface, as shown by the positive scores in Novelty, Stimulation, Attractiveness, and Efficiency. These findings confirm that CapCut has been able to draw interest from users and assist them in performing creative tasks easily, which is the purpose of mobile AI-powered editing tools.

On the other hand, there were glaring shortcomings in the Perspicuity and Dependability dimensions. Users also reported that some AI-based features were confusing and difficult to use, indicating some gaps in funnel interface

design, usability heuristics, and guides. Moreover, users voiced concerns regarding the trust placed on the AI-generated outputs, particularly with the automatic subtitle generation function which could not transcribe spoken words correctly from different Indonesian accent speakers. These results stress the necessity for design modifications aimed at increasing the precision of the information presented and the trust placed in the system—both essential attributes in human-centered A.I. design. To resolve these issues, the current study proposes three interface design concepts intended to augment usability and trust in CapCut's AI functionalities.




Fig. 5. Interface menu subtitle.

As displayed in Figure 5, the first AI-based solution implements a visual marker system which highlights portions of the subtitle that the AI model is unsure of. Portions containing words or phrases that have low confidence scores will be highlighted visually in yellow. This strategy enables users to identify discrepancies with relative ease through error detection, without resorting to reviewing the entire subtitle on a line by line basis. It improves clarity and efficiency simultaneously by enhancing cognitive ease by reduction in load and enabling users to direct their attention where it is most needed.

As displayed in Figure 6, the second proposed enhancement builds on this notion by adding an indicator of confidence beside each line of subtitle. This could be in form of an icon or numerically which demonstrate the level of confidence the AI model holds regarding the transcription for its display. With this, it improves transparency and interpretability as users can make more decisions when reviewing and editing subtitles based on the information provided. As displayed in Figure 6, the second proposed enhancement builds on this notion by adding an indicator of confidence beside each line of subtitle. This could be in form of an icon or numerically which demonstrate the level of confidence the AI model holds regarding the transcription for its display. With this, it improves transparency and interpretability as users can make more decisions when reviewing and editing subtitles based on the information provided.




Fig. 6. Interface generating subtitle.

By strengthening transparency, it directly addresses the low dependability score by explaining the reasoning system uses in presenting the AI outputs which improves trust and user control.

The third interface enhancement is highlighted in Figure 7. It involves adding a dialect selection screen that lets users choose their preferred dialect region prior to the generating of subtitles. Users can select what type of Indonesian dialect or language they use – Standard Indonesian or some other regional variant. This allows the model to configure its speech recognition algorithms to enhance accuracy for different users and speakers. Considering the rich linguistic diversity in Indonesia, this feature is morphologically adaptive in relation to the interaction with AI, which is a positive move toward an inclusive responsive AI feature.




Fig. 7. Interface before generating subtitle.

All of the designs put forward were aimed directly at solving the usability issues articulated by the data. They demonstrate fundamental aspects of human-computer interaction, such as visibility of system status, user control and freedom, as well as error prevention. In addition, these

adjustments focus on being lightweight and easily integrated into existing mobile software structures, paving the way for solutions without requiring extensive foundational modifications.

V. CONCLUSION

This research evaluated the user experience of CapCut, the mobile video editing application embedded with AI features, using the User Experience Questionnaire (UEQ). In the Adjustments Report, users reported mainly positive sentiments regarding the application's innovation, engagement, aesthetic value, and task efficiency. Among the six dimensions of UEQ, Novelty had the highest mean score of 2.293, followed by Stimulation, Attractiveness, and Efficiency scoring 1.899, 1.801, and 1.690 respectively. The results positioned CapCut above the global UEQ benchmark average, confirming its continued dominance as a mobile content creation platform. On the other hand, lower average scores for Perspicuity (1.163) and Dependability (0.630) point toward clarity concerning the AI-driven features, as well as reliability, as areas that require further development. Usability concerns include difficulties some users may have understanding particular features and trust issues related to the auto subtitle generator's reliability for handling Indonesian regional accents. These issues as a whole allude towards critical gaps that need resolution.

This research has several limitations. Most participants were young, digitally active users from limited locations, which may reduce the generalizability of the findings. Relying only on quantitative surveys might have missed contextual insights better captured through qualitative interviews or observations, particularly regarding user interactions with AI-generated subtitles that could reveal design flaws and trust issues. These findings contribute to mobile AI UX research both theoretically and practically. They emphasize the importance of human-centered, culturally responsive AI design to build user trust and usability and recommend that developers improve AI editing tools for greater accuracy, intuitive interfaces, and reliability to better meet diverse user needs.

Based on user feedback, the researchers proposed UI design changes. Practically, the study recommends improving demographic representation, combining qualitative and quantitative methods for richer insights, and validating user-suggested changes through usability testing. It also suggests exploring additional AI features beyond subtitle generation, such as automated effects, scene detection, and speech synthesis, to enhance mobile user experience.

ACKNOWLEDGMENT

The authors would like to express their gratitude to Bina Nusantara University for providing the resources and support necessary for conducting this research. All authors contributed to this research. To be more specific, Anies modified the data analysis technique and translated the manuscript, while Bangga Ari Saputra contributed to the literature review and hypothesis development. Sunardi finalized the manuscript and supervised the thesis. The open data associated with this research has been published on

Zenodo.org and can be accessed at 10.5281/zenodo.14840505.

REFERENCES

- [1] I. Spyridakis, "User Interface Design: Applying Heuristics for Improved Usability," in *2020 ASEE Virtual Annual Conference Content Access Proceedings*, Feb. 2024. doi: 10.18260/1-2-37979.
- [2] E. K. Zervoudi, "Fourth Industrial Revolution: Opportunities, Challenges, and Proposed Policies," in *IntechOpen eBooks*, IntechOpen, 2020. doi: 10.5772/intechopen.90412.
- [3] M. Yin, "Video Transformation in Big Video Era and Its Impact on Content Editing," *Open J. Soc. Sci.*, vol. 9, no. 11, pp. 116–124, Jan. 2021, doi: 10.4236/jss.2021.911010.
- [4] B. Sunarso, Tusriyanto, and F. Mustafa, "Analysing the Role of Visual Content in Increasing Attraction and Conversion in MSME Digital Marketing," *J. Contemp. Adm. Manag. ADMAN*, vol. 1, no. 3, pp. 193–200, Nov. 2023, doi: 10.61100/adman.v1i3.79.
- [5] "We Are Sosial," Digital 2024 - We Are Sosial Indonesia. [Online]. Available: <https://wearesocial.com/id/blog/2024/01/digital-2024/>
- [6] T. H. Soe, "AI video editing tools. What editors want and how far is AI from delivering?," Sep. 16, 2021, *arXiv*: arXiv:2109.07809. doi: 10.48550/arXiv.2109.07809.
- [7] M. Siahaan, T. S. Pheng, K. Batara, L. Pangestu, and C. Phodickson, "Penerapan Artificial Intelligence pada Penghapusan Object dalam Video Editing," vol. 5, 2024.
- [8] S. C. I. Taufik, R. Rismayanti, D. R. Sopian, and A. A. D. Saputra, "The Influence Of The Development Of Artificial Intelligence Technology In The Industrial Field," *J. Indones. Sos. Teknol.*, vol. 4, no. 8, pp. 1186–1199, Aug. 2023, doi: 10.59141/jist.v4i8.657.
- [9] B. Yang, W. Long, and Z. Pu, "Measuring and Improving User Experience Through Artificial Intelligence-Aided Design," *Front. Psychol.*, vol. 11, Nov. 2020, doi: 10.3389/fpsyg.2020.595374.
- [10] I. H. Sarker, "AI-Based Modeling: Techniques, Applications and Research Issues Towards Automation, Intelligent and Smart Systems," *SN Computer Science*, vol. 3, no. 2. Springer Nature, Feb. 2022. doi: 10.1007/s42979-022-01043-x.
- [11] "CapCut Desktop Download." Apr. 2024. [Online]. Available: <https://www.capcut.com/resource/capcut-desktop-download>
- [12] "How to Download CapCut App for Free." Jul. 2024. [Online]. Available: <https://www.capcut.com/resource/capcut-app-download>
- [13] S. A. Zahrah, S. H. Aulia, S. H. Wardani, and I. P. Sari, "Introduction of Cut Nyak Dien's Figure in 2D Animation-Based Mobile Applications," *J. Pendidik. Multimed. Edsence*, vol. 5, no. 1, pp. 73–84, Jun. 2023, doi: 10.17509/edsence.v5i1.47939.
- [14] R. Pushpakumar *et al.*, "Human-Computer Interaction: Enhancing User Experience in Interactive Systems," *E3S Web Conf.*, vol. 399, pp. 4037–4037, Jan. 2023, doi: 10.1051/e3sconf/202339904037.
- [15] I. Nugraha and A. Fatwanto, "User Experience Design Practices in Industry (Case Study from Indonesian Information Technology Companies)," *Elinvo Electron. Inform. Vocat. Educ.*, vol. 6, no. 1, pp. 49–60, Sep. 2021, doi: 10.21831/elinvo.v6i1.40958.
- [16] M. Rohandi, "An User Experience Analysis of UNGE-Learning Using User Experience Questionnaire Tool," *Adv. Soc. Sci. Educ. Humanit. Res. Soc. Sci. Educ. Humanit. Res.*, Jan. 2022, doi: 10.2991/assehr.k.220402.037.
- [17] M. Deady *et al.*, "The Utility of a Mental Health App in Apprentice Workers: A Pilot Study," *Front. Public Health*, vol. 8, Sep. 2020, doi: 10.3389/fpubh.2020.00389.
- [18] R. Arif, A. Samanlangi, and Hery Purnomo, *METODE PENELITIAN KUANTITATIF, KUALITATIF DAN R&D*. 2024.
- [19] I. D. Sabukunze and A. Arakaza, "User Experience Analysis on Mobile Application Design Using User Experience Questionnaire," *Indones. J. Inf. Syst.*, pp. 15–26, Aug. 2021, doi: 10.24002/ijis.v4i1.4646.
- [20] E. Jhonatan and K. Budiman, "User Experience Analysis of Satisfaction of Job Seekers (PENCAKER) in the City of Semarang Manpower Department in Using the SIKER Application Using the User Experience Questionnaire (UEQ) Method," *J. Adv. Inf. Syst. Technol.*, vol. 3, no. 2, pp. 42–54, Sep. 2022, doi: 10.15294/jaist.v3i2.53714.