

Subject: Resource Geography & Environmental Management | NCERT Class 8 & 10 |
UPSC Core

< 30-Second Snapshot

- **Land** covers only ~30 percent of Earth's surface, with 90 percent of the human population crowded into just 30 percent of that land area due to topographic constraints.
- **Soil formation** is an extremely slow geological process requiring centuries to form merely 1 cm of fertile topsoil via parent rock weathering.
- India's major **soil groups** include Alluvial (most widespread/fertile), Black Regur (Deccan lava-derived, ideal for cotton), Red/Yellow, Laterite, and Arid/Desertic soils.
- **Soil and land conservation** employs agronomic and mechanical strategies like mulching, contour barriers, terrace farming, shelter belts, and landslide retention engineering.
- **Freshwater** constitutes only ~2.7 percent of global water, with a mere ~1 percent accessible for human use, making conservation via drip irrigation, rainwater harvesting, and traditional systems vital.

🏛️ Core Concepts & Resource Typologies

Resource Domain	Operational Definition & Characteristics	Key Structural & Functional Sub-Types	Socio-Economic & Ecological Significance
Land Resources	Habitable and productive surface areas supporting human settlements and agrarian activities.	Private land versus community-owned common property resources.	Under severe pressure from industrial expansion, urban sprawl, and land degradation.
Pedological Systems	The grainy upper lithospheric layer formed from rock weathering and organic decay.	Alluvial, Black Regur, Laterite, and Mountain soils.	Forms the foundational biological medium sustaining global food security.
Soil Conservation	Engineered and agronomic practices designed to prevent erosion and nutrient loss.	Terrace farming, contour ploughing, mulching, shelter belts, and check dams.	Arrests gully erosion, prevents siltation in river valleys, and maintains soil fertility.
Water Security	Sustainable management of accessible freshwater supplies for domestic and agrarian use.	Multi-purpose dams, drip irrigation, rooftop harvesting, and traditional kuls.	Resolves regional water stress and mitigates agricultural drought vulnerability.

📐 Comparative Matrix: Major Soil Types in India

- **Alluvial Soil:**
 - **Distribution & Genesis:** Northern plains and river deltas; deposited by river action (divided into older Bhangar and newer Khadar).
 - **Agricultural Value:** Highly fertile; rich in potash, deficient in phosphorus; supports intensive cereal cropping.
- **Black (Regur) Soil:**
 - **Distribution & Genesis:** Deccan Plateau (Maharashtra, MP, Gujarat); derived from volcanic basaltic lava rocks.
 - **Agricultural Value:** Exceptional moisture retention; highly sticky when wet; ideal for cotton cultivation.
- **Laterite Soil:**
 - **Distribution & Genesis:** High-temperature, high-rainfall tracts (Western Ghats, Odisha); formed by intense leaching.
 - **Agricultural Value:** Low natural fertility; requires chemical fertilization to support tea,

coffee, and cashew plantations.

⚠ Common UPSC Exam Traps

- **Trap 1 (Habitable Land Share):** Land does not equal habitable space; *70 percent of Earth's land is sparsely populated or uninhabited* due to mountains, deserts, and dense forests.
- **Trap 2 (Soil Formation Speed):** Soil is not a rapidly renewable resource on human timelines; *it takes hundreds of years to form just 1 cm of fertile topsoil.*
- **Trap 3 (Accessibility of Global Water):** While three-fourths of Earth is covered in water, *oceanic water is saline*, and 70 percent of freshwater is frozen, leaving barely 1 percent accessible.
- **Trap 4 (Laterite Fertility):** Laterite soils are not naturally rich agricultural media; *they result from intense leaching* in heavy rainfall zones and require heavy fertilizer application.
- **Trap 5 (Common Property Resources):** Community lands are not private plots; *they are common property resources* shared collectively for fodder, fuel, and medicinal gathering.

🔍 High-Yield Facts Box

Resource Feature	Governing Mechanism	Diagnostic Identifier
Regur Soil	Volcanic basalt weathering	Dark Deccan plateau soil exhibiting high moisture retention, highly suited for cotton.
Bhangar & Khadar	Alluvial river deposition	Stratified categorization of older (Bhangar) versus newer (Khadar) Gangetic alluvium.
Mulching	Agronomic moisture retention	Covering bare ground between plants with organic straw to prevent evaporation.
Guls and Kuls	Mountain gravity diversion	Traditional Western Himalayan diversion channels used for hillside irrigation.
Bamboo Drip Line	Indigenous micro-irrigation	Traditional Meghalayan gravity-fed bamboo pipe system delivering water directly to plant roots.

📝 Prelims Practice Challenge

Q1. Consider the following statements regarding land and soil resources in India:

1. Ninety percent of the world's human population occupies roughly thirty percent of Earth's total land area.
2. Alluvial soil is India's most widespread and fertile soil type, subdivided into older Bhangar and newer Khadar deposits.
3. Black Regur soil is formed from crystalline igneous rocks and lacks the capacity to retain soil moisture during dry spells.
4. Laterite soils develop in high-temperature and high-rainfall areas through intense leaching, requiring fertilizer treatment to support crops like tea and coffee.

Which of the statements given above are correct?

- (A) 1, 2, and 4 only
- (B) 2 and 3 only
- (C) 1, 3, and 4 only
- (D) 1, 2, 3, and 4

Answer: (A) 1, 2, and 4 only

Explanation: Statements 1, 2, and 4 are correct descriptions of population distribution, alluvial zonation, and laterite leaching genesis. Statement 3 is incorrect because *Black Regur soil is derived from volcanic basalt lava* and is specifically renowned for its *exceptional moisture retention capacity*.

Q2. With reference to soil conservation and water resource management, consider the following pairs:

1. Terrace Farming: Cutting broad flat steps on steep mountain slopes to reduce surface runoff velocity.
2. Shelter Belts: Planting rows of trees in coastal and dry regions to check wind movement and stabilize soil.
3. Bamboo Drip Irrigation: A 200-year-old gravity-fed water delivery system practiced traditionally in Rajasthan.
4. Mulching: Covering bare soil spaces with organic matter like straw to prevent moisture evaporation.

Which of the pairs given above are correctly matched?

- (A) 1, 2, and 4 only
- (B) 1 and 3 only
- (C) 2, 3, and 4 only
- (D) 1, 2, 3, and 4

Answer: (A) 1, 2, and 4 only

Explanation: Pairs 1, 2, and 4 are correctly matched regarding terrace farming, shelter belts, and mulching. Pair 3 is incorrectly matched because *Bamboo drip irrigation is a traditional system practiced in Meghalaya*, not Rajasthan (where systems like khadins and tanks are common).

Mains Practice Question (10 Marks / 150 Words)

Question: "Examine the causes of land degradation and soil erosion in India. Discuss the engineering and agronomic measures required to achieve sustainable land and water resource management."

Structured Answer Framework:

- **Introduction (25–30 words):**
Define land, soil, and water as vital finite natural resources forming the foundation of India's agrarian economy and ecological stability.
- **Body Arguments (80–90 words):**
 - *Degradation Causes:* Highlight how deforestation, overgrazing, unscientific agricultural practices, urban encroachment on common lands, and industrial pollution accelerate soil erosion and water stress.
 - *Conservation Strategies:* Outline agronomic measures (mulching, intercropping, contour ploughing), mechanical barriers (terrace farming, rock dams, shelter belts), and water management innovations (drip irrigation, rooftop harvesting, and revival of traditional watersheds).
- **Conclusion / Way Forward (25–30 words):**
Achieving long-term resource security necessitates integrating community-led traditional practices with modern watershed engineering and rigorous environmental governance.