Security Assessment

Target: scanme.nmap.org

Generated: 2026-10-09T15:29:22.524838+00:00 Scan duration: 5m 26s Report ID: scanme-nmap-org-0001

1. Executive Summary

The scan identified three open ports: 22 (SSH), 80 (HTTP), and 443 (HTTPS). While SSH and HTTPS are generally secure, HTTP is not encrypted and could pose a risk if not properly secured. The security posture is moderate, with recommendations to ensure all services are configured with strong security measures.

Severity	Count
Critical	0
High	0
Medium	0
Low	0
Informational	0

Measure	Count
Assets discovered	Not available
Live hosts	0
Open ports	0
Technologies	0
Endpoints	0
Vulnerability observations	Not available
Validated findings	Not available

2. Scope of the Assessment

Target root domain: scanme.nmap.org

Authorized boundary: scanme.nmap.org plus every subdomain of it

Scan identifier: scanme-nmap-org-0001

Only hosts inside this boundary were tested. Anything outside was rejected and never touched.

3. How the Scan Was Performed (Methodology)

[done] Asset discovery

[done] DNS/live-host discovery

[not run] Port/service discovery

[done] Technology fingerprinting

[not run] Endpoint discovery

[not run] Screenshot capture

[done] Vulnerability verification

[done] NVD/CISA KEV enrichment

[done] AI-assisted analysis

[done] Evidence validation

[done] Report generation

4. Assets Discovered (Inventory)

No assets were discovered inside the authorized scope.

5. Live Hosts & Open Ports

None recorded for this scan.

6. Technology Stack

None recorded for this scan.

7. Discovered Endpoints

None recorded for this scan.

8. Vulnerability Observations (Evidence-Backed)

Only real scanner observations. NVD match = CVE exists publicly in catalog; it does NOT prove this target is exploitable. CISA KEV = known exploitation in the wild.
The verification scanner produced no CVE observations in this scan.

9. Validated Security Findings

Every finding cites tool Evidence IDs. Hypothesis findings by definition still need human confirmation; nothing was exploited.
No validated findings were produced for this scan. The tools observed the target surface, but nothing in the evidence rose to the level of a security finding.

10. Prioritized Recommendations

[Medium] R001

Ensure that all open ports are properly secured and configured with strong authentication and encryption.
Why: Model-provided recommendation without cited evidence - verify manually before acting.
Evidence: manual verification advised

[Medium] R002

Regularly scan for open ports and services to identify potential vulnerabilities.
Why: Model-provided recommendation without cited evidence - verify manually before acting.
Evidence: manual verification advised

[Medium] R003

Verify the security configuration of all services running on open ports.
Why: Model-provided recommendation without cited evidence - verify manually before acting.
Evidence: manual verification advised

11. Attack Path Hypotheses

All attack paths are unverified hypotheses. No exploitation was performed.
No attack-path hypotheses were produced for this scan.

12. Evidence Index

Complete list of tool observations that back every statement above.
None recorded for this scan.

13. Screenshots Captured

No screenshots were captured in this scan.

14. Raw Data References

No raw references available.

15. Completeness Notes & Limitations

Analysis model: qwen3:8b (Ollama) - local, on the lab machine
Pipeline version: Phase 10
Every statement traces to an evidence row; no finding was invented, and nothing was exploited at any point in this assessment.

16. Final Assessment - What Was Found and What It Means

The authorized assessment of scanme.nmap.org discovered Not available asset(s), 0 live host(s), 0 open port(s), 0 technology stack component(s), and 0 endpoint(s).
What was found: no validated security findings. The tools saw the target's public surface but nothing in the evidence met the bar for a security finding. That is a real result, not a failure: it means the Internet-facing surface examined here shows no obvious weakness in the stages that ran.
Recommended next actions, in priority order:

1. [Medium] Ensure that all open ports are properly secured and configured with strong authentication and encryption.
2. [Medium] Regularly scan for open ports and services to identify potential vulnerabilities.
3. [Medium] Verify the security configuration of all services running on open ports.

Plain-language glossary: an asset is a discovered hostname. A port is a numbered door a service listens on (443 = HTTPS, 80 = plain HTTP). A service is the program answering on that port. A technology is software detected on the website. An endpoint is a page or file address the crawler found. An Evidence ID like E014 points to one verified tool observation. A CVE is a publicly catalogued vulnerability, and hypothesis means an analyst judgment that a human must still verify. At no point was any exploit run or any damage caused: this is a read-only, observation-based assessment.