

# Acmegrade

## Web Development Project

### E commerce Project modules

Name-Sudipta Samanta

## Admin

### Module 1

Login by admin

#### SOURCE CODE:

#### Login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstr
ap.min.css" rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgplJlIm9Nao0Yz1ztcQTwFspd3yD65Vohhpu
uUCOMLASjC" crossorigin="anonymous">
</head>
<body>

  <!-- RUN ALWAYS WITH LOCALHOST -->
  <div class="d-flex justify-content-center align-items-center vh-
100">
    <form action="login.php" method="post" class="w-50 bg-info p-
3">

      <h3 class="text-center">Login Here</h3>
      <p class="text-center">UserType
      <select name="select">
        <option>Vendor</option>
```


```

        <option>Customer</option>
    </select>
</p>
    <p>UserName
        <input required class="form-control mt-3" type="text"
name="username" placeholder="Enter Username">
</p>
    <p>Password
        <input type="password" name="textfield">
</p>
    <div class="text-center">
        <button class="btn btn-danger mt-3">Login</button>
        <p>New User ? <a href="register.html">Register
Here</a></p>
    </div>
</form>
</div>

</body>
</html>

```

Output:



← → ↻ ⓘ localhost/ecommerce/login.html

---

**Login Here**

UserType Vendor ▼

UserName Enter Username

Password

Login

New User ? [Register Here](#)

Here,

For user type Vendor(username-admin and password-admin)

**SOURCE CODE:**

**Login.php**

```
<?php
```

```
$user=$_POST["username"];
$pass=$_POST["textfield"];
$usertype=$_POST["select"];
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$user1="";
$pass1="";
$usertype1="";
// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "select username, password,usertype from user where
username='".$user.'" and usertype='".$usertype.'"";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        $user1=$row["username"];
        $pass1=$row["password"];
        $usertype1=$row["usertype"];
    }
} else {
    echo "0 results";
}
if($user==$user1 && $pass==$pass1 && $usertype==$usertype1)
{
    if($usertype1=="Vendor")
    {
        header("Location:dashboard_admin.html");
    }
}
```

```

if($usertype1=="Customer")
{
header("Location:dashboard_user.php?val=".$user1);
}
}
else
{
echo "<h3>UnSuccessful login</h3>";
}
$conn->close();
?>

```

Dashboard for admin

### SOURCE CODE:

```


<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 {
    position:absolute;
    width:619px;
    height:227px;
    z-index:1;
    left: 363px;
    top: 119px;
}
-->
</style>
</head>

<body>
<div id="Layer1">
    <p><a href="view_delete.php">View Product</a>    </p>
    <p>&nbsp;</p>
    <p><a href="Insertproduct.html">Insert Product </a></p>
    <p>&nbsp;</p>

```

```
<p><a href="view_order.php">View Order</a></p>
</div>
</body>
</html>
```

Output:


A screenshot of a web browser's address bar. It shows navigation icons (back, forward, refresh) and an information icon. The address bar text is "localhost/ecommm/dashboard\_admin.html".

[View Product](#)

[Insert Product](#)

[View Order](#)

For wrong input data in login (like wrong password)

A screenshot of a web browser's address bar. It shows navigation icons (back, forward, refresh) and an information icon. The address bar text is "localhost/ecommm/login.php".

0 results

**UnSuccessful login**

## Module 2

Add products by admin

**SOURCE CODE:**

**Insertproduct.html**

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 {
    position:absolute;
    width:530px;
    height:354px;
    z-index:1;
    left: 419px;
    top: 45px;
}
.style1 {font-size: 36px}
.style2 {font-size: 24px}
-->
</style>
</head>

<body>
<div id="Layer1">
    <form action="Insertproduct.php" method="post" name="form1"
class="style1" id="form1">
        <div align="center" class="style2">
            <p>Product Details Entry</p>
            <p align="left">Enter Product ID
                <input type="text" name="textfield" />
            </p>
            <p align="left">Enter Product name
                <input type="text" name="textfield2" />
            </p>
            <p align="left">Enter Manufacturer
                <input type="text" name="textfield3" />
            </p>
            <p align="left">Enter Cost
                <input type="text" name="textfield4" />
        </div>
    </form>
</div>
</body>
</html>
```

```

</p>
<p align="left">Product Type
  <input type="text" name="textfield5" />
</p>
<p align="left">Manufacture Date
  <input type="date" name="textfield6" />
</p>
<p align="left">
  <input type="submit" name="Submit" value="Submit" />
</p>
</div>
</form>
<p>&nbsp;</p>
</div>
</body>
</html>

```

### **Insertproduct.php**

```

<?php
$pid=$_POST["textfield"];
$name=$_POST["textfield2"];
$manu=$_POST["textfield3"];
$cost=$_POST["textfield4"];
$type=$_POST["textfield5"];
$mdate=$_POST["textfield6"];
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";

// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

```

```
$sql = "INSERT INTO product  
values('".$pid."','".$pname."','".$manu."','".$cost."','".$ptype."','".$m  
date."')";
```

```
if ($conn->query($sql) === TRUE) {  
    echo "New product record created successfully";  
} else {  
    echo "Error: " . $sql . "<br>" . $conn->error;  
}
```

```
$conn->close();
```

```
?>
```

Output:

← → ↻ ⓘ localhost/ecommerce/dashboard\_admin.html

[View Product](#)

[Insert Product](#)

[View Order](#)



### Product Details Entry

Enter Product ID

Enter Product name

Enter Manufacturer

Enter Cost

Product Type

Manufacture Date

### Product Details Entry

Enter Product ID

Enter Product name

Enter Manufacturer

Enter Cost

Product Type

Manufacture Date

New product record created successfully

## Module 3

View products by admin

## SOURCE CODE:

### Viewproductadmin- Selecting user to view

```
<%@LANGUAGE="JAVASCRIPT" CODEPAGE="1252"%>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 { position:absolute;
        width:200px;
        height:115px;
        z-index:1;
        left: 272px;
        top: 100px;
    }
-->
</style>
</head>

<body>
<div id="Layer1">
    <form id="form1" name="form1" method="post"
action="viewproduct.php">
        <p>View Product</p>
        <p>Select Product ID</p>
        <p>
            <select name="select">
                <?php
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$usertype1="";
```

```

// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "select pid from product;";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
        <option><?php echo $row["pid"]; ?></option>
        <?php }
    } else {
        echo "0 results";
    }
}

$conn->close();
?>
</select>
<input type="submit" name="Submit" value="Submit" />
</p>
</form>
</div>
</body>
</html>

```

## Viewing product by admin

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>

```

```

<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 {
    position:absolute;
    width:564px;
    height:322px;
    z-index:1;
    top: 96px;
    left: 318px;
}
-->
</style>
</head>

<body>
<div id="Layer1">
    <table width="564" height="42" border="1">
        <tr>
            <th>Product ID </th>
            <th>Product Name </th>
            <th>Manufactuer</th>
            <th>Cost</th>
            <th>Product Type </th>
            <th>Date</th>
        </tr>
        <?php
$pid=$_POST["select"];
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$usertype1="";
// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {

```

```

    die("Connection failed: " . $conn->connect_error);
}

$sql = "select * from product where pid='".$pid."'";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
        <tr>
            <td><?php echo $row["pid"]; ?> </td>
            <td><?php echo $row["pname"]; ?> </td>
            <td><?php echo $row["manufacturer"]; ?></td>
            <td><?php echo $row["cost"]; ?></td>
            <td><?php echo $row["ptype"]; ?></td>
            <td><?php echo $row["manufact_date"]; ?></td>
        </tr>
    <?php }
} else {
    echo "0 results";
}

$conn->close();
    ?>
</table>
</div>
</body>
</html>

```

Output:

### View Product

Select Product ID

Product ID	Product Name	Manufactuer	Cost	Product Type	Date
p001	sun silk shampoo 100ml	sun silk	200	liquid	2024-09-10

## Module 4

Delete products by admin:

### SOURCE CODE:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 {
    position:absolute;
    width:200px;
    height:115px;
    z-index:1;
```

```
        left: 272px;
        top: 100px;
    }
    #Layer2 {
        position: absolute;
        width: 200px;
        height: 115px;
        z-index: 2;
        left: 575px;
        top: 105px;
    }
-->
</style>
</head>
```

```
<body>
<div id="Layer1">
    <form id="form1" name="form1" method="post"
action="viewproduct.php">
        <p>View Product</p>
        <p>Select Product ID</p>
        <p>
            <select name="select">
                <?php
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$usertype1="";
// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "select pid from product;";
$result = $conn->query($sql);
```

```

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
        <option><?php echo $row["pid"]; ?></option>
    <?php }
} else {
    echo "0 results";
}

$conn->close();
    ?>
    </select>
    <input type="submit" name="Submit" value="Submit" />
</p>
</form>
</div>
<div id="Layer2">
    <form id="form2" name="form2" method="post"
action="delete.php">
        <p>Delete Product</p>
        <p>Select Product ID</p>
        <p>
            <select name="select2">
                <?php
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$usertype1="";
// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "select pid from product;";

```




```
$result = $conn->query($sql);
```

```
if ($result->num_rows > 0) {  
    // output data of each row  
    while($row = $result->fetch_assoc()) {  
        ?>  
        <option><?php echo $row["pid"]; ?></option>  
    <?php }  
} else {  
    echo "0 results";  
}
```

```
$conn->close();  
    ?>  
    </select>  
    <input type="submit" name="Submit2" value="Submit" />  
    </p>  
    </form>  
    </div>  
    </body>  
    </html>
```

Output:



View Product

Select Product ID

Delete Product

Select Product ID

Product Deleted

View Product


Select Product ID

- p001
- p003
- p004

Data Base for products after deletion of a product:

<input type="checkbox"/> Profiling [ <a href="#">Edit inline</a> ] [ <a href="#">Edit</a> ] [ <a href="#">Explain SQL</a> ] [ <a href="#">Create PHP code</a> ] [ <a href="#">Refresh</a> ]						
<input type="checkbox"/> Show all   Number of rows: <input type="text" value="25"/> Filter rows: <input type="text" value="Search this table"/>						
Extra options						
pid	pname	manufacturer	cost	ptype	manufact_date	
p001	sunsilk shampoo 100ml	sunsilk	200	liquid	2024-09-10	
p003	sunsilk shampoo 500ml	sunsilk	800	liquid	2024-09-10	
p004	sunsilk shampoo 1000ml	sunsilk	1500	liquid	2024-07-10	

After deleting by admin products available for customer



## Module 5

View order by admin

View order of a customer by admin

### SOURCE CODE:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 {
    position:absolute;
    width:518px;
    height:218px;
    z-index:1;
    left: 339px;
    top: 62px;
}
-->
</style>
```

</head>

<body>

<div id="Layer1">

<form id="form1" name="form1" method="post"  
action="view\_order1.php">

<p>Select Userid</p>

<p>

<select name="select">

<?php

\$servername = "localhost:3307";

\$username = "root";

\$password = "";

\$dbname = "acme24\_jul";

\$usertype1="";

// Create connection

\$conn = new mysqli(\$servername, \$username, \$password,  
\$dbname);

// Check connection

if (\$conn->connect\_error) {  
die("Connection failed: " . \$conn->connect\_error);  
}

\$sql = "select distinct(username) from cart;";

\$result = \$conn->query(\$sql);

if (\$result->num\_rows > 0) {

// output data of each row

while(\$row = \$result->fetch\_assoc()) {

?>

<option><?php echo \$row["username"]; ?></option>

<?php }

} else {

echo "0 results";

}

\$conn->close();

?>

</select>

```
        <input type="submit" name="Submit" value="Submit" />
    </p>
</form>
</div>
</body>
</html>
```

Viewing orders by admin

**SOURCE CODE:**

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
</head>

<body>
<div id="Layer1">
    <table width="564" height="42" border="1">
        <tr>

            <th>Product Name </th>

            <th>Cost</th>

            <th>Quantity</th>
        </tr>
        <?php
            session_start();
            $servername = "localhost:3307";
            $username = "root";
            $password = "";
            $dbname = "acme24_jul";
            $usertype1="";
            // Create connection
            $conn = new mysqli($servername, $username, $password,
            $dbname);
```

```

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
$user=$_POST["select"];
$sql = "select * from cart where username='".$user."'";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
        <tr>

            <td><?php echo $row["pname"]; ?> </td>
            <td><?php echo $row["price"]; ?> </td>
            <td><?php echo $row["quantity"]; ?></td>

        </tr>
    <?php }
} else {
    echo "0 results";
}

$conn->close();
?>
</table>
</body>
</html>

```

Output:

[View Product](#)

[Insert Product](#)

[View Order](#)

Select Userid

sudipta123 ▼

Submit

Product Name	Cost	Quantity
sunsilk shampoo 100ml	200	3
sunsilk shampoo 500ml	800	4
sunsilk shampoo 1000ml	1500	2

# Client/Customer

## Module 1

Register for Customer(also vendor)

### SOURCE CODE:

#### Register.html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 {
    position:absolute;
    width:527px;
    height:298px;
    z-index:1;
    left: 394px;
    top: 73px;
}
.style1 {
    font-size: 24px;
    font-weight: bold;
}
-->
</style>
</head>

<body>
<div id="Layer1">
    <form action="register.php" method="post" name="form1"
class="style1" id="form1">
        <div align="center">
            <p>REGISTER </p>
            <p align="left">Userid
                <input type="text" name="textfield" />
```



```

</p>
<p align="left">UserName
  <input type="text" name="textfield2" />
</p>
<p align="left">Password
  <input type="password" name="textfield3" />
</p>
<p align="left">Usertype
  <select name="select">
    <option>Vendor</option>
    <option>Customer</option>
  </select>
</p>
<p align="left">Created
  <input type="date" name="textfield4" />
</p>
<p align="left">
  <input type="submit" name="Submit" value="Submit" />
</p>
</div>
</form>
</div>
</body>
</html>

```

OUTPUT:

### REGISTER


**Userid**

**UserName**

**Password**

**Usertype**

**Created**



New record created successfully

Also this source code can be used for admin registration



**REGISTER**

Userid	<input type="text" value="001"/>
UserName	<input type="text" value="admin"/>
Password	<input type="password" value="....."/>
Usertype	<input type="text" value="Vendor"/>
Created	<input type="text" value="01-11-2024"/>
<input type="button" value="Submit"/>	

## SOURCE CODE:

### Register.php

```
<?php
$userid=$_POST["textfield"];
$user=$_POST["textfield2"];
$pass=$_POST["textfield3"];
$usertype=$_POST["select"];
$date=$_POST["textfield4"];
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";

// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
```

```
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}


$sql = "INSERT INTO user
values('".$userid."', '".$user."', '".$pass."', '".$usertype."', '".$date."')";

if ($conn->query($sql) === TRUE) {
    echo "New record created successfully";
} else {
    echo "Error: " . $sql . "<br>" . $conn->error;
}

$conn->close();

?>
```

OUTPUT:



## Module 2

Login for Customer

**SOURCE CODE:**

## Login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.cs
s" rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgplJlIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuUCOML
ASjC" crossorigin="anonymous">
</head>
<body>

  <!-- RUN ALWAYS WITH LOCALHOST -->
  <div class="d-flex justify-content-center align-items-center vh-100">
    <form action="login.php" method="post" class="w-50 bg-info p-3">

      <h3 class="text-center">Login Here</h3>
      <p class="text-center">UserType
        <select name="select">
          <option>Vendor</option>
          <option>Customer</option>
        </select>
      </p>
      <p>UserName
        <input required class="form-control mt-3" type="text"
name="username" placeholder="Enter Username">
      </p>
      <p>Password
        <input type="password" name="textfield">
      </p>
      <div class="text-center">
        <button class="btn btn-danger mt-3">Login</button>
        <p>New User ? <a href="register.html">Register Here</a></p>
      </div>
    </form>
  </div>

</body>
</html>
```

## Login.php

```
<?php
```

```

$user=$_POST["username"];
$pass=$_POST["textfield"];
$usertype=$_POST["select"];
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$user1="";
$pass1="";
$usertype1="";
// Create connection
$conn = new mysqli($servername, $username, $password, $dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}


$sql = "select username, password,usertype from user where
username='".$user.'" and usertype='".$usertype.'"";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        $user1=$row["username"];
        $pass1=$row["password"];
        $usertype1=$row["usertype"];
    }
} else {
    echo "0 results";
}
if($user==$user1 && $pass==$pass1 && $usertype==$usertype1)
{
    if($usertype1=="Vendor")
    {
        header("Location:dashboard_admin.html");
    }
    if($usertype1=="Customer")
    {
        header("Location:dashboard_user.php?val='".$user1)";
    }
}
else
{
    echo "<h3>UnSuccessful login</h3>";
}

```

```
$conn->close();  
?>
```

Output:



## Login Here

UserType


UserName

Password

New User ? [Register Here](#)

Here,

For user type Customer(username-sudipta123 and password-sudipta\_123)



**WELCOME** sudipta123

## Module 3

View products by client

Dashboard for client:

### SOURCE CODE:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 { position:absolute;
        width:619px;
        height:227px;
        z-index:1;
        left: 363px;
        top: 119px;
}
#Layer2 {
        position:absolute;
        width:373px;
        height:41px;
        z-index:2;
        left: 8px;
        top: 14px;
}
-->
</style>
</head>

<body>
<div id="Layer1">
<?php $val1=$_GET["val"]; ?>
    <form id="form1" name="form1" method="post"
action="view_product1.php">
```

```

<input type="hidden" name="name" value=<?php echo $val1;?> />
  <input type="submit" name="Submit" value="View Product" />
</form>
<p><a href="#"></a></p>
<p>&nbsp;</p>
<form id="form2" name="form2" method="post"
action="view_cart.php">
  <label>
    <input type="hidden" name="name1" value=<?php echo
$val1;?> />
    <input type="submit" name="Submit2" value="View Cart" />
  </label>
</form>
<p><a href="#"></a></p>
</div>
<div id="Layer2"><strong>WELCOME</strong> <?php echo $val1;
?></div>
</body>
</html>

```

Viewing products by a client:

**SOURCE CODE:**

```
<?php
```

```
session_start();
```

```
include 'configurtion.php';
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```



<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Shopping Cart</title>

<link  
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-9alt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">

<script  
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js" integrity="sha384-OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI" crossorigin="anonymous"></script>

<style>

```
.product{  
  border: 1px solid #eaeaec;  
  margin: 2px 2px 8px 2px;  
  padding: 10px;  
  text-align: center;  
  background-color: #efefef;  
}
```

```
table,th,tr{  
  text-align: center;  
}
```

```
.title2{  
  text-align: center;  
  color: #66afe9;  
  background-color: #efefef;  
  padding: 2%;  
}
```

```
h2{  
  text-align: center;  
  color: #66afe9;
```

```

        background-color: #efefef;
        padding: 2%;
    }
    table th{
        background-color: #efefef;
    }

#Layer1 {
    position: absolute;
    width: 252px;
    height: 42px;
    z-index: 1;
    left: 8px;
    top: 13px;
}

.style1 {
    font-size: 18px;
    font-weight: bold;
}
</style>
</head>

<body>
<div class="container" style="width: 65%">

    <h2 style="text-transform: uppercase;"> Shopping Cart</h2>
    <?php $val1=$_POST["name"];?>
    <div class="style1" id="Layer1">Hello <?php echo $val1; ?></div>
    <?php
    $query = "select * from product";

    $result = mysqli_query($conn,$query);

    if(mysqli_num_rows($result)>0){

        while($row = mysqli_fetch_array($result)){
            ?>
            <div class="col-md-3" style="float: left;">
                <form method="post" action="cart.php">
                    <div class="product">

```

```

        <h5 class="text-info"><?php echo
$row["pname"];?></h5>
        <h6 class="text-danger">INR <?php echo
$row["cost"];?>.00</h6>
        <input type="text" name="quantity" class="form-
control" value="1">
                <input type="hidden"
name="username" value="<?php echo $val1;?>">
                <input type="hidden" name="name" value="<?php
echo $row["pname"];?>">
                <input type="hidden" name="price" value="<?php echo
$row["cost"];?>">
                <input type="submit" name="add" style="margin-top:
5px;" class="btn btn-success" value="Add to cart">
        </div>
    </form>
</div>
<?php
}
}
?>

```

```

</div>
</body>
</html>

```

For view product option:

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer1 { position:absolute;
width:200px;
height:115px;

```

```
        z-index:1;
        left: 272px;
        top: 100px;
    }
-->
</style>
</head>


<body>
<div id="Layer1">
    <form id="form1" name="form1" method="post"
action="viewproduct_user.php">
        <p>View Product</p>
        <p>
            <input type="submit" name="Submit" value="Submit" />
        </p>
    </form>
</div>
</body>
</html>
```

← → ↻ ⓘ localhost/ecommerce/dashboard\_user.php?val=sudipta123

**WELCOME** sudipta123

View Product

View Cart



## Module 4

Add to cart by customer

### SOURCE CODE:

Cart.php-

```
<?php
$quan=$_POST["quantity"];
$user=$_POST["username"];
$name=$_POST["name"];
$price=$_POST["price"];

$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";

// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "INSERT INTO cart
values('".$quan."', '".$user."', '".$name."', '".$price."')";
```

```

if ($conn->query($sql) === TRUE) {
    echo "Product add to cart";
} else {
    echo "Error: " . $sql . "<br>" . $conn->error;
}

```


```

$conn->close();

```

?>

Output:



Product added to cart

## Module 5

View cart by customer:

**SOURCE CODE:**

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer2 {
    position:absolute;
    width:180px;
    height:47px;
    z-index:1;
    left: 681px;
    top: 15px;
}
-->
</style>
<script type="text/javascript">
function show()
{
alert("Thank you!!! Order placed");
window.location.href = "dashboard_user.php";
}
</script>
</head>

<body>
<div id="Layer1">
<table width="564" height="42" border="1">
<tr>

<th>Product Name </th>

<th>Cost</th>

<th>Quantity</th>
</tr>
<?php
```

```

        session_start();
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$user_type1="";
// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
$user=$_POST["name1"];
$sql = "select * from cart where username='".$user."'";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
        <tr>

            <td><?php echo $row["pname"]; ?> </td>
            <td><?php echo $row["price"]; ?> </td>
            <td><?php echo $row["quantity"]; ?></td>

        </tr>
        <?php }
    } else {
        echo "0 results";
    }

    $conn->close();
    ?>
</table>
<div id="Layer2">
    <form id="form1" name="form1" method="post" action="">

```




```

        <input type="submit" name="Submit" value="Place Order"
onclick="show();" />
    </form>
</div>
</div>
</body>
</html>

```

Output:



The screenshot shows a web browser window with the address bar displaying 'localhost/ecommerce/view\_cart.php'. Below the browser window is a table representing a shopping cart. The table has three columns: 'Product Name', 'Cost', and 'Quantity'. It contains five rows of data, all for 'sunsilk shampoo' products.

Product Name	Cost	Quantity
sunsilk shampoo 100ml	200	3
sunsilk shampoo 500ml	800	4
sunsilk shampoo 1000ml	1500	2
sunsilk shampoo 500ml	800	1
sunsilk shampoo 500ml	800	1

## Module 6

Delete cart by customer

Delete cart.php

### SOURCE CODE:

```

<?php
$name=$_GET["val"];
$price=$_GET["val1"];
$quantity=$_GET["val2"];

$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";

// Create connection

```

```

$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "delete from cart where pname='".$pname.'" and
price='".$price.'" and quantity='".$quantity.'";

if ($conn->query($sql) === TRUE) {
    echo "Product removed from cart";
} else {
    echo "Error: " . $sql . "<br>" . $conn->error;
}

$conn->close();

```

?>

In viewcart viewing Delete Cart

## SOURCE CODE:

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer2 {
    position:absolute;
    width:180px;
    height:47px;
    z-index:1;
    left: 681px;
    top: 15px;

```

```

}
-->
</style>
<script type="text/javascript">
function show()
{
alert("Thank you!!! Order placed");
window.location.href = "dashboard_user.php";
}
</script>
</head>

<body>
<div id="Layer1">
  <table width="564" height="42" border="1">
    <tr>

      <th>Product Name </th>

      <th>Cost</th>

      <th>Quantity</th>
    </tr>
    <?php
      session_start();
      $servername = "localhost:3307";
      $username = "root";
      $password = "";
      $dbname = "acme24_jul";
      $usertype1="";
      // Create connection
      $conn = new mysqli($servername, $username, $password,
      $dbname);
      // Check connection
      if ($conn->connect_error) {
        die("Connection failed: " . $conn->connect_error);
      }
      $user=$_POST["name1"];
      $sql = "select * from cart where username='".$user."'";
      $result = $conn->query($sql);

```

```

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
        <tr>

            <td><?php echo $row["pname"]; ?> </td>
            <td><?php echo $row["price"]; ?> </td>
            <td><?php echo $row["quantity"]; ?></td>
            <td><a href="delete_cart.php?val=<?php echo $row["pname"];
?>&amp;val1=<?php echo $row["price"];?>&amp;val2=<?php echo
$row["quantity"];?>">Delete Cart</a></td>

        </tr>
    <?php }
} else {
    echo "0 results";
}

$conn->close();
?>
</table>
<div id="Layer2">
    <form id="form1" name="form1" method="post" action="">
        <input type="submit" name="Submit" value="Place Order"
onclick="show();" />
    </form>
</div>
</div>
</body>
</html>

```

Output:

← ↻ ⓘ localhost/ecomm/view\_cart.php

Product Name	Cost	Quantity	
sunsilk shampoo 500ml	800	4	<a href="#">Delete Cart</a>
sunsilk shampoo 1000ml	1500	2	<a href="#">Delete Cart</a>
sunsilk shampoo 500ml	800	1	<a href="#">Delete Cart</a>
sunsilk shampoo 500ml	800	1	<a href="#">Delete Cart</a>
sunsilk shampoo 1000ml	1500	2	<a href="#">Delete Cart</a>

Place Order

← ↻ ⓘ localhost/ecomm/delete\_cart.php?val=sunsilk%20shampoc

Product removed from cart

← → ↻ ⓘ localhost/ecomm/view\_cart.php

Product Name	Cost	Quantity	
sunsilk shampoo 1000ml	1500	2	<a href="#">Delete Cart</a>
sunsilk shampoo 500ml	800	1	<a href="#">Delete Cart</a>
sunsilk shampoo 500ml	800	1	<a href="#">Delete Cart</a>
sunsilk shampoo 1000ml	1500	2	<a href="#">Delete Cart</a>

Place

## Module 7

Place order by customer

### SOURCE CODE:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
```

```

<title>Untitled Document</title>
<style type="text/css">
<!--
#Layer2 {
    position:absolute;
    width:180px;
    height:47px;
    z-index:1;
    left: 681px;
    top: 15px;
}
-->
</style>
<script type="text/javascript">
function show()
{
alert("Thank you!!! Order placed");
window.location.href = "dashboard_user.php";
}
</script>
</head>

<body>
<div id="Layer1">
    <table width="564" height="42" border="1">
        <tr>

            <th>Product Name </th>

            <th>Cost</th>

            <th>Quantity</th>
        </tr>
        <?php
            session_start();
$servername = "localhost:3307";
$username = "root";
$password = "";
$dbname = "acme24_jul";
$usertype1="";

```

```

// Create connection
$conn = new mysqli($servername, $username, $password,
$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
$user=$_POST["name1"];
$sql = "select * from cart where username='".$user."'";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        ?>
        <tr>

            <td><?php echo $row["pname"]; ?> </td>
            <td><?php echo $row["price"]; ?> </td>
            <td><?php echo $row["quantity"]; ?></td>

        </tr>
    <?php }
} else {
    echo "0 results";
}

$conn->close();
?>
</table>
<div id="Layer2">
    <form id="form1" name="form1" method="post" action="">
        <input type="submit" name="Submit" value="Place Order"
onclick="show();" />
    </form>
</div>
</div>
</body>

```

</html>

Output:

localhost/ecommm/view_cart.php		
Product Name	Cost	Quantity
sunsilk shampoo 100ml	200	3
sunsilk shampoo 500ml	800	4
sunsilk shampoo 1000ml	1500	2
sunsilk shampoo 500ml	800	1
sunsilk shampoo 500ml	800	1

Place Order

_cart.php		
Cost	Quantity	<div>localhost says Thank you!!! Order placed</div> <div>OK</div>
200	3	
800	4	
1500	2	
800	1	
800	1	