

# Unittest pylibs.caching

11. Februar 2018

# Inhaltsverzeichnis

<b>1</b>	<b>Statistics</b>	<b>2</b>
<b>2</b>	<b>Test Information</b>	<b>2</b>
2.1	Test Object Information . . . . .	2
2.2	Test Candidate Information . . . . .	2
<b>3</b>	<b>Summary</b>	<b>2</b>
3.1	Tests with status <b>warning</b> (2) . . . . .	2
3.1.1	Test full initialisation of JSON-Cache . . . . .	2
3.1.2	Test partially initialisation of JSON-Cache . . . . .	3
3.2	Tests with status <b>success</b> (16) . . . . .	3
3.2.1	Test full initialisation of PICKLE-Cache . . . . .	3
3.2.2	Test partially initialisation of PICKLE-Cache . . . . .	4
3.2.3	Test cached data of JSON-Cache (full init) . . . . .	4
3.2.4	Test cached data of PICKLE-Cache (full init) . . . . .	4
3.2.5	Test cached data of JSON-Cache (partially init) . . . . .	5
3.2.6	Test cached data of PICKLE-Cache (partially init) . . . . .	5
3.2.7	Test increased data version for JSON-Cache (full init) . . . . .	5
3.2.8	Test increased data version for PICKLE-Cache (full init) . . . . .	6
3.2.9	Test increased data version for JSON-Cache (partially init) . . . . .	6
3.2.10	Test increased data version for PICKLE-Cache (partially init) . . . . .	6
3.2.11	Test changed uid for JSON-Cache (full init) . . . . .	7
3.2.12	Test changed uid for PICKLE-Cache (full init) . . . . .	7
3.2.13	Test changed uid for JSON-Cache (partially init) . . . . .	7
3.2.14	Test changed uid for PICKLE-Cache (partially init) . . . . .	7
3.2.15	Test save callback for JSON-Cache (full init) . . . . .	8
3.2.16	Test save callback for PICKLE-Cache (full init) . . . . .	8

<b>A Complete Trace</b>	<b>9</b>
A.1 Test full initialisation of JSON-Cache ( <b>warning</b> ) . . . . .	9
A.2 Test full initialisation of PICKLE-Cache ( <b>success</b> ) . . . . .	10
A.3 Test partially initialisation of JSON-Cache ( <b>warning</b> ) . . . . .	12
A.4 Test partially initialisation of PICKLE-Cache ( <b>success</b> ) . . . . .	13
A.5 Test cached data of JSON-Cache (full init) ( <b>success</b> ) . . . . .	14
A.6 Test cached data of PICKLE-Cache (full init) ( <b>success</b> ) . . . . .	15
A.7 Test cached data of JSON-Cache (partially init) ( <b>success</b> ) . . . . .	17
A.8 Test cached data of PICKLE-Cache (partially init) ( <b>success</b> ) . . . . .	18
A.9 Test increased data version for JSON-Cache (full init) ( <b>success</b> ) . . . . .	19
A.10 Test increased data version for PICKLE-Cache (full init) ( <b>success</b> ) . . . . .	20
A.11 Test increased data version for JSON-Cache (partially init) ( <b>success</b> ) . . . . .	21
A.12 Test increased data version for PICKLE-Cache (partially init) ( <b>success</b> ) . . . . .	23
A.13 Test changed uid for JSON-Cache (full init) ( <b>success</b> ) . . . . .	24
A.14 Test changed uid for PICKLE-Cache (full init) ( <b>success</b> ) . . . . .	26
A.15 Test changed uid for JSON-Cache (partially init) ( <b>success</b> ) . . . . .	27
A.16 Test changed uid for PICKLE-Cache (partially init) ( <b>success</b> ) . . . . .	29
A.17 Test save callback for JSON-Cache (full init) ( <b>success</b> ) . . . . .	30
A.18 Test save callback for PICKLE-Cache (full init) ( <b>success</b> ) . . . . .	30

## 1 Statistics

Number of tests	18
Number of successfull tests	16
Number of possibly failed tests	2
Number of failed tests	0

## 2 Test Information

### 2.1 Test Object Information

The Module `pylibs.caching` is designed to cache data of a class to increase performance. The class has a uid to signalise that the source had been changed and a version information to signalise that the data structure or creation method had been changed.

Only if case of such a change, the caching module gets the data from the class, otherwise from the cached information.

### 2.2 Test Candidate Information

Module Name	<code>pylibs.caching</code>
Module Verion	1.0.1
Test execution level	Full
Time consumption	0.052s

## 3 Summary

### 3.1 Tests with status **warning** (2)

#### 3.1.1 Test full initialisation of JSON-Cache

This test was passed with the state: **WARNING** . See also full trace in section A.1!

Testsummary:	
INFO	JSON cache initialised
INFO	Storage object extracted from cache class for comparison
INFO	No missing items in cache
INFO	No odd items in cache
INFO	Key 'str' has the correct content ('string')
WARNING	Key 'str' has a slightly different type. Cache/ Data: <type 'unicode'>/ <type 'str'>.
INFO	Key 'float' has the correct content (3.14159)
INFO	Key 'float' has the correct type (<type 'float'>)
INFO	Key 'list' has the correct content ([1, 'two', '3', 4])
INFO	Key 'list' has the correct type (<type 'list'>)
INFO	Key 'dict' has the correct content ('1': 1, '3': '3', '2': 'two', '4': 4)

```
INFO      Key 'dict' has the correct type (<type 'dict'>)
INFO      Key 'unicode' has the correct content (u'unicode')
INFO      Key 'unicode' has the correct type (<type 'unicode'>)
INFO      Key 'integer' has the correct content (17)
INFO      Key 'integer' has the correct type (<type 'int'>)
```

---

### 3.1.2 Test partially initialisation of JSON-Cache

This test was passed with the state: **WARNING** . See also full trace in section A.3!

---

Testsummary:

---

```
INFO      JSON cache initialised
INFO      Partially initialised cache class by requesting some data
INFO      Storage object extracted from cache class for comparison
INFO      No missing items in cache
INFO      No odd items in cache
INFO      Key 'float' has the correct content (3.14159)
INFO      Key 'float' has the correct type (<type 'float'>)
INFO      Key 'list' has the correct content ([1, 'two', '3', 4])
INFO      Key 'list' has the correct type (<type 'list'>)
INFO      Key 'str' has the correct content ('string')
WARNING   Key 'str' has a slightly different type. Cache/ Data: <type 'unicode'>/ <type 'str'>.
```

---

## 3.2 Tests with status **success** (16)

### 3.2.1 Test full initialisation of PICKLE-Cache

This test was passed with the state: **INFO** . See also full trace in section A.2!

---

Testsummary:

---

```
INFO      JSON cache initialised
INFO      Storage object extracted from cache class for comparison
INFO      No missing items in cache
INFO      No odd items in cache
INFO      Key 'str' has the correct content ('string')
INFO      Key 'str' has the correct type (<type 'str'>)
INFO      Key 'float' has the correct content (3.14159)
INFO      Key 'float' has the correct type (<type 'float'>)
INFO      Key 'list' has the correct content ([1, 'two', '3', 4])
INFO      Key 'list' has the correct type (<type 'list'>)
INFO      Key 'dict' has the correct content ('1': 1, '3': '3', '2': 'two', '4': 4)
INFO      Key 'dict' has the correct type (<type 'dict'>)
INFO      Key 'unicode' has the correct content (u'unicode')
INFO      Key 'unicode' has the correct type (<type 'unicode'>)
INFO      Key 'integer' has the correct content (17)
INFO      Key 'integer' has the correct type (<type 'int'>)
```

---

### 3.2.2 Test partially initialisation of PICKLE-Cache

This test was passed with the state: **INFO** . See also full trace in section A.4!

---

Testsummary:

---

```
INFO JSON cache initialised
INFO Partially initialised cache class by requesting some data
INFO Storage object extracted from cache class for comparison
INFO No missing items in cache
INFO No odd items in cache
INFO Key 'float' has the correct content (3.14159)
INFO Key 'float' has the correct type (<type 'float'>)
INFO Key 'list' has the correct content ([1, 'two', '3', 4])
INFO Key 'list' has the correct type (<type 'list'>)
INFO Key 'str' has the correct content ('string')
INFO Key 'str' has the correct type (<type 'str'>)
```

---

### 3.2.3 Test cached data of JSON-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.5!

---

Testsummary:

---

```
INFO JSON cache initialised
INFO Got expected cached value for 'uncached' from cached class. Got (uncached_data_of_class), Current Class (uncached_data_of_class)
INFO Got expected cached value for 'dict' from cached class. Got (u'1': 1, u'3': u'3', u'2': u'two', u'4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (__unicode__)
INFO Got expected cached value for 'str' from cached class. Got (string), Current Class (__string__)
INFO Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)
INFO Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)
INFO Got expected cached value for 'list' from cached class. Got ([1, u'two', u'3', 4]), Current Class (['one', 2, 3, '4'])
```

---

### 3.2.4 Test cached data of PICKLE-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.6!

---

Testsummary:

---

```
INFO JSON cache initialised
INFO Got expected cached value for 'uncached' from cached class. Got (uncached_data_of_class), Current Class (uncached_data_of_class)
INFO Got expected cached value for 'dict' from cached class. Got ('1': 1, '3': '3', '2': 'two', '4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (__unicode__)
INFO Got expected cached value for 'str' from cached class. Got (string), Current Class (__string__)
```

---

INFO Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)  
 INFO Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)  
 INFO Got expected cached value for 'list' from cached class. Got ([1, 'two', '3', 4]), Current Class ([ 'one', 2, 3, '4'])

---

### 3.2.5 Test cached data of JSON-Cache (partially init)

This test was passed with the state: **INFO** . See also full trace in section A.7!

---

Testsummary:

---

INFO JSON cache initialised  
 INFO Got expected cached value for 'uncached' from cached class. Got (uncached\_data\_of\_class), Current Class (uncached\_data\_of\_class)  
 INFO Got expected cached value for 'dict' from cached class. Got (u'1': 1, u'3': u'3', u'2': u'two', u'4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')  
 INFO Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (\_\_unicode\_\_)  
 INFO Got expected cached value for 'str' from cached class. Got (string), Current Class (\_\_string\_\_)  
 INFO Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)  
 INFO Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)  
 INFO Got expected cached value for 'list' from cached class. Got ([1, u'two', u'3', 4]), Current Class ([ 'one', 2, 3, '4'])

---

### 3.2.6 Test cached data of PICKLE-Cache (partially init)

This test was passed with the state: **INFO** . See also full trace in section A.8!

---

Testsummary:

---

INFO JSON cache initialised  
 INFO Got expected cached value for 'uncached' from cached class. Got (uncached\_data\_of\_class), Current Class (uncached\_data\_of\_class)  
 INFO Got expected cached value for 'dict' from cached class. Got ('1': 1, '3': '3', '2': 'two', '4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')  
 INFO Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (\_\_unicode\_\_)  
 INFO Got expected cached value for 'str' from cached class. Got (string), Current Class (\_\_string\_\_)  
 INFO Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)  
 INFO Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)  
 INFO Got expected cached value for 'list' from cached class. Got ([1, 'two', '3', 4]), Current Class ([ 'one', 2, 3, '4'])

---

### 3.2.7 Test increased data version for JSON-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.9!

---

Testsummary:

---

INFO JSON cache initialised  
 INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')  
 INFO Got expected renewed value for 'unicode' from cached class (\_\_unicode\_\_)

---

```
INFO Got expected renewed value for 'str' from cached class (__string__)
INFO Got expected renewed value for 'integer' from cached class (34)
INFO Got expected renewed value for 'float' from cached class (2.71828)
INFO Got expected renewed value for 'list' from cached class ([u'one', 2, 3, u'4'])
```

---

### 3.2.8 Test increased data version for PICKLE-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.10!

---

Testsummary:

```
INFO JSON cache initialised
INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected renewed value for 'unicode' from cached class (__unicode__)
INFO Got expected renewed value for 'str' from cached class (__string__)
INFO Got expected renewed value for 'integer' from cached class (34)
INFO Got expected renewed value for 'float' from cached class (2.71828)
INFO Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
```

---

### 3.2.9 Test increased data version for JSON-Cache (partially init)

This test was passed with the state: **INFO** . See also full trace in section A.11!

---

Testsummary:

```
INFO JSON cache initialised
INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected renewed value for 'unicode' from cached class (__unicode__)
INFO Got expected renewed value for 'str' from cached class (__string__)
INFO Got expected renewed value for 'integer' from cached class (34)
INFO Got expected renewed value for 'float' from cached class (2.71828)
INFO Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
```

---

### 3.2.10 Test increased data version for PICKLE-Cache (partially init)

This test was passed with the state: **INFO** . See also full trace in section A.12!

---

Testsummary:

```
INFO JSON cache initialised
INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected renewed value for 'unicode' from cached class (__unicode__)
INFO Got expected renewed value for 'str' from cached class (__string__)
INFO Got expected renewed value for 'integer' from cached class (34)
INFO Got expected renewed value for 'float' from cached class (2.71828)
INFO Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
```

---



### 3.2.11 Test changed uid for JSON-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.13!

---

Testsummary:

---

```
INFO JSON cache initialised
INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected renewed value for 'unicode' from cached class (__unicode__)
INFO Got expected renewed value for 'str' from cached class (__string__)
INFO Got expected renewed value for 'integer' from cached class (34)
INFO Got expected renewed value for 'float' from cached class (2.71828)
INFO Got expected renewed value for 'list' from cached class ([u'one', 2, 3, u'4'])
```

---

### 3.2.12 Test changed uid for PICKLE-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.14!

---

Testsummary:

---

```
INFO JSON cache initialised
INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected renewed value for 'unicode' from cached class (__unicode__)
INFO Got expected renewed value for 'str' from cached class (__string__)
INFO Got expected renewed value for 'integer' from cached class (34)
INFO Got expected renewed value for 'float' from cached class (2.71828)
INFO Got expected renewed value for 'list' from cached class ([one', 2, 3, '4'])
```

---

### 3.2.13 Test changed uid for JSON-Cache (partially init)

This test was passed with the state: **INFO** . See also full trace in section A.15!

---

Testsummary:

---

```
INFO JSON cache initialised
INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO Got expected renewed value for 'unicode' from cached class (__unicode__)
INFO Got expected renewed value for 'str' from cached class (__string__)
INFO Got expected renewed value for 'integer' from cached class (34)
INFO Got expected renewed value for 'float' from cached class (2.71828)
INFO Got expected renewed value for 'list' from cached class ([one', 2, 3, '4'])
```

---

### 3.2.14 Test changed uid for PICKLE-Cache (partially init)

This test was passed with the state: **INFO** . See also full trace in section A.16!

---

Testsummary:

---

INFO JSON cache initialised  
INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')  
INFO Got expected renewed value for 'unicode' from cached class (\_\_unicode\_\_)  
INFO Got expected renewed value for 'str' from cached class (\_\_string\_\_)  
INFO Got expected renewed value for 'integer' from cached class (34)  
INFO Got expected renewed value for 'float' from cached class (2.71828)  
INFO Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])

---

### 3.2.15 Test save callback for JSON-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.17!

---

Testsummary:

---

INFO Save callback was executed as expected

---

### 3.2.16 Test save callback for PICKLE-Cache (full init)

This test was passed with the state: **INFO** . See also full trace in section A.18!

---

Testsummary:

---

INFO Save callback was executed as expected

---

## A Complete Trace

### A.1 Test full initialisation of JSON-Cache (warning)

This test was passed with the state: **WARNING**

Description:	Test full initialisation of JSON-Cache
Caller:	my_unittest.py (24)
Start-Time:	2018-02-11 19:27:08,387
Finished-Time:	2018-02-11 19:27:08,390
Time-Consumption	0.003s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/load_on_init.json as cache file
DEBUG	JsonCache: Cache file does not exists (yet).
DEBUG	JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/load_on_init.json)
INFO	Storage object extracted from cache class for comparison
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/load_on_init.json)
INFO	Using storage object of cache class for comparison: u'str': u'string', u'_property_cache_uid': u'my-unique-id', u'float': 3.14159, u'list': [1, u'two', u'3', 4], u'dict': u'1': 1, u'3': u'3', u'2': u'two', u'4': 4, u'unicode': u'unicode', u'_property_cache_data_version_': 1, u'integer': 17
INFO	Deleted overhead keys: _property_cache_data_version_, _property_cache_uid_
INFO	No missing items in cache
DEBUG	REPORT: Starting...
INFO	No odd items in cache
DEBUG	REPORT: Starting...
INFO	Key 'str' has the correct content ('string')
DEBUG	REPORT: Starting...
WARNING	Key 'str' has a slightly different type. Cache/ Data: <type 'unicode'>/ <type 'str'>.
DEBUG	REPORT: Starting...
WARNING	This type difference is a known issue with json
INFO	Key 'float' has the correct content (3.14159)
DEBUG	REPORT: Starting...

INFO	Key 'float' has the correct type (<type 'float'>)
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct content ([1, 'two', '3', 4])
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct type (<type 'list'>)
DEBUG	REPORT: Starting...
INFO	Key 'dict' has the correct content ('1': 1, '3': '3', '2': 'two', '4': 4)
DEBUG	REPORT: Starting...
INFO	Key 'dict' has the correct type (<type 'dict'>)
DEBUG	REPORT: Starting...
INFO	Key 'unicode' has the correct content (u'unicode')
DEBUG	REPORT: Starting...
INFO	Key 'unicode' has the correct type (<type 'unicode'>)
DEBUG	REPORT: Starting...
INFO	Key 'integer' has the correct content (17)
DEBUG	REPORT: Starting...
INFO	Key 'integer' has the correct type (<type 'int'>)
DEBUG	REPORT: Starting...

## A.2 Test full initialisation of PICKLE-Cache (success)

This test was passed with the state: **INFO**

Description:	Test full initialisation of PICKLE-Cache
Caller:	my_unittest.py (25)
Start-Time:	2018-02-11 19:27:08,391
Finished-Time:	2018-02-11 19:27:08,394
Time-Consumption	0.003s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/load_on_init.pkl as cache file
DEBUG	PickCache: Cache file does not exists (yet).
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/load_on_init.pkl)
INFO	Storage object extracted from cache class for comparison

DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/load_on_init.pkl)
INFO	Using storage object of cache class for comparison: 'str': 'string', '_property_cache_uid_': 'my_unique_id', 'float': 3.14159, 'list': [1, 'two', '3', 4], 'dict': '1': 1, '3': '3', '2': 'two', '4': 4, 'unicode': u'unicode', '_property_cache_data_version_': 1, 'integer': 17
INFO	Deleted overhead keys: _property_cache_data_version_, _property_cache_uid_
INFO	No missing items in cache
DEBUG	REPORT: Starting...
INFO	No odd items in cache
DEBUG	REPORT: Starting...
INFO	Key 'str' has the correct content ('string')
DEBUG	REPORT: Starting...
INFO	Key 'str' has the correct type (<type 'str'>)
DEBUG	REPORT: Starting...
INFO	Key 'float' has the correct content (3.14159)
DEBUG	REPORT: Starting...
INFO	Key 'float' has the correct type (<type 'float'>)
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct content ([1, 'two', '3', 4])
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct type (<type 'list'>)
DEBUG	REPORT: Starting...
INFO	Key 'dict' has the correct content ('1': 1, '3': '3', '2': 'two', '4': 4)
DEBUG	REPORT: Starting...
INFO	Key 'dict' has the correct type (<type 'dict'>)
DEBUG	REPORT: Starting...
INFO	Key 'unicode' has the correct content (u'unicode')
DEBUG	REPORT: Starting...
INFO	Key 'unicode' has the correct type (<type 'unicode'>)
DEBUG	REPORT: Starting...
INFO	Key 'integer' has the correct content (17)
DEBUG	REPORT: Starting...
INFO	Key 'integer' has the correct type (<type 'int'>)
DEBUG	REPORT: Starting...

### A.3 Test partially initialisation of JSON-Cache (warning)

This test was passed with the state: **WARNING**

Description:	Test partially initialisation of JSON-Cache
Caller:	my_unittest.py (26)
Start-Time:	2018-02-11 19:27:08,394
Finished-Time:	2018-02-11 19:27:08,400
Time-Consumption	0.006s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.json as cache file
DEBUG	JsonCache: Cache file does not exists (yet).
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.json)
INFO	Partially initialised cache class by requesting some data
DEBUG	REPORT: Starting...
DEBUG	JsonCache: Loading property for 'float' from source instance (3.14159)
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'list' from source instance ([1, 'two', '3', 4])
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'str' from source instance ('string')
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.json)
INFO	Storage object extracted from cache class for comparison
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.json)
INFO	Using storage object of cache class for comparison: u'_property_cache_data_version_': 1, u'float': 3.14159, u'list': [1, u'two', u'3', 4], u'str': u'string', u'_property_cache_uid_': u'my-unique-id'
INFO	Deleted overhead keys: _property_cache_data_version_, _property_cache_uid_
INFO	No missing items in cache
DEBUG	REPORT: Starting...
INFO	No odd items in cache
DEBUG	REPORT: Starting...
INFO	Key 'float' has the correct content (3.14159)
DEBUG	REPORT: Starting...

INFO	Key 'float' has the correct type (<type 'float'>)
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct content ([1, 'two', '3', 4])
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct type (<type 'list'>)
DEBUG	REPORT: Starting...
INFO	Key 'str' has the correct content ('string')
DEBUG	REPORT: Starting...
WARNING	Key 'str' has a slightly different type. Cache/ Data: <type 'unicode'>/ <type 'str'>.
DEBUG	REPORT: Starting...
WARNING	This type difference is a known issue with json

## A.4 Test partially initialisation of PICKLE-Cache (success)

This test was passed with the state: **INFO**

Description:	Test partially initialisation of PICKLE-Cache
Caller:	my_unittest.py (27)
Start-Time:	2018-02-11 19:27:08,400
Finished-Time:	2018-02-11 19:27:08,403
Time-Consumption	0.003s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.pkl as cache file
DEBUG	PickCache: Cache file does not exists (yet).
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.pkl)
INFO	Partially initialised cache class by requesting some data
DEBUG	REPORT: Starting...
DEBUG	PickCache: Loading property for 'float' from source instance (3.14159)
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'list' from source instance ([1, 'two', '3', 4])
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'str' from source instance ('string')
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/no_load_on_init.pkl)

INFO	Storage object extracted from cache class for comparison
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/no_load_on_init.pkl)
INFO	Using storage object of cache class for comparison: '_property_cache_data_version': 1, 'float': 3.14159, 'list': [1, 'two', '3', 4], 'str': 'string', '_property_cache_uid': 'my-unique-id'
INFO	Deleted overhead keys: _property_cache_data_version_, _property_cache_uid_
INFO	No missing items in cache
DEBUG	REPORT: Starting...
INFO	No odd items in cache
DEBUG	REPORT: Starting...
INFO	Key 'float' has the correct content (3.14159)
DEBUG	REPORT: Starting...
INFO	Key 'float' has the correct type (<type 'float'>)
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct content ([1, 'two', '3', 4])
DEBUG	REPORT: Starting...
INFO	Key 'list' has the correct type (<type 'list'>)
DEBUG	REPORT: Starting...
INFO	Key 'str' has the correct content ('string')
DEBUG	REPORT: Starting...
INFO	Key 'str' has the correct type (<type 'str'>)
DEBUG	REPORT: Starting...

## A.5 Test cached data of JSON-Cache (full init) (success)

This test was passed with the state: **INFO**

Description:	Test cached data of JSON-Cache (full init)
Caller:	my_unittest.py (28)
Start-Time:	2018-02-11 19:27:08,403
Finished-Time:	2018-02-11 19:27:08,405
Time-Consumption	0.002s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unitest_pylibs/caching/tmp/cache_data_test_load_on_init.json as cache file



DEBUG	JsonCache: Cache file does not exists (yet).
DEBUG	JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_load_on_init.json)
INFO	Got expected cached value for 'uncached' from cached class. Got (uncached_data_of_class), Current Class (uncached_data_of_class)
DEBUG	REPORT: Starting...
WARNING	JsonCache: Key 'uncached' is not in cached.keys. Uncached data will be returned.
INFO	Got expected cached value for 'dict' from cached class. Got (u'1': 1, u'3': u'3', u'2': u'two', u'4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'dict' from cache (u'1': 1, u'3': u'3', u'2': u'two', u'4': 4)
INFO	Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (__unicode__)
DEBUG	REPORT: Starting...
DEBUG	JsonCache: Providing property for 'unicode' from cache (u'unicode')
INFO	Got expected cached value for 'str' from cached class. Got (string), Current Class (__string__)
DEBUG	REPORT: Starting...
DEBUG	JsonCache: Providing property for 'str' from cache (u'string')
INFO	Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)
DEBUG	REPORT: Starting...
DEBUG	JsonCache: Providing property for 'integer' from cache (17)
INFO	Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)
DEBUG	REPORT: Starting...
DEBUG	JsonCache: Providing property for 'float' from cache (3.14159)
INFO	Got expected cached value for 'list' from cached class. Got ([1, u'two', u'3', 4]), Current Class ([ 'one', 2, 3, '4'])
DEBUG	REPORT: Starting...
DEBUG	JsonCache: Providing property for 'list' from cache ([1, u'two', u'3', 4])

## A.6 Test cached data of PICKLE-Cache (full init) (success)

This test was passed with the state: **INFO**

Description:	Test cached data of PICKLE-Cache (full init)
Caller:	my_unittest.py (29)
Start-Time:	2018-02-11 19:27:08,405
Finished-Time:	2018-02-11 19:27:08,407
Time-Consumption	0.002s

## Testsummary:

INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unitest_pylibs/caching/tmp/cache_data_test_load_on_init.pkl as cache file
DEBUG	PickCache: Cache file does not exists (yet).
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/cache_data_test_load_on_init.pkl)
INFO	Got expected cached value for 'uncached' from cached class. Got (uncached_data_of_class), Current Class (uncached_data_of_class)
DEBUG	REPORT: Starting...
WARNING	PickCache: Key 'uncached' is not in cached_keys. Uncached data will be returned.
INFO	Got expected cached value for 'dict' from cached class. Got ('1': 1, '3': '3', '2': 'two', '4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/cache_data_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'dict' from cache ('1': 1, '3': '3', '2': 'two', '4': 4)
INFO	Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (-- unicode--)
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'unicode' from cache (u'unicode')
INFO	Got expected cached value for 'str' from cached class. Got (string), Current Class (_string--)
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'str' from cache ('string')
INFO	Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'integer' from cache (17)
INFO	Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'float' from cache (3.14159)
INFO	Got expected cached value for 'list' from cached class. Got ([1, 'two', '3', 4]), Current Class ([ 'one', 2, 3, '4'])
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'list' from cache ([1, 'two', '3', 4])

## A.7 Test cached data of JSON-Cache (partially init) (success)

This test was passed with the state: **INFO**

Description:	Test cached data of JSON-Cache (partially init)
Caller:	my_unittest.py (30)
Start-Time:	2018-02-11 19:27:08,408
Finished-Time:	2018-02-11 19:27:08,410
Time-Consumption	0.002s
Testsummary:	
<b>INFO</b>	JSON cache initialised
<b>DEBUG</b>	REPORT: Starting...
<b>INFO</b>	Deleting cache file from filesystem to ensure identical conditions for each test run
<b>INFO</b>	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_no_load_on_init.json as cache file
<b>DEBUG</b>	JsonCache: Cache file does not exists (yet).
<b>DEBUG</b>	JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
<b>INFO</b>	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_no_load_on_init.json)
<b>INFO</b>	Got expected cached value for 'uncached' from cached class. Got (uncached_data_of_class), Current Class (uncached_data_of_class)
<b>DEBUG</b>	REPORT: Starting...
<b>WARNING</b>	JsonCache: Key 'uncached' is not in cached keys. Uncached data will be returned.
<b>INFO</b>	Got expected cached value for 'dict' from cached class. Got (u'1': 1, u'3': u'3', u'2': u'two', u'4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')
<b>DEBUG</b>	REPORT: Starting...
<b>INFO</b>	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_no_load_on_init.json)
<b>DEBUG</b>	JsonCache: Providing property for 'dict' from cache (u'1': 1, u'3': u'3', u'2': u'two', u'4': 4)
<b>INFO</b>	Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (.. unicode..)
<b>DEBUG</b>	REPORT: Starting...
<b>DEBUG</b>	JsonCache: Providing property for 'unicode' from cache (u'unicode')
<b>INFO</b>	Got expected cached value for 'str' from cached class. Got (string), Current Class (_string_)
<b>DEBUG</b>	REPORT: Starting...
<b>DEBUG</b>	JsonCache: Providing property for 'str' from cache (u'string')
<b>INFO</b>	Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)
<b>DEBUG</b>	REPORT: Starting...
<b>DEBUG</b>	JsonCache: Providing property for 'integer' from cache (17)
<b>INFO</b>	Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)
<b>DEBUG</b>	REPORT: Starting...

DEBUG	JsonCache: Providing property for 'float' from cache (3.14159)
INFO	Got expected cached value for 'list' from cached class. Got ([1, u'two', u'3', 4]), Current Class ([one', 2, 3, '4'])
DEBUG	REPORT: Starting...
DEBUG	JsonCache: Providing property for 'list' from cache ([1, u'two', u'3', 4])

## A.8 Test cached data of PICKLE-Cache (partially init) (success)

This test was passed with the state: **INFO**

Description:	Test cached data of PICKLE-Cache (partially init)
Caller:	my_unittest.py (31)
Start-Time:	2018-02-11 19:27:08,410
Finished-Time:	2018-02-11 19:27:08,412
Time-Consumption	0.002s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_no_load_on_init.pkl as cache file
DEBUG	PickCache: Cache file does not exists (yet).
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_no_load_on_init.pkl)
INFO	Got expected cached value for 'uncached' from cached class. Got (uncached_data_of_class), Current Class (uncached_data_of_class)
DEBUG	REPORT: Starting...
WARNING	PickCache: Key 'uncached' is not in cached_keys. Uncached data will be returned.
INFO	Got expected cached value for 'dict' from cached class. Got ('1': 1, '3': '3', '2': 'two', '4': 4), Current Class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/cache_data_test_no_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'dict' from cache ('1': 1, '3': '3', '2': 'two', '4': 4)
INFO	Got expected cached value for 'unicode' from cached class. Got (unicode), Current Class (__unicode__)
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'unicode' from cache (u'unicode')
INFO	Got expected cached value for 'str' from cached class. Got (string), Current Class (__string__)
DEBUG	REPORT: Starting...

DEBUG	PickCache: Providing property for 'str' from cache ('string')
INFO	Got expected cached value for 'integer' from cached class. Got (17), Current Class (34)
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'integer' from cache (17)
INFO	Got expected cached value for 'float' from cached class. Got (3.14159), Current Class (2.71828)
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'float' from cache (3.14159)
INFO	Got expected cached value for 'list' from cached class. Got ([1, 'two', '3', 4]), Current Class ([1, 'one', 2, 3, '4'])
DEBUG	REPORT: Starting...
DEBUG	PickCache: Providing property for 'list' from cache ([1, 'two', '3', 4])

## A.9 Test increased data version for JSON-Cache (full init) (success)

This test was passed with the state: **INFO**

Description:	Test increased data version for JSON-Cache (full init)
Caller:	my_unittest.py (32)
Start-Time:	2018-02-11 19:27:08,412
Finished-Time:	2018-02-11 19:27:08,415
Time-Consumption	0.003s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version.test_load_on_init.json as cache file
DEBUG	JsonCache: Cache file does not exists (yet).
DEBUG	JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version.test_load_on_init.json)
INFO	Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version.test_load_on_init.json)
DEBUG	JsonCache: Data version increased, ignoring previous cache data
DEBUG	JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version.test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'dict' from cache ('1': '1', '3': 'three', '2': 2, '4': '4')

INFO	Got expected renewed value for 'unicode' from cached class (__unicode__)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version.test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'unicode' from cache (u'__unicode__')
INFO	Got expected renewed value for 'str' from cached class (__string__)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version.test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'str' from cache (u'__string__')
INFO	Got expected renewed value for 'integer' from cached class (34)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version.test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'integer' from cache (34)
INFO	Got expected renewed value for 'float' from cached class (2.71828)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version.test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'float' from cache (2.71828)
INFO	Got expected renewed value for 'list' from cached class ([u'one', 2, 3, u'4'])
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version.test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'list' from cache ([u'one', 2, 3, u'4'])

## A.10 Test increased data version for PICKLE-Cache (full init) (success)

This test was passed with the state: **INFO**

Description:	Test increased data version for PICKLE-Cache (full init)
Caller:	my_unittest.py (33)
Start-Time:	2018-02-11 19:27:08,415
Finished-Time:	2018-02-11 19:27:08,418
Time-Consumption	0.003s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version.test_load_on_init.pkl as cache file
DEBUG	PickCache: Cache file does not exists (yet).
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']

INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
INFO	Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
DEBUG	PickCache: Data version increased, ignoring previous cache data
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'dict' from cache ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO	Got expected renewed value for 'unicode' from cached class (__unicode__)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'unicode' from cache (u'__unicode__')
INFO	Got expected renewed value for 'str' from cached class (__string__)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'str' from cache ('__string__')
INFO	Got expected renewed value for 'integer' from cached class (34)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'integer' from cache (34)
INFO	Got expected renewed value for 'float' from cached class (2.71828)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'float' from cache (2.71828)
INFO	Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/data_version_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'list' from cache (['one', 2, 3, '4'])

## A.11 Test increased data version for JSON-Cache (partially init) (success)

This test was passed with the state: **INFO**

Description:	Test increased data version for JSON-Cache (partially init)
Caller:	my_unittest.py (34)

Start-Time: 2018-02-11 19:27:08,419

Finished-Time: 2018-02-11 19:27:08,422

Time-Consumption 0.004s

Testsummary:

INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json as cache file
DEBUG	JsonCache: Cache file does not exists (yet).
DEBUG	JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
INFO	Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
DEBUG	JsonCache: Data version increased, ignoring previous cache data
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'dict' from source instance ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
INFO	Got expected renewed value for 'unicode' from cached class (__unicode__)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'unicode' from source instance (u'__unicode__')
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
INFO	Got expected renewed value for 'str' from cached class (__string__)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'str' from source instance ('__string__')
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
INFO	Got expected renewed value for 'integer' from cached class (34)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'integer' from source instance (34)



INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
INFO	Got expected renewed value for 'float' from cached class (2.71828)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'float' from source instance (2.71828)
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
INFO	Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'list' from source instance (['one', 2, 3, '4'])
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.json)

## A.12 Test increased data version for PICKLE-Cache (partially init) (success)

This test was passed with the state: **INFO**

Description:	Test increased data version for PICKLE-Cache (partially init)
Caller:	my_unitest.py (35)
Start-Time:	2018-02-11 19:27:08,423
Finished-Time:	2018-02-11 19:27:08,427
Time-Consumption	0.004s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl as cache file
DEBUG	PickCache: Cache file does not exists (yet).
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
DEBUG	PickCache: Data version increased, ignoring previous cache data
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)

DEBUG	PickCache: Loading property for 'dict' from source instance ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'unicode' from cached class (__unicode__)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'unicode' from source instance (u'__unicode__')
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'str' from cached class (__string__)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'str' from source instance ('__string__')
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'integer' from cached class (34)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'integer' from source instance (34)
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'float' from cached class (2.71828)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'float' from source instance (2.71828)
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'list' from source instance (['one', 2, 3, '4'])
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/data_version_test_no_load_on_init.pkl)

### A.13 Test changed uid for JSON-Cache (full init) (success)

This test was passed with the state: **INFO**

Description: Test changed uid for JSON-Cache (full init)  
 Caller: my\_unittest.py (36)  
 Start-Time: 2018-02-11 19:27:08,427  
 Finished-Time: 2018-02-11 19:27:08,430  
 Time-Consumption 0.003s

# Testsummary:

INFO JSON cache initialised

DEBUG REPORT: Starting...

INFO Deleting cache file from filesystem to ensure identical conditions for each test run

INFO Initialising cached class with /user\_data/data/dirk/prj/unittest\_pylibs/caching/tmp/uid\_test\_load\_on\_init.json as cache file

DEBUG JsonCache: Cache file does not exists (yet).

DEBUG JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']

INFO JsonCache: cache-file stored (/user\_data/data/dirk/prj/unittest\_pylibs/caching/tmp/uid\_test\_load\_on\_init.json)

INFO Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')

DEBUG REPORT: Starting...

INFO JsonCache: Loading properties from cache (/user\_data/data/dirk/prj/unittest\_pylibs/caching/tmp/uid\_test\_load\_on\_init.json)

DEBUG JsonCache: Source uid changed, ignoring previous cache data

DEBUG JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']

INFO JsonCache: cache-file stored (/user\_data/data/dirk/prj/unittest\_pylibs/caching/tmp/uid\_test\_load\_on\_init.json)

DEBUG JsonCache: Providing property for 'dict' from cache ('1': '1', '3': 'three', '2': 2, '4': '4')

INFO Got expected renewed value for 'unicode' from cached class (\_\_unicode\_\_)

DEBUG REPORT: Starting...

INFO JsonCache: Loading properties from cache (/user\_data/data/dirk/prj/unittest\_pylibs/caching/tmp/uid\_test\_load\_on\_init.json)

DEBUG JsonCache: Providing property for 'unicode' from cache (u'\_\_unicode\_\_')

INFO Got expected renewed value for 'str' from cached class (\_\_string\_\_)

DEBUG REPORT: Starting...

INFO JsonCache: Loading properties from cache (/user\_data/data/dirk/prj/unittest\_pylibs/caching/tmp/uid\_test\_load\_on\_init.json)

DEBUG JsonCache: Providing property for 'str' from cache (u'\_\_string\_\_')

INFO Got expected renewed value for 'integer' from cached class (34)

DEBUG REPORT: Starting...

INFO JsonCache: Loading properties from cache (/user\_data/data/dirk/prj/unittest\_pylibs/caching/tmp/uid\_test\_load\_on\_init.json)

DEBUG JsonCache: Providing property for 'integer' from cache (34)

INFO Got expected renewed value for 'float' from cached class (2.71828)

DEBUG REPORT: Starting...

INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'float' from cache (2.71828)
INFO	Got expected renewed value for 'list' from cached class ([u'one', 2, 3, u'4'])
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.json)
DEBUG	JsonCache: Providing property for 'list' from cache ([u'one', 2, 3, u'4'])

## A.14 Test changed uid for PICKLE-Cache (full init) (success)

This test was passed with the state: **INFO**

Description:	Test changed uid for PICKLE-Cache (full init)
Caller:	my_unittest.py (37)
Start-Time:	2018-02-11 19:27:08,430
Finished-Time:	2018-02-11 19:27:08,433
Time-Consumption	0.003s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl as cache file
DEBUG	PickCache: Cache file does not exists (yet).
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
INFO	Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
DEBUG	PickCache: Source uid changed, ignoring previous cache data
DEBUG	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'dict' from cache ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO	Got expected renewed value for 'unicode' from cached class (__unicode__)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'unicode' from cache (u'__unicode__')

INFO	Got expected renewed value for 'str' from cached class ().__string__)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'str' from cache ().__string__)
INFO	Got expected renewed value for 'integer' from cached class (34)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'integer' from cache (34)
INFO	Got expected renewed value for 'float' from cached class (2.71828)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'float' from cache (2.71828)
INFO	Got expected renewed value for 'list' from cached class ([ 'one', 2, 3, '4'])
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_load_on_init.pkl)
DEBUG	PickCache: Providing property for 'list' from cache ([ 'one', 2, 3, '4'])

## A.15 Test changed uid for JSON-Cache (partially init) (success)

This test was passed with the state: **INFO**

Description:	Test changed uid for JSON-Cache (partially init)
Caller:	my_unittest.py (38)
Start-Time:	2018-02-11 19:27:08,434
Finished-Time:	2018-02-11 19:27:08,437
Time-Consumption	0.004s
Testsummary:	
INFO	JSON cache initialised
DEBUG	REPORT: Starting...
INFO	Deleting cache file from filesystem to ensure identical conditions for each test run
INFO	Initialising cached class with /user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json as cache file
DEBUG	JsonCache: Cache file does not exists (yet).
DEBUG	JsonCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
INFO	Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
DEBUG	REPORT: Starting...

INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
DEBUG	JsonCache: Source uid changed, ignoring previous cache data
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'dict' from source instance ('1': '1', '3': 'three', '2': 2, '4': '4')
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
INFO	Got expected renewed value for 'unicode' from cached class (__unicode__)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'unicode' from source instance (u'__unicode__')
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
INFO	Got expected renewed value for 'str' from cached class (__string__)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'str' from source instance ('__string__')
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
INFO	Got expected renewed value for 'integer' from cached class (34)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'integer' from source instance (34)
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
INFO	Got expected renewed value for 'float' from cached class (2.71828)
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'float' from source instance (2.71828)
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
INFO	Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
DEBUG	REPORT: Starting...
INFO	JsonCache: Loading properties from cache (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)
DEBUG	JsonCache: Loading property for 'list' from source instance (['one', 2, 3, '4'])
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unitest_pylibs/caching/tmp/uid_test_no_load_on_init.json)

## A.16 Test changed uid for PICKLE-Cache (partially init) (success)

This test was passed with the state: **INFO**

Description:	Test changed uid for PICKLE-Cache (partially init)
Caller:	my_unittest.py (39)
Start-Time:	2018-02-11 19:27:08,438
Finished-Time:	2018-02-11 19:27:08,442
Time-Consumption	0.004s
Testsummary:	
<b>INFO</b>	JSON cache initialised
<b>DEBUG</b>	REPORT: Starting...
<b>INFO</b>	Deleting cache file from filesystem to ensure identical conditions for each test run
<b>INFO</b>	Initialising cached class with /user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl as cache file
<b>DEBUG</b>	PickCache: Cache file does not exists (yet).
<b>DEBUG</b>	PickCache: Loading all data from source - ['dict', 'unicode', 'str', 'integer', 'float', 'list']
<b>INFO</b>	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
<b>INFO</b>	Got expected renewed value for 'dict' from cached class ('1': '1', '3': 'three', '2': 2, '4': '4')
<b>DEBUG</b>	REPORT: Starting...
<b>INFO</b>	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
<b>DEBUG</b>	PickCache: Source uid changed, ignoring previous cache data
<b>INFO</b>	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
<b>DEBUG</b>	PickCache: Loading property for 'dict' from source instance ('1': '1', '3': 'three', '2': 2, '4': '4')
<b>INFO</b>	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
<b>INFO</b>	Got expected renewed value for 'unicode' from cached class (__unicode__)
<b>DEBUG</b>	REPORT: Starting...
<b>INFO</b>	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
<b>DEBUG</b>	PickCache: Loading property for 'unicode' from source instance (u'__unicode__')
<b>INFO</b>	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
<b>INFO</b>	Got expected renewed value for 'str' from cached class (__string__)
<b>DEBUG</b>	REPORT: Starting...
<b>INFO</b>	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
<b>DEBUG</b>	PickCache: Loading property for 'str' from source instance ('__string__')
<b>INFO</b>	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)



INFO	Got expected renewed value for 'integer' from cached class (34)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'integer' from source instance (34)
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'float' from cached class (2.71828)
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'float' from source instance (2.71828)
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
INFO	Got expected renewed value for 'list' from cached class (['one', 2, 3, '4'])
DEBUG	REPORT: Starting...
INFO	PickCache: Loading properties from cache (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)
DEBUG	PickCache: Loading property for 'list' from source instance (['one', 2, 3, '4'])
INFO	PickCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/uid_test_no_load_on_init.pkl)

## A.17 Test save callback for JSON-Cache (full init) (success)

This test was passed with the state: **INFO**

Description:	Test save callback for JSON-Cache (full init)
Caller:	my_unittest.py (40)
Start-Time:	2018-02-11 19:27:08,442
Finished-Time:	2018-02-11 19:27:08,442
Time-Consumption	0.000s
Testsummary:	
INFO	Save callback was executed as expected
DEBUG	REPORT: Starting...
INFO	JsonCache: cache-file stored (/user_data/data/dirk/prj/unittest_pylibs/caching/tmp/save_callback_load_on_init.json)

## A.18 Test save callback for PICKLE-Cache (full init) (success)

This test was passed with the state: **INFO**

Description:	Test save callback for PICKLE-Cache (full init)
Caller:	my_unittest.py (41)
Start-Time:	2018-02-11 19:27:08,443



Finished-Time: 2018-02-11 19:27:08,443  
 Time-Consumption 0.000s

---

Testsummary:

---

INFO Save callback was executed as expected

---

DEBUG REPORT: Starting...

INFO PickCache: cache-file stored (/user\_data/data/dirk/prj/unittest\_pylibs/  
 caching/tmp/save\_callback\_load\_on\_init.json)

---