Cucumber Report

Start : Aug 16, 10:39:42.715 pm	End : Aug 16, 10:40:56.056 pm	Duration : 1 m 13.341 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 15 FAILED - 2 SKIPPED - 2

Features: 1

Scenarios: 2

Steps: 19

Pass %: 0 %

Pass %: 0 %

Pass %: 78 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Create Account	*1 m 13.341 s*	*2*	*0*	*2*	*0*	*19*	*15*	*2*	*2*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@FunctionalTest	1	0	1	0	1	0	1	0
@SmokeTest	1	0	1	0	1	0	1	0
@End2End	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Create Account	2	0	2	0	1 m 13.341 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create Account	Create an account with valid and unique email ID	10	8	1	1	57.961 s
2	Create Account	Create an account with duplicate email ID	9	7	1	1	15.360 s

Create Account

FAILED	DURATION - 1 m 13.341 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 19 Pass - 15 Fail - 2 Skip - 2	
/ 10:39:42.715 pm // 10:40:56.056 pm /					

Create an account with valid and unique email ID

FAILED	DURATION - 57.961 s		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	
/ 10:39:42.719 pm // 10:40:40.680 pm /				
Create Account				
@FunctionalTest @SmokeTest @End2End				

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page	PASSED	1.992 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	Create an account with valid and unique email ID Pass 		
2	When User clicks on create an account	PASSED	0.967 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.071 s
	Create an account with valid and unique email ID Pass		

#	Step / Hook Details	Status	Duration
3	When Enter first name "Test28"	PASSED	0.070 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.074 s
	Create an account with valid and unique email ID Pass 		
4	* Enter last name "user28"	PASSED	0.057 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.077 s
	Create an account with valid and unique email ID Pass 		
5	* Enter email "coffuse8@tie.cm"	PASSED	0.106 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.074 s
	Create an account with valid and unique email ID Pass		

| #	Step / Hook Details	Status	Duration
	First Name * Test28 Last Name * user28 Sign-in Information Email * coffuse8@be.cm Password * Password Strength: No Password Confirm Password * * Required Fields		
6	* Enter password "Zxcvb@123"	PASSED	0.138 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with valid and unique email ID Pass First Name * Test28 Last Name * user28 Sign-in Information Email * coffuse8@be.cm Password * Password Strength: Strong Confirm Password * * Required Fields	PASSED	0.058 s
7	* Confirm password "Zxcvb@123"	PASSED	4.089 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with valid and unique email ID Pass First Name * Test28 Last Name * user28 Sign-in Information Email * coffuse8@be.cm Password * Password Strength: Strong Confirm Password * * Required Fields	PASSED	0.067 s
8	* Submit	PASSED	3.606 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with valid and unique email ID Pass	PASSED	0.073 s

| #	Step / Hook Details	Status	Duration
9	Then Account created successfully	FAILED	0.074 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: headless chrome=115.0.5790.171) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0385083771ffc8c0a4467a6e1a8b1e3, getElementText {id=7A99BECE6C06D4A383BC3639637D8CCE_element_43}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\prave\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51375}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51375/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c0385083771ffc8c0a4467a6e1a8b1e3)] -> xpath: //div[@data-bind='html: $parent.prepareMessageForHtml(message.text)']] Session ID: c0385083771ffc8c0a4467a6e1a8b1e3
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	  at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:207)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy30.getText(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at objectRepository.CreateAccount.accountCreationMessage(CreateAccount.java:70) at stepDefinitions.CreateAccountStepDef.accountCreatedSuccessfully(CreateAccountStepDef.java:81) at ?.Account created successfully(file:///C:/Users/prave/IdeaProjects/ShoppingKart/src/test/resources/functionalTests/Account.feature:18) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with valid and unique email ID Fail	PASSED	0.071 s
10	And Browser is closed	SKIPPED	0.005 s

Create an account with duplicate email ID

FAILED	DURATION - 15.360 s	
/ 10:40:40.696 pm // 10:40:56.056 pm /		
Create Account		

Steps
Total - 9
Pass - 7
Fail - 1
Skip - 1

9

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page	PASSED	2.266 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with duplicate email ID Pass	PASSED	0.120 s

#	Step / Hook Details	Status	Duration
2	When User clicks on create an account	PASSED	1.349 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.065 s
	Create an account with duplicate email ID		
	Pass		
3	When Enter first name "Test28"	PASSED	0.087 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.080 s
	Create an account with duplicate email ID		
	Pass		
4	* Enter last name "user28"	PASSED	0.091 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.072 s
	Create an account with duplicate email ID		
	Pass		

#	Step / Hook Details	Status	Duration
5	* Enter email "coffuse8@tie.cm"	PASSED	0.108 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with duplicate email ID Pass 	PASSED	0.053 s
6	* Enter password "Zxcvb@123"	PASSED	0.110 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with duplicate email ID Pass 	PASSED	0.050 s
7	* Submit	PASSED	0.066 s
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) Create an account with duplicate email ID Pass	PASSED	0.081 s

#	Step / Hook Details	Status	Duration
8	Then Account not created successfully	FAILED	10.022 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@data-bind='html: $parent.prepareMessageForHtml(message.text)']"} (Session info: headless chrome=115.0.5790.171) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ada33518973dbe8f06cfd81338549786, findElement {using=xpath, value=//div[@data-bind='html: $parent.prepareMessageForHtml(message.text)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\prave\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51393}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51393/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ada33518973dbe8f06cfd81338549786
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy30.getText(Unknown Source)
	    at objectRepository.CreateAccount.accountCreationMessage(CreateAccount.java:70)		

#	Step / Hook Details	Status	Duration
	at stepDefinitions.CreateAccountStepDef.accountNotCreatedSuccessfully(CreateAccountStepDef.java:93) at ?.Account not created successfully(file:///C:/Users/prave/IdeaProjects/ShoppingKart/src/test/resources/functionalTests/Account.feature:27) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.056 s
	Create an account with duplicate email ID Fail		
9	And Browser is closed	SKIPPED	0.000 s