IRB APPROVED
Feb 06, 2024

PATIENT INFORMATION SHEET AND CONSENT FORM

TITLE: A RANDOMIZED, DOUBLE-BLIND, PLACEBO CONTROLLED, PARALLEL ARM, MULTICENTER PHASE 3 STUDY TO EVALUATE THE EFFICACY AND SAFETY OF LORUNDROSTAT IN SUBJECTS WITH UNCONTROLLED AND RESISTANT HYPERTENSION

PROTOCOL NO.: MLS-101-301
WCG IRB Protocol #20233530

SPONSOR: Mineralys Therapeutics, Inc.

INVESTIGATOR: Vishweshwar Rao Ranga, MD
700 Shadow Lane
Suite 430
Las Vegas, Nevada 89106
United States

STUDY-RELATED PHONE NUMBER(S): 702-909-0217
864-979-8318 (24 hours)

Taking part in this research is voluntary. You may decide not to participate, or you may leave the study at any time. Your decision will not result in any penalty or loss of benefits to which you are otherwise entitled.

If you have any questions, concerns, or complaints or think this research has hurt you, talk to the research team at the phone number(s) listed in this document.

This Patient Information Sheet and Consent Form is intended to provide you the following information about the study:

- **PART 1 tells you the purpose of this study and what will happen to you if you take part in the study**
- **PART 2 gives you detailed information about the conduct of the study**
- **PART 3 is the Informed Consent Form that you should sign if you want to take part in the study**

It is important that you ask your study doctor if anything is not clear or if you would like more information. Take time to decide whether or not you wish to take part in this research study. You are encouraged to discuss it with your family, friends and/or your personal doctor(s).

IRB APPROVED
Feb 06, 2024

PART 1: PURPOSE OF THE STUDY AND WHAT HAPPENS IF YOU TAKE PART

A. WHY ARE WE DOING THIS STUDY AND WHY HAVE YOU BEEN ASKED TO TAKE PART?

The purpose of this study is to assess the blood pressure lowering effect of lorundrostat, in combination with 2-5 prescribed medications, one of which is a thiazide or thiazide-like diuretic, used for treating high blood pressure, in people with uncontrolled and resistant hypertension.

For the purposes of this study, Uncontrolled Hypertension is defined as having high blood pressure despite taking 2 antihypertensive (AHT) medications and Resistant Hypertension is defined as having high blood pressure despite taking 3-5 AHT medications.

We invite you to take part in this study because you have been diagnosed with uncontrolled or resistant high blood pressure that is not well controlled with the current medications prescribed by your doctor.

Hello

In this study, we are evaluating an experimental new medication called lorundrostat™. Lorundrostat blocks the production of aldosterone, which is a hormone that can increase blood pressure when its levels are high. Lorundrostat is an investigational (experimental) drug. The term "investigational" means that it has not yet been approved by health authorities, such as the Food and Drug Administration.

Lorundrostat has been studied in previous clinical trials as a potential treatment for people with uncontrolled and resistant hypertension. We will evaluate how long the drug stays detectable in the body and how it may affect other disease markers (blood tests that indicate a person's risk for a disease).

Approximately 1000 participants will take part in this study at approximately 200-250 centers globally.

B. DO YOU HAVE TO TAKE PART?

Participation in this research study is completely voluntary. It is up to you to decide if you want to participate in this study. Your study doctor will discuss alternative treatments with you before you decide to participate or not. If you choose not to participate, your current medical care and legal rights will not be affected.

We encourage that you talk with your family, friends, and your personal doctor(s) to help you make your decision, if you wish. You can take as much time as you would like to decide.

IRB APPROVED
Feb 06, 2024

At this visit, blood samples (about 9.7 teaspoons [approximately 48 mL]) will be collected as close to 8 AM and before 10 AM on the morning of the study visit. These samples will be used for routine blood tests including serum potassium, sodium, kidney function and to check your serum aldosterone, plasma renin activity, and measure your cortisol levels. There will be additional blood and urine samples collected for biomarker testing. Some of this blood sample, a sample of whole blood, and a urine sample will be stored for future testing. You will be asked to indicate your consent to the storage and future analysis of your biological samples at the end of this consent form and by signing a separate consent form.

If you are no longer found eligible to participate, you will be withdrawn from the study. If your eligibility is confirmed, you will be assigned randomly to 1 of the 3 treatment groups below. This visit is "double-blinded", meaning neither you nor the study team will know what you are taking, and you cannot choose your group:

- Lorundrostat at a daily dose of 50 mg for 12 weeks, or
- Lorundrostat starting at a daily dose of 50 mg with the chance to increase dose to 100 mg at Week 6, if you meet certain safety criteria
- Placebo once daily for 12 weeks

Please see Table 1 Schedule of Assessments of this form for the tests and assessments that will be done at each study visit and the "Study Procedures" section for a more detailed explanation.

Important notes at study visits:

- At the randomization visit, you will return any unused tablets from the run-in period to the study staff. You will be supplied study drug based on your treatment allocation. You will be provided with enough study drug tablets to be taken daily before your next scheduled visit.

Study Double-Blind Treatment Period (Visits 4 to 8)

The study double-blind treatment period begins at the randomization visit and will last up to 12 weeks. You will have 5 study visits: Weeks 2, 4, 6, 8, and 12. Each visit will last about 1-2 hours.
24 hours
During these visits, you will visit the study center to complete some assessments, such as routine blood draws including serum potassium; have a PK blood sample collected to measure the amount of study drug in your body (about 5 tablespoons [approximately 72 mL]); and blood pressure measurement. You will be asked about any other medications you are taking and if you have felt unwell since your last visit.

hello

Important notes prior to study visits:

- You should **not** take your daily dose of study drug before your study visit. You will be dosed with study drug in the clinic during your visit. Be sure to bring your study drug with you to all of your visits.
- Prior to the Week 12 visit, you will need to collect a urine sample at home using the spot urine collection kit provided to you at the Week 8 visit. This sample should be collected from your **first morning** mid-stream urine on the day of the visit. Be sure to bring the urine sample with you to your visit.

Important notes at study visits:

- At Weeks 4 and 6 you will return any unused tablets from your last visit to the study staff. You will be re-supplied with enough study drug tablets to be taken daily before your next scheduled visit.
- At your Week 4 and Week 12 visits, additional blood draws (about 0.4 teaspoons [approximately 2 mL]) will be collected as close to 8 AM and before 10 AM on the morning of the study visit. This sample will be used to measure your cortisol levels. At Week 12, blood (about 4 teaspoons [approximately 20 mL]) will also be drawn to check your serum aldosterone, plasma renin activity, and biomarker testing will be performed. Some of this sample and a sample of urine will be stored for future testing.
- At your Week 4 and 8 visits, a urine pregnancy test will be done if you are of child-bearing potential.
- At your Week 6 and 12 visits, you will have a limited physical examination, weight, waist, and hip measurements will be collected. Your vital signs (body temperature, heart rate, and respiratory rate) will also be measured. During your week 12 visit, an ECG will be performed.

write

At the end of your Week 12 visit, you may be given an option to participate in an Open-Label Extension (OLE) study. During the OLE study, all participants will receive lorundrostat.

here

If you decline participation in the OLE study, you will stop taking the study drug and enter a 2-week follow-up period. You will return to the study center for the End of Study visit at Week 14.

End of Study Visit 9 (Week 14)

This visit will take place after the 2-week follow-up period following the last treatment dose and will last about 1 hour.

For the End of Study visit, you will visit the study center to complete assessments, such as a limited physical examination, measurements of your blood pressure and other vital signs (body temperature, heart rate, and respiratory rate), review of the medications you are taking and if you have felt unwell since your last visit. Blood samples (about 2.4 teaspoon

IRB APPROVED
Feb 06, 2024

[approximately 12 mL]) will be collected for routine blood tests including serum potassium. If you have not done so already, you will return any unused tablets to the study staff.

When you finish this visit, you will have completed your participation in the study.

Unscheduled Visit

5-Jully

Your study doctor may require you to have extra visit(s) for your safety. These visits may be used if a dose adjustment of study drug is required or if any safety concerns arise such as abnormal lab results. Assessments during this unscheduled visit will be done on an as-needed basis.

Prior to your unscheduled visit:

- You may need to perform a urine test using the 24-hour urine collection kit or the spot urine collection kit. These samples should be collected before the unscheduled visit. Be sure to bring the samples with you to your visit.

Study procedures

- **Medical history, concomitant medications, and demographics:** you will be asked about your medical history, including current and previous health issues, and current and past medications you may have received. Your demographics, including your age and year of birth will also be recorded.
- **Physical examination and vital signs:** a complete physical examination, including height, weight, and vital signs such as body temperature, heart rate, and respiratory rate will be performed by the study doctor at the Screening Visit. At other study visits, a limited, symptom-directed physical examination and vital signs (temperature, heart rate, respiratory rate) will be performed.
- **Electrocardiogram (ECG)**: this examination is painless and will check the electrical activity of your heart. Sticky pads will be fixed to your torso ("upper body"), which will be connected to a monitor that shows the electrical activity of your heart.
- **Blood tests**: throughout the study, blood samples will be taken from you to:
  - Check your health by looking at the levels and presence of various substances in your blood. Blood samples will also be collected for long-term storage for the additional testing and interactions of the study drug with other medications (to be completed either during or after the study).
  - Blood sample to measure the amount of lorundrostat in your body and look at what the body does to the study drug (called pharmacokinetics, or PK).
  - Check your blood for biomarkers, which are indicators of biological processes or responses to the study drug (pharmacodynamics). Blood samples will also be collected for long-term storage for the additional testing and interactions of the study drug with other medications (to be completed either during or after the study).

  Your study doctor may repeat a test if they want to re-check any lab values. The total amount of blood expected to be taken at scheduled visits is approximately 169 mL.

- **Urine tests**:
  - Standard urine test: urine samples will be collected to look at the levels of substances in the urine, which can be indicators of health or disease. Urine samples will also be collected for long-term storage for biomarkers testing.
  - Spot urine collection: you will need to collect your first morning mid-stream urine before the Randomization Visit and Visit 8. You will be provided with the spot urine collection kit at preceding visits and further instructed on how to complete the urine collection will be provided by the study staff.
  - 24-hour urine collection: You may also perform an unscheduled 24-hour urine collection at any time during the study to assess your 24-hour urinary free cortisol, if your morning cortisol levels are high. You will be given a 24-hour urine collection kit to take home for use starting approximately 24 hours before your unscheduled visit. You will be further instructed how to complete the urine collection by the study staff.

CONFIDENTIAL
IRB APPROVED
Feb 06, 2024

Please mark your answer in the box with an 'x' to show whether or not you would like to take part in each option:		
	Yes	**No**
I agree that my family doctor (general practitioner) will be contacted to inform him/her of my taking part in this study and for relevant information to be obtained from him/her.	■	■
FUTURE TESTING OF MY STORED SAMPLES COLLECTED IN THIS STUDY: My samples and related information may be kept in a biobank for use in future health research. The health authorities and the respective Ethics Committee will approve any additional testing that may be done.	☐	☐
FUTURE USE OF MY DATA OUTSIDE OF THIS STUDY: My information may be used outside of this protocol, but exclusively for scientific purposes. I understand that I may withdraw this consent at any time, and that at all times, my data will be protected	☐	☐

This is the end of the section about optional procedures or studies.

MY SIGNATURE AGREEING TO TAKE PART IN THE MAIN STUDY

I have read and have had verbally explained to me the above information and have had all my questions answered to my satisfaction. I understand that my participation is voluntary and that I may stop my participation in the study at any time. Signing this form does not waive any of my legal rights. I understand that a signed and dated copy of this consent will be provided to me. By signing below, I agree to take part in this research and any additional studies where I indicated 'yes'.

Signature of Participant

Name of the participant (print) Eman Munir
Signature
Date of signature 5-July-24 Time of signature 5:56 pm

Signature of Person Conducting the Informed Consent Discussion

I have fully and carefully explained to the participant the nature and purpose of this form and confirm that, to the best of my knowledge, they clearly understand the nature, risks and benefits of taking part in this study. I have been available to answer any questions that the subject has about this form.

Name of the person conducting informed consent (print) Eman Munir
Signature
Date of signature I don't know what to write 5-July Time of signature 5pm

---------- **Use this witness section only if applicable** ----------

If this consent form is read to the participant because they cannot read it, an impartial witness not affiliated to the research nor to the Investigator shall be present for the consent and signature of the following statement:

I confirm that the information in this informed consent form and any other written information has been precisely explained and understood by the participant. The participant has voluntarily agreed to take part in this research.

_____	Someone	
Date	Name of the **Impartial Witness** (Print)	Signature of the **Impartial Witness**