IRB APPROVED
Feb 06, 2024

PATIENT INFORMATION SHEET AND CONSENT FORM

TITLE: A RANDOMIZED, DOUBLE-BLIND, PLACEBO CONTROLLED, PARALLEL ARM, MULTICENTER PHASE 3 STUDY TO EVALUATE THE EFFICACY AND SAFETY OF LORUNDROSTAT IN SUBJECTS WITH UNCONTROLLED AND RESISTANT HYPERTENSION

PROTOCOL NO.: MLS-101-301
WCG IRB Protocol #20233530

SPONSOR: Mineralys Therapeutics, Inc.

INVESTIGATOR: Vishweshwar Rao Ranga, MD
700 Shadow Lane
Suite 430
Las Vegas, Nevada 89106
United States

STUDY-RELATED PHONE NUMBER(S): 702-909-0217
864-979-8318 (24 hours)

Taking part in this research is voluntary. You may decide not to participate, or you may leave the study at any time. Your decision will not result in any penalty or loss of benefits to which you are otherwise entitled.

If you have any questions, concerns, or complaints or think this research has hurt you, talk to the research team at the phone number(s) listed in this document.

This Patient Information Sheet and Consent Form is intended to provide you the following information about the study:

- **PART 1 tells you the purpose of this study and what will happen to you if you take part in the study**
- **PART 2 gives you detailed information about the conduct of the study**
- **PART 3 is the Informed Consent Form that you should sign if you want to take part in the study**

It is important that you ask your study doctor if anything is not clear or if you would like more information. Take time to decide whether or not you wish to take part in this research study. You are encouraged to discuss it with your family, friends and/or your personal doctor(s).

PART 1: PURPOSE OF THE STUDY AND WHAT HAPPENS IF YOU TAKE PART

A. WHY ARE WE DOING THIS STUDY AND WHY HAVE YOU BEEN ASKED TO TAKE PART?

The purpose of this study is to assess the blood pressure lowering effect of lorundrostat, in combination with 2-5 prescribed medications, one of which is a thiazide or thiazide-like diuretic, used for treating high blood pressure, in people with uncontrolled and resistant hypertension.

For the purposes of this study, Uncontrolled Hypertension is defined as having high blood pressure despite taking 2 antihypertensive (AHT) medications and Resistant Hypertension is defined as having high blood pressure despite taking 3-5 AHT medications.

We invite you to take part in this study because you have been diagnosed with uncontrolled or resistant high blood pressure that is not well controlled with the current medications prescribed by your doctor.

In this study, we are evaluating an experimental new medication called lorundrostat™. Lorundrostat blocks the production of aldosterone, which is a hormone that can increase blood pressure when its levels are high. Lorundrostat is an investigational (experimental) drug. The term "investigational" means that it has not yet been approved by health authorities, such as the Food and Drug Administration.

Lorundrostat has been studied in previous clinical trials as a potential treatment for people with uncontrolled and resistant hypertension. We will evaluate how long the drug stays detectable in the body and how it may affect other disease markers (blood tests that indicate a person's risk for a disease).

Approximately 1000 participants will take part in this study at approximately 200-250 centers globally.

B. DO YOU HAVE TO TAKE PART?

Participation in this research study is completely voluntary. It is up to you to decide if you want to participate in this study. Your study doctor will discuss alternative treatments with you before you decide to participate or not. If you choose not to participate, your current medical care and legal rights will not be affected.

We encourage that you talk with your family, friends, and your personal doctor(s) to help you make your decision, if you wish. You can take as much time as you would like to decide.

You should make your decision only after:
1. **We have fully explained the study to you in a language that you understand**
2. **You understand the purpose of the study and the risks, and**
3. **You are willing to do what is asked of you in the study.**

If you decide to participate, you will be asked to read and sign this consent form after all your questions have been answered. This is called "giving consent".

You will be given a copy of the consent form for your own records.

Once you sign this consent form, you still reserve the right to change your mind about participating at any time during the course of the study. Withdrawing from the study will not result in any penalty or loss of benefits to which you are entitled. If you decide to withdraw from the study, you should discuss your decision with the study doctor to ensure a safe withdrawal. Please reference section **J. DISCONTINUATION OF TREATMENT AND WITHDRAWAL OF CONSENT** of this consent form for additional information.

C. WHAT IS REQUIRED OF YOU IF YOU TAKE PART IN THIS STUDY?

If you choose to participate in this study, you will need to sign this consent form prior to completing any study related tests/procedures. You are free to ask questions before, during and after consent is given, and throughout the study.

During the study, after your eligibility is confirmed, you will be asked to attend approximately 8-9 study visits where you will complete several tests and assessments. You will also receive tablets containing either lorundrostat or placebo (a pill that contains no real medication and looks the same as lorundrostat) to be taken once daily in addition to your prescribed antihypertensive (AHT) medications used for treating high blood pressure. Therefore, you should only take part in this study if you are willing to receive either lorundrostat or placebo.

This study includes 3 periods:
1. A screening period of up to 2 weeks
2. A run-in period of 2 weeks. This period is 'single-blinded' meaning that you will not know what study medication you are taking but your study doctor will.
3. A randomized treatment period of 12 weeks. This period is 'double-blinded' meaning neither you nor the study doctor will know whether you are taking lorundrostat or placebo.

At the start of the randomized treatment period, you will be allocated to 1 of 3 treatment groups. The treatment group that you will be in is selected by chance, like flipping a coin or drawing names out of a hat. About 75% of participants will receive lorundrostat and about 25% will receive placebo.

If you complete the full 12 weeks of treatment, you may have the opportunity to participate in an open label extension (OLE) study where all participants will receive lorundrostat. Your study team will provide more details about this extension study if you are offered to participate.

If you do not wish or are unable to participate in the OLE study, you will need to complete an End of Study (EoS) visit two (2) weeks after your last treatment dose.

For participants not participating in the OLE study, the expected duration of the study for each participant from Screening until the EoS Visit is approximately 18 weeks. For participants participating in the OLE, the expected duration of the study for each participant from Screening until Week 12 is approximately 16 weeks.

Please see Table 1 Schedule of Assessments of this form for the tests and assessments that will be done at each study visit and the "Study Procedures" section for a more detailed explanation.

Screening, Run-In and Randomization (Visits 1 to 3)

Screening (Visit 1)

This visit will last up to 4 hours. You will be asked to sign the Informed Consent Form prior to completing any study tests or assessments. During this visit your eligibility to participate in the study will be confirmed and your demographic information will be recorded. You will complete some assessments at the study center, such as routine urine tests, a full physical exam including height, weight, waist and hip measurements, a measurement of your blood pressure and other vital signs (body temperature, heart rate, and respiratory rate), and an electrocardiogram (ECG; a test to see the electrical activity of your heart). We will review your medical history and the medications you are taking and ask how you are feeling. You will also be provided with a subject wallet card stating that you are participating in a clinical trial and giving contact details of your study doctor.

Blood samples (about 3.2 teaspoons [approximately 16 mL]) will be collected as close to 8 AM and before 10 AM on the morning of the study visit. These samples will be used for routine blood tests, to check your HbA1c (a standard way to measure how blood sugar is being managed by the body), serum potassium, and measure your cortisol levels (a hormone that can affect blood pressure). By participating in this research study, you are also agreeing to use either highly effective or acceptable methods of contraception from the Screening Visit to 28 days after the last dose of study drug. Your study doctor will discuss adequate forms of contraception during the screening visit. If you are a woman of child-bearing potential, you will have a blood pregnancy test done at screening. If you are postmenopausal, a follicle stimulating hormone (FSH) test will be used to confirm your postmenopausal status.

You will also be provided with a spot urine collection kit in preparation for your Randomization Visit (Visit 3).

Run-in Period (Visit 2)

The Run-in visit will occur approximately 2 weeks following your Screening Visit and last about 2-3 hours. During this visit, your eligibility will be confirmed, and the study team will ask about the medications you are taking and if you had any illness, hospitalizations, or have felt unwell since your last visit.

You will be supplied with study drug tablets to be taken daily for 2 weeks in addition to your prescribed AHT medications. The purpose of the run-in period will be to determine your ability to take the study drug as required and assess your compliance. You will take the first dose of the study drug at the study center.

During this visit, you will be asked to download an application to your phone called Patient Connect by AiCure. If you do not have a phone that is compatible with Android and IOS applications, a device will be provided to you for use while you are enrolled in the study. The application will help remind you when it is time to take your study drug. You will be required to use the application to monitor each dose of study drug while you are enrolled in the study. The application is used to visually confirm that the same person uses the device each time, and that the study drugs are correct and administered properly. It is important that you remember to use the application on the smartphone device every time you take your study drug. If you are consistently non-compliant or are not using the device properly, you may be discontinued from the study.

Prior to the Randomization Visit:

You will perform a spot urine collection using the kit provided at your Screening Visit and bring it to the visit. This urine sample should be collected from your **first morning** midstream urine on the day of this visit.

Randomization (Visit 3)

The Randomization visit will take place 2 weeks after the Run-In Visit. The visit will last up to 4 hours.

During the Randomization Visit you will complete some assessments at the study center, such as a limited physical examination, urine tests, a urine pregnancy test (if you are of child-bearing potential), a measurement of your blood pressure, an ECG, and other vital signs, and a review of the medications you are taking. Your eligibility will be reconfirmed, and you will be asked if you had any illness, hospitalizations, or have felt unwell since your last visit.

At this visit, blood samples (about 9.7 teaspoons [approximately 48 mL]) will be collected as close to 8 AM and before 10 AM on the morning of the study visit. These samples will be used for routine blood tests including serum potassium, sodium, kidney function and to check your serum aldosterone, plasma renin activity, and measure your cortisol levels. There will be additional blood and urine samples collected for biomarker testing. Some of this blood sample, a sample of whole blood, and a urine sample will be stored for future testing. You will be asked to indicate your consent to the storage and future analysis of your biological samples at the end of this consent form and by signing a separate consent form.

If you are no longer found eligible to participate, you will be withdrawn from the study. If your eligibility is confirmed, you will be assigned randomly to 1 of the 3 treatment groups below. This visit is "double-blinded", meaning neither you nor the study team will know what you are taking, and you cannot choose your group:

- Lorundrostat at a daily dose of 50 mg for 12 weeks, or
- Lorundrostat starting at a daily dose of 50 mg with the chance to increase dose to 100 mg at Week 6, if you meet certain safety criteria
- Placebo once daily for 12 weeks

Please see Table 1 Schedule of Assessments of this form for the tests and assessments that will be done at each study visit and the "Study Procedures" section for a more detailed explanation.

Important notes at study visits:

- At the randomization visit, you will return any unused tablets from the run-in period to the study staff. You will be supplied study drug based on your treatment allocation. You will be provided with enough study drug tablets to be taken daily before your next scheduled visit.

Study Double-Blind Treatment Period (Visits 4 to 8)

The study double-blind treatment period begins at the randomization visit and will last up to 12 weeks. You will have 5 study visits: Weeks 2, 4, 6, 8, and 12. Each visit will last about 1-2 hours.

During these visits, you will visit the study center to complete some assessments, such as routine blood draws including serum potassium; have a PK blood sample collected to measure the amount of study drug in your body (about 5 tablespoons [approximately 72 mL]); and blood pressure measurement. You will be asked about any other medications you are taking and if you have felt unwell since your last visit.

Important notes prior to study visits:

- You should **not** take your daily dose of study drug before your study visit. You will be dosed with study drug in the clinic during your visit. Be sure to bring your study drug with you to all of your visits.
- Prior to the Week 12 visit, you will need to collect a urine sample at home using the spot urine collection kit provided to you at the Week 8 visit. This sample should be collected from your **first morning** mid-stream urine on the day of the visit. Be sure to bring the urine sample with you to your visit.

Important notes at study visits:

- At Weeks 4 and 6 you will return any unused tablets from your last visit to the study staff. You will be re-supplied with enough study drug tablets to be taken daily before your next scheduled visit.
- At your Week 4 and Week 12 visits, additional blood draws (about 0.4 teaspoons [approximately 2 mL]) will be collected as close to 8 AM and before 10 AM on the morning of the study visit. This sample will be used to measure your cortisol levels. At Week 12, blood (about 4 teaspoons [approximately 20 mL]) will also be drawn to check your serum aldosterone, plasma renin activity, and biomarker testing will be performed. Some of this sample and a sample of urine will be stored for future testing.
- At your Week 4 and 8 visits, a urine pregnancy test will be done if you are of child-bearing potential.
- At your Week 6 and 12 visits, you will have a limited physical examination, weight, waist, and hip measurements will be collected. Your vital signs (body temperature, heart rate, and respiratory rate) will also be measured. During your week 12 visit, an ECG will be performed.

At the end of your Week 12 visit, you may be given an option to participate in an Open-Label Extension (OLE) study. During the OLE study, all participants will receive lorundrostat.

If you decline participation in the OLE study, you will stop taking the study drug and enter a 2-week follow-up period. You will return to the study center for the End of Study visit at Week 14.

End of Study Visit 9 (Week 14)

This visit will take place after the 2-week follow-up period following the last treatment dose and will last about 1 hour.

For the End of Study visit, you will visit the study center to complete assessments, such as a limited physical examination, measurements of your blood pressure and other vital signs (body temperature, heart rate, and respiratory rate), review of the medications you are taking and if you have felt unwell since your last visit. Blood samples (about 2.4 teaspoon

[approximately 12 mL]) will be collected for routine blood tests including serum potassium. If you have not done so already, you will return any unused tablets to the study staff.

When you finish this visit, you will have completed your participation in the study.

Unscheduled Visit

Your study doctor may require you to have extra visit(s) for your safety. These visits may be used if a dose adjustment of study drug is required or if any safety concerns arise such as abnormal lab results. Assessments during this unscheduled visit will be done on an as-needed basis.

Prior to your unscheduled visit:

- You may need to perform a urine test using the 24-hour urine collection kit or the spot urine collection kit. These samples should be collected before the unscheduled visit. Be sure to bring the samples with you to your visit.

IRB APPROVED
Feb 06, 2024

Table 1. Schedule of Assessments

In the table below, you will see how often the above-described examinations, test or procedures will be done:

Study Periods	**Screening**	**Single Blind Run-in Period**	**Randomization**						**Wash-out**	**Unsch Visit**
Study Week	Week -4	-2 weeks	Week 0	Week 2	Week 4	Week 6	Week 8	EoT Week 12	EoS or EW Week 14	N/A
Study Visit	Visit 1	Visit 2	Visit 3	Visit 4	Visit 5	Visit 6	Visit 7	Visit 8	Visit 9	Unsch
Test/Procedure										
Sign and Date Informed Consent Form	✓									
Eligibility/Check if the study is right for you	✓	✓	✓							
Questions about you and your medical history	✓									
Questions about medications you are currently taking and how you are feeling (record any illness)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Randomization/Assignment to the study group you will be part of			✓							
Weight, hip & waist measurements, height (screening only)	✓					✓		✓		✓
Physical examination(full/limited), including vital signs	✓ full		✓ limited					✓ limited	✓ limited	✓ limited
Electrocardiogram (ECG)	✓		✓					✓		✓
AOBP (seated) and standing BP (blood pressure)	✓		✓	✓	✓	✓	✓	✓	✓	✓

IRB APPROVED
Feb 06, 2024

Study Periods	**Screening**	**Single Blind Run-in Period**	**Randomization**						**Wash-out**	**Unsch Visit**
Study Week	Week -4	-2 weeks	Week 0	Week 2	Week 4	Week 6	Week 8	EoT Week 12	EoS or EW Week 14	N/A
Study Visit	Visit 1	Visit 2	Visit 3	Visit 4	Visit 5	Visit 6	Visit 7	Visit 8	Visit 9	Unsch
Hematology	✓		✓	✓	✓	✓	✓	✓	✓	✓
Standard blood tests including potassium	✓		✓	✓	✓	✓	✓	✓	✓	✓
HbA1c test	✓									✓
Serum aldosterone and plasma renin activity			✓					✓		
Morning serum cortisol	✓		✓		✓			✓		
Biomarkers			✓					✓		
PK blood sample				✓	✓	✓	✓	✓		
Pregnancy test (for women of childbearing potential only)	✓ blood		✓ urine		✓ urine		✓ urine			✓ urine
Standard urine tests/ spot urine	✓		✓					✓		✓
24-hour urine collection										✓
ACTH Stimulation Test										✓
In-clinic study drug dosing		✓	✓	✓	✓	✓	✓	✓		✓
Receive study drug/placebo		✓	✓		✓	✓ *				✓
Return unused study drug/placebo			✓	✓	✓	✓	✓	✓		✓

Abbreviations: AOBP = Automated Office Blood pressure; ACTH = adrenocorticotropic hormone; ECG = Electrocardiogram; EoT = End of Treatment; EoS = End of study; EW = Early Withdrawal; HbA1c = glycosylated hemoglobin; OLE = Open Label Extension; PK = pharmacokinetic; Unsch Visit = Unscheduled Visit.

*Participants who meet the criteria will have their study drug increased to 100mg

Study procedures

- **Medical history, concomitant medications, and demographics:** you will be asked about your medical history, including current and previous health issues, and current and past medications you may have received. Your demographics, including your age and year of birth will also be recorded.
- **Physical examination and vital signs:** a complete physical examination, including height, weight, and vital signs such as body temperature, heart rate, and respiratory rate will be performed by the study doctor at the Screening Visit. At other study visits, a limited, symptom-directed physical examination and vital signs (temperature, heart rate, respiratory rate) will be performed.
- **Electrocardiogram (ECG)**: this examination is painless and will check the electrical activity of your heart. Sticky pads will be fixed to your torso ("upper body"), which will be connected to a monitor that shows the electrical activity of your heart.
- **Blood tests**: throughout the study, blood samples will be taken from you to:
  - Check your health by looking at the levels and presence of various substances in your blood. Blood samples will also be collected for long-term storage for the additional testing and interactions of the study drug with other medications (to be completed either during or after the study).
  - Blood sample to measure the amount of lorundrostat in your body and look at what the body does to the study drug (called pharmacokinetics, or PK).
  - Check your blood for biomarkers, which are indicators of biological processes or responses to the study drug (pharmacodynamics). Blood samples will also be collected for long-term storage for the additional testing and interactions of the study drug with other medications (to be completed either during or after the study).

  Your study doctor may repeat a test if they want to re-check any lab values. The total amount of blood expected to be taken at scheduled visits is approximately 169 mL.

- **Urine tests**:
  - Standard urine test: urine samples will be collected to look at the levels of substances in the urine, which can be indicators of health or disease. Urine samples will also be collected for long-term storage for biomarkers testing.
  - Spot urine collection: you will need to collect your first morning mid-stream urine before the Randomization Visit and Visit 8. You will be provided with the spot urine collection kit at preceding visits and further instructed on how to complete the urine collection will be provided by the study staff.
  - 24-hour urine collection: You may also perform an unscheduled 24-hour urine collection at any time during the study to assess your 24-hour urinary free cortisol, if your morning cortisol levels are high. You will be given a 24-hour urine collection kit to take home for use starting approximately 24 hours before your unscheduled visit. You will be further instructed how to complete the urine collection by the study staff.

- **Pregnancy test**: If you have child-bearing potential, you will be given pregnancy tests throughout the study. A blood sample for serum pregnancy test will be collected at screening, and a urine sample for urine pregnancy test will be collected at designated visits throughout the study. If a urine pregnancy test is positive, a blood sample will be collected for a serum pregnancy test to confirm the results.
- **Automated Office-Measured Blood Pressure (AOBP)**: your blood pressure will be measured by an automatic blood pressure device at the study center. Your blood pressure will be measured 5 times while you are in a seated position with both feet on the floor (about 1 to 2 minutes apart). After at least 5 minutes of rest, a cuff will be fastened around your upper arm, and it will tighten as the device measures your blood pressure. As it tightens, it may be a bit uncomfortable. Your blood pressure will also be measured while you are standing, about 1 minute after you stand up. Your heart rate will also be measured. Before your blood pressure is measured, you should avoid caffeine, alcohol, heavy exercise, and smoking for at least 30 minutes prior to the measurement and your bladder should be empty.
- **ACTH (adrenocorticotropic hormone) stimulation test:** You may also undergo an ACTH stimulation test at any time during the study to assess the function of your adrenal glands (adrenal glands produce hormones that help regulate your blood pressure) if your cortisol levels are low. This will involve an intramuscular injection of ACTH. Your blood will be drawn before the ACTH stimulation test and at 30 minutes and 60 minutes after the ACTH injection to measure the amount of cortisol (a hormone made by your adrenal glands) in your body.
- **Phone calls**: you may receive phone calls between study visits from the study staff to follow up if you are not taking your study drug and/or for any questions or clarifications that you may have.

D. GENERAL DOS AND DON'TS

Do (👍)

- **Contact the study center if you need to for any reason or have any questions about the study**
- **Contact the study staff to reschedule if you know you may miss an appointment**
- **Avoid medications that are not allowed by the study. You should always check with your study doctor or nurse before you start any new medications including over the counter and herbal medications**
- **Take all study drugs as directed by your study doctor**
- **Bring all unused study drugs and empty bottles with you to every visit**
- **Report if you feel unwell or are hospitalized in any way during the study**
- **Disclose your medical history fully and truthfully including any known allergies or side effects to medications**
- **Follow instructions given by the study staff**
- **Inform the study staff if you change your mind about staying in the study**

Don't (👎)

- **Miss study visits**
- **Engage in strenuous exercise for at least 30 minutes before the start of any study-related blood pressure measurement and for at least 24 hours before each blood sample to be collected**
- **Consume alcohol, ingesting caffeine- or xanthine-containing products (such as coffee, tea, cola drinks, and chocolate), smoking and the use of cannabis-derived or nicotine-containing products (including nicotine patches or gums and e-cigarettes) for at least 30 minutes before the start of any study-related blood pressure measurement**
- **Eat potassium rich foods during the study period. The study staff will discuss these foods with you**
- **Participate in another study with study drugs**
- **Become pregnant**

E. WHAT YOU NEED TO KNOW ABOUT THE MEDICINES USED IN THIS STUDY

As part of this study, you will receive lorundrostat or a placebo. You will be provided with bottles that contains 30 tablets of study drug. The tablets will be either lorundrostat or placebo (tablets that look like lorundrostat but contain no drug). You will be instructed to take 2 tablets by mouth once daily at approximately the same time each morning.

F. WHAT ARE THE MEDICINE SIDE EFFECTS, POSSIBLE DISADVANTAGES AND RISKS OF TAKING PART?

As with all research studies, the study drug and study procedures may involve unknown risks. Any medication can have temporary and permanent side effects and can cause unforeseen adverse reactions.

From lorundrostat

Four (4) studies in healthy participants and one study in participants with uncontrolled hypertension (high blood pressure) have been completed to date testing the effects of lorundrostat.

HEALTHY SUBJECT STUDIES

In healthy subject studies, a total of 167 participants were dosed, of which, 151 received at least 1 dose of lorundrostat. These studies were:

1. First in Human Study: This Phase 1 study looked at the effects of lorundrostat in participants after receiving a single dose or multiple doses versus placebo. Although the study enrolled 116 healthy participants, only 86 received lorundrostat; the rest received placebo.
2. Effect of Food Study: This Phase 1 study looked at the effects of food on how lorundrostat was absorbed into the blood. Eighteen (18) participants were dosed

twice: once on an empty stomach, and again after eating a high-fat, high-calorie breakfast.

3. Effect on Metformin Study: Eighteen (18) participants were enrolled in this study, which looked at the effect lorundrostat given over 5 days could have on a diabetes medication, metformin, and how it is absorbed and removed from the blood.
4. Effect of Acid Reflux Medication Study: Fifteen (15) participants were enrolled and given lorundrostat seven days apart. This study looked at how a standard acid reflux medication, esomeprazole, could impact how lorundrostat is absorbed and removed from the blood.

Overall, lorundrostat was well-tolerated in healthy participants with no serious side effects observed.

- In healthy participants that received a single dose of lorundrostat, the most commonly reported side effects were:
  - Dizziness
  - Drowsiness/sleepiness
  - Headache
- In the healthy participants that received multiple doses of lorundrostat, the most commonly reported side effects were:
  - Abdominal discomfort
  - Bruising, redness and warmth at the catheter site
  - Chest pain
  - Diarrhea
  - Dizziness
  - Dizziness with a change in posture
  - Drowsiness/sleepiness
  - Dry skin
  - Feeling hot
  - Headache

HIGH BLOOD PRESSURE PARTICIPANTS STUDIES

In participants with uncontrolled high blood pressure, a total of 200 participants were dosed, of which 164 received at least one dose of lorundrostat.

Three participants taking lorundrostat experienced serious side effects. Two were not related to the study drug. In the one considered related to taking the study drug, the subject experienced low levels of sodium in the blood.

Side effects reported in 10% or greater of participants receiving lorundrostat (1 in 10 participants or more), and more than in participants receiving placebo:

- High potassium levels in the blood (hyperkalemia)

Side effects reported in 1% to 10% of participants receiving lorundrostat (1 in 100 to less than 1 in 10 participants), and more than in participants receiving placebo:

- Abnormal ECG (a test that measures the electrical function of the heart)
- Chronic kidney disease (CKD)
- Coronary artery disease
- Diarrhea
- Dizziness
- Dizziness upon changes in posture
- Headache
- High blood pressure
- High blood sugar
- Higher levels of creatinine in the blood (a marker of how well your kidneys are working)
- Inability to fall asleep (insomnia)
- Low blood pressure
- Lower levels of corticotrophin in the blood (a hormone released with stress)
- Lower glomerular filtration rate (a marker of how your kidneys are working)
- Lower white blood cells
- Muscle spasm
- Peripheral swelling
- Upper respiratory tract infection
- Urinary tract infection

Potential risks with taking the study drug lorundrostat include:

- **High potassium levels in the blood (hyperkalemia):** Studies in healthy participants and participants with uncontrolled high blood pressure have shown a trend for mild increases in the levels of potassium within the blood stream. About 7% of participants with uncontrolled high blood pressure experienced moderate increases in potassium, and about 2% of participants experienced more severe increases in potassium. These changes were reversible when dosing with lorundrostat was modified or stopped. Increased potassium may cause muscle fatigue, weakness, abnormal heartbeat, nausea, and may cause more serious events such as paralysis and heart attack. You will be monitored throughout the study for changes in potassium. If you start to show signs or symptoms of high potassium, the study doctor may choose to reduce or stop your dose of the study drug.
- **Decreases in sodium levels in the blood (hyponatremia):** To date, three episodes of decreased levels of sodium in the blood were reported in one healthy subject and two participants with uncontrolled high blood pressure. Both participants with high blood pressure experienced muscle cramps, which got better after changing and/or stopping their lorundrostat dose. Decreases in sodium can cause nausea and vomiting, headache, confusion, loss of energy, drowsiness, fatigue, restlessness, irritability, muscle weakness, cramps or spasms, seizures and coma. You will be monitored throughout the study for changes in sodium. If you start to show signs or symptoms of

low sodium, the study doctor may choose to reduce or stop your dose of the study drug.

- **Low blood pressure and dizziness:** Low blood pressure and/or dizziness has been reported in three participants with high blood pressure, which improved following stopping of lorundrostat. In addition, three participants experienced low blood pressure only when standing up. These side effects improved on their own. Your blood pressure will be regularly monitored throughout the study, and staff will be looking for signs and symptoms of low blood pressure.
- **Higher levels of cortisol (a stress hormone):** Higher levels of cortisol have been reported in persons with high blood pressure treated with lorundrostat for 8 weeks. These changes were not clinically important. Symptoms of high cortisol levels can include a round face, thin arms and legs, severe fatigue, muscle weakness, high blood pressure, high blood sugar, purple or pink stretch marks on the skin, and weight gain (especially in the abdomen). You will be regularly monitored by study staff for changes in stress hormones, including cortisol.

From study procedures

Some of the tests and procedures may present risk, cause pain or discomfort.

- **Blood draws**: You may experience discomfort, bruising and, very rarely, infection at the site of the needle being put in your skin. You may feel light-headed, dizzy, or sick during or after blood samples are taken. Please tell the study doctor if you feel unwell during or after any blood tests.
- **ECG:** This is a painless test that involves fixing electrodes (sticky pads) to your skin. Some areas where the sticky pads are placed may need to be shaved. You may have a reaction to the adhesive on the sticky pads, which can cause discomfort and/or itchiness or skin irritation.
- **Blood pressure measurements:** The blood pressure cuff may cause some mild discomfort, bruising, or red spots on the arm.
- **ACTH (adrenocorticotropic hormone) stimulation test:** This will involve an injection of ACTH into a vein in your arm or your muscle and drawing blood before and after the injection. The injection may cause pain or stinging. You may feel flushed, nervous, or nauseated after the injection and rarely, a flushing, warm feeling in your face and a metallic taste in your mouth may occur. You may experience discomfort when blood is drawn. See risks associated with blood draws. In addition, you may experience bruising at the site of hormone injection.

Other Risks

Currently, we are not fully aware of the effects of lorundrostat on sperm, a pregnancy, a fetus, or a breast-feeding infant. If you may become pregnant, or are breastfeeding, lorundrostat treatment may lead to new side effects that we currently do not know about, and this may involve risks to you and/or your unborn baby. Because of this, if you are of child-bearing potential, you will be asked to provide blood or urine samples for pregnancy testing

during the study. You should discuss risks to the fetus with your partner(s) and strongly recommend the use of a highly effective contraceptive method.

If you or your partner become pregnant during the study, you should immediately tell the study doctor. If you are pregnant, you will discontinue the study drug and/or be withdrawn from the study. Your pregnancy will be followed up to term and information will be collected on the outcome of your pregnancy. If your partner becomes pregnant, information will be collected on the outcome of the pregnancy once your partner has signed the necessary informed consent.

If you are sexually active and if you or your partner might become pregnant, you must agree to use adequate forms of contraception throughout the entire study period and up to 28 days after the last dose of the study drug.

Highly effective contraceptive methods permitted in this study include:

- Combined (estrogen and progestogen containing) hormonal contraceptives
  - Oral
  - Intravaginal
  - Transdermal
- Progestogen-only hormonal contraception
  - Oral
  - Injectable
  - Implantable
- Hormonal or non-hormonal intrauterine devices (IUD) (for example, ParaGard®)
- Intrauterine hormone-releasing system (IUS)
- Bilateral tubal occlusion (blockage)
- Having a vasectomized partner
- Abstaining from heterosexual sex

Acceptable forms of contraception include:

- Progestogen-only oral hormonal contraception, where inhibition of ovulation is not the primary mode of action
- Male or female condom with or without spermicide
- Cap, diaphragm or sponge with or without spermicide
- Combination of a condom with either cap, diaphragm, or sponge with spermicide (double-barrier method)

We will take measures to protect your privacy as described in “Keeping your data confidential”. Despite taking steps to protect your privacy; there is a potential risk of loss of confidentiality, and we can never fully guarantee your privacy will be protected.

G. WHAT ARE THE POSSIBLE BENEFITS OF TAKING PART?

Participation in this study may help to improve your condition, but it is also possible that your condition may worsen. There is no guarantee that you will personally benefit by participating in this research study. Your participation in this study may provide information that may help other people who have a similar medical problem in the future.

H. ARE THERE ALTERNATIVE TREATMENTS?

You do not have to be in this study to get treatment for your hypertension. You have the chance to discuss other drugs or treatments that may be available and, will also discuss their risks and benefits with the study doctor. If you choose not to participate, you will continue to receive the standard of care by your medical care team.

I. WILL YOU INCUR ANY EXPENSES OR RECEIVE ANY PAYMENTS?

The Sponsor of the study is providing financial support and materials for this study. The study site is being paid by the Sponsor to do this study. Otherwise, the site staff including the study doctor have no financial ties to the Sponsor.

During the study you will receive study drug provided by the Sponsor at no charge. You will not be routinely compensated for any missed visits or reimbursed for wages missed due to your participation in this study. There will be no cost to you or your insurance company for taking part in this study.

You will be paid $100.00 for each completed visit, to be paid at the end of the visit.

You will receive an additional $20.00 at each study visit that you receive a score of 100% for taking your study drug.

You will be reimbursed for your time when using the AiCure application at $2.00 per day for each day that you use the application to record taking your study drug. If you download the application on your own smartphone, you will be reimbursed $10.00 per month to cover the cost of data transmission. The above amounts would allow for a maximum payment of up to approximately $300.00 for using AiCure. The reimbursements will be provided when you have completed the parts of the study using the AiCure application.

If you receive amounts of $600.00 or more for your participation in the study, you will need to complete a tax form. This amount may be taxable and will be reported to the Internal Revenue Service (IRS).

J. DISCONTINUATION OF TREATMENT AND WITHDRAWAL OF CONSENT

Why your study treatment may be stopped and what happens next

Your participation in this study may be stopped by the study doctor or the Sponsor without your consent. After you stop receiving study drug, you may be asked to return for follow-up visits for your health until the end of the study where the Sponsor can continue to collect study-related information. By signing your consent, you agree to this.

You may be asked to return to the study center for the End of Study Visit if you decide not to return for follow-up visits.

Your study doctor will stop your study treatment and will discuss other treatment options with you in the following situations:

- If your treatment is unblinded
- If you are unable or unwilling to follow instructions for the study
- If your study doctor feels it is not safe for you to receive further study treatment because you have experienced serious side effects, taken prohibited medicines or if your symptoms worsen and if you need medical intervention or hospitalization
- If you become pregnant. You and your baby will be followed up throughout your pregnancy and afterwards according to regulations
- If the Sponsor decides to terminate the study

In some cases, and where appropriate, you will be asked to provide blood samples for testing to determine the effect of the study drug on your disease. Your study doctor will explain any follow-up procedures that you will have and why you will have them. If your study doctor withdraws you, your data will still be analyzed, reported, and provided to the Sponsor.

What happens if you withdraw your consent for the study?

Taking part in this study is voluntary. You may choose not to take part or may leave the study at any time. Withdrawing from the study will not result in any penalty or loss of benefits to which you are entitled. If you decide to withdraw, you should discuss with your study doctor your decision to ensure a safe withdrawal. If you withdraw or are withdrawn from the study, all treatments and study-related procedures will be stopped, and no further information will be collected from you.

However, you will be asked to return for observations up to and including the End of Study Visit. At this visit, you will be asked to provide blood samples for safety testing and also to determine the effect of the study drug on your hypertension. You do not have to provide the sample(s) for testing. If, however, you decline the safety part of the End of Study Visit, this would be at your own risk. The procedures planned for this withdrawal visit are the same as the procedures for the End of Study Visit that you would have had if you were to complete

the study. If you withdraw consent, the Sponsor may retain and continue to use any data collected before such a withdrawal of consent, unless you ask otherwise. You may request destruction of any samples taken and not tested, and your study doctor must note this in your study records.

What happens when the clinical study stops?

Lorundrostat is a new drug that is under investigation for uncontrolled and resistant hypertension. The drug is not available in any country and will therefore not be available to you outside the study to treat your hypertension. We are hopeful that the results from this study and other studies will lead to new information to help in the treatment for people with hypertension in the future.

Your participation in the study may be stopped by the Sponsor or by the regulatory authorities at any time. Further, your participation may also be stopped by an independent ethics committee such as the Institutional Review Board (IRB) at any time without your consent. These committees review study safety and ethics to make sure that participants' rights are not violated. The reason(s) for stopping the study will be explained to you, and you will be given advice about continued care for your condition, if this is appropriate. In addition, the Sponsor has the right to stop the study for medical or business reasons. If this happens, all participants taking part in the study will be withdrawn.

PART 2: DETAILS ON STUDY CONDUCT

A. STUDY CONDUCT DUE TO THE COVID-19 PANDEMIC (OR OTHER PANDEMICS)

As a consequence of the COVID-19 pandemic, the Sponsor has put some modifications in place in case the ability to adhere to some of the study procedures described in this study are not possible. Some challenges may include, but are not limited to, increased risk of exposure to pathogens causing infectious diseases from regular clinic visits, including COVID-19, site closures, travel restrictions, and quarantines. It may be necessary to conduct virtual visits when on-site study visits are considered not feasible. Such modifications in study conduct will always be in accordance with local regulations and/or mandates.

Your study doctor can provide you with additional information, should this occur, and you can contact your study doctor if you are concerned about your participation and the risks associated with COVID-19 and/or other potential pandemics.

B. WHAT IF NEW INFORMATION BECOMES AVAILABLE?

Sometimes during the course of a study, new information becomes available about the treatment/drug that is being studied. If this happens, your study doctor will tell you about it and discuss with you whether you want to continue with your participation. If you decide to continue, you will be asked to sign an updated consent form.

However, after receiving new information, your study doctor might decide that it is not in your best interest to continue with the clinical study. They will explain the reasons and arrange for your care to continue.

C. WHAT WILL HAPPEN TO YOUR DATA COLLECTED DURING THE STUDY?

The Sponsor or other companies acting on its behalf including the central laboratory, study monitors, and auditors, government, or regulatory health authorities, such as US FDA or IRB will analyze your study information, to see how the drug has worked in you and the other people in the study.

Your data may be analyzed in any country worldwide. Certain statistical tests will be carried out on your data, along with that collected from the other participants.

The information from the study may be published or sent to regulatory authorities or health insurers in the US or other countries where regulatory approval or payment for the medication is required. If the results of this study are presented at scientific meetings or published in scientific journals, your identity will remain confidential.

By signing and dating this authorization, you are giving permission for the processing and use of your personal information for this study. You are also giving permission for the processing of your personal information or any part of it to be transferred to people and organizations (mentioned above) outside the US, where personal data protection laws may be different to those in the US. Once disclosed, your information is no longer protected and may be given to others without your permission.

The Sponsor and your trial doctor will archive the trial data and files for at least 5 years after the end of the trial.

Your medical files will be archived in accordance with national law.

D. WHAT HAPPENS IF YOU ARE INJURED OR HURT BECAUSE YOU TOOK PART IN THIS STUDY

The Sponsor will compensate you for any injury that you may incur as a result of taking part. For those participants who have given their consent to participate, the Sponsor has purchased a local insurance policy to cover compensation for any personal injury resulting from you taking the study drug, provided such personal injury is not due to fault or negligence of the study doctor or his team.

In your own interest and to avoid endangering your insurance coverage, please check with your insurance company that taking part in this study will not affect your policy. It is important for you to comply precisely with the instructions of your study doctor and provide

him/her with truthful information about your medical history. You should report any change in your state of health to your study doctor, regardless of whether you believe there is an association with the new medication or not. For the duration of the study, you should consult your study doctor before undergoing any other medical treatment or taking other medications. This does not apply in the case of a medical emergency. You must inform your study doctor about additional medical treatments or if you take additional medications. You will be given a study wallet card to carry at all times that will give contact details so that if you fall ill during the study, other doctors may contact your study doctor to obtain further information.

Should you suffer a physical injury as a direct result of your participation in this study (caused by the study drug or a study procedure) you must immediately contact your study doctor at the number shown on this form and medical treatment will be arranged for you.

We will provide compensation for any injury caused by taking part in this clinical study in accordance with the local guidelines. Study-related injuries do not include injuries that result from your own fault or intention. Additionally, payment for such things as lost wages, expenses other than medical care, or pain and suffering is not routinely available.

Your study doctor will have further details if you need them.

E. KEEPING YOUR DATA CONFIDENTIAL

If you consent to take part in this study, the Sponsor or their representatives may inspect your personal and medical data, and they must maintain confidentiality when analyzing the results. Personal data include your gender, your ethnic origin, your year of birth, information on your physical or mental health or condition. Study data are information collected from you including results from the tests and examinations performed during this study. People from the responsible monitoring authorities may also look at your data to check that the study is being carried out correctly. Nothing that could reveal your identity will be disclosed outside the study center. Within the study you will only be identified by means of a subject identification number (this is a personal clinical study number) that identifies you at that study center. This subject identifier is kept in order to maintain a link between your name in the medical records at the study center and the information about you collected by the study doctor during this study.

You may take back your permission to use and share health data about you at any time by writing to the study doctor at the address listed in the contact details section of this form. If you do this, you will not be able to continue participating in this study. If you decide to withdraw from the study, no new information about you will be collected but information that was already collected will continue to be used for the study.

Only the Sponsor’s authorized representatives, internal and external auditors, regulatory authorities (including the US FDA) and IRB will be allowed to check study records with your original medical records. This must be done to avoid the collection of incorrect or

incomplete data and to investigate whether the study has been carried out according to applicable laws and regulations. The authorized representatives are obliged to strictly follow international data protection laws, those of US and are bound to observe medical confidentiality. National and international data protection regulations give you the right to control the use of personal data contained in your medical records. Data may be transferred to countries that may not have data protection laws to the same extent as the data protection laws of US. In this case the Sponsor and its authorized representatives will take all reasonable steps to protect your privacy. We cannot promise complete confidentiality.

You may access your medical information and you may request correction of any possible errors.

Your study doctor can inform you about the study results, when they are available, if you wish. The Sponsor is required by law to disclose the results of the study in such a way as to safeguard your identity; the data generated from the study may be submitted to regulatory authorities of one or several countries. The results of this study will be reported in a clinical study report, which will be published and submitted to regulatory authorities, and may be published in a medical journal and shown at medical meetings. You will not be identified (by name or any other means, for example a photo) in any of these publications.

This clinical study is undertaken according to the ethical guidelines of the Declaration of Helsinki (where applicable or in the US, as amended 2000) and also complies with local laws, recommendations and guidelines at present in force in US for the investigation of new therapeutic agents.

In connection with determining your eligibility for this study and for the study itself, you may be asked to sign a separate form called a 'HIPAA authorization form' (based on the specific requirements of the site). HIPAA is the federal Health Insurance Portability and Accountability Act of 1996. Privacy and security regulations under HIPAA are designed to protect the privacy and confidentiality of your medical information held by your health care providers. You may revoke this authorization by sending a written notice to your study doctor. Your authorization for use and disclosure of your medical record information will not expire.

A description of this clinical trial will be available on http://www.ClinicalTrials.gov, as required by U.S. Law. This Web site will not include information that can identify you. At most, the Web site will include a summary of the results. You can search this Web site at any time.

This website will include information on the study and a summary of the results but will not include any information that can identify you. You can search this website at any time.

The AiCure application will collect: your study ID, cell phone number if provided, the video and audio of you using the application, and the date and time the video was taken. All of your video recordings and data are encrypted by the application and will be automatically

forwarded to a secure server. The recordings are only accessible by authorized staff of AiCure. The data not including the video recordings are securely stored and only accessible to AiCure, healthcare providers and the Sponsor through a password protected website.

The video recordings and data that can identify you will be deleted at the end of the study but may be used to support the study and to confirm your participation. This data will also help improve AiCure's systems processing and therefore indirectly support other AiCure commercial products or regulatory filings by AiCure for future applications of AiCure's product. If you withdraw from the study, the Sponsor and AiCure may still use the data collected up to your withdrawal.

F. TELLING YOUR PRIMARY CARE PHYSICIAN/GENERAL PRACTITIONER

It may be important that your primary care physician/general practitioner knows that you are taking part in this study. You are asked to give permission for a letter to be sent to your primary care physician/general practitioner to tell him/her you are taking part, and to give him/her some information about what the study involves.

G. WHAT WILL HAPPEN TO ANY SAMPLES YOU GIVE?

Blood and urine samples will be taken at visits throughout the study. The samples that are taken from you will be used in this research study. These samples are needed to monitor your safety and also to help us find out if the study drugs are having an effect. All samples collected will be stored in tubes that have your subject identifier. They will not have your name and can only be connected to you via the subject identifier. Your study doctor and his/her team at the study center will keep the list that connects your name to your subject identifier.

Unless required by law, you will not get copies of the results. If you decide to stop taking part in this study, your samples already collected will still be used in the ways that you` agreed to when you started the study. Once you have withdrawn your consent to participate in the study, no further samples will be collected for the purposes of this study. If you withdraw consent to take part in the study, you can request for your samples to be destroyed by contacting the study doctor. We will try to destroy samples, but this might not be possible.

In future, identifiers associated with your data and/or specimens could be removed from the data and specimens. The de-identified data and specimens could then be used for future research by our study team or other researchers without notifying you or asking your permission for this use.

The samples may be sent to different laboratories for a range of tests to be performed. All samples will be handled/tested by professionals at the laboratories. Some of the blood samples may be stored at the responsible laboratories after the final report is issued and

following this, for a further 20 years with the Sponsor. Samples will then be destroyed by the laboratory according to the local instructions for destruction.

If new analyses that were not foreseen when you gave your consent to participate need to be done on your retained samples, you have the right to be informed and will have the opportunity to sign a new Informed Consent Form. You have the right to refuse further analyses. Your study data and biological samples will be used for the research, development and potential registration of the study drug and other products, for which the Sponsor has all rights. You would not share in any financial benefits from these products or discoveries.

H. WHAT WILL HAPPEN TO THE STUDY RESULTS?

All study information is evaluated, assessed and reported in a clinical study report, which will be published and submitted to regulatory authorities in such a way as to safeguard your identity. Scientific data from this study may be presented at meetings and published so that the information can be used to help others, but your participation in the study will not be made known and will be kept strictly confidential. Should you wish to receive a copy of the results of this study once complete, you should tell the study doctor or nurse. You will not be identified in any report/publication.

A Plain Language Summary (PLS) of the results of this study will be made available in the language of each country in which the study took place and will be disseminated according to internal policy standards and local laws.

You may access the PLS 1 (one) year following the end of the study in the ClinicalTrials.gov by going to this website:

http://www.ClinicalTrials.gov and when prompted, by entering the study number.

The Sponsor may share the PLS in other ways too.

I. REVIEW OF THIS STUDY

This clinical study has been reviewed by an independent group of people called an Institutional Review Board (IRB) to protect your rights and welfare , and was given a favorable ethical opinion.

J. WHO IS ORGANIZING AND FUNDING THIS RESEARCH?

The clinical study is sponsored and funded by:

Mineralys Therapeutics, Inc.

150 N. Radnor Chester Rd. – Suite F200

Radnor, PA 19087

USA

K. Further information and contact details

The persons listed at the beginning of this document may be contacted for further information regarding this clinical study.

If you have questions or problems after office hours or during the weekend, please contact the 24 hour number listed at the beginning of this document.

This study has been reviewed by the relevant IRB.

If you have questions, concerns, or complaints about the study, or questions about your rights as a participant, you can call:

Reviewing IRB name: WCG IRB

Phone Number: 855-818-2289

Email: clientcare@wcgclinical.com

If you have a concern about any aspect of this study, you should ask to speak to the clinical study team who will do their best to answer your questions.

If you need urgent medical treatment, please contact your primary care physician/general practitioner or dial the 24-hour number listed at the beginning of this document as appropriate.

Thank you for taking the time to read this information. Please remember to make sure that you have understood everything and that all your questions have been answered fully and to your satisfaction.

IRB APPROVED
Feb 06, 2024

PART 3: INFORMED CONSENT FORM SIGNATURES

Center Number: ……
Name of Study Doctor: …….
Study Number: MLS-101-301
Participant Identification Number for this study: …….
Title of study: A Randomized, Double-Blind, Placebo Controlled, Parallel Arm, Multicenter Phase 3 Study to Evaluate the Efficacy and Safety of Lorundrostat in Subjects with Uncontrolled and Resistant Hypertension

1. I confirm that I have read and understand this Patient Information Sheet and Consent Form Version 2.1.0 dated 26OCT2023 and have had the opportunity to speak with a clinical study doctor about the conduct of the above clinical study. All my questions have been answered to my satisfaction. I have had sufficient time to make my decision.
2. I understand that my participation is voluntary and that I am free to withdraw at any time (verbally or in writing), without giving any reason, without my medical care or legal rights being affected.
3. I agree to be part of this research study, to follow the study procedures and to provide the information the study doctor or other study staff members ask from me.
4. I understand that relevant sections of any of my medical notes and data collected during the clinical study may be looked at including remotely by responsible individuals from the Sponsor (or their representatives), from international Regulatory Authorities or local agencies where it is relevant to my taking part. I give permission for these individuals to have access to my records. I understand that I will not be identified by name in any reports or publications resulting from the clinical study.
5. I understand that any information relating to my medical records and data collected during the clinical study will be reported in a form that will not allow my identity to be disclosed.
6. I understand that I can ask my study doctor to see the data recorded about me in connection with the study and can request changes to be made in the event of incorrect entries.
7. I agree to take part in the above clinical study including giving blood and urine samples for treatment specific tests and routine safety tests. I understand that this means I must attend the study center and follow all procedures in accordance with the clinical study schedule. I agree to take the clinical study drug as directed by my study doctor. I also agree to inform the study doctor of any changes in medications I am taking.
8. I agree that I received a signed and dated copy of this consent form.

Please mark your answer in the box with an 'x' to show whether or not you would like to take part in each option:		
	Yes	**No**
I agree that my family doctor (general practitioner) will be contacted to inform him/her of my taking part in this study and for relevant information to be obtained from him/her.	☐	☐
FUTURE TESTING OF MY STORED SAMPLES COLLECTED IN THIS STUDY: My samples and related information may be kept in a biobank for use in future health research. The health authorities and the respective Ethics Committee will approve any additional testing that may be done.	☐	☐
FUTURE USE OF MY DATA OUTSIDE OF THIS STUDY:		
My information may be used outside of this protocol, but exclusively for scientific purposes. I understand that I may withdraw this consent at any time, and that at all times, my data will be protected	☐	☐

This is the end of the section about optional procedures or studies.

MY SIGNATURE AGREEING TO TAKE PART IN THE MAIN STUDY

I have read and have had verbally explained to me the above information and have had all my questions answered to my satisfaction. I understand that my participation is voluntary and that I may stop my participation in the study at any time. Signing this form does not waive any of my legal rights. I understand that a signed and dated copy of this consent will be provided to me. By signing below, I agree to take part in this research and any additional studies where I indicated 'yes'.

Signature of Participant
Name of the participant (print) .....
Signature .....
Date of signature ..... Time of signature .....

Signature of Person Conducting the Informed Consent Discussion

I have fully and carefully explained to the participant the nature and purpose of this form and confirm that, to the best of my knowledge, they clearly understand the nature, risks and benefits of taking part in this study. I have been available to answer any questions that the subject has about this form.

Name of the person conducting informed consent (print) .....
Signature .....
Date of signature ..... Time of signature .....

IRB APPROVED
Feb 06, 2024

---------- Use this witness section only if applicable ----------

If this consent form is read to the participant because they cannot read it, an impartial witness not affiliated to the research nor to the Investigator shall be present for the consent and signature of the following statement:

I confirm that the information in this informed consent form and any other written information has been precisely explained and understood by the participant. The participant has voluntarily agreed to take part in this research.

Date	Name of the **Impartial Witness** (Print)	Signature of the **Impartial Witness**