

DECLARATION

I/We hereby declare that the work presented in this report entitled "**Stock Order Book with Real-Time Matching Engine**" is an authentic record of our own work carried out at School of Computer Science Engineering and Technology, Bennett University, Greater Noida.

The matter and results presented in this report have not been submitted by us for the award of any other degree or diploma elsewhere.

Apoorva Pandey
(S24BCAU0120)

Ansh Shirvastav
(S24BCAU0102)

Sameer Bhati
(S24BCAU0106)

ACKNOWLEDGEMENT

We would like to express our sincere thanks to our mentor, faculty members, and the School of Computer Science Engineering and Technology for giving us the guidance and support needed during this project. So, this project took many rounds of designing, coding, debugging, changing things again, and then testing one more time, and the help from teachers and teammates really mattered in that whole process.

Also, we are thankful to our friends and classmates who gave feedback on the system and helped in checking the usability of the order book screens. And, finally, we thank our team members because this project had both frontend work and backend system logic, so it was not possible without proper division of work.

Signature of Candidate(s)

Apoorva Pandey
(S24BCAU0120)

Ansh Shirvastav
(S24BCAU0102)

TABLE OF CONTENTS

- [LIST OF TABLES](#)
- [LIST OF FIGURES](#)
- [LIST OF ABBREVIATIONS](#)
- [ABSTRACT](#)
- [1. INTRODUCTION](#)
 - [1.1 Problem Statement](#)
- [2. BACKGROUND RESEARCH](#)
 - [2.1 Proposed System](#)
 - [2.2 Goals and Objectives](#)
- [3. PROJECT PLANNING](#)
 - [3.1 Project Lifecycle](#)
 - [3.2 Project Setup](#)
 - [3.3 Stakeholders](#)
 - [3.4 Project Resources](#)
 - [3.5 Assumptions](#)
- [4. PROJECT TRACKING](#)
 - [4.1 Tracking](#)
 - [4.2 Communication Plan](#)
 - [4.3 Deliverables](#)
- [5. SYSTEM ANALYSIS AND DESIGN](#)
 - [5.1 Overall Description](#)
 - [5.2 Users and Roles](#)
 - [5.3 Design Diagrams / UML / Flow / E-R](#)
 - [5.3.1 Product Backlog Items](#)
 - [5.3.2 Architecture Diagram](#)
 - [5.3.3 Use Case Diagram](#)
 - [5.3.4 Class Diagram](#)
 - [5.3.5 Activity Diagram](#)
 - [5.3.6 Sequence Diagram](#)
 - [5.3.7 Data Architecture / ER Diagram](#)
- [6. USER INTERFACE](#)
 - [6.1 UI Description](#)
 - [6.2 UI Mockup](#)
- [7. ALGORITHMS / PSEUDO CODE](#)

- [8. PROJECT CLOSURE](#)
 - [8.1 Goals / Vision](#)
 - [8.2 Delivered Solution](#)
 - [8.3 Remaining Work](#)
 - [REFERENCES](#)
-

LIST OF TABLES

1. Table 1: Goals and Objectives
 2. Table 2: Project Setup Decisions
 3. Table 3: Stakeholders
 4. Table 4: Project Resources
 5. Table 5: Assumptions
 6. Table 6: Tracking Information
 7. Table 7: Regularly Scheduled Meetings
 8. Table 8: Information To Be Shared Within Our Group
 9. Table 9: Information To Be Provided To Other Groups
 10. Table 10: Information Needed From Other Groups
 11. Table 11: Deliverables
 12. Table 12: Users and Roles
-

LIST OF FIGURES

1. Figure 1: Architecture Diagram
 2. Figure 2: Use Case Diagram
 3. Figure 3: Class Diagram
 4. Figure 4: Activity Diagram
 5. Figure 5: Sequence Diagram
 6. Figure 6: ER Diagram
 7. Figure 7: UI Mockup
-

LIST OF ABBREVIATIONS

Abbreviation	Meaning
--------------	---------

Abbreviation	Meaning
API	Application Programming Interface
ER	Entity Relationship
FIFO	First In First Out
JSON	JavaScript Object Notation
SRP	Single Responsibility Principle
tRPC	Type-safe Remote Procedure Call
UI	User Interface
WS	WebSocket

ABSTRACT

Our project presents you with a real-time stock order book system that simulates a real-alike trading platform where users can place buy and sell orders and receive live updates in the interface. We created this project as a monorepo project with a React, Node.js, and GO matching ending all in a single repository. We designed the backend logic with absolute separation where the order book stores market state, the matching engine handles business rules, while the portfolio manager manages the money balance.

Our main idea was to implement a price time priority matching system that was fast enough for repeated read and writes. With earlier implementations using a simple array sorting method, which was very inefficient but helped us to get the basic matching book understanding. Then we moved to a HashMap method which was faster for lookups but still had inefficiency in order removals. For the final version, we used a linked queue for each price level that solved the order removal complexity. In the same time, we also created a GO rewrite of the matching engine, while following the same final version's data structure and integrated it as a separate service that the Node.js server could call without changing any major backend logic.

There was also full focus on providing a secure platform Firebase authentication. We also made sure that system used fast broadcasting services like Socket.io to make sure updates are instant while being efficient. The final result was not just a simple UI demo, rather it showcased a well designed system, along with algorithm choice, service creation.

1. INTRODUCTION

A trading system is a good example where computer science topics (like, data structure and algorithm design) meet with real software engineering.

The project that we created, called as "Stock Order Book" is made to simulate a trading platform where users can place buy and set orders. Then the system matching with best prices. It sounds simple enough that we are just placing a BUY and SELL order, but complex enough that we can show how even changing a slight detail in data structure can make a big difference in performance when order grows exponentially.

We used a modern tech stack that includes React.js for frontend. Backend with node.js. Matching engine being created with GO for fast low latency matching. For fast frontend updates, we used Socket.io to broadcast order book changes in real time. And authentication is handled with firebase for simplicity.

The project is also useful from a learning side. It shows how a monorepo can help in keeping code organized, how real-time updates can be sent through sockets, and how backend services can be split based on responsibility rather than making one large file handle everything. [cite:4]

1.1 Problem Statement

There are existing solutions like Paathshaala and Moneybhai that does exactly or even better than our solution. But they are mainly built as a trade learning platform that do not expose the technical workings of matching engine. Our project is focused more towards the technical side of system, for students in technical degrees, like BTECH, BCA and MBA students who want to understand the algorithmic side of trading.

Hence, we built this. A open-source, educational, easy to run that explains the how of trading.

2. BACKGROUND RESEARCH

Our project is a very well researched problem in computer science and finance engineering. It is very popular for the order book optimization problem because of different choices in algorithm design along with their tradeoffs. While most platforms use price-time priority matching, the way they implement it varies widely based on their specific needs.

As discussed earlier. Platforms like Paathshaala and Moneybhai are more focused on the financial education side, and they do not show the technical workings of the matching engine. They are a good fit for people, who want to learn how to trade, but not for people who want to learn how trading works behind the curtains. This behind the curtains part include things like, how orders are stored, how they

are matched, how the updates are carried out, and how the performance can be improved by changing data structures.

This is especially common for students in computer science programs like BCA, BTech, or hybrid technical MBA/finance programs because those students work with data structures, algorithms, not just financial strategies.

For example, trading performance can change drastically when changing from a sorted array approach to a HashMap-based approach. We implemented many version of this matching algorithm with different data structures and measured their performance with benchmarking scripts.

For this exact algorithm design part. We researched how production matching engines are designed. This was usually done through a combination of academic papers [reference them], and open source projects [reference them]. We found, that the price time priority matching is the most common approach, but the data structure choice varies with every platform. Some use sorted arrays, others HashMaps, and some use more complex structures like linked queues per price level for maximum performance.

2.1 Proposed System

What we propose is a full-stack stock order book simulator built truly from the group up. This includes, a from scratch implementation of the matching engine. We have target users of student type in technical programs who like to understand not just how to trade but how the matching engine processes orders.

The system is mainly designed for desktop use. One can easily spin up a local instance by cloning the repository and then running the npm run dev command. There are market maker scripts for automated live order flow. A cli order book preview. And a fully built frontend UI that can be accessed through a web browser. Is it to note that there are no real stock exchange connection.

Project is designed to be open source with MIT license. Light enough to run in most regular hardware but complex enough to show real workings of trading system.

2.2 Goals and Objectives

#	Goal or Objective
1	Build a real-time order book simulation for buy and sell orders.
2	Maintain price-time priority during order execution.
3	Provide fast best bid and best ask for the UI updates.
4	Prevent invalid trades using portfolio checks.
5	Improve matching performance by integrating a Go-based engine.

#	Goal or Objective
9	Keep the system modular so components can be replaced later.

Table 1: Goals and Objectives

Project sole object was not to just create a feature based order book. But also to craft a well designed system with properly designed modules, clear separation and clean code. The later part was a big plus for us students as a learning experience on how to actually write and maintain real codebase.

3. PROJECT PLANNING

3.1 Project Lifecycle

Project followed an iterative development style close to Agile but not fully Agile. We stucked to it because that was what taught in previous courses as a good development approach.

Here is a summary of the project lifecycle:

1. Initial monorepo and shared project setup. [cite:4]
2. TypeScript order book and matching logic. [cite:4]
3. Order book performance improvements through better data structures. [cite:10][cite:11]
4. Go service integration for matching engine. [cite:8]
5. Final benchmarking and comparison. [cite:8]

3.2 Project Setup

#	Decision Description
---	----------------------

- 1 It was initially planned to separate repos for frontend and backend, but we switched to a monorepo because separate repos were making coordination too complicated
- 2 We used pnpm instead of npm for reduced install times.
- 4 It was decided to use React + Vite for client, Node.js + tRPC for server for fast development and type safety.
- 5 Socket.io was used for live order book broadcasting
- 6 For authentication we used Firebase because building a custom auth system from scratch was too much effort and also out of scope of this project.
- 8 Go match system service was also created for the final version for performance and latency.

3.3 Stakeholders

Table 2: Project Setup Decisions

Stakeholder	Role
Project Team	Design, coding, testing, documentation
Faculty Mentor	Guidance, review, technical feedback
End Users / Demo Users	Use the system and give feedback
Future Developers	Can extend matching logic or UI later

Table 3: Stakeholders

3.4 Project Resources

Resource	Resource Description	Quantity
Team Members	Students working on frontend, backend, and report	3-4
Developer Machines	Laptops/desktops used for coding and testing	3-4
Node.js Environment	Used for backend APIs and integration	1
React Development	Used for UI build and testing	1
Go Runtime	Used for the Go matching engine	1
Firebase	Used for authentication support	1
GitHub Repository	Used for source code tracking	1

Table 4: Project Resources

3.5 Assumptions

#	Assumption
---	------------

- A1 Team members would be able to meet and coordinate work regularly
- A2 Local development environments for Node.js, React, and Go would be available
- A3 Firebase authentication would be used for simplicity
- A4 Order book design will be in-memory, hence, no database required
- A5 There will be performance comparison between TypeScript and Go versions of the matching engine

- A6 The project is desktop only; no mobile specific UI is required
- A7 Market marker script would be used to generate live order flow for testing

Table 5: Assumptions

4. PROJECT TRACKING

4.1 Tracking

Information	Description	Link
Code Storage	Source code is stored in GitHub repository	github.com/sudols/stock-order-book
Branch-Based Progress	master branch for stable work, feature/go-matching-engine for Go integration	Repository branches
Documentation	Architecture, UML diagrams, order matching system docs in docs/	docs/ directory
Benchmarks	Benchmark and timing scripts for TypeScript and Go comparison	Server / Go packages
Bug Tracking	Tracked through Git commits and direct team communication	Commit history

Table 6: Tracking Information

4.2 Communication Plan

Regularly Scheduled Meetings

Meeting Type	Frequency / Schedule	Who Attends
Team Discussion	Weekly	Project team
Weekly in lab Progress Review	Weekly	Project team and mentor
Internal Debug Session	As needed	Relevant team members
Final Review Prep	Before submission and presentation	Full team and mentor

Table 7: Regularly Scheduled Meetings

Information To Be Shared Within Our Group

Who?	What Information?	When?	How?
Project Team	Task allocation	Weekly	Group chat
Project Team	Code changes and bug fixes	As needed	Git commits
Project Team	Design changes in matching engine	During implementation	Shared notes

Table 8: Information To Be Shared Within Our Group

Information To Be Provided To Other Groups

Who?	What Information?	When?	How?
Mentor / Instructor	Milestone progress	At reviews	Demo / report / presentation
Mentor / Instructor	Final deliverables	At project completion	Report, PPT, source code

Table 9: Information To Be Provided To Other Groups

Information Needed From Other Groups

Who?	What Information?	When?	How?
Mentor / Instructor	Technical suggestions	Throughout project	Weekly lab discussion
Faculty	Formatting and submission requirements	Before final submission	Course instructions

Table 10: Information Needed From Other Groups

4.3 Deliverables

#	Deliverable
1	Fully working frontend for viewing order book
2	Matching logic
3	Real time update support with the help of Socket.io
5	Go-based matching engine integration
6	Documentation in repository

#	Deliverable
7	Presentation slides
8	Final project report, 5 minute video demo

Table 11: Deliverables

5. SYSTEM ANALYSIS AND DESIGN

5.1 Overall Description

Designed as a unified repository, the system is organized into three main packages: client, server, and shared, ensuring better structure and easier management. The frontend is built using React to create a responsive and interactive interface. Tailwind CSS is used to style the application and maintain a clean design. For real-time updates, Socket.IO is integrated along with Firebase Authentication to securely manage user login and access. TRPC is used to handle communication between the frontend and backend, while Zustand efficiently manages the application state, ensuring smooth data flow across components and improving overall performance. The shared package helps in reusing common logic and data structures across both client and server, making the system more maintainable and consistent.

5.2 Users and Roles

User	Description
------	-------------

User Description

Trader / End User Allows users to log in, place buy or sell orders, view the order book, and track their portfolio.

System Backend Handles validation, balance checks, order matching, and update notifications

Matching Engine Uses price-time priority to match orders and shows executed trades along with pending ones.

Developer Handles the user interface, server-side operations, and data structure management

Mentor / Evaluator Evaluates design, verifies output, and checks documentation quality.

Table 12: Users and Roles

The main live user in this system is the trader. But, in design terms, the backend service and matching engine also behave like important actors because they perform autonomous logic in the full workflow.

[cite:4][cite:8]

5.3 Design Diagrams / UML / Flow / E-R

5.3.1 Product Backlog Items

Major backlog items:

- As a user, I want to sign in securely so that I can access my trading account. [cite:3]
- As a user, I want to place buy orders easily so that I can purchase stock from the market. [cite:3][cite:5]
- As a user, I want to place sell orders easily so that I can liquidate stock to others. [cite:3][cite:5]
- As a user, I want to see best bid and best ask live so that I can understand live market conditions.
- As a user, I want my portfolio automatically updated after a trade so that I know my remaining balance and holdings.
- As a developer, I want shared types between frontend and backend so that models are consistent and easy to debug. [cite:3]
- As a developer, I want to replace the matching engine without changing the frontend so performance changes are easier to test. [cite:8]

5.3.2 Architecture Diagram

Figure 1: Architecture Diagram

5.3.4 Class Diagram

Figure 3: Class Diagram

This class level view shows the order book handling storage, matching engine logic, portfolio manager tracking.

5.3.5 Activity Diagram

Figure 4: Activity Diagram

5.3.6 Sequence Diagram

Figure 5: Sequence Diagram

5.3.7 Data Architecture / ER Diagram

Figure 6: ER Diagram

To note. Current system operates in in-memory. So there are no actual database tables. This ER diagram is placed for a future release where persistent storage will be added.

6. USER INTERFACE

6.1 UI Description

The client side of the project is developed using React. It handles user-related data, including user state, bids, asks, and portfolio information, with the help of Zustand for efficient and streamlined state management. The frontend is integrated with Socket.IO to receive real-time updates of the order book, allowing the user interface to automatically reflect any changes broadcasted by the backend. The main interface includes key components such as an order book view, a trade entry form, and a portfolio section. While the interface is relatively simple in structure, it effectively showcases the essential functionalities of the system. The design approach prioritizes the trading workflow, ensuring clarity and usability without introducing unnecessary features or complexity.

6.2 UI Mockup

Figure 7: UI Mockup

attach the react UI screenshot

7. ALGORITHMS / PSEUDO CODE

Core Matching Algorithm

System follows price time priority. Better price goes first, and if price is the same then earlier timestamp gets the priority.

Below is the pseudo code for the matching algorithm.

```
Algorithm PlaceOrder(order):  
    validate order price > 0  
    validate order quantity > 0  
    validate user can afford order
```

```

if order.side == "buy":
    while order.quantity > 0 and bestAsk exists and order.price >= be
        maker = bestAsk
        tradeQty = min(order.quantity, maker.quantity)
        create trade at maker.price
        reduce maker.quantity by tradeQty
        reduce order.quantity by tradeQty
        if maker.quantity == 0:
            remove maker from order book

else if order.side == "sell":
    while order.quantity > 0 and bestBid exists and order.price <= be
        maker = bestBid
        tradeQty = min(order.quantity, maker.quantity)
        create trade at maker.price
        reduce maker.quantity by tradeQty
        reduce order.quantity by tradeQty
        if maker.quantity == 0:
            remove maker from order book

if order.quantity > 0:
    add remaining order to order book

return trades and remaining order

```

Data Structure Evolution

Naive Version:

```

addOrder -> push + full sort
removeOrder -> linear scan + splice

```

Hybrid Version:

```

addOrder -> hash maps + sorted price arrays
removeOrder -> O(1) map lookup + array splice

```

Optimized Version:

```

addOrder -> sorted price levels + linked queue append
removeOrder -> direct node unlink in O(1)

```

The naive version uses full sorted arrays and re-sorts on insertion, the hybrid version uses HashMaps and sorted arrays, and the optimized version uses linked queues per price level for better removal performance. [cite:10][cite:11]

8. PROJECT CLOSURE

8.1 Goals / Vision

The project originally started with the goal of building a real-time stock order book system that could handle proper order matching, track user portfolios, and provide live updates on the frontend. As development progressed, the scope naturally evolved, and the team began exploring ways to improve the efficiency of the matching system. This also led to experimenting with the idea of replacing the matching layer with a service built using Go programming language, while keeping the overall behavior and user experience of the system unchanged.

So, by the end, the project became not only a trading simulator but also a performance-oriented backend design exercise.

8.2 Delivered Solution

The final solution brings together a React frontend, a Node.js backend, and shared TypeScript models to keep everything consistent. It supports real-time updates through Socket.IO and includes well-documented order book and matching logic. In addition, a matching engine built using the Go programming language has been integrated with the Node.js backend via HTTP/JSON, while keeping the overall request-response flow the same from the frontend's perspective.

Another important outcome of the project is how the design evolved over time. It starts with a simple (naive) order book, moves to an improved hybrid structure, and finally reaches an optimized linked-list-based implementation. This progression clearly reflects the team's focus on performance improvements and thoughtful system design.

8.3 Remaining Work

Based on the planned weeks 9-12 and known outstanding items:

- It is planned to add tooltip labels for bid and ask panels, because multiple testers got confused without them.
- To deploy a live persistent demo URL so it can be accessed without local setup.

- Because a demo URL is setup. There needs to be CI/CD with GitHub Actions to automatically deploy on code changes.
 - Create a Docker compose file for portable simulation testing
 - A major feature is to add session persistence so trade history survives when server is restarted.
 - Possibly support for smaller screens even if full responsive design is not in plan.
-

REFERENCES

1. `docs/project-overview.md` , Stock Order Book repository. [cite:3]
2. `docs/technical-architecture.md` , Stock Order Book repository. [cite:4]
3. `docs/order-matching-system.md` , Stock Order Book repository. [cite:5]
4. `IMPLEMENTATION_SUMMARY.md` , feature Go matching engine branch, Stock Order Book repository. [cite:8]
5. `packages/server/src/orderbook-naive.ts` , Stock Order Book repository. [cite:10]
6. `packages/server/src/orderbook-optimized.ts` , Stock Order Book repository. [cite:11]
7. DTI Project Final Report Template document structure. [file:27]