

Course Project

Project No: 2C

MockFriends Database

GithubLink: <https://github.com/sudwebd/ClassroomFriends>



S John S (15114060)

Shubham Garg (15114068)

Shubham Raj (15114069)

Sudhanshu Sambharya (15114071)


Ujjawal Prasad (15114074)

Before we begin with the project, here are the list of ASSUMPTIONS made while implementing the project.

ASSUMPTIONS:

1. A person **CANNOT** send multiple messages at same point of time.
2. A person **CANNOT** like/comment/upload multiple contents at a given point of time.
3. A person **CANNOT** upload multiple pics in a single post.
4. A person might or might not have profile and cover pic.
5. A person might or might not like/comment on content.
6. A person can like/comment his/her content.
7. Relationships are limited to Friends.
8. A person might or might not comment same thing more than once.
9. A person might work in same company more than once on different designations but only at 1 designation at a given time.
10. "Share article" option is **NOT** available

Entity Relationship Diagram (ER Diagram)



Functional Dependencies & Candidate Keys

Since, albumPictures and interests are multi-valued attributes, these are already been broken to different tables for simplicity.

Functional Dependencies:

1. User

(emailId, firstName, lastName, password, dob, gender, city, country, aboutMe, tagline, coverPicture, profilePicture, isGraduated, isActive)

- emailId -> firstName, lastName, password, dob, gender, city, country, aboutMe, tagline, coverPicture, profilePicture, isGraduated, isActive

2. Album (emailId, pictureURL)

- No FD

3. Interests (emailId, Interest)

- No FD

4. Friends (emailId1, emailId2, friendsSince)

- {emailId1, emailId2} -> friendsSince

5. Article (articleId, emailId, description, timestamp, imageURL)

- articleId -> emailId, description, timestamp, imageURL

6. Education (emailId, universityName, from, to, description)

- {emailId, universityName} -> from, to, description

7. Work (emailId, company, designation, from, to, description)

- {emailId, company, designation} -> from, to, description
- {emailId, company, from} -> designation, to, description
- {emailId, company, to} -> designation, from, description

8. Setting

(emailId1, emailId2, enableFollow, sendNotification, textMessage, enableTagging)

- {emailId1, emailId2} -> enableFollow, sendNotification, textMessage, enableTagging

9. ArticleLiked (emailId, articleId)

- No FDs

10. CommentedOn (emailId, articleId, Comment, CommentTime)

- {emailId, articleId, CommentTime} -> Comment

11. Viewed (emailId, articleId, ViewTime)

- {emailId, articleId} -> ViewTime

12. SentMessage (emailId1, emailId2, message, messageTimeStamp, isSeen)

- {emailId1, emailId2, messageTimeStamp} -> message, isSeen

Candidate Keys

1. **User** : {emailId}
2. **Album** : {emailId, pictureURL}
3. **Interests** : {emailId, Interest}
4. **Friends** : {emailId1, emailId2}
5. **Article** : {articleId}
6. **Education** : {emailId, universityName}
7. **Work** :
 {emailId, company, designation}, {emailId, company, from}, {emailId, company, to}
8. **Setting** : {emailId1, emailId2}
9. **ArticleLiked** : {emailId, articleId}
10. **CommentedOn** : {emailId, articleId, CommentTime}
11. **Viewed** : {emailId, articleId}
12. **SentMessage** : {emailId1, emailId2, messageTimeStamp}

1NF, 2NF, 3NF, BCNF 4NF, 5NF?

Observation: In all our tables, we have FDs of type $X \rightarrow A$, $X \in \text{Candidate Key}$.

1. 1NF:

- a. Since all our columns are atomic, the tables are in 1NF.

2. 2NF:

- a. Since $X \in \text{Candidate Key}$, no non-prime attribute can be dependent on a subset of candidate key.

3. 3NF:

- a. Since $X \in \text{Candidate Key}$, there cannot be a functional dependency from non-prime attribute to non-prime attribute

4. BCNF:

- a. Since $X \in \text{Candidate Key} \subseteq \text{Super Key}$, this means all our tables are in **BCNF**.

Since there are no multi-valued dependencies or Join Dependencies, the schema is in **5NF**
