

Red-Black Trees

Why Even the Inventor Moved On...

Your Name

February 19, 2026

We All Love to Sort Things!

- Organizing bookshelves

We All Love to Sort Things!


- Organizing bookshelves
- Arranging files on computers

We All Love to Sort Things!

- Organizing bookshelves
- Arranging files on computers
- Putting groceries in order


We All Love to Sort Things!

- Organizing bookshelves
- Arranging files on computers
- Putting groceries in order
- **What's a really good way? 🌲**



We All Love to Sort Things!

- Organizing bookshelves
- Arranging files on computers
- Putting groceries in order
- **What's a really good way?** 🌲
- **TREES!** Specifically Binary Trees



Binary Trees are Awesome!

Why Binary Trees Are Good

Beautiful Structure

- Everything has its place
- Search: $O(\log n)$
- Insert: $O(\log n)$
- Delete: $O(\log n)$


Why Binary Trees Are Good

Beautiful Structure

- Everything has its place
- Search: $O(\log n)$
- Insert: $O(\log n)$
- Delete: $O(\log n)$

The Magic

Logarithmic time = **Sports car performance!**




Sadly, Sometimes It Goes Wrong...

What happens when we insert: 1, 2, 3, 4, 5?

Sadly, Sometimes It Goes Wrong...

What happens when we insert: 1, 2, 3, 4, 5?


After 1, 2, 3




Sadly, Sometimes It Goes Wrong...

What happens when we insert: 1, 2, 3, 4, 5?

After 1, 2, 3




After 4




Sadly, Sometimes It Goes Wrong...

What happens when we insert: 1, 2, 3, 4, 5?


After 1, 2, 3



After 4




After 5




Sadly, Sometimes It Goes Wrong...

What happens when we insert: 1, 2, 3, 4, 5?


After 1, 2, 3



After 4



After 5




Our tree became a... **LINKED LIST!** Damn!

From Sports Car to Bicycle


Before (Balanced)

- Search: $O(\log n)$
- Insert: $O(\log n)$
- Delete: $O(\log n)$



After (Degenerate)


- Search: $O(n)$
- Insert: $O(n)$
- Delete: $O(n)$



From Sports Car to Bicycle


Before (Balanced)

- Search: $O(\log n)$
- Insert: $O(\log n)$
- Delete: $O(\log n)$



After (Degenerate)

- Search: $O(n)$
- Insert: $O(n)$
- Delete: $O(n)$



! Not Great!

We Need Almost Balanced Trees

We want to keep $O(\log n)$ operations **even in the worst case!**

We Need Almost Balanced Trees

We want to keep $O(\log n)$ operations **even in the worst case!**

Popular Solutions

- AVL Trees

We Need Almost Balanced Trees

We want to keep $O(\log n)$ operations **even in the worst case!**

Popular Solutions

- AVL Trees
- Red-Black Trees ★

We Need Almost Balanced Trees

We want to keep $O(\log n)$ operations **even in the worst case!**

Popular Solutions

- AVL Trees
- **Red-Black Trees** ★
- B-Trees

We Need Almost Balanced Trees

We want to keep $O(\log n)$ operations **even in the worst case!**

Popular Solutions

- AVL Trees
- **Red-Black Trees** ★
- B-Trees
- Splay Trees

We Need Almost Balanced Trees

We want to keep $O(\log n)$ operations **even in the worst case!**

Popular Solutions

- AVL Trees
- **Red-Black Trees** ★
- B-Trees
- Splay Trees

Red-Black Trees are used EVERYWHERE!

Enter: Red-Black Trees

- Around since the 1970s

Enter: Red-Black Trees

- Around since the 1970s
- Used in Linux kernels

Enter: Red-Black Trees

- Around since the 1970s
- Used in Linux kernels
- Java's TreeMap and TreeSet

Enter: Red-Black Trees

- Around since the 1970s
- Used in Linux kernels
- Java's TreeMap and TreeSet
- Databases and file systems

Enter: Red-Black Trees

- Around since the 1970s
- Used in Linux kernels
- Java's TreeMap and TreeSet
- Databases and file systems

Fun Fact

Even the original inventor **didn't mention** Red-Black Trees in his main DSA book!

He introduced *Left-Leaning Red-Black Trees* instead.




Enter: Red-Black Trees

- Around since the 1970s
- Used in Linux kernels
- Java's TreeMap and TreeSet
- Databases and file systems

Fun Fact

Even the original inventor **didn't mention** Red-Black Trees in his main DSA book!

He introduced *Left-Leaning Red-Black Trees* instead.




Enter: Red-Black Trees

- Around since the 1970s
- Used in Linux kernels
- Java's TreeMap and TreeSet
- Databases and file systems

Fun Fact

Even the original inventor **didn't mention** Red-Black Trees in his main DSA book!

He introduced *Left-Leaning Red-Black Trees* instead.



Let's get started, shall we?

Fundamental properties are better than mathematical definitions!

Fundamental properties are better than mathematical definitions!

Why Properties?

- Easier to understand

Everything Has Unique Properties

Fundamental properties are better than mathematical definitions!

Why Properties?

- Easier to understand
- Audience feels good

Everything Has Unique Properties

Fundamental properties are better than mathematical definitions!

Why Properties?

- Easier to understand
- Audience feels good
- Been around for ages!

Everything Has Unique Properties

Fundamental properties are better than mathematical definitions!

Why Properties?

- Easier to understand
- Audience feels good
- Been around for ages!

Red-Black Trees have 5 properties

Let's see them **one by one**...

The Five Properties

1. Every node is either Red or Black

The Five Properties

1. Every node is either Red or Black
2. The **root** is always Black

The Five Properties

1. Every node is either **Red** or Black
2. The **root** is always Black
3. All **leaves** (NIL) are Black

The Five Properties


1. Every node is either Red or Black
2. The **root** is always Black
3. All **leaves** (NIL) are Black
4. No two Red nodes can be adjacent

The Five Properties

1. Every node is either **Red** or Black
2. The **root** is always Black
3. All **leaves** (NIL) are Black
4. No two **Red** nodes can be adjacent
5. Equal black height on all paths

The Five Properties

1. Every node is either **Red** or Black
2. The **root** is always Black
3. All **leaves** (NIL) are Black
4. No two **Red** nodes can be adjacent
5. Equal black height on all paths



Black Height: The Core Property


Definition

The **black-height** of a node is the number of black nodes on any path from that node to a leaf (not counting the node itself).

Black Height: The Core Property

Definition


The **black-height** of a node is the number of black nodes on any path from that node to a leaf (not counting the node itself).



Black Height: The Core Property

Definition

The **black-height** of a node is the number of black nodes on any path from that node to a leaf (not counting the node itself).



Why This Matters

This property helps us understand the **balance** of the tree!

The Amazing Height Bound

Because of black height, we can prove:

The Amazing Height Bound

Because of black height, we can prove:

Theorem

A Red-Black Tree with n nodes has height $h \leq 2 \log_2(n + 1)$

The Amazing Height Bound

Because of black height, we can prove:

Theorem

A Red-Black Tree with n nodes has height $h \leq 2 \log_2(n + 1)$

What This Means

- Even worst case is logarithmic!
- Never more than twice as tall as perfect tree
- $O(\log n)$ performance guaranteed

The Amazing Height Bound

Because of black height, we can prove:

Theorem

A Red-Black Tree with n nodes has height $h \leq 2 \log_2(n + 1)$

What This Means

- Even worst case is logarithmic!
- Never more than twice as tall as perfect tree
- $O(\log n)$ performance guaranteed

Perfect Tree: height = $\log_2(n + 1)$

RBT Tree: height $\leq 2 \times \log_2(n + 1)$

✓ Still Awesome!

The Amazing Height Bound

Because of black height, we can prove:

Theorem

A Red-Black Tree with n nodes has height $h \leq 2 \log_2(n + 1)$

What This Means

- Even worst case is logarithmic!
- Never more than twice as tall as perfect tree
- $O(\log n)$ performance guaranteed

Perfect Tree: height = $\log_2(n + 1)$

RBT Tree: height $\leq 2 \times \log_2(n + 1)$

✓ Still Awesome!

(I skipped the detailed proof - nobody wants to sit through that!)

Wait, We're Not Done Yet!

We haven't talked about **insertion** or **deletion** yet!

Wait, We're Not Done Yet!

We haven't talked about **insertion** or **deletion** yet!



Warning: Shit's about to get real

(Also tough)

Wait, We're Not Done Yet!

We haven't talked about **insertion** or **deletion** yet!



Warning: Shit's about to get real

(Also tough)

How do we insert something?

Wait, We're Not Done Yet!

We haven't talked about **insertion** or **deletion** yet!



Warning: Shit's about to get real

(Also tough)

How do we insert something?

Insertion: The Process

1. Insert like a normal BST

Insertion: The Process

1. Insert like a normal BST
2. Color the new node **RED**


Insertion: The Process

1. Insert like a normal BST
2. Color the new node **RED**
3. Fix any violations


Insertion: The Process

1. Insert like a normal BST
2. Color the new node **RED**
3. Fix any violations

Before:




After inserting 12:



Insertion: The Process

1. Insert like a normal BST
2. Color the new node **RED**
3. Fix any violations



Problem!

Two adjacent red nodes — Property 4 violated!

Fixing Violations

Uncle is RED

- Easy case!
- Just recolor
- Flip parent, uncle & grandparent

Fixing Violations

Uncle is RED

- Easy case!
- Just recolor
- Flip parent, uncle & grandparent

Uncle is BLACK

- Hard case!
- Need rotations
- Left rotate, right rotate
- Sometimes both!

Fixing Violations

Uncle is RED

- Easy case!
- Just recolor
- Flip parent, uncle & grandparent

Uncle is BLACK

- Hard case!
- Need rotations
- Left rotate, right rotate
- Sometimes both!

This is where it gets tricky!

But it keeps the tree balanced!

Remember This Problem?

Let's try inserting **1, 2, 3, 4, 5** again...

But this time in a **Red-Black Tree**!

Remember This Problem?

Let's try inserting **1, 2, 3, 4, 5** again...

But this time in a **Red-Black Tree**!

Regular BST

Became a linked list

Height = 5

$O(n)$ operations 😞

Remember This Problem?

Let's try inserting **1, 2, 3, 4, 5** again...

But this time in a **Red-Black Tree**!

Regular BST

Became a linked list

Height = 5

$O(n)$ operations 😞

Red-Black Tree

Let's see what happens...

Will it stay balanced?

🔪 Stay tuned!

Remember This Problem?

Let's try inserting **1, 2, 3, 4, 5** again...

But this time in a **Red-Black Tree**!

Regular BST

Became a linked list

Height = 5

$O(n)$ operations 😞

Red-Black Tree

Let's see what happens...

Will it stay balanced?

🔪 Stay tuned!

Watch the magic happen!

Simulation — Step 1 of 5: Insert 1



- First node is always the root

Simulation — Step 1 of 5: Insert 1



- First node is always the root
- Color it **BLACK**



Simulation — Step 1 of 5: Insert 1



- First node is always the root
- Color it **BLACK**
- Property 2: Root must be black ✓



✓ All properties satisfied!

Height = 1 Black-height = 1

Simulation — Step 2 of 5: Insert 2




- Insert as right child of 1

Simulation — Step 2 of 5: Insert 2



- Insert as right child of 1
- Color it **RED**




Simulation — Step 2 of 5: Insert 2



Inserting 2

- Insert as right child of 1
- Color it **RED**
- Parent is **BLACK** \Rightarrow no violation!



✔ **Still balanced!**


Height = 2 Black-height = 1

Simulation — Step 3 of 5: Insert 3 (Fix needed!)



Inserting 3 — rotation required

After Insert




⚠ VIOLATION

Simulation — Step 3 of 5: Insert 3 (Fix needed!)




Inserting 3 — rotation required

After Insert



Rotate

Left-Rotate at 1



Rotation complete


⚠ VIOLATION

Simulation — Step 3 of 5: Insert 3 (Fix needed!)




Inserting 3 — rotation required

After Insert




⚠ VIOLATION

Left-Rotate at 1



Rotation complete

Recolor Root



✓ FIXED

✓ Balanced!

Height = 2 (BST would be 3)

Simulation — Step 4 of 5: Insert 4



Inserting 4 — uncle recolor

- Insert as right child of 3


Simulation — Step 4 of 5: Insert 4



Inserting 4 — uncle recolor

- Insert as right child of 3
- Color it **RED**

After Insert




Simulation — Step 4 of 5: Insert 4



Inserting 4 — uncle recolor

- Insert as right child of 3
- Color it **RED**
- Parent (3) is red — violation!

After Insert



⚠ VIOLATION


Simulation — Step 4 of 5: Insert 4



Inserting 4 — uncle recolor

- Insert as right child of 3
- Color it **RED**
- Parent (3) is red — violation!
- Uncle (1) is also red

After Insert



⚠ VIOLATION


Simulation — Step 4 of 5: Insert 4



Inserting 4 — uncle recolor

- Insert as right child of 3
- Color it **RED**
- Parent (3) is red — violation!
- Uncle (1) is also red
- Recolor: flip parent, uncle & grandparent

After Recolor



✓ **FIXED**

✓ **Still balanced!**

Height = 3 Black-height preserved

Simulation — Step 5 of 5: Insert 5 (Final Fix!)



Inserting 5 — rotation + recolor

- Insert as right child of 4


Simulation — Step 5 of 5: Insert 5 (Final Fix!)



Inserting 5 — rotation + recolor

- Insert as right child of 4
- Color it **RED**

Before Fix




Simulation — Step 5 of 5: Insert 5 (Final Fix!)



Inserting 5 — rotation + recolor

- Insert as right child of 4
- Color it **RED**
- Parent (4) is red — violation!

Before Fix



⚠ VIOLATION


Simulation — Step 5 of 5: Insert 5 (Final Fix!)



Inserting 5 — rotation + recolor

- Insert as right child of 4
- Color it **RED**
- Parent (4) is red — violation!
- Uncle is **BLACK** (NIL)

Before Fix



⚠ VIOLATION


Simulation — Step 5 of 5: Insert 5 (Final Fix!)



Inserting 5 — rotation + recolor

- Insert as right child of 4
- Color it **RED**
- Parent (4) is red — violation!
- Uncle is **BLACK** (NIL)
- Left-rotate at 3, then recolor

Final Tree




★ **PERFECT**

The Difference is HUGE!

BST vs. Red-Black Tree

Inserting $\{1, 2, 3, 4, 5\}$ in order


Regular BST



✗ Bad

Height = 5 ▪ Degenerate ▪ $O(n)$ ops

Red-Black Tree



✓ Excellent!


Height = 3 ▪ Balanced ▪ $O(\log n)$ ops

The Difference is HUGE!

BST vs. Red-Black Tree

Inserting $\{1, 2, 3, 4, 5\}$ in order


Regular BST



✗ Bad

Height = 5 ▪ Degenerate ▪ $O(n)$ ops

Red-Black Tree



✓ Excellent!

Height = 3 ▪ Balanced ▪ $O(\log n)$ ops

Deletion is even more... interesting! 😊

Deletion is even more... interesting! 😊

Deleting a **RED** node

- No problem!
- Just remove it
- Properties still hold

Deletion is even more... interesting! 😊

Deleting a RED node

- No problem!
- Just remove it
- Properties still hold

Deleting a BLACK node

- Oh boy...
- Black height changes!
- Need “double black” fix
- Complex cases

Deletion is even more... interesting! 😊

Deleting a RED node


- No problem!
- Just remove it
- Properties still hold

Deleting a BLACK node

- Oh boy...
- Black height changes!
- Need “double black” fix
- Complex cases

Let's see both cases...

Deletion Decision Flowchart




Top path (RED) = easy **Bottom path (BLACK)** = complex

Case 1: Deleting a RED Node (Easy!)

Delete **5** from our tree


Before




Case 1: Deleting a RED Node (Easy!)

Delete **5** from our tree

Before





After



Case 1: Deleting a RED Node (Easy!)

Delete **5** from our tree




Why It's Easy

- Node 5 is RED and a leaf


Case 1: Deleting a RED Node (Easy!)

Delete **5** from our tree

Before



After




Why It's Easy

- Node 5 is RED and a leaf


Case 2: Deleting a BLACK Node (Uh oh...)

Delete **1** from our tree




Case 2: Deleting a BLACK Node (Uh oh...)

Delete **1** from our tree




After Delete




✗ IMBALANCED

Case 2: Deleting a BLACK Node (Uh oh...)

Delete **1** from our tree




After Delete



✗ IMBALANCED

After Fix




✓ BALANCED


-  Rotate: Right at 4, then 2
-  Recolor: 3 → Black

Case 2: Deleting a BLACK Node (Uh oh...)

Delete **1** from our tree




After Delete



✗ IMBALANCED

After Fix




✓ BALANCED

-  Rotate: Right at 4, then 2
-  Recolor: 3 → Black

Black Node Deletion Cases 1 & 2

P=Parent S=Sibling L/R=S's children (DB) = Double-Black node


↔ Case 1: Sibling is RED



↻ **Fix:** Rotate P left, recolor S → Black, P → Red

Converts to Case 2, 3, or 4

🔪 Case 2: Sibling & Children all BLACK



↑ **Fix:** Recolor S → Red,

push Double-Black up to P


Repeat fix from P if P was Black

Case 1 always leads to Case 2, 3, or 4 after rotation

Black Node Deletion Cases 3 & 4

P=Parent S=Sibling L/R=S's children (DB) = Double-Black node


↻ Case 3: Sibling's Left child is RED



↻ Fix: Right-rotate at S, swap colors of S & L

Transforms into Case 4

↻ Case 4: Sibling's Right child is RED




↻ Fix: Left-rotate at P, recolor R → Black

✓ Double-Black resolved!

💡 **Goal:** Always eventually reach Case 4 to fully eliminate Double-Black

Umm... What?



What just happened?

“Four cases?”

Rotations?

Recoloring?

Help!”

Don't worry — even textbooks
span 20+ pages on this.

Don't Worry!

We know deletion is complex — and that's *okay!*

The Reality

- The deletion algorithm is **huge** with many edge cases
- Each of the 4 cases has intricate implementation details
- Full implementation can span **hundreds** of lines

▶▶ We'll skip the gory details for now!

If You're Interested...


- CLRS Chapter 13 — full pseudocode & proofs
- Online visualizer: `visualgo.net`
- GitHub implementations in your favourite language

Where Are Red-Black Trees Used?

Everywhere!



Where Are Red-Black Trees Used?

Everywhere!

-  **Linux Kernel**
Process scheduling




Where Are Red-Black Trees Used?

Everywhere!

-  **Linux Kernel**
Process scheduling
-  **Java**
TreeMap, TreeSet





Where Are Red-Black Trees Used?

Everywhere!

-  **Linux Kernel**
Process scheduling
-  **Java**
TreeMap, TreeSet
-  **Databases**
Indexing structures





Where Are Red-Black Trees Used?

Everywhere!

-  **Linux Kernel**
Process scheduling
-  **Java**
TreeMap, TreeSet
-  **Databases**
Indexing structures
-  **File Systems**
Directory organization

Where Are Red-Black Trees Used?

Everywhere!

-  **Linux Kernel**
Process scheduling
-  **Java**
TreeMap, TreeSet
-  **Databases**
Indexing structures
-  **File Systems**
Directory organization

**Every time you
use these...**

You're benefiting from
Red-Black Trees!

Red-Black Trees in a Nutshell

Red-Black Trees in a Nutshell

- Complex but incredibly powerful

Red-Black Trees in a Nutshell

- Complex but incredibly powerful
- Tricky to implement

Red-Black Trees in a Nutshell


- Complex but incredibly powerful
- Tricky to implement
- Guaranteed $O(\log n)$ performance

Red-Black Trees in a Nutshell

- Complex but incredibly powerful
- Tricky to implement
- Guaranteed $O(\log n)$ performance
- Used everywhere in computing


Red-Black Trees in a Nutshell

- Complex but incredibly powerful
- Tricky to implement
- Guaranteed $O(\log n)$ performance
- Used everywhere in computing



Red-Black Trees in a Nutshell

- Complex but incredibly powerful
- Tricky to implement
- Guaranteed $O(\log n)$ performance
- Used everywhere in computing




Remember

The next time you're struggling with RBT implementation...

Even the **inventor** moved on to Left-Leaning Red-Black Trees! 😊

Red-Black Trees in a Nutshell

- Complex but incredibly powerful
- Tricky to implement
- Guaranteed $O(\log n)$ performance
- Used everywhere in computing



Remember

The next time you're struggling with RBT implementation...

Even the **inventor** moved on to Left-Leaning Red-Black Trees! 😊

Any Questions?

