


# The Pipeline

{ Build | Deploy | Promote }



# Dev-Sec-Ops Pipeline



# Infrastructure-as-Code (IaC)

`"Infrastructure as Code (IaC) is the management of infrastructure (networks, virtual machines, load balancers, and connection topology) in a descriptive model, using the same versioning as DevOps team uses for source code."`



# K8s IaC Tools Options



GITKUBE



skaffold



ustomize.io

<https://hasura.io/blog/draft-vs-gitkube-vs-helm-vs-ksonnet-vs-metaparticle-vs-skaffold-f5aa9561f948/>

# Kustomize

Simple | Declarative | Template-free | Autogenerated

## File Structure

```
hello-world/  
├── base  
│   ├── deployment.yaml  
│   └── kustomization.yaml  
└── overlays  
    ├── production  
    │   ├── replica_count.yaml  
    │   └── kustomization.yaml  
    └── staging  
        ├── replica_count.yaml  
        └── kustomization.yaml
```

# Kustomize

## \$ kustomize build

```
$ kustomize build -h  
Print current configuration per contents of kustomization.yaml
```

```
Usage:  
kustomize build [path] [flags]
```

```
$ kustomize build hello-world/overlays/staging/
```

# Kustomize

## **Apply** printed configuration

```
$ kustomize build [PATH] | kubectl apply -f -
```

<https://speakerdeck.com/spesnova/introduction-to-kustomize>

