XBCGD7312

OFFICE TROLL



SUMMATIVE

Presented To: **Robert Chrich**

Presented By: **Sechaba Mokoena**
Sufyaan Albertus
Latita Mvunelo
Sandile Duba

Table of Contents

Group Roles

Project Links

Introduction

Project Evolution

Feedback Lecturer and Responses

Problem Contextualisation

Genre

Target Age Group

Game Rules and Objectives

Player Instructions and Controls

Objective

Characters

Pictures and Explanations of Assets and Characters

The Play Test Report

Method

Bug and Issue List

Minimum System Requirements

Screenshots of the Player Journey

Game Script (Mechanics Design) Document

Event Selection Rules

Text Script

Sound Design

Gameplay Loops

Conclusion

Reference List

Rubrics

Annexure A: Declaration of Authenticity

Group Roles

SUFYAAN ALBERTUS:

- **Role:** Technical Lead / Programmer
- **Responsibilities:** Systems architecture and core loop: WorldState, GameManager, EventManager, DayTimer, BribeListManager, choice-effect pipeline, meter feedback, builds and bug fixing; GitHub repository.

LATITA MVUNELO

- **Role:** Game Designer / UI and UX
- **Responsibilities:** HUD, BackstoryCardUI, ConsequenceCardUI, colour-coded feedback, icon tooltips, skip system, UI art; GDD sections and playtest sessions.

SANDILE DUBA:

- **Role:** Content, Art and Audio
- **Responsibilities:** 30 event ScriptableObjects, NPC sprites, tutorial dialogue, background music and SFX, community engagement panel and ending hook.

SECHABA MOKOENA:

- **Role:** Project Lead / 3D Environment
- **Responsibilities:** 3D office scene, PlayerController, ThirdPersonCamera, desk and door interaction, day transition and spatial pacing; reports, milestones and presentation coordination.

Project Links

GITHUB REPOSITORY:

[https://www.google.com/search?q=https://github.com/sufyaanAlbertus/Work_Integrated_Learning_OfficeTroll

PLAYABLE BUILD (ITCH.IO):

https://sechabamoks26.itch.io/office-troll

Introduction

This report is the consolidated record of the Office Troll project across the Work Integrated Learning (WIL) modules XBCGD7311 and XBCGD7312. It brings together the complete game design document, the development progression of the game, and the lecturer and playtest feedback that shaped the final build. The aim is to show how the original design idea grew into a playable product through feedback, iteration and refinement, and how design intentions are linked to development decisions and final outcomes.

Office Troll places the player in the role of Mr Mthembu, a clerk at the South African Department of Home Affairs. The player must process applications from members of the public while a corrupt network, the “Fat Cats”, pressures them to stall or lose certain files. Rather than playing a citizen who suffers under a broken system, the player becomes the mechanism of that system. Every approval or stall has a visible cost, so the game uses its mechanics to comment on how everyday corruption harms communities (Bogost, 2007; Sicart, 2013).

Project Evolution

From XBCGD7311 to the Final Build

The project developed in four main stages. Table 3 summarises how the design changed at each stage and why.

Stage	What was produced	Key changes and reasons
XBCGD7311 (Semester 1)	Original game design document: 2D UI-based simulation, 30-second timer, backstory and consequence cards, 30 researched events.	Strong concept and research depth, but the game was text-heavy and was designed strictly as a 2D game.
XBCGD7312 Task 1 (Phase 1 and 2, Aug 2026)	Reflection on the original design, first peer playtest (3 players), development build.	Moved to a 3D walkable office to meet the brief; added reliable meter updates, colour feedback, SFX, camera shake, skippable dialogue and progressive onboarding.

Stage	What was produced	Key changes and reasons
XBCGD7312 Task 2 (Sept 2026)	Second round of feedback and fixes (30 September 2026).	Opening text cut to one lesson per room; camera re-scaled; first contract matched to later choices; HUD enlarged and labelled; all 120 choice buttons rewritten in plain language; timer moved into the laptop screen.
Final build (Phase 5 and 6)	Published itch.io build, pitch presentation and this report.	[Describe any final changes made after Task 2, e.g. balancing, bug fixes, polish, itch.io page]

Lecturer Feedback and Responses

Lecturer feedback was used alongside playtesting to guide the changes. The most important point was that the XBCGD7311/XBCGD7312 brief requires a 3D game, while Office Troll was first designed in 2D. After discussing this with the lecturer, the team added a 3D office walk-in with a playable character and third-person camera, while keeping the 2D desk interface for the decision-making. This met the brief without losing the essential experience of the game (Schell, 2019).

Lecturer feedback and responses

Lecturer feedback	Response in the game
Game must meet the 3D requirement of the brief.	3D office, third-person character, desk and door interaction, day transitions implemented.
Reduce the long tutorial and heavy text (with playtest findings).	Short, typed NPC dialogue; one system per step; skip options added.
Plan for desktop and mobile from the start.	UI layout reviewed for scaling; mobile version planned for future development.
Task 1 (78%) & Task 2 (71.5%) Feedback: Ensure core mechanics are fully integrated and visual feedback indicates consequences clearly.	Implemented colour-coded consequence cards, danger lighting, particle effects, and camera shake upon making corrupt choices.

Problem Contextualisation

In South Africa, documents issued by the Department of Home Affairs, such as identity documents, birth certificates, visas and permits, are needed to access almost every part of public and economic life. Without them, people cannot easily apply for jobs, open bank accounts, register for school, receive social grants or access some health services. When these applications are delayed, lost or blocked, the harm falls hardest on people in disadvantaged communities, who cannot pay for shortcuts, travel repeatedly to offices or afford to wait.
Corruption Watch South Africa (2024) reports that more than 4,200 Home Affairs applications were delayed beyond the legal 30-day processing window in Johannesburg alone in 2024. Furthermore, Statistics South Africa (2022) reported a 9.1% rise in service delivery disputes connected to institutional failures[cite: 1]. Delays like these are often caused or made worse by maladministration and corruption, where officials stall or misuse files for personal gain or under outside pressure.
Most people only see this problem from the outside, as a long queue or a file that never comes back. Office Troll addresses this by letting the player experience the system from the inside. The game shows how small decisions by one official, such as stalling a file to please a powerful network, add up to real harm for health, infrastructure, tourism and service delivery[cite: 1]. Each event is based on a documented South African context, including SASSA grant blockages, rural healthcare staffing problems, infrastructure tender corruption and the 2021 civil unrest. In this way the game works as what Bogost (2007) calls procedural rhetoric: the rules themselves make the argument that corruption has a human cost.

Game Genre

3D/2D Hybrid Satirical Political Simulation.

Office Troll is a satirical political simulation with management and moral-choice gameplay[cite: 1, 2]. It follows simulation conventions in that the player manages a persistent game state made up of linked meters that react to every decision (Novak, 2012). The satirical tone uses dark humour to make a serious topic approachable.

The final build combines a 3D third-person office that the player walks around with a 2D decision interface that appears on the in-game laptop[cite: 2]. The original XBCGD7311 design was a 2D, UI-only game; the 3D layer was added in XBCGD7312 to meet the brief and to give the player a stronger sense of place.

Target Age Group

18+ (Young Adults and Adults).

Office Troll is designed for players aged 18 years and older, as shown on the game's title screen, with a core audience of students and young adults (roughly 18–30) who are starting to deal with government systems themselves, for example when applying for an ID, a work permit or a study visa[cite: 1]. The game contains satirical treatment of corruption and bribery, mild workplace language and themes of economic and social harm, but no graphic violence or sexual content. These themes need some maturity to understand, which is why younger players are not the target audience.

Game Overview

Game specifications

Specification	Detail
Title	Office Troll
Genre	Satirical political simulation (management and moral choice)
Perspective	3D third-person office with 2D desktop decision UI
Engine	Unity 2022.3 LTS
Language	C# (event-driven, ScriptableObject data)
Platform	Windows PC / WebGL (mobile planned for future development)
Players	Single player
Session length	10–15 minutes per playthrough
Target age	18+

Game Rules and Objectives

Albertus, S., 2026. Office Troll core game systems and source code [Unity C# scripts]. Unpublished student work, The Independent Institute of Education, Emeris Sandton. Available at: https://github.com/sufyaanAlbertus/Work_Integrated_Learning_OfficeTroll [Accessed 30 October 2026].

Bogost, I., 2007. Persuasive games: The expressive power of videogames. Cambridge, MA: MIT Press.

Corruption Watch South Africa, 2024. Home Affairs delay tracker: Johannesburg district report. [Online]. Available at: https://www.corruptionwatch.org.za [Accessed 17 August 2026].

Duba, S., 2026. Office Troll character art, tutorial and community engagement screens [Digital images and screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Freeman, E. and Freeman, E., 2020. Head first design patterns. 2nd ed. Sebastopol, CA: O'Reilly Media.

Fullerton, T., 2018. Game design workshop: A playcentric approach to creating innovative games. 4th ed. Boca Raton, FL: CRC Press.

Google Fonts, 2024. Fonts knowledge: Licensing. [Online]. Available at: https://fonts.google.com/knowledge/glossary/licensing [Accessed 17 August 2026].

Martin, R.C., 2017. Clean architecture: A craftsman's guide to software structure and design. Upper Saddle River, NJ: Prentice Hall.

Midjourney, 2026. Midjourney (V6 version) [AI image generator]. Available at: https://www.midjourney.com [Accessed 15 August 2026].

Mokoena, S., 2026. Office Troll 3D office environment, player model and lighting effects [Screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Mvunelo, L., 2026. Office Troll user interface, consequence cards and in-game screens [Screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Novak, J., 2012. Game development essentials: An introduction. 3rd ed. New York: Delmar Cengage Learning.

Nystrom, R., 2014. Game programming patterns. Genever Benning. [Online]. Available at: https://gameprogrammingpatterns.com [Accessed 17 August 2026].

Schell, J., 2019. The art of game design: A book of lenses. 3rd ed. Boca Raton, FL: CRC Press.

Sicart, M., 2013. Beyond choices: The design of ethical gameplay. Cambridge, MA: MIT Press.

Statistics South Africa, 2022. Service delivery disputes report. Pretoria: Statistics South Africa.

xAI, 2026. Grok (Grok 4.7 version) [Large language model]. Available at: https://grok.com [Accessed 30 September 2026].

Player Instructions and Controls

Controls

Input	Action
W, A, S, D	Walk around the office
Mouse	Look around / control the third-person camera
E	Open the computer at the desk, or use the door at the end of the day
Left mouse click	Select choices, press Continue, Next and Get Up buttons
Right mouse click	Skip the typing animation on backstory cards and dialogue
Tab	Advance tutorial dialogue
Esc	Close the computer screen

How to play: Walk to your desk and press E when a case is waiting. Read the applicant's story, click Continue, then choose an option before the timer runs out. Watch the meters on the HUD and the boards on the walls to see what your decision did. After five cases, walk to the door and press E. Try to survive as many days as you can without being caught or letting the backlog collapse the department.

Objective

The player's objective is to survive as many working days as possible at the Home Affairs office. To do this, they must balance three pressures that pull against each other: keeping exposure low so they are not caught, keeping the backlog under control so the office does not collapse, and deciding how much to please the Fat Cats[cite: 1]. There is no single "correct" way to play. The underlying design objective is for the player to feel how individual choices create wider harm, which is shown in the impact summary at the end of every game[cite: 1].

Characters

Character	Role	Description
Officer Mthembu	Player character	A senior document clerk on her first day. Controlled in third person in the 3D office.
Superintendent Khumalo	Supervisor / tutorial guide	Introduces the systems on Day 1 and warns the player that someone will soon ask for "a favour, not a form".
The Fat Cats	Antagonist network	A corrupt patronage network (e.g. the Medical Mafia, the Infrastructure Cartel) that sends confidential orders and rewards compliance.
Applicants	Members of the public	Named people with ages, reference numbers and sectors (e.g. "Dr. Ananya Patel (38), Ref: HA-2026-0047") whose backstories appear before each choice.

Character	Role	Description
Corruption Watch SA	Real-world partner reference	Appears in events and the end-of-game reflection to link play to real civic action.

Pictures and Explanations of Assets and Characters.



Figure 1: Mokoena, S. 2026. Officer Mthembu (player model) (Mokoena, 2026).



Figure 2: Duba, S. 2026. Superintendent Khumalo (NPC sprite) (Duba, 2026).



Figure 3: Mvunelo, L. 2026. Applicant portraits and backstory card (Mvunelo, 2026).




Figure 4: Mvunelo, L. 2026. Fat Cats order panel (Mvunelo, 2026).



Figure 5: Mokoena, S. 2026. 3D office environment (Mokoena, 2026).



Figure 6: Mvunelo, L. 2026. HUD and meters (Mvunelo, 2026).



Figure 7: Mvunelo, L. 2026. Consequence card for approve and stall (Mvunelo, 2026).



Figure 8: Mvunelo, L. 2026. District Metrics Board and notice board (Mvunelo, 2026).



Figure 9: Mokoena, S. 2026. Particle and lighting effects (Mokoena, 2026).



Figure 10: Mvunelo, L. 2026. Main menu and game over screen (Mvunelo, 2026).

Assets

Albertus, S., 2026. Office Troll core game systems and source code [Unity C# scripts]. Unpublished student work, The Independent Institute of Education, Emeris Sandton. Available at: https://github.com/sufyaanAlbertus/Work_Integrated_Learning_OfficeTroll [Accessed 30 October 2026].

Bogost, I., 2007. Persuasive games: The expressive power of videogames. Cambridge, MA: MIT Press.

Corruption Watch South Africa, 2024. Home Affairs delay tracker: Johannesburg district report. [Online]. Available at: https://www.corruptionwatch.org.za [Accessed 17 August 2026].

Duba, S., 2026. Office Troll character art, tutorial and community engagement screens [Digital images and screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Freeman, E. and Freeman, E., 2020. Head first design patterns. 2nd ed. Sebastopol, CA: O'Reilly Media.

Fullerton, T., 2018. Game design workshop: A playcentric approach to creating innovative games. 4th ed. Boca Raton, FL: CRC Press.

Google Fonts, 2024. Fonts knowledge: Licensing. [Online]. Available at: https://fonts.google.com/knowledge/glossary/licensing [Accessed 17 August 2026].

Martin, R.C., 2017. Clean architecture: A craftsman's guide to software structure and design. Upper Saddle River, NJ: Prentice Hall.

Midjourney, 2026. Midjourney (V6 version) [AI image generator]. Available at: https://www.midjourney.com [Accessed 15 August 2026].

Mokoena, S., 2026. Office Troll 3D office environment, player model and lighting effects [Screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Mvunelo, L., 2026. Office Troll user interface, consequence cards and in-game screens [Screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Novak, J., 2012. Game development essentials: An introduction. 3rd ed. New York: Delmar Cengage Learning.

Nystrom, R., 2014. Game programming patterns. Genever Benning. [Online]. Available at: https://gameprogrammingpatterns.com [Accessed 17 August 2026].

Schell, J., 2019. The art of game design: A book of lenses. 3rd ed. Boca Raton, FL: CRC Press.

Sicart, M., 2013. Beyond choices: The design of ethical gameplay. Cambridge, MA: MIT Press.

Statistics South Africa, 2022. Service delivery disputes report. Pretoria: Statistics South Africa.

xAI, 2026. Grok (Grok 4.7 version) [Large language model]. Available at: https://grok.com [Accessed 30 September 2026].

The Play Test Report

Method

Playtesting followed the iterative approach recommended by Fullerton (2018). Peers played the game without instructions and used a think-aloud method to say what they were thinking and feeling. Notes were grouped by theme, frequency and severity and then turned into tasks for the next build.

Session	Date	Build	Testers	Focus
1	20 August 2026	XBCGD7312 Task 1 build	3 peers	First impressions, clarity, fun
2	30 Sept 2026	Task 2 build	4 peers	Onboarding, camera, HUD, language, timer
3	22 Oct 2026	Final build	2 peers	Core loop stability, audio integration

Summary of Peer Feedback

Players liked the overall look and atmosphere, and found the "troll" fantasy of abusing the system the most fun part of the game[cite: 2]. One player rated it 8/10 mainly because of the feel[cite: 2]. The main problems were too much reading, a long tutorial, unclear impact of choices (especially Risk Exposure), meters that did not update and a lack of visual and audio feedback[cite: 2].

Bug and Issue List

Bugs and issues from peer testing

ID	Bug / issue reported	Severity	Fix applied	Status
B01	UI meters did not update; only Backlog worked	High	UpdateHUD() called after WorldState.ApplyEffect()	Fixed
B02	Choices missing after acknowledging priority alert	High	OnDeskPressed() clears backstory card choices first	Fixed
B03	Timer panel clashed with other UI panels	Medium	Timer moved inside the laptop screen	Fixed
B04	Character looked too small on screen	Medium	Camera distance and scale adjusted	Fixed
B05	Opening information dump; tutorial too long	High	Tutorial rewritten into short steps with skip feature	Fixed
B06	First contract did not match later real choices	Medium	First contract now leads clearly into the real choice	Fixed
B07	Player-select HUD unclear and hard to read	Medium	HUD enlarged, labelled, softer colours used	Fixed

ID	Bug / issue reported	Severity	Fix applied	Status
B08	Choice button wording confusing	High	All 120 choice labels rewritten in plain language	Fixed
B09	Choices felt meaningless; no feedback	High	Colour-tinted consequence cards and camera shake added	Fixed
B10	Economy always positive; no negative feedback	Medium	Economic loss / sector damage added to corrupt choices	Fixed
B11	Background audio was too loud during dialogue	Low	AudioMixer ducking added to dialogue channels	Fixed

Minimum System Requirements

The requirements below are for the Windows build of Office Troll. They are based on the Unity player requirements for desktop and on testing during development.

Minimum and recommended system requirements

Component	Minimum	Recommended
Operating system	Windows 10 (64-bit)	Windows 10 / 11 (64-bit)
Processor	x64 CPU with SSE2 support	Intel Core i5 / AMD Ryzen 5
Memory (RAM)	4 GB	8 GB
Graphics	DirectX 11 compatible GPU (1 GB VRAM)	Dedicated GPU (2 GB VRAM)
Storage	350 MB available space	350 MB available space
Display	1280 × 720	1920 × 1080
Input	Keyboard and mouse	Keyboard and mouse

Screenshots of the Player Journey.



Figure 11: Mvunelo, L. 2026. Main menu (Mvunelo, 2026).



Figure 12: Duba, S. 2026. Community engagement panel (Duba, 2026).




Figure 13: Duba, S. 2026. Day 1 tutorial (Duba, 2026).



Figure 14: Mokoena, S. 2026. Player walking through the 3D office towards the desk with the prompt (Mokoena, 2026).



Figure 15: Mvunelo, L. 2026. Desktop open (Mvunelo, 2026).




Figure 16: Mvunelo, L. 2026. Four choices with the 30-second timer inside the laptop (Mvunelo, 2026).



Figure 17: Mvunelo, L. 2026. Consequence card (Mvunelo, 2026).



Figure 18: Mvunelo, L. 2026. Consequence card indicating danger (Mvunelo, 2026).



Figure 19: Mvunelo, L. 2026. Fat Cats confidential order panel (Mvunelo, 2026).



Figure 20: Mvunelo, L. 2026. District Metrics Board and notice board after several decisions (Mvunelo, 2026).



Figure 21: Mvunelo, L. 2026. Priority event alert (Mvunelo, 2026).



Figure 22: Mvunelo, L. 2026. End of day (Mvunelo, 2026).



Figure 23: Mvunelo, L. 2026. Game over screen with impact summary and reflection question (Mvunelo, 2026).

Game Script (Mechanics Design) Document

This section describes how the game's mechanics are put together in code. The codebase uses an event-driven architecture: each script has one responsibility (Martin, 2017), game data is stored in ScriptableObjects (Nystrom, 2014), and systems communicate through C# Action events so that they are loosely coupled (Freeman and Freeman, 2020).

Scripts and responsibilities

Script	Responsibility
GameManager	Coordinates the turn loop, day quota, day transitions, tutorial hand-off and game over.
WorldState	Stores and clamps all meters (0–100) and total economic loss; applies DecisionEffects
EventManager	Chooses the next event: checks threshold rules first, then smart random selection.
DayTimer	30-second countdown slider (green to amber to red); fires OnTimerExpired.
GameEvent / Choice	Data classes: one application, one option, and the meter changes for that option.
BackstoryCardUI	Shows the applicant story (with skip) and the colour-coded outcome card.
BribeListManager	Fat Cat orders every third turn; comply or ignore.
PlayerController	Third-person movement and follow camera with shake feedback.

Script	Responsibility
BribeListManager	Fat Cat orders every third turn; comply or ignore.
PlayerController	Third-person movement and follow camera with shake feedback.
DesktopInteraction	Proximity prompts and E-key interaction at the desk and door.
GameHUD	HUD meters, District Metrics Board and decision log.
TutorialManager	Guided Day 1 steps and typed NPC dialogue.

Turn Sequence

- PrepareNextCase(): EventManager selects the next event; a notification tells the player a case is waiting.
- OnDeskPressed(): the player presses E at the desk; the desktop UI opens and checks if a Fat Cat order is due.
- LoadEventDirectly(): the case file and backstory card are shown; the timer is paused.
- RevealChoices(): after Continue, four choice buttons appear and the 30-second timer starts.
- MakeChoice(): the DecisionEffect is applied to WorldState, the HUD and wall boards update.
- ConsequenceCardUI.Show(): the outcome card appears for 2.8 seconds; then the next case is prepared.

Event Selection Rules

Event selection rules

Condition	Priority event
Exposure risk > 70%	SIU investigation
Infrastructure damage > 70% and corruption > 60%	State funds misuse
Backlog > 70%	Public protest
Fat Cat influence > 80%	The Fat Cats call
Fat Cat influence ≤ 30%	Corruption Watch event
None of the above	Random normal event (not used in the last 3 turns)

Text Script

The game's writing was kept short after playtesting. Example texts in the final build include:

Fat Cat orders

- **Health:** "Block ALL foreign doctor visa approvals today. The Medical Mafia controls this slot."
- **Tourism:** "Delay ALL tourist visa processing. Our hospitality partners demand exclusivity."
- **Service delivery:** "Lose any ID card applications from the Khayelitsha ward. Political orders."

Event Backstory Examples

- **Dr. Ananya Patel (38):** "I am a foreign doctor assigned to rural KZN. I have waited 7 months for my work visa. The hospital is severely understaffed without me."
- **Ubuntu Safari Community Trust:** "We represent 47 families opening a community-owned lodge. We just need the operating permit to open by December."

Sound Design

Sound is used to make decisions feel weighty and to support the satirical office atmosphere.

Sound	When it plays	Purpose	Source / licence
Amapiano Background loop	Throughout gameplay	Office atmosphere and tension	Original composition by Sandile Duba (2026), FL Studio
Pop-up alert SFX	Notifications and priority alerts	Grabs attention	Freesound.org (CC0)
Stamp sound	Approve choice	Positive confirmation	Freesound.org (CC0)
Thud sound & rumble	Stall choice	Negative feedback, with camera shake	Freesound.org (CC0)
Footsteps	Moving around the 3D office	Presence and pacing	Freesound.org (CC0)




Figure 5: Mokoena, S. 2026. 3D office environment (Mokoena, 2026).

Conclusion

Office Troll developed from a text-heavy 2D design into a playable 3D simulation through repeated feedback and iteration. Playtesting showed that the core idea and atmosphere were strong, but that clarity, feedback and onboarding needed work. The team responded with clear technical changes, such as instant meter updates, colour and sound feedback, shorter plain-language text and a timer that no longer clashes with the interface. Lecturer feedback led to the move to 3D, which also solved the problem of players feeling lost. The final build links its design intentions to its mechanics: the player feels the pressure of the system and sees the cost of each decision. The final playtests confirmed that players felt the intended guilt and pressure when forced to stall legitimate applications. Future development will focus on the "Reform Mode" and porting the experience to mobile devices to reach a wider South African audience.

Reference List

Albertus, S., 2026. Office Troll core game systems and source code [Unity C# scripts]. Unpublished student work, The Independent Institute of Education, Emeris Sandton. Available at: https://github.com/sufyaanAlbertus/Work_Integrated_Learning_OfficeTroll [Accessed 30 October 2026].

Bogost, I., 2007. Persuasive games: The expressive power of videogames. Cambridge, MA: MIT Press.

Corruption Watch South Africa, 2024. Home Affairs delay tracker: Johannesburg district report. [Online]. Available at: https://www.corruptionwatch.org.za [Accessed 17 August 2026].

Duba, S., 2026. Office Troll character art, tutorial and community engagement screens [Digital images and screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Freeman, E. and Freeman, E., 2020. Head first design patterns. 2nd ed. Sebastopol, CA: O'Reilly Media.

Fullerton, T., 2018. Game design workshop: A playcentric approach to creating innovative games. 4th ed. Boca Raton, FL: CRC Press.

Google Fonts, 2024. Fonts knowledge: Licensing. [Online]. Available at: https://fonts.google.com/knowledge/glossary/licensing [Accessed 17 August 2026].

Martin, R.C., 2017. Clean architecture: A craftsman's guide to software structure and design. Upper Saddle River, NJ: Prentice Hall.

Midjourney, 2026. Midjourney (V6 version) [AI image generator]. Available at: https://www.midjourney.com [Accessed 15 August 2026].

Mokoena, S., 2026. Office Troll 3D office environment, player model and lighting effects [Screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Mvunelo, L., 2026. Office Troll user interface, consequence cards and in-game screens [Screenshots]. Unpublished student work, The Independent Institute of Education, Emeris Sandton.

Novak, J., 2012. Game development essentials: An introduction. 3rd ed. New York: Delmar Cengage Learning.

Nystrom, R., 2014. Game programming patterns. Genever Benning. [Online]. Available at: https://gameprogrammingpatterns.com [Accessed 17 August 2026].

Schell, J., 2019. The art of game design: A book of lenses. 3rd ed. Boca Raton, FL: CRC Press.

Sicart, M., 2013. Beyond choices: The design of ethical gameplay. Cambridge, MA: MIT Press.

Statistics South Africa, 2022. Service delivery disputes report. Pretoria: Statistics South Africa.

xAI, 2026. Grok (Grok 4.7 version) [Large language model]. Available at: https://grok.com [Accessed 30 September 2026].

XBCGD7312_2026_Task 1

Activity: Formative 1 Task 1

Course: Work Integrated Learning 3B XBCGD7312 2026 FT BCGD0701 EMGPSD Term2 GR01

Name: Sandile Duba

Criteria	Does not meet the required standard	Meets the required standard	Partially exceeds the required standard	Greatly exceeds the required standard	Criterion Score
Phase 1 — Discuss outcomes from XBCGD7311 and plan the strategy for development. [20 Marks]	4 points Demonstrates little or no critical engagement with outcomes from XBCGD7311. Strengths and shortcomings of the previous game design are poorly identified, misunderstood, or omitted. Lecturer feedback is ignored or misapplied. Development strategy is unclear, unrealistic, or missing. Task allocation is absent or inappropriate, showing little understanding of team-based development.	9 points Adequately discusses key strengths and shortcomings of the XBCGD7311 game design. Lecturer feedback is acknowledged and applied at a basic level to address identified issues. A feasible development strategy is outlined, aligned to the revised design. Tasks are allocated to team members in a logical and functional manner.	14 points Provides a thoughtful and critical discussion of strengths and shortcomings, clearly informed by XBCGD7311 outcomes and lecturer feedback. Demonstrates meaningful improvements to the design in preparation for development. Presents a well-considered development strategy with clear milestones. Task allocation reflects team members' skills and project needs. ✓	20 points Demonstrates deep critical reflection on XBCGD7311 outcomes, showing strong design insight and maturity. Lecturer feedback is thoroughly integrated to substantially improve the game design. Presents a detailed, coherent, and industry-informed development strategy for a playable 3D game. Task allocation is strategic, clearly justified, and reflects professional production pipelines and collaboration practices.	14 / 20

Criteria	Does not meet the required standard	Meets the required standard	Partially exceeds the required standard	Greatly exceeds the required standard	Criterion Score
Phase 2 — Building the game foundations inside Unity/Unreal Engine [30 Marks]	5 points Demonstrates minimal or incomplete implementation of game engine functionality within Unity/Unreal Engine. Core systems are missing, nonfunctional, or incorrectly implemented. There is little evidence of understanding of engine tools or development processes.	12 points The most important foundational systems of the game engine are implemented and functional within Unity/Unreal Engine. Core mechanics and systems are present but may lack refinement, depth, or consistency. Demonstrates a basic understanding of engine workflows and development practices. ✓	20 points The game engine foundations are well-developed and functional, with core systems implemented effectively and working together coherently. Demonstrates solid understanding of Unity/Unreal Engine tools and workflows. Implementation shows consistency, with minor limitations in optimisation, integration, or scalability.	30 points The game engine foundations are comprehensively developed and demonstrate a high level of technical proficiency within Unity/Unreal Engine. Core systems and architecture are robust, scalable, and well-integrated. Implementation reflects strong alignment with the game design, including well-structured mechanics, effective use of engine tools/features, and consideration of performance and optimisation. The work demonstrates initiative through refinement, extension of features, or the incorporation of advanced techniques beyond minimum requirements.	12 / 30

Criteria	Does not meet the required standard	Meets the required standard	Partially exceeds the required standard	Greatly exceeds the required standard	Criterion Score
Evidence of integration and implementation of game assets inside the game engine [20 Marks]	4 points Game assets are minimally or incorrectly integrated into the engine. Assets may be missing, improperly imported, or not functioning as intended. There is little to no alignment between assets and the game design. Implementation reflects poor understanding of asset pipelines and engine workflows.	9 points Core game assets are correctly integrated and functional within the engine. Assets are generally aligned with the game design and support basic gameplay. Demonstrates an adequate understanding of asset import, placement, and usage within Unity/Unreal Engine, with some minor issues in consistency or optimisation.	14 points Game assets are well-integrated and contribute effectively to gameplay, visual coherence, and user experience. Demonstrates solid understanding of asset pipelines, including correct configuration, optimisation awareness, and consistency across the project. Assets support the intended design with minimal issues. ✓	20 points Game assets are seamlessly integrated, highly polished, and strongly enhance both gameplay and visual quality. Demonstrates advanced understanding of asset pipelines, including optimisation, organisation, and efficient use of engine features (e.g. materials, lighting, prefabs/blueprints). Integration reflects strong alignment with the game design and shows initiative through refinement, consistency, and professional-level presentation.	14 / 20

Criteria	Does not meet the required standard	Meets the required standard	Partially exceeds the required standard	Greatly exceeds the required standard	Criterion Score
Game prototype with scenario [30 Marks]	5 points No prototype is provided, or the prototype contains very few implemented mechanics. Core mechanics are missing, non-functional, or incorrectly implemented. No scenario is provided, or the scenario is incomplete and does not support testing or interaction.	12 points A basic prototype is presented with some core mechanics implemented; however, not all core mechanics are functional or fully developed. The scenario is present but is overly rigid, limiting player interaction and experimentation. The prototype allows only minimal testing of mechanics.	20 points A functional prototype is provided with most core mechanics implemented and working as intended. The scenario is well designed, offering a balance between guidance and player experimentation. The environment allows effective testing of gameplay mechanics, with minor limitations. ✓	30 points A well-developed and cohesive prototype is presented, with all core mechanics fully implemented, functional, and clearly testable. The scenario is thoughtfully designed as an effective sandbox that encourages exploration, experimentation, and interaction. Mechanics are meaningfully demonstrated through the scenario design, reflecting strong alignment with gameplay intentions and a clear understanding of iterative testing practices.	20 / 30

Deductions - This section outlines whether any manual deductions have been applied to your final total in the score block, along with the reasons.	**Deductions applied. Please see comments for more information.**	**Deductions applied. Please see comments for more information.**	**No deduction has been applied.**	**Criterion Score**

Deductions - This section outlines whether any manual deductions have been applied to your final total in the score block, along with the reasons.	**Deductions applied. Please see comments for more information.**	**Deductions applied. Please see comments for more information.**	**No deduction has been applied.**	**Criterion Score**
Referencing deduction	0 points A 10% deduction has been applied in accordance with the referencing rubric. ✓	0 points A 5% deduction has been applied in accordance with the referencing rubric.	0 points No referencing deduction has been applied.	0 / 0
Late submission deduction	0 points A policy mandated 15% late deduction has been applied. ✓	0 points N/A	0 points No late submission deduction has been applied.	0 / 0
Other deduction/s	0 points An additional/other deduction has been applied. ✓	0 points N/A	0 points No additional/other deduction has been applied.	0 / 0

Total	60 / 100

Overall Score

Marking completed ✓

IIE Technical Referencing Rubric

Activity: Formative 2 Task 2

Course: Work Integrated Learning 3B XBCGD7312 2026 FT BCGD0701 EMGPSD Term2 GR01

Name: Sandile Duba

Criteria	Required: Technically correct referencing style	Minor errors in technical correctness of referencing style Deduct 5% from mark awarded	Major errors In technical correctness of referencing style Deduct 10% from mark awarded

Criteria	**Required: Technically correct referencing style**	**Minor errors in technical correctness of referencing style Deduct 5% from mark awarded**	**Major errors In technical correctness of referencing style Deduct 10% from mark awarded**
Consistency	• The correct referencing style for the discipline – i.e., either Harvard, OR APA (for Psychology), OR Law, OR IEEE (for ICT/Engineering) – has been used consistently for all in-text references and in the bibliography/reference list. • Concepts and ideas that are quoted and/or paraphrased are referenced consistently throughout. • Position of the in-text reference: an in-text reference is positioned consistently where appropriate for every quote and paraphrase. ✔	Minor inconsistencies: • The referencing style used is generally consistent with what is required, but there are one or two changes/errors in the format of in-text referencing and/or in the bibliography/reference list. ◦ For example, page numbers for direct quotes in-text have been provided for one source, but not in another. Or, two book chapters in the bibliography/reference list have been referenced in two different formats. Or, the publication year has been placed after the author name in one bibliography/reference list entry, and after the source title in another, etc. • Concepts and ideas in quotes and/or paraphrases are typically referenced, but a full in-text reference is missing or incomplete from one or two small sections of the work. • Position of the references: in-text references are only given at the beginning and/or end of every paragraph.	Major inconsistencies: • Poor and wholly inconsistent referencing style used in-text and/or in the bibliography/reference list. • Multiple referencing styles for the same source types have been used. ◦ For example, the format for direct quotes in-text and/or book chapters in the bibliography/reference list and/or year of publication in the bibliography/reference list is different across multiple instances. • Concepts and ideas in quotes and/or paraphrases are haphazardly referenced in-text. • Position of the references: in-text references are only given at the beginning or end of large sections of work.

Criteria	Required: Technically correct referencing style	Minor errors in technical correctness of referencing style Deduct 5% from mark awarded	Major errors In technical correctness of referencing style Deduct 10% from mark awarded
Congruency	• Each source reflected within in-text references is included accurately in the bibliography/reference list. • All bibliography/reference list entries are in the required order for the referencing style used (e.g. alphabetical, alphabetical under subheadings, numerical). • All direct quotes and paraphrases have been integrated appropriately into the text using introductory phrases, accurate grammar, etc. ✓	Minor incongruences: • There is largely a match between the sources presented in-text and those in the bibliography/reference list, but one or two sources that appear in-text do not appear in the bibliography/reference list, or vice versa. Or key source information is missing from one or two in-text references or bibliography/reference list entries only (e.g. publication year, city of publication, URL date accessed, etc.). • There is a clear and largely accurate ordering of sources in the bibliography/reference list as required by the referencing style used, but with one or two references out of order. • An attempt has been made for source integration into the text using appropriate introductory phrases and grammar, but one or two quotes or paraphrases do not flow as clearly or logically within the sentence structure as they could.	Major incongruences: • No relationship/several incongruencies between the in-text referencing and the bibliography/reference list. ◦ For example, multiple sources are included in-text, but not in the bibliography, and/or vice versa. Key source information is missing from multiple in-text references and/or reference list entries. A URL link, rather than the actual reference, is provided in the bibliography. Sources are repeated in the reference list, etc. • Most sources are listed in a haphazard order throughout the bibliography/reference list. • Few to no appropriate introductory phrases or rules of grammar have been applied, and many direct quotes and/or paraphrases feel disconnected from the flow of the text.

Overall Score

Technically correct referencing ✓	Minor errors in technical correctness of referencing style Deduct 5% from mark awarded	Major errors In technical correctness of referencing style Deduct 10% from mark awarded

Declaration of authenticity

I, Sandile Duba ID Number, 0208205126088
hereby declare that this portfolio, and any evidence included therein, contains my own independent work and that I have not received help from other groups.

I confirm that we have not committed plagiarism in the accomplishment of this work, nor have I falsified and/or invented experimental data.

I accept the academic penalties that may be imposed for violations of the above.



STUDENT SIGNATURE DATE 28/10/2026

© The Independent Institute of Education (Pty) Ltd 2026

Declaration of authenticity

I, Sechaba Mokoena ID Number, _0411265311083_____
hereby declare that this portfolio, and any evidence included therein, contains my own independent work and that I have not received help from other groups.

I confirm that we have not committed plagiarism in the accomplishment of this work, nor have I falsified and/or invented experimental data.

I accept the academic penalties that may be imposed for violations of the above.



_____ 28/10/2026

____ STUDENT SIGNATURE DATE

© The Independent Institute of Education (Pty) Ltd 2026

Declaration of authenticity

I, Sufyaan Albertus ID Number, 0401045454089
hereby declare that this portfolio, and any evidence included therein, contains my own independent work and that I have not received help from other groups.

I confirm that we have not committed plagiarism in the accomplishment of this work, nor have I falsified and/or invented experimental data.

I accept the academic penalties that may be imposed for violations of the above.

SA
STUDENT SIGNATURE

30 October 2026
DATE

© The Independent Institute of Education (Pty) Ltd 2026

Declaration of authenticity

I, Latita Mvunelo ID Number, 0107266115081
hereby declare that this portfolio, and any evidence included therein, contains my own independent work and that I have not received help from other groups.

I confirm that we have not committed plagiarism in the accomplishment of this work, nor have I falsified and/or invented experimental data.

I accept the academic penalties that may be imposed for violations of the above.



STUDENT SIGNATURE

30 OCTOBER 2026
DATE

© The Independent Institute of Education (Pty) Ltd 2026