

Q Filter endpoints...

Auth	7
Users	6
Subjects	6
Classes	6
Chapters	6
Topics	12
Videos	7
Notes	6
Uploads	1
MCQ Tests	13
Student Attempts	3
Courses	14
User Access	3
Comments	5
Testimonials	5
Misc	2

Overview

The monolith exposes one JSON API under `/api`. Every response — success or failure — is JSON; there are no redirects or HTML error pages.

Authentication

Send `Authorization: Bearer <token>` on every request except the ones marked **Public** below. Tokens come from `/api/auth/login` or `/api/auth/admin/login` and embed `{ userId, role, sessionToken }`.

CHIP	MIDDLEWARE	MEANING
Public	—	No token needed.
Signed in	<code>authenticate</code>	Any active account, ADMIN or STUDENT.
<code>isAdmin*</code>	<code>authenticate + isAdmin</code>	Despite the name, currently passes <i>both</i> roles — see note below.
<code>Admin only</code>	<code>authenticate + requireAdmin</code>	ADMIN role only.

Standard envelope

Most endpoints reply through one helper, so the wrapper is always the same shape:

```
{
  "success": true,
  "message": "Course Created Successfully",
  "data": {
    "id": "crs_neet2026"
  }
}
```

Errors

A thrown domain error keeps its real status code (404, 409, ...). A failed request body always looks like this instead, at `400`:

```
{
  "success": false,
  "message": "Validation failed",
  "errors": {
    "courseName": [
      "Course name must contain minimum 3"
    ]
  }
}
```

Pagination

Every list endpoint accepts `page` & `limit` query params (defaults `1 / 10`) and wraps its array in:

```
{
  "courses": [
    "..."
  ],
  "total": 42,
  "page": 1,
  "limit": 10,
  "totalPages": 5
}
```

Read before you integrate — six places the API breaks its own conventions

- `isAdmin` middleware, despite its name, currently passes **both** ADMIN and STUDENT — the app only has those two roles, so it enforces "signed in," not "is an admin." `requireAdmin` is the real gate.

- `/api/user-access` (assign/replace access) never returns a `data` field, and every failure — including "User not found" — comes back as `HTTP 400` regardless of the real cause.
- `/api/auth/me` returns `{ success, user }`, not the usual envelope — and `user` is the raw JWT payload (`userId` / `role` / `sessionToken`), not a profile.
- `DELETE /api/testimonials/:id` is a hard delete. Almost every other "delete" in this API is a soft `isActive: false` deactivation.
- `POST /api/tests/:id/attempts` and `GET /api/student-attempts/me` return a bare array as `data` — not the `{ items, total, page, ... }` envelope the admin listing endpoints use.
- MCQ `question` / `optionA-D` / `explanation` are still plain `string` fields, but the admin panel's rich-text editor now writes sanitized HTML into them (inline images, pre-rendered KaTeX formulas) — treat them as HTML, not plain text, when displaying.

Auth

Login, registration, password reset, session teardown.

Base `/api/auth` · 7 endpoints

POST `/api/auth/admin/login`

Public

Log in as an ADMIN and receive a session JWT.

REQUEST BODY

email	string	required
password	string	required
deviceId	string	required

RESPONSE

200

```
{
  "success": true,
  "message": "Login Successful",
  "data": {
    "token": "eyJhbGciOi...",
    "user": {
      "id": "usr_admin01",
      "name": "Priya Admin",
      "email": "priya@tksacademy.com"
    }
  }
}
```

ERRORS **400 Invalid Email or Password** **400 Unauthorized**

POST `/api/auth/login`

Public

Log in as a STUDENT. Fails if the account is already logged in on another device.

REQUEST BODY

email	string	required
-------	--------	----------

RESPONSE

200

password	string	required
deviceId	string	required

```
{
  "success": true,
  "message": "Login Successful",
  "data": {
    "token": "eyJhbGciOi...",
    "user": {
      "id": "usr_stu9001",
      "name": "Ariana Student",
      "email": "ariana@example.com"
    }
  }
}
```

ERRORS

- 400** Invalid Email or Password
- 400** Account Deactivated. Contact Admin.
- 400** Your account is already logged in on another device.

POST /api/auth/register

Public

Self-register a new STUDENT account.

REQUEST BODY

name	string	required
email	string	required
mobile	string	required
class	string	required
password	string	required
deviceId	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Registration Successful",
  "data": {
    "id": "usr_stu9002",
    "name": "Ariana Student",
    "email": "ariana@example.com",
    "mobile": "9876543210",
    "class": "10th",
    "role": "STUDENT"
  }
}
```

ERRORS

- 400** Email already exists

POST /api/auth/forgot-password/check-email

Public

Step 1 of password reset — confirm the email belongs to a STUDENT account.

REQUEST BODY

email	string	required
-------	--------	----------

RESPONSE

200

```
{
  "success": true,
  "message": "Email exists",
}
```

```
"data": {  
  "exists": true  
}
```

ERRORS 404 Email not found

POST /api/auth/forgot-password/reset

Public

Step 2 — set a new password and clear the account's active session.

REQUEST BODY

email	string	required
password	string	required

RESPONSE

200

```
{  
  "success": true,  
  "message": "Password changed successfully"  
}
```

ERRORS 404 Email not found

POST /api/auth/logout

Signed in

Clear the caller's session token, invalidating the current JWT everywhere.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "Logout Successful"  
}
```

GET /api/auth/me

isAdmin*

Return the decoded token claims for the caller.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "user": {  
    "userId": "usr_admin01",  
    "role": "ADMIN",  
    "sessionToken": "7b3c2f7e-91a4-4c3d-8a1e-0b6"
```

```
}  
}
```

Shape is `{ success, user }` — it skips the usual `{ success, message, data }` envelope, and `user` is only the JWT payload, not a full profile.

Users

Admin-side management of STUDENT accounts.

Base `/api/users` · 6 endpoints

POST `/api/users`

isAdmin*

Create a student account directly (bypasses self-registration).

REQUEST BODY

name	string	required
email	string	required
password	string	required
mobile	string	required
class	string	required
isActive	boolean	optional

RESPONSE

201

```
{  
  "success": true,  
  "message": "Student Created Successfully",  
  "data": {  
    "id": "usr_stu9003",  
    "name": "Rahul Kumar",  
    "email": "rahul@example.com"  
  }  
}
```

ERRORS **400 Email already exists**

GET `/api/users`

isAdmin*

List users.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{  
  "success": true,  
  "message": "Users fetched successfully",  
  "data": {  
    "users": [  
      {  
        "id": "usr_stu9003",  
        "name": "Rahul Kumar",  
        "email": "rahul@example.com",  
      }  
    ]  
  }  
}
```

```
    "mobile": "9876500000",
    "class": "12th",
    "isActive": true,
    "isAccess": true,
    "role": "STUDENT",
    "createdAt": "2026-08-01T05:00:00.000Z",
    "updatedAt": "2026-08-20T09:12:00.000Z"
  }
],
"total": 1,
"page": 1,
"limit": 10,
"totalPages": 1
}
}
```

GET /api/users/:id

isAdmin*

Get one user.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "User fetched successfully",
  "data": {
    "id": "usr_stu9003",
    "name": "Rahul Kumar",
    "mobile": "9876500000",
    "class": "12th",
    "email": "rahul@example.com",
    "role": "STUDENT",
    "isActive": true,
    "isAccess": true,
    "createdAt": "2026-08-01T05:00:00.000Z",
    "updatedAt": "2026-08-20T09:12:00.000Z"
  }
}
```

ERRORS **404** User not found

PUT /api/users/:id

isAdmin*

Update a user. All fields optional.

REQUEST BODY

name	string	optional
email	string	optional

RESPONSE

200

password	string	optional
mobile	string	optional
class	string	optional
isActive	boolean	optional

```
{
  "success": true,
  "message": "User Updated Successfully",
  "data": {
    "id": "usr_stu9003",
    "name": "Rahul Kumar",
    "mobile": "9876500000",
    "class": "12th",
    "email": "rahul@example.com",
    "role": "STUDENT",
    "isActive": true,
    "isAccess": true
  }
}
```

ERRORS **404** User not found **400** Email already exists

DELETE /api/users/:id

isAdmin*

Deactivate a user (soft delete — sets isActive: false).

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "User Deactivated Successfully",
  "data": {
    "id": "usr_stu9003",
    "isActive": false
  }
}
```

ERRORS **404** User not found

DELETE /api/users/:id/permanent

isAdmin*

Hard-delete a user row.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "User Permanently Deleted",
  "data": {
    "id": "usr_stu9003"
  }
}
```



```
}
}
```

ERRORS **404** User not found

Subjects

Top of the content hierarchy: Subject → Class → Chapter → Topic.

Base /api/subjects · 6 endpoints

POST /api/subjects

isAdmin*

Create a subject (e.g. "Mathematics").

REQUEST BODY

name	string	required
------	--------	----------

RESPONSE

201

```
{
  "success": true,
  "message": "Subject Created Successfully",
  "data": {
    "id": "sub_math01",
    "name": "Mathematics",
    "isActive": true,
    "createdAt": "2026-08-01T05:00:00.000Z",
    "updatedAt": "2026-08-01T05:00:00.000Z"
  }
}
```

ERRORS **409** Subject already exists

GET /api/subjects

isAdmin*

List subjects.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Subjects fetched successfully",
  "data": {
    "subjects": [
      {
        "id": "sub_math01",
        "name": "Mathematics",
```

```
        "isActive": true,
        "createdAt": "2026-08-01T05:00:00.000Z",
        "updatedAt": "2026-08-01T05:00:00.000Z"
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

GET /api/subjects/:id

isAdmin*

Get one subject with its classes.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Subject fetched successfully",
  "data": {
    "id": "sub_math01",
    "name": "Mathematics",
    "isActive": true,
    "createdAt": "2026-08-01T05:00:00.000Z",
    "updatedAt": "2026-08-01T05:00:00.000Z",
    "classes": [
      {
        "id": "cls_10th01",
        "name": "Class 10",
        "isActive": true
      }
    ]
  }
}
```

ERRORS **404** Subject not found

PUT /api/subjects/:id

isAdmin*

Update a subject.

REQUEST BODY

name	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
```

```
"message": "Subject Updated Successfully",
"data": {
  "id": "sub_math01",
  "name": "Mathematics",
  "isActive": true
}
```

ERRORS **404** Subject not found **409** Subject name already exists

DELETE /api/subjects/:id

isAdmin*

Deactivate a subject.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Subject Deactivated Successfully",
  "data": {
    "id": "sub_math01",
    "isActive": false
  }
}
```

ERRORS **404** Subject not found

DELETE /api/subjects/:id/permanent

isAdmin*

Hard-delete a subject.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Subject Permanently Deleted",
  "data": {
    "id": "sub_math01"
  }
}
```

ERRORS **404** Subject not found

Cascades to its Classes → Chapters → Topics. Any Video/MCQ test/Notes linked through those Topics are only unlinked, never deleted — they're independent content.

Classes

A grade/standard nested under a Subject (e.g. "Class 10" under Mathematics).

Base /api/classes · 6 endpoints

POST /api/classes

isAdmin*

Create a class under a subject.

REQUEST BODY

name	string	required
subjectId	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Class Created Successfully",
  "data": {
    "id": "cls_10th01",
    "name": "Class 10",
    "subjectId": "sub_math01",
    "isActive": true,
    "createdAt": "2026-08-01T05:05:00.000Z",
    "updatedAt": "2026-08-01T05:05:00.000Z"
  }
}
```

ERRORS 404 Subject not found 409 Class already exists under this subject

GET /api/classes

isAdmin*

List classes.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
subjectId	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Classes fetched successfully",
  "data": {
    "classes": [
      {
        "id": "cls_10th01",
        "name": "Class 10",
        "subjectId": "sub_math01",
        "isActive": true,
        "subject": {
          "id": "sub_math01",
          "name": "Mathematics"
        }
      }
    ]
  }
}
```

```
],
"total": 1,
"page": 1,
"limit": 10,
"totalPages": 1
}
}
```

GET /api/classes/:id

isAdmin*

Get one class with its chapters.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Class fetched successfully",
  "data": {
    "id": "cls_10th01",
    "name": "Class 10",
    "isActive": true,
    "subject": {
      "id": "sub_math01",
      "name": "Mathematics"
    },
    "chapters": [
      {
        "id": "chp_algebra1",
        "name": "Algebra I",
        "isActive": true
      }
    ]
  }
}
```

ERRORS **404 Class not found**

PUT /api/classes/:id

isAdmin*

Update a class (subjectId is immutable).

REQUEST BODY

name	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Class Updated Successfully",
  "data": {
```

```
"id": "cls_10th01",
"name": "Class 10",
"isActive": true
}
}
```

ERRORS **404** Class not found **409** Class name already exists under this subject

DELETE /api/classes/:id

isAdmin*

Deactivate a class.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Class Deactivated Successfully",
  "data": {
    "id": "cls_10th01",
    "isActive": false
  }
}
```

ERRORS **404** Class not found

DELETE /api/classes/:id/permanent

isAdmin*

Hard-delete a class.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Class Permanently Deleted",
  "data": {
    "id": "cls_10th01"
  }
}
```

ERRORS **404** Class not found

Cascades to its Chapters → Topics. Linked Video/MCQ/Notes content is only unlinked.

Chapters

A chapter nested under a Class (e.g. "Quadratic Equations" under Class 10).

Base /api/chapters · 6 endpoints

POST /api/chapters

isAdmin*

Create a chapter under a class.

REQUEST BODY

name	string	required
classId	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Chapter Created Successfully",
  "data": {
    "id": "chp_algebra1",
    "name": "Algebra I",
    "classId": "cls_10th01",
    "isActive": true,
    "createdAt": "2026-08-01T05:10:00.000Z",
    "updatedAt": "2026-08-01T05:10:00.000Z"
  }
}
```

ERRORS

404 Class not found

409 Chapter already exists under this class

GET /api/chapters

isAdmin*

List chapters.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
classId	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Chapters fetched successfully",
  "data": {
    "chapters": [
      {
        "id": "chp_algebra1",
        "name": "Algebra I",
        "classId": "cls_10th01",
        "isActive": true,
        "class": {
          "id": "cls_10th01",
          "name": "Class 10",
          "subject": {
            "id": "sub_math01",
```

```
        "name": "Mathematics"
      }
    }
  ],
  "total": 1,
  "page": 1,
  "limit": 10,
  "totalPages": 1
}
```

GET /api/chapters/:id

isAdmin*

Get one chapter with its topics.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter fetched successfully",
  "data": {
    "id": "chp_algebra1",
    "name": "Algebra I",
    "isActive": true,
    "class": {
      "id": "cls_10th01",
      "name": "Class 10",
      "subject": {
        "id": "sub_math01",
        "name": "Mathematics"
      }
    }
  },
  "topics": [
    {
      "id": "top_quadeq1",
      "name": "Quadratic Equations",
      "isActive": true,
      "order": 1
    }
  ]
}
```

ERRORS **404** Chapter not found

PUT /api/chapters/:id

isAdmin*

Update a chapter (classId is immutable).

REQUEST BODY

name	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter Updated Successfully",
  "data": {
    "id": "chp_algebra1",
    "name": "Algebra I",
    "isActive": true
  }
}
```

ERRORS 404 Chapter not found 409 Chapter name already exists under this class

DELETE /api/chapters/:id

isAdmin*

Deactivate a chapter.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter Deactivated Successfully",
  "data": {
    "id": "chp_algebra1",
    "isActive": false
  }
}
```

ERRORS 404 Chapter not found

DELETE /api/chapters/:id/permanent

isAdmin*

Hard-delete a chapter.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter Permanently Deleted",
  "data": {
    "id": "chp_algebra1"
  }
}
```

Cascades to its Topics. Linked Video/MCQ/Notes content is only unlinked.

Topics

The "video name" node from a chapter. Independent Video / MCQ test / Notes are optionally linked here — none are required, and any of them can be reused under other topics too.

Base /api/topics · 12 endpoints

POST

/api/topics

isAdmin*

Create a topic under a chapter.

REQUEST BODY

name	string	required
chapterId	string	required
order	number	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Topic Created Successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "chapterId": "chp_algebra1",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-01T05:15:00.000Z",
    "updatedAt": "2026-08-01T05:15:00.000Z"
  }
}
```

GET

/api/topics

isAdmin*

List topics.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
chapterId	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Topics fetched successfully",
  "data": {
    "topics": [
```

```

{
  "id": "top_quadeq1",
  "name": "Quadratic Equations",
  "order": 1,
  "isActive": true,
  "chapter": {
    "id": "chp_algebra1",
    "name": "Algebra I",
    "class": {
      "id": "cls_10th01",
      "name": "Class 10",
      "subject": {
        "id": "sub_math01",
        "name": "Mathematics"
      }
    }
  },
  "_count": {
    "videos": 1,
    "mcqTests": 1,
    "notes": 1
  }
},
{
  "total": 1,
  "page": 1,
  "limit": 10,
  "totalPages": 1
}
}

```

GET /api/topics/:id

isAdmin*

Get one topic with everything linked to it.

REQUEST

No body or query params.

RESPONSE

200

```

{
  "success": true,
  "message": "Topic fetched successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "order": 1,
    "isActive": true,
    "chapter": {
      "id": "chp_algebra1",
      "name": "Algebra I",
      "class": {
        "id": "cls_10th01",

```

```
    "name": "Class 10",
    "subject": {
      "id": "sub_math01",
      "name": "Mathematics"
    }
  },
  "videos": [
    {
      "id": "vid_intro001",
      "videoName": "Intro to Quadratics",
      "isActive": true
    }
  ],
  "mcqTests": [
    {
      "id": "test_mcq001",
      "testName": "Quadratics Quiz"
    }
  ],
  "notes": [
    {
      "id": "note_pdf001",
      "title": "Quadratics Notes",
      "isActive": true
    }
  ]
}
```

ERRORS 404 Topic not found

PUT /api/topics/:id

isAdmin*

Update a topic (chapterId is immutable).

REQUEST BODY

name	string	optional
order	number	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Topic Updated Successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "order": 1,
    "isActive": true
  }
}
```

ERRORS **404** Topic not found

DELETE /api/topics/:id

isAdmin*

Deactivate a topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Topic Deactivated Successfully",
  "data": {
    "id": "top_quadeq1",
    "isActive": false
  }
}
```

ERRORS **404** Topic not found

DELETE /api/topics/:id/permanent

isAdmin*

Hard-delete a topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Topic Permanently Deleted",
  "data": {
    "id": "top_quadeq1"
  }
}
```

ERRORS **404** Topic not found

Only the Topic and its join rows are removed — the linked Video/MCQ test/Notes rows themselves are untouched.

POST /api/topics/:id/videos

isAdmin*

Link an existing Video to this topic.

REQUEST BODY

videoId string required

RESPONSE

201

```
{
  "success": true,
  "message": "Video linked to topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "chapterId": "chp_algebra1",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-01T05:15:00.000Z",
    "updatedAt": "2026-08-02T07:00:00.000Z"
  }
}
```

ERRORS **404** Topic not found **404** Video not found

Returns the Topic's own scalar fields, not the refreshed video list — re-fetch `GET /api/topics/:id` to see it.

DELETE `/api/topics/:id/videos/:videoId`

isAdmin*

Unlink a Video from this topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video unlinked from topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS **404** Topic not found

POST `/api/topics/:id/mcq-tests`

isAdmin*

Link an existing MCQ test to this topic.

REQUEST BODY

testId string required

RESPONSE

201

```
{
  "success": true,
  "message": "MCQ test linked to topic successfully",
  "data": {
```

```
{
  "id": "top_quadeq1",
  "name": "Quadratic Equations",
  "isActive": true
}
```

ERRORS **404** Topic not found **404** MCQ test not found

DELETE /api/topics/:id/mcq-tests/:testId

isAdmin*

Unlink an MCQ test from this topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "MCQ test unlinked from topic succe
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS **404** Topic not found

POST /api/topics/:id/notes

isAdmin*

Link existing Notes to this topic.

REQUEST BODY

notesId string required

RESPONSE

201

```
{
  "success": true,
  "message": "Notes linked to topic successfully
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS **404** Topic not found **404** Notes not found

DELETE /api/topics/:id/notes/:notesId

isAdmin*

Unlink Notes from this topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes unlinked from topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS

404 Topic not found

Videos

Standalone video content, stored on Backblaze B2. Not owned by any Course or Topic — link it wherever it's needed.

Base /api/videos · 7 endpoints

POST /api/videos/upload-url

isAdmin*

Get a pre-signed B2 upload URL for an .mp4 file.

REQUEST BODY

fileName string (must end in .mp4) **required**

RESPONSE

200

```
{
  "success": true,
  "message": "Upload URL generated successfully",
  "data": {
    "uploadUrl": "https://pod-000-1234.backblaze.com/video/1735300000000-intro-to-c",
    "fileName": "videos/1735300000000-intro-to-c.mp4",
    "headers": {
      "Authorization": "4_00abc123...",
      "X-Bz-File-Name": "videos%2F1735300000000-intro-to-c.mp4",
      "Content-Type": "video/mp4",
      "X-Bz-Content-Sha1": "do_not_verify"
    }
  }
}
```


Upload the file straight to B2 with this URL/headers, then send the returned `fileName` back as `videoFileName` when you create the Video.

GET /api/videos

isAdmin*

List videos, each with a freshly signed playback URL.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Videos fetched successfully",
  "data": {
    "videos": [
      {
        "id": "vid_intro001",
        "videoName": "Intro to Quadratics",
        "videoFileId": "4_z2c1...",
        "videoFileName": "videos/1735300000000-1",
        "videoSize": 52428800,
        "description": "Warm-up on the quadratic",
        "duration": "12:04",
        "isActive": true,
        "isPreview": false,
        "createdAt": "2026-08-02T06:00:00.000Z",
        "updatedAt": "2026-08-02T06:00:00.000Z",
        "topics": [
          {
            "id": "top_quadeq1",
            "name": "Quadratic Equations"
          }
        ],
        "videoUrl": "https://f002.backblazeb2.co"
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

POST /api/videos

isAdmin*

Register a video after it's been uploaded to B2.

REQUEST BODY

videoName	string	required
-----------	--------	----------

RESPONSE

201

videoFileId	string	required
videoFileName	string	required
videoSize	number	optional
description	string	optional
duration	string	optional
isPreview	boolean	optional

```
{
  "success": true,
  "message": "Video Created Successfully",
  "data": {
    "id": "vid_intro001",
    "videoName": "Intro to Quadratics",
    "videoFileId": "4_z2c1...",
    "videoFileName": "videos/1735300000000-intro",
    "videoSize": 52428800,
    "description": "Warm-up on the quadratic for",
    "duration": "12:04",
    "isActive": true,
    "isPreview": false,
    "createdAt": "2026-08-02T06:00:00.000Z",
    "updatedAt": "2026-08-02T06:00:00.000Z"
  }
}
```

Create/update responses are the plain scalar row — `videoUrl` only appears on GET (list/by id).

GET `/api/videos/:id`

isAdmin*

Get one video with its topic/course links and a signed URL.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video fetched successfully",
  "data": {
    "id": "vid_intro001",
    "videoName": "Intro to Quadratics",
    "isActive": true,
    "isPreview": false,
    "topics": [
      {
        "id": "top_quadeq1",
        "name": "Quadratic Equations"
      }
    ],
    "courses": [
      {
        "courseId": "crs_neet2026",
        "order": 3,
        "isActive": true,
        "course": {
          "id": "crs_neet2026",
          "courseName": "NEET Crash Course 2026"
        }
      }
    ]
  }
}
```

```
}
],
"videoUrl": "https://f002.backblazeb2.com/fi
}
}
```

ERRORS **404** Video not found

PUT /api/videos/:id

isAdmin*

Update a video. All fields optional.

REQUEST BODY

videoName	string	optional
videoFileId	string	optional
videoFileName	string	optional
videoSize	number	optional
description	string	optional
duration	string	optional
isPreview	boolean	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Video Updated Successfully",
  "data": {
    "id": "vid_intro001",
    "videoName": "Intro to Quadratics – revised",
    "isActive": true
  }
}
```

ERRORS **404** Video not found

DELETE /api/videos/:id

isAdmin*

Deactivate a video and revoke related access grants.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video Deactivated Successfully",
  "data": {
    "id": "vid_intro001",
    "isActive": false
  }
}
```

ERRORS **404** Video not found

DELETE /api/videos/:id/permanent

isAdmin*

Delete the B2 file and the video row.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video Permanently Deleted",
  "data": {
    "id": "vid_intro001"
  }
}
```

ERRORS

404 Video not found

Also removes it from every Course/Topic it was linked to, deletes its Comments and UserAccess grants, and sets `videoId` to null on any StudentAttempt rows that referenced it.

Notes

Standalone PDF notes, stored on Cloudinary. Same independence as Video — link to any Topic or Course.

Base /api/notes · 6 endpoints

GET /api/notes

isAdmin*

List notes.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Notes fetched successfully",
  "data": {
    "notes": [
      {
        "id": "note_pdf001",
        "title": "Quadratics Notes",
        "notesUrl": "https://res.cloudinary.com/...",
        "notesFileId": "notes/quadratics-notes_a...",
        "notesFileName": "quadratics-notes.pdf",
        "description": "Formula sheet + worked e...",
        "isActive": true,
        "createdAt": "2026-08-02T06:10:00.000Z",
        "updatedAt": "2026-08-02T06:10:00.000Z",
        "topics": [
          {
            "id": "top_quadeq1",
```

```
        "name": "Quadratic Equations"
      }
    ]
  },
  ],
  "total": 1,
  "page": 1,
  "limit": 10,
  "totalPages": 1
}
}
```

POST /api/notes

isAdmin*

Upload a PDF and create a Notes record.

REQUEST BODY

file	file (multipart, PDF, ≤ 50MB)	required
title	string	required
description	string	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Notes Created Successfully",
  "data": {
    "id": "note_pdf001",
    "title": "Quadratics Notes",
    "notesUrl": "https://res.cloudinary.com/tks/notes/notes-quadratics-notes_ab12",
    "notesFileId": "notes/quadratics-notes_ab12",
    "notesFileName": "quadratics-notes.pdf",
    "description": "Formula sheet + worked examples",
    "isActive": true,
    "createdAt": "2026-08-02T06:10:00.000Z",
    "updatedAt": "2026-08-02T06:10:00.000Z"
  }
}
```

ERRORS 400 Notes file is required

multipart/form-data — the file goes under field name `file`, alongside the other fields.

GET /api/notes/:id

isAdmin*

Get one notes record with its topic/course links.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes fetched successfully",
```

```
"data": {
  "id": "note_pdf001",
  "title": "Quadratics Notes",
  "isActive": true,
  "topics": [
    {
      "id": "top_quadeq1",
      "name": "Quadratic Equations"
    }
  ],
  "courses": [
    {
      "courseId": "crs_neet2026",
      "order": 5,
      "isActive": true,
      "course": {
        "id": "crs_neet2026",
        "courseName": "NEET Crash Course 2026"
      }
    }
  ]
}
```

ERRORS 404 Notes not found

PUT /api/notes/:id

isAdmin*

Update notes, optionally replacing the PDF.

REQUEST BODY

file	file (multipart, optional)	required
title	string	optional
description	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Notes Updated Successfully",
  "data": {
    "id": "note_pdf001",
    "title": "Quadratics Notes (v2)",
    "isActive": true
  }
}
```

ERRORS 404 Notes not found

DELETE /api/notes/:id

isAdmin*

Deactivate notes.

REQUEST

RESPONSE

No body or query params.

200

```
{
  "success": true,
  "message": "Notes Deactivated Successfully",
  "data": {
    "id": "note_pdf001",
    "isActive": false
  }
}
```

ERRORS 404 Notes not found

DELETE /api/notes/:id/permanent

isAdmin*

Delete the Cloudinary file and the notes row.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes Permanently Deleted",
  "data": {
    "id": "note_pdf001"
  }
}
```

ERRORS 404 Notes not found

Uploads

Generic file upload for embedding images/diagrams inline in rich-text fields (MCQ question/option/explanation, etc). Separate from the Video (B2) and Notes (Cloudinary PDF) upload flows — this one is for pictures that go inside content, not a resource of their own.

Base /api/uploads · 1 endpoint

POST /api/uploads/image

isAdmin*

Upload an image and get back a URL to embed.

REQUEST BODY

RESPONSE

file file (multipart, PNG/JPEG/WEBP/GIF/SVG, ≤ 10MB) req 201

```
{
  "success": true,
  "message": "Image uploaded successfully",
  "data": {
    "url": "https://res.cloudinary.com/tks/image",
    "publicId": "inline-content/diagram_ab12"
  }
}
```

ERRORS **400** Image file is required

Not tied to any resource — the returned `url` is meant to be embedded directly (e.g. as an `<img>` `src`) inside a question/option/explanation's HTML content. Nothing deletes these files when the content that referenced them is edited or removed.

MCQ Tests

Standalone quiz banks (TestQuestion + its TestQuestionItem questions), independent of any one Video. Also serves student test-taking and grading. question/optionA-D/explanation are plain string fields, but the admin panel's rich-text editor now writes sanitized HTML into them (inline images from `/api/uploads/image`, formulas pre-rendered to static KaTeX markup, bold/italic/sub/superscript) — treat them as HTML when rendering, not plain text.

Base `/api/tests` · 13 endpoints

POST `/api/tests`

Admin only

Create an MCQ test with its questions.

REQUEST BODY

<code>testName</code>	string
<code>marksPerQuestion</code>	number
<code>questions</code>	array — {question, optionA, optionB, op

RESPONSE

201

required

```
{
  "success": true,
  "message": "Test created successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz",
    "marksPerQuestion": 4,
    "createdAt": "2026-08-02T06:20:00.000Z",
    "updatedAt": "2026-08-02T06:20:00.000Z",
    "questions": [
      {
        "id": "ques_q1",
        "testId": "test_mcq001",
        "question": "<p>Roots of  $x^2 - 5x +$ ",
        "optionA": "2, 3",
```



```

      "optionB": "1, 6",
      "optionC": "-2, -3",
      "optionD": "0, 5",
      "correctOption": "A",
      "explanation": "<p>Factor as (x-2)(x-3).",
      "createdAt": "2026-08-02T06:20:00.000Z",
      "updatedAt": "2026-08-02T06:20:00.000Z"
    }
  ]
}

```

question/optionA-D/explanation accept plain text or the rich HTML the admin editor produces — the API itself does no format validation beyond "non-empty string".

GET /api/tests

Admin only

List MCQ tests.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
topicId	string	optional

RESPONSE

200

```

{
  "success": true,
  "message": "Tests fetched successfully",
  "data": {
    "tests": [
      {
        "id": "test_mcq001",
        "testName": "Quadratics Quiz",
        "marksPerQuestion": 4,
        "topics": [
          {
            "id": "top_quadeq1",
            "name": "Quadratic Equations"
          }
        ],
        "_count": {
          "questions": 10,
          "attempts": 42
        }
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}

```

GET /api/tests/student/topic/:topicId

Signed in

Student view: every test linked to a topic, questions with no answer key.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Student tests fetched successfully",
  "data": [
    {
      "id": "test_mcq001",
      "testName": "Quadratics Quiz",
      "marksPerQuestion": 4,
      "topics": [
        {
          "id": "top_quadeq1",
          "name": "Quadratic Equations"
        }
      ],
      "questions": [
        {
          "id": "ques_q1",
          "question": "Roots of  $x^2 - 5x + 6 = 0$ ?",
          "optionA": "2, 3",
          "optionB": "1, 6",
          "optionC": "-2, -3",
          "optionD": "0, 5"
        }
      ]
    }
  ]
}
```

`data` is a bare array, not a paginated envelope. `correctOption` / `explanation` are stripped here.

GET /api/tests/student/:id

Signed in

Student view of a single test (no answer key).

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Student test fetched successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz",
  }
}
```

```
"marksPerQuestion": 4,
"questions": [
  {
    "id": "ques_q1",
    "question": "Roots of  $x^2 - 5x + 6 = 0$ ",
    "optionA": "2, 3",
    "optionB": "1, 6",
    "optionC": "-2, -3",
    "optionD": "0, 5"
  }
]
}
```

ERRORS 404 Test not found

GET /api/tests/:id

Admin only

Admin view of a test, full answer key included.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Test fetched successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz",
    "marksPerQuestion": 4,
    "topics": [
      {
        "id": "top_quadeq1",
        "name": "Quadratic Equations"
      }
    ],
    "questions": [
      {
        "id": "ques_q1",
        "question": "Roots of  $x^2 - 5x + 6 = 0$ ",
        "optionA": "2, 3",
        "optionB": "1, 6",
        "optionC": "-2, -3",
        "optionD": "0, 5",
        "correctOption": "A",
        "explanation": "Factor as  $(x-2)(x-3)$ ."
      }
    ]
  }
}
```

ERRORS 404 Test not found

PUT /api/tests/:id

Admin only

Update test name/marks.

REQUEST BODY

testName	string	optional
marksPerQuestion	number	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Test updated successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz v2",
    "marksPerQuestion": 5
  }
}
```

ERRORS 404 Test not found

DELETE /api/tests/:id

Admin only

Delete a test and its questions.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Test deleted successfully",
  "data": {
    "id": "test_mcq001"
  }
}
```

ERRORS 404 Test not found

POST /api/tests/:id/questions

Admin only

Add a question to a test.

REQUEST BODY

question	string (plain text or rich HTML)	required
optionA	string (plain text or rich HTML)	required
optionB	string (plain text or rich HTML)	required
optionC	string (plain text or rich HTML)	required

RESPONSE

201

```
{
  "success": true,
  "message": "Question added successfully",
}
```

optionD	string (plain text or rich HTML)	required
correctOption	A B C D	required
explanation	string (plain text or rich HTML)	optional

```
"data": {
  "id": "ques_q2",
  "testId": "test_mcq001",
  "question": "Sum of roots of  $ax^2+bx+c=0$ ",
  "optionA": "-b/a",
  "optionB": "b/a",
  "optionC": "-c/a",
  "optionD": "c/a",
  "correctOption": "A",
  "explanation": null
}
```

ERRORS **404** Test not found

PUT /api/tests/:id/questions/:questionId

Admin only

Update a question. Any subset of fields.

REQUEST BODY

question	string	optional
optionA	string	optional
optionB	string	optional
optionC	string	optional
optionD	string	optional
correctOption	A B C D	optional
explanation	string	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Question updated successfully",
  "data": {
    "id": "ques_q2",
    "testId": "test_mcq001",
    "correctOption": "A"
  }
}
```

ERRORS **404** Question not found for this test

DELETE /api/tests/:id/questions/:questionId

Admin only

Remove a question.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Question deleted successfully",
  "data": {
    "id": "ques_q2"
  }
}
```

GET /api/tests/:id/attempts

Admin only

List attempts for a test.

QUERY PARAMS

page	number	optional
limit	number	optional
videoId	string	optional
studentId	string	optional
status	IN_PROGRESS COMPLETED	optional

RESPONSE

```
200
{
  "success": true,
  "message": "Student attempts fetched successfully",
  "data": {
    "attempts": [
      {
        "id": "att_9911",
        "studentId": "usr_stu9001",
        "videoId": "vid_intro001",
        "testId": "test_mcq001",
        "status": "COMPLETED",
        "totalQuestions": 10,
        "correctAnswers": 8,
        "wrongAnswers": 2,
        "marksPerQuestion": 4,
        "totalMarks": 40,
        "obtainedMarks": 32,
        "startedAt": "2026-08-20T10:00:00.000Z",
        "submittedAt": "2026-08-20T10:11:00.000Z",
        "student": {
          "id": "usr_stu9001",
          "name": "Ariana Student",
          "email": "ariana@example.com",
          "mobile": "9876543210",
          "class": "10th"
        },
        "video": {
          "id": "vid_intro001",
          "videoName": "Intro to Quadratics"
        },
        "test": {
          "id": "test_mcq001",
          "testName": "Quadratics Quiz"
        }
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}
```

GET /api/tests/:id/attempts/:attemptId

Admin only

Get one attempt, scoped to this test.

REQUEST

RESPONSE

No body or query params.

200

```
{
  "success": true,
  "message": "Student attempt fetched successful",
  "data": {
    "id": "att_9911",
    "testId": "test_mcq001",
    "status": "COMPLETED",
    "obtainedMarks": 32,
    "answers": [
      {
        "questionId": "ques_q1",
        "question": "Roots of  $x^2 - 5x + 6 = 0$ ",
        "optionA": "2, 3",
        "optionB": "1, 6",
        "optionC": "-2, -3",
        "optionD": "0, 5",
        "correctOption": "A",
        "selected": "A",
        "correct": true,
        "explanation": "Factor as (x-2)(x-3).",
      }
    ]
  }
}
```

ERRORS

404 Student attempt not found for this test (attempt exists but belongs to a different test)

POST /api/tests/:id/attempts

Signed in

Student submits answers; the server grades them.

REQUEST BODY

videoId	string
startedAt	ISO date
submittedAt	ISO date
status	IN_PROGRESS COMPLETED
answers	array — {questionId, selected: A B C D}, one per question

RESPONSE

201 optional

```
{
  "success": true,
  "message": "Student attempt submitted successful",
  "data": {
    "id": "att_9912",
    "studentId": "usr_stu9001",
    "videoId": "vid_intro001",
    "testId": "test_mcq001",
    "status": "COMPLETED",
    "totalQuestions": 10,
    "correctAnswers": 9,
    "wrongAnswers": 1,
    "totalMarks": 40,
    "obtainedMarks": 36,
  }
}
```



```

    "answers": [
      {
        "questionId": "ques_q1",
        "question": "Roots of  $x^2 - 5x + 6 = 0$ ",
        "correctOption": "A",
        "selected": "A",
        "correct": true
      }
    ]
  }
}

```

ERRORS **404** Test not found **404** Video not found (if videoId is passed but doesn't exist)

400 Test has no questions **400** All questions must be answered

400 Duplicate answer for question <id> **400** Missing answer for question <id>

videoId is optional context only — it is no longer validated against the test (tests aren't owned by a single video).

Student Attempts

Read-only view of graded attempts — the same records as `/api/tests/:id/attempts`, without needing a test id.

Base `/api/student-attempts` · 3 endpoints

GET `/api/student-attempts/admin`

Admin only

List all attempts across every test.

QUERY PARAMS

page	number	optional
limit	number	optional
testId	string	optional
videoId	string	optional
studentId	string	optional
status	IN_PROGRESS COMPLETED	optional

RESPONSE

200

```

{
  "success": true,
  "message": "Student attempts fetched successfully",
  "data": {
    "attempts": [
      {
        "id": "att_9911",
        "testId": "test_mcq001",
        "status": "COMPLETED",
        "obtainedMarks": 32
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}

```

```
}  
}
```

GET /api/student-attempts/admin/:attemptId

Admin only

Get one attempt by id.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "Student attempt fetched successful",  
  "data": {  
    "id": "att_9911",  
    "testId": "test_mcq001",  
    "status": "COMPLETED",  
    "obtainedMarks": 32  
  }  
}
```

ERRORS 404 Student attempt not found

GET /api/student-attempts/me

Signed in

The caller's own attempt history.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "My attempts fetched successfully",  
  "data": [  
    {  
      "id": "att_9911",  
      "testId": "test_mcq001",  
      "status": "COMPLETED",  
      "obtainedMarks": 32,  
      "totalMarks": 40  
    }  
  ]  
}
```

`data` is a bare array, not the paginated envelope used above.

Courses

The sellable package: a Course optionally links Subjects, Videos, Notes and MCQ tests — each independently reusable, each optional.

Base /api/courses · 14 endpoints

POST /api/courses

isAdmin*

Create a course shell (no content linked yet).

REQUEST BODY

courseName	string	required
thumbnail	string	optional
accessType	free paid (default paid)	optional
price	number	optional
strikePrice	number	optional
validityMonths	number	optional
enableEmi	boolean	optional
installments	array — {installment, price}	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Course Created Successfully",
  "data": {
    "id": "crs_neet2026",
    "courseName": "NEET Crash Course 2026",
    "accessType": "paid",
    "price": 4999,
    "strikePrice": 6999,
    "validityMonths": 12,
    "enableEmi": false,
    "installments": null,
    "isActive": true,
    "createdAt": "2026-08-02T06:30:00.000Z",
    "updatedAt": "2026-08-02T06:30:00.000Z"
  }
}
```

ERRORS 409 Course already exists

When `accessType` is `"free"`, `enableEmi` / `price` / `strikePrice` / `validityMonths` / `installments` are force-reset to `false` / `null` server-side, whatever was sent.

GET /api/courses

isAdmin*

List courses.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Courses fetched successfully",
  "data": {
    "courses": [
```

```
{
  "id": "crs_neet2026",
  "courseName": "NEET Crash Course 2026",
  "accessType": "paid",
  "price": 4999,
  "isActive": true
}
],
"page": 1,
"limit": 10,
"totalPages": 1,
"total": 1
}
}
```

GET /api/courses/:id

isAdmin*

Get one course with everything linked to it, in order.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Course fetched successfully",
  "data": {
    "id": "crs_neet2026",
    "courseName": "NEET Crash Course 2026",
    "isActive": true,
    "subjects": [
      {
        "order": 1,
        "subject": {
          "id": "sub_math01",
          "name": "Mathematics"
        }
      }
    ],
    "videos": [
      {
        "order": 1,
        "isActive": true,
        "video": {
          "id": "vid_intro001",
          "videoName": "Intro to Quadratics",
          "isActive": true
        }
      }
    ],
    "notes": [
      {

```

```

    "order": 1,
    "isActive": true,
    "notes": {
      "id": "note_pdf001",
      "title": "Quadratics Notes",
      "isActive": true
    }
  },
  "mcqTests": [
    {
      "order": 1,
      "isActive": true,
      "test": {
        "id": "test_mcq001",
        "testName": "Quadratics Quiz"
      }
    }
  ]
}

```

ERRORS **404** Course not found

PUT /api/courses/:id

isAdmin*

Update a course.

REQUEST BODY

courseName	string	optional
thumbnail	string	optional
accessType	free paid	optional
price	number	optional
strikePrice	number	optional
validityMonths	number	optional
enableEmi	boolean	optional
installments	array	optional
isActive	boolean	optional

RESPONSE

200

```

{
  "success": true,
  "message": "Course Updated Successfully",
  "data": {
    "id": "crs_neet2026",
    "courseName": "NEET Crash Course 2026",
    "price": 4499
  }
}

```

ERRORS **404** Course not found **409** Course name already exists

DELETE /api/courses/:id

isAdmin*

Deactivate a course — also deactivates its CourseVideo links and every UserAccess grant for it.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Course Deactivated Successfully",
  "data": {
    "id": "crs_neet2026",
    "isActive": false
  }
}
```

ERRORS **404** Course not found

DELETE /api/courses/:id/permanent

isAdmin*

Hard-delete a course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Course Permanently Deleted",
  "data": {
    "id": "crs_neet2026"
  }
}
```

ERRORS **404** Course not found

Only removes the Course row and its join rows (CourseSubject/CourseVideo/CourseNotes/CourseMcqTest/UserAccess/UserNotesAccess/UserMcqTestAccess). The linked Video/Notes/MCQ/Subject records are untouched — they may be used by other courses.

POST /api/courses/:id/subjects

isAdmin*

Link a subject to this course.

REQUEST BODY

subjectId	string	required
order	number	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Subject linked to course successfully",
  "data": {
    "id": "csub_001",
    "courseId": "crs_neet2026",
    "subjectId": "sub_math01",
    "order": 1,
    "createdAt": "2026-08-02T06:31:00.000Z"
  }
}
```

```
}  
}
```

ERRORS 404 Course not found 404 Subject not found 409 Subject already linked to this course

DELETE /api/courses/:id/subjects/:subjectId

isAdmin*

Unlink a subject from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "Subject unlinked from course succe  
  "data": {  
    "courseId": "crs_neet2026",  
    "subjectId": "sub_math01"  
  }  
}
```

ERRORS 404 Course not found

POST /api/courses/:id/videos

isAdmin*

Link a video to this course.

REQUEST BODY

videoId	string	required
order	number	optional

RESPONSE

201

```
{  
  "success": true,  
  "message": "Video linked to course successfull  
  "data": {  
    "id": "cvid_001",  
    "courseId": "crs_neet2026",  
    "videoId": "vid_intro001",  
    "order": 1,  
    "isActive": true,  
    "createdAt": "2026-08-02T06:32:00.000Z"  
  }  
}
```

ERRORS 404 Course not found 404 Video not found 409 Video already linked to this course

DELETE /api/courses/:id/videos/:videoId

isAdmin*

Unlink a video from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video unlinked from course successfully",
  "data": {
    "courseId": "crs_neet2026",
    "videoId": "vid_intro001"
  }
}
```

ERRORS

404 Course not found

POST /api/courses/:id/notes

isAdmin*

Link notes to this course.

REQUEST BODY

notesId	string	required
order	number	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Notes linked to course successfully",
  "data": {
    "id": "cnote_001",
    "courseId": "crs_neet2026",
    "notesId": "note_pdf001",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-02T06:33:00.000Z"
  }
}
```

ERRORS

404 Course not found

404 Notes not found

409 Notes already linked to this course

DELETE /api/courses/:id/notes/:notesId

isAdmin*

Unlink notes from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes unlinked from course successfully",
  "data": {
    "courseId": "crs_neet2026",
    "notesId": "note_pdf001"
  }
}
```



```
}  
}
```

ERRORS **404** Course not found

POST /api/courses/:id/mcq-tests

isAdmin*

Link an MCQ test to this course.

REQUEST BODY

testId	string	required
order	number	optional

RESPONSE

201

```
{  
  "success": true,  
  "message": "MCQ test linked to course successfully",  
  "data": {  
    "id": "ctest_001",  
    "courseId": "crs_neet2026",  
    "testId": "test_mcq001",  
    "order": 1,  
    "isActive": true,  
    "createdAt": "2026-08-02T06:34:00.000Z"  
  }  
}
```

ERRORS **404** Course not found **404** MCQ test not found **409** MCQ test already linked to this course

DELETE /api/courses/:id/mcq-tests/:testId

isAdmin*

Unlink an MCQ test from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "MCQ test unlinked from course successfully",  
  "data": {  
    "courseId": "crs_neet2026",  
    "testId": "test_mcq001"  
  }  
}
```

ERRORS **404** Course not found

User Access

Grants a student access to specific Videos, Notes, and MCQ tests within a course — the three kinds are independent, so a student can be granted (for example) just a course's Notes and MCQ tests with no Video access at all. Every call fully replaces the user's existing grants across all three tables (UserAccess for video, UserNotesAccess, UserMcqTestAccess).

Base /api/user-access · 3 endpoints

POST /api/user-access

isAdmin*

Replace a user's entire access grant set.

REQUEST BODY

userId string
courses array — {courseId, videoIds?: string[], notesIds?: string[], mcqTestIds?: string[]}

RESPONSE

200

required

required

```
{
  "success": true,
  "message": "User access updated successfully"
}
```

ERRORS 400 User not found 400 Course not found: <courseId>

400 Video '<videoId>' is not linked to course '<courseName>'

400 Notes '<notesId>' is not linked to course '<courseName>'

400 MCQ test '<testId>' is not linked to course '<courseName>'

No `data` field. Every failure comes back as `HTTP 400`, even "User not found" — the controller doesn't read the thrown error's real status code. Each id is validated against that course's own linked content (`CourseVideo` / `CourseNotes` / `CourseMcqTest`) before the grant is created — you can't grant access to content the course itself doesn't have linked.

GET /api/user-access/:userId

isAdmin*

Get a user's current access grants, grouped by course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "data": {
    "user": {
      "id": "usr_stu9001",
      "name": "Ariana Student",
      "email": "ariana@example.com",
      "mobile": "9876543210"
    },
    "courses": [
      {
        "courseId": "crs_neet2026",
```

```

"courseName": "NEET Crash Course 2026",
"videos": [
  {
    "videoId": "vid_intro001",
    "videoName": "Intro to Quadratics"
  }
],
"notes": [
  {
    "notesId": "note_pdf001",
    "title": "Quadratics Notes"
  }
],
"mcqTests": [
  {
    "testId": "test_mcq001",
    "testName": "Quadratics Quiz"
  }
]
}
}

```

ERRORS 400 User not found

No `message` field on this one. `videos` / `notes` / `mcqTests` are always present as arrays (empty if nothing of that kind is granted).

PUT `/api/user-access/:userId`

isAdmin*

Same as POST, with `userId` taken from the path instead of the body.

REQUEST BODY

RESPONSE

courses array — {courseId, videoIds?: string[], notesIds?: string[], **200** testIds?: string[]} **required**

```

{
  "success": true,
  "message": "User access updated successfully"
}

```

ERRORS 400 User not found 400 Video '<videoId>' is not linked to course '<courseName>'

400 Notes '<notesId>' is not linked to course '<courseName>'

400 MCQ test '<testId>' is not linked to course '<courseName>'

Comments

Threaded (one level deep) comments on a video.

Base /api/comments · 5 endpoints

POST /api/comments

isAdmin*

Post a top-level comment on a video.

REQUEST BODY

videoId	string	required
message	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Comment Added Successfully",
  "data": {
    "id": "cmt_88771",
    "videoId": "vid_intro001",
    "userId": "usr_stu9001",
    "message": "Great explanation, thanks!",
    "parentId": null,
    "createdAt": "2026-08-20T11:00:00.000Z",
    "updatedAt": "2026-08-20T11:00:00.000Z",
    "user": {
      "id": "usr_stu9001",
      "name": "Ariana Student",
      "role": "STUDENT"
    }
  }
}
```

ERRORS 404 Video not found

GET /api/comments/video/:videoId

isAdmin*

List a video's comments with their replies.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Comments fetched successfully",
  "data": [
    {
      "id": "cmt_88771",
      "message": "Great explanation, thanks!",
      "parentId": null,
      "user": {
        "id": "usr_stu9001",
        "name": "Ariana Student",

```

```

        "role": "STUDENT"
      },
      "replies": [
        {
          "id": "cmt_88772",
          "message": "Agreed!",
          "parentId": "cmt_88771",
          "user": {
            "id": "usr_stu9002",
            "name": "Vikram Student",
            "role": "STUDENT"
          }
        }
      ]
    }
  ]
}

```

ERRORS **404** Video not found

GET /api/comments

Admin only

Admin moderation feed — every video that has at least one comment.

QUERY PARAMS

page	number	optional
limit	number	optional
videoName	string	optional

RESPONSE

200

```

{
  "success": true,
  "message": "Comments fetched successfully",
  "data": {
    "videos": [
      {
        "videoId": "vid_intro001",
        "videoName": "Intro to Quadratics",
        "comments": [
          {
            "id": "cmt_88771",
            "username": "Ariana Student",
            "role": "STUDENT",
            "message": "Great explanation, thank",
            "dateandtime": "2026-08-20T11:00:00.",
            "parentId": null
          }
        ]
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}

```

```
}  
}
```

POST /api/comments/:id/reply

Admin only

Reply to a comment (as the admin).

REQUEST BODY

message string required

RESPONSE

201

```
{  
  "success": true,  
  "message": "Reply Added Successfully",  
  "data": {  
    "id": "cmt_88773",  
    "videoId": "vid_intro001",  
    "parentId": "cmt_88771",  
    "message": "Glad it helped!",  
    "user": {  
      "id": "usr_admin01",  
      "name": "Priya Admin",  
      "role": "ADMIN"  
    }  
  }  
}
```

ERRORS 404 Comment not found

DELETE /api/comments/:id

Admin only

Delete a comment (and its replies, cascade).

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "Comment Deleted Successfully",  
  "data": {  
    "id": "cmt_88771"  
  }  
}
```

ERRORS 404 Comment not found

Testimonials

Student reviews. New submissions start inactive until an admin approves them.

Base /api/testimonials · 5 endpoints

POST /api/testimonials

isAdmin*

Submit a testimonial as the current user.

REQUEST BODY

star	number 1-5	required
review	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Testimonial Submitted Successfully",
  "data": {
    "id": "test_rev001",
    "username": "Ariana Student",
    "star": 5,
    "review": "This platform got me through NEET",
    "isActive": false,
    "createdAt": "2026-08-20T11:10:00.000Z"
  }
}
```

isActive defaults to false — it won't appear on /public until an admin flips it on via PUT.

GET /api/testimonials/public

isAdmin*

Approved (isActive: true) testimonials only.

QUERY PARAMS

page	number	optional
limit	number	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonials fetched successfully",
  "data": {
    "testimonials": [
      {
        "id": "test_rev001",
        "username": "Ariana Student",
        "star": 5,
        "review": "This platform got me through",
        "isActive": true,
        "createdAt": "2026-08-20T11:10:00.000Z"
      }
    ]
  }
}
```

```
"page": 1,
"limit": 10,
"total": 1,
"totalPages": 1
}
}
```

Despite the name, this still requires a valid `Authorization` header — it isn't reachable by a logged-out visitor.

GET `/api/testimonials`

Admin only

Every testimonial, approved or not.

QUERY PARAMS

page	number	optional
limit	number	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonials fetched successfully"
  "data": {
    "testimonials": [
      {
        "id": "test_rev001",
        "username": "Ariana Student",
        "star": 5,
        "isActive": false
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}
```

PUT `/api/testimonials/:id`

Admin only

Edit or approve/hide a testimonial.

REQUEST BODY

star	number 1-5	optional
review	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonial Updated Successfully",
  "data": {
    "id": "test_rev001",
    "username": "Ariana Student",

```



```
"star": 5,
"isActive": true
}
}
```

ERRORS **404** Testimonial not found

DELETE /api/testimonials/:id

Admin only

Permanently remove a testimonial.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonial Deleted Successfully",
  "data": {
    "id": "test_rev001"
  }
}
```

ERRORS **404** Testimonial not found

This is a hard delete — unlike almost every other "delete" in this API, there's no soft `isActive: false` step.

Misc

Unauthenticated liveness checks.

Base / · 2 endpoints

GET /

Public

Root liveness check.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "message": "Tks Academy Backend Running"
}
```

GET /api/health

Public

Health check.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "API is healthy"  
}
```

TKS Academy backend · generated from the current route/controller/service source, not a live server.