

Auth 7

Users 6

Subjects 6

Classes 6

Chapters 6

Topics 12

Videos 7

Notes 6

MCQ Tests 13

Student Attempts 3

Courses 14

User Access 3

Comments 5

Testimonials 5

Misc 2

Overview

The monolith exposes one JSON API under /api. Every response — success or failure — is JSON; there are no redirects or HTML error pages.

Authentication

Send Authorization: Bearer <token> on every request except the ones marked **Public** below. Tokens come from /api/auth/login or /api/auth/admin/login and embed { userId, role, sessionToken }.

CHIP	MIDDLEWARE	MEANING
Public	—	No token needed.
Signed in	authenticate	Any active account, ADMIN or STUDENT.
isAdmin*	authenticate + isAdmin	Despite the name, currently passes <i>both</i> roles — see note below.
Admin only	authenticate + requireAdmin	ADMIN role only.

Standard envelope

Most endpoints reply through one helper, so the wrapper is always the same shape:

```
{
  "success": true,
  "message": "Course Created Successfully",
  "data": {
    "id": "crs_neet2026"
  }
}
```

Errors

A thrown domain error keeps its real status code (404, 409, ...). A failed request body always looks like this instead, at **400**:

```
{
  "success": false,
  "message": "Validation failed",
  "errors": {
    "courseName": [
      "Course name must contain
      minimum 3 characters"
    ]
  }
}
```

Pagination

Every list endpoint accepts `page` & `limit` query params (defaults 1 / 10) and wraps its array in:

```
{
  "courses": [
    "..."
  ],
  "total": 42,
  "page": 1,
  "limit": 10,
  "totalPages": 5
}
```

Read before you integrate — five places the API breaks its own conventions

- `isAdmin` middleware, despite its name, currently passes **both** ADMIN and STUDENT — the app only has those two roles, so it enforces "signed in," not "is an admin." `requireAdmin` is the real gate.
- `/api/user-access` (assign/replace access) never returns a `data` field, and every failure — including "User not found" — comes back as `HTTP 400` regardless of the real cause.
- `/api/auth/me` returns `{ success, user }`, not the usual envelope — and `user` is the raw JWT payload (`userId` / `role` / `sessionToken`), not a profile.
- `DELETE /api/testimonials/:id` is a hard delete. Almost every other "delete" in this API is a soft `isActive: false` deactivation.
- `POST /api/tests/:id/attempts` and `GET /api/student-attempts/me` return a bare array as `data` — not the `{ items, total, page, ... }` envelope the admin listing endpoints use.

Auth

Login, registration, password reset, session teardown.

Base `/api/auth` · 7 endpoints

POST /api/auth/admin/login

Public

Log in as an ADMIN and receive a session JWT.

REQUEST BODY

email	string	required
password	string	required
deviceId	string	required

RESPONSE

200

```
{
  "success": true,
  "message": "Login Successful",
  "data": {
    "token": "eyJhbGciOi...",
    "user": {
      "id": "usr_admin01",
      "name": "Priya Admin",
      "email": "priya@tksacademy.com"
    }
  }
}
```

ERRORS

400 Invalid Email or Password

400 Unauthorized

POST /api/auth/login

Public

Log in as a STUDENT. Fails if the account is already logged in on another device.

REQUEST BODY

email	string	required
password	string	required
deviceId	string	required

RESPONSE

200

```
{
  "success": true,
  "message": "Login Successful",
  "data": {
    "token": "eyJhbGciOi...",
    "user": {
      "id": "usr_stu9001",
      "name": "Ariana Student",
      "email": "ariana@example.com"
    }
  }
}
```

ERRORS

400 Invalid Email or Password

400 Account Deactivated. Contact Admin.

400 Your account is already logged in on another device.

POST /api/auth/register

Public

Self-register a new STUDENT account.

REQUEST BODY

name	string	required
email	string	required
mobile	string	required
class	string	required
password	string	required
deviceId	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Registration Successful",
  "data": {
    "id": "usr_stu9002",
    "name": "Ariana Student",
    "email": "ariana@example.com",
    "mobile": "9876543210",
    "class": "10th",
    "role": "STUDENT"
  }
}
```

ERRORS 400 Email already exists

POST /api/auth/forgot-password/check-email

Public

Step 1 of password reset — confirm the email belongs to a STUDENT account.

REQUEST BODY

email	string	required
-------	--------	----------

RESPONSE

200

```
{
  "success": true,
  "message": "Email exists",
  "data": {
    "exists": true
  }
}
```

ERRORS 404 Email not found

POST /api/auth/forgot-password/reset

Public

Step 2 — set a new password and clear the account's active session.

REQUEST BODY

email	string	required
password	string	required

RESPONSE

200

```
{
  "success": true,
  "message": "Password changed
successfully"
}
```

ERRORS 404 Email not found

POST /api/auth/logout

Signed in

Clear the caller's session token, invalidating the current JWT everywhere.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Logout Successful"
}
```

GET /api/auth/me

isAdmin*

Return the decoded token claims for the caller.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "user": {
    "userId": "usr_admin01",
    "role": "ADMIN",
    "sessionToken": "7b3c2f7e-91a4-4c3d-
8a1e-0b6f2d9c1a55"
  }
}
```

Shape is `{ success, user }` — it skips the usual `{ success, message, data }` envelope, and `user` is only the JWT payload, not a full profile.

Users

Admin-side management of STUDENT accounts.

Base /api/users · 6 endpoints

POST /api/users

isAdmin*

Create a student account directly (bypasses self-registration).

REQUEST BODY

name	string	required
email	string	required
password	string	required
mobile	string	required
class	string	required
isActive	boolean	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Student Created Successfully",
  "data": {
    "id": "usr_stu9003",
    "name": "Rahul Kumar",
    "email": "rahul@example.com"
  }
}
```

ERRORS 400 Email already exists

GET /api/users

isAdmin*

List users.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Users fetched successfully",
  "data": {
    "users": [
      {
        "id": "usr_stu9003",
        "name": "Rahul Kumar",
        "email": "rahul@example.com",
        "mobile": "9876500000",
        "class": "12th",
        "isActive": true,
        "isAccess": true,
        "role": "STUDENT",
        "createdAt": "2026-08-01T05:00:00.000Z",
        "updatedAt": "2026-08-20T09:12:00.000Z"
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```


GET /api/users/:id

isAdmin*

Get one user.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "User fetched successfully",
  "data": {
    "id": "usr_stu9003",
    "name": "Rahul Kumar",
    "mobile": "9876500000",
    "class": "12th",
    "email": "rahul@example.com",
    "role": "STUDENT",
    "isActive": true,
    "isAccess": true,
    "createdAt": "2026-08-01T05:00:00.000Z",
    "updatedAt": "2026-08-20T09:12:00.000Z"
  }
}
```

ERRORS **404** User not found

PUT /api/users/:id

isAdmin*

Update a user. All fields optional.

REQUEST BODY

name	string	optional
email	string	optional
password	string	optional
mobile	string	optional
class	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "User Updated Successfully",
  "data": {
    "id": "usr_stu9003",
    "name": "Rahul Kumar",
    "mobile": "9876500000",
    "class": "12th",
    "email": "rahul@example.com",
    "role": "STUDENT",
    "isActive": true,
    "isAccess": true
  }
}
```

ERRORS

404 User not found

400 Email already exists

DELETE /api/users/:id

isAdmin*

Deactivate a user (soft delete — sets isActive: false).

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "User Deactivated Successfully",
  "data": {
    "id": "usr_stu9003",
    "isActive": false
  }
}
```

ERRORS

404 User not found

DELETE /api/users/:id/permanent

isAdmin*

Hard-delete a user row.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "User Permanently Deleted",
  "data": {
    "id": "usr_stu9003"
  }
}
```

ERRORS

404 User not found

Subjects

Top of the content hierarchy: Subject → Class → Chapter → Topic.

Base /api/subjects · 6 endpoints

POST /api/subjects

isAdmin*

Create a subject (e.g. "Mathematics").

REQUEST BODY

name string required

RESPONSE

201

```
{
  "success": true,
  "message": "Subject Created Successfully",
  "data": {
    "id": "sub_math01",
    "name": "Mathematics",
    "isActive": true,
    "createdAt": "2026-08-01T05:00:00.000Z",
    "updatedAt": "2026-08-01T05:00:00.000Z"
  }
}
```

ERRORS 409 Subject already exists

GET /api/subjects

isAdmin*

List subjects.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Subjects fetched successfully",
  "data": {
    "subjects": [
      {
        "id": "sub_math01",
        "name": "Mathematics",
        "isActive": true,
        "createdAt": "2026-08-01T05:00:00.000Z",
        "updatedAt": "2026-08-01T05:00:00.000Z"
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

GET /api/subjects/:id

isAdmin*

Get one subject with its classes.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Subject fetched successfully",
  "data": {
    "id": "sub_math01",
    "name": "Mathematics",
    "isActive": true,
    "createdAt": "2026-08-01T05:00:00.000Z",
    "updatedAt": "2026-08-01T05:00:00.000Z",
    "classes": [
      {
        "id": "cls_10th01",
        "name": "Class 10",
        "isActive": true
      }
    ]
  }
}
```

ERRORS **404** Subject not found

PUT /api/subjects/:id

isAdmin*

Update a subject.

REQUEST BODY

name	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Subject Updated Successfully",
  "data": {
    "id": "sub_math01",
    "name": "Mathematics",
    "isActive": true
  }
}
```

ERRORS

404 Subject not found

409 Subject name already exists

DELETE /api/subjects/:id

isAdmin*

Deactivate a subject.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Subject Deactivated Successfully",
  "data": {
    "id": "sub_math01",
    "isActive": false
  }
}
```

ERRORS

404 Subject not found

DELETE /api/subjects/:id/permanent

isAdmin*

Hard-delete a subject.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Subject Permanently Deleted",
  "data": {
    "id": "sub_math01"
  }
}
```

ERRORS

404 Subject not found

Cascades to its Classes → Chapters → Topics. Any Video/MCQ test/Notes linked through those Topics are only unlinked, never deleted — they're independent content.

Classes

A grade/standard nested under a Subject (e.g. "Class 10" under Mathematics).

Base /api/classes · 6 endpoints

POST /api/classes

isAdmin*

Create a class under a subject.

REQUEST BODY

name	string	required
subjectId	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Class Created Successfully",
  "data": {
    "id": "cls_10th01",
    "name": "Class 10",
    "subjectId": "sub_math01",
    "isActive": true,
    "createdAt": "2026-08-01T05:05:00.000Z",
    "updatedAt": "2026-08-01T05:05:00.000Z"
  }
}
```

ERRORS

- 404 Subject not found
- 409 Class already exists under this subject

GET /api/classes

isAdmin*

List classes.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
subjectId	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Classes fetched successfully",
  "data": {
    "classes": [
      {
        "id": "cls_10th01",
        "name": "Class 10",
        "subjectId": "sub_math01",
        "isActive": true,
        "subject": {
          "id": "sub_math01",
          "name": "Mathematics"
        }
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

GET /api/classes/:id

isAdmin*

Get one class with its chapters.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Class fetched successfully",
  "data": {
    "id": "cls_10th01",
    "name": "Class 10",
    "isActive": true,
    "subject": {
      "id": "sub_math01",
      "name": "Mathematics"
    },
    "chapters": [
      {
        "id": "chp_algebra1",
        "name": "Algebra I",
        "isActive": true
      }
    ]
  }
}
```

ERRORS 404 Class not found

PUT /api/classes/:id

isAdmin*

Update a class (subjectId is immutable).

REQUEST BODY

name	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Class Updated Successfully",
  "data": {
    "id": "cls_10th01",
    "name": "Class 10",
    "isActive": true
  }
}
```

ERRORS

404 Class not found

409 Class name already exists under this subject

DELETE /api/classes/:id

isAdmin*

Deactivate a class.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Class Deactivated Successfully",
  "data": {
    "id": "cls_10th01",
    "isActive": false
  }
}
```

ERRORS

404 Class not found

DELETE /api/classes/:id/permanent

isAdmin*

Hard-delete a class.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Class Permanently Deleted",
  "data": {
    "id": "cls_10th01"
  }
}
```

ERRORS

404 Class not found

Cascades to its Chapters → Topics. Linked Video/MCQ/Notes content is only unlinked.

Chapters

A chapter nested under a Class (e.g. "Quadratic Equations" under Class 10).

Base /api/chapters · 6 endpoints

POST /api/chapters

isAdmin*

Create a chapter under a class.

REQUEST BODY

name	string	required
classId	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Chapter Created Successfully",
  "data": {
    "id": "chp_algebra1",
    "name": "Algebra I",
    "classId": "cls_10th01",
    "isActive": true,
    "createdAt": "2026-08-01T05:10:00.000Z",
    "updatedAt": "2026-08-01T05:10:00.000Z"
  }
}
```

ERRORS

- 404 Class not found
- 409 Chapter already exists under this class

GET /api/chapters

isAdmin*

List chapters.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
classId	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Chapters fetched successfully",
  "data": {
    "chapters": [
      {
        "id": "chp_algebra1",
        "name": "Algebra I",
        "classId": "cls_10th01",
        "isActive": true,
        "class": {
          "id": "cls_10th01",
          "name": "Class 10",
          "subject": {
            "id": "sub_math01",
            "name": "Mathematics"
          }
        }
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

GET /api/chapters/:id

isAdmin*

Get one chapter with its topics.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter fetched successfully",
  "data": {
    "id": "chp_algebra1",
    "name": "Algebra I",
    "isActive": true,
    "class": {
      "id": "cls_10th01",
      "name": "Class 10",
      "subject": {
        "id": "sub_math01",
        "name": "Mathematics"
      }
    },
    "topics": [
      {
        "id": "top_quadeq1",
        "name": "Quadratic Equations",
        "isActive": true,
        "order": 1
      }
    ]
  }
}
```

ERRORS

404 Chapter not found

PUT /api/chapters/:id

isAdmin*

Update a chapter (classId is immutable).

REQUEST BODY

name	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter Updated Successfully",
  "data": {
    "id": "chp_algebra1",
    "name": "Algebra I",
    "isActive": true
  }
}
```

ERRORS

404 Chapter not found

409 Chapter name already exists under this class

DELETE /api/chapters/:id

isAdmin*

Deactivate a chapter.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter Deactivated Successfully",
  "data": {
    "id": "chp_algebra1",
    "isActive": false
  }
}
```

ERRORS

404 Chapter not found

DELETE /api/chapters/:id/permanent

isAdmin*

Hard-delete a chapter.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Chapter Permanently Deleted",
  "data": {
    "id": "chp_algebra1"
  }
}
```

ERRORS 404 Chapter not found

Cascades to its Topics. Linked Video/MCQ/Notes content is only unlinked.

Topics

The "video name" node from a chapter. Independent Video / MCQ test / Notes are optionally linked here — none are required, and any of them can be reused under other topics too.

Base /api/topics · 12 endpoints

POST /api/topics

isAdmin*

Create a topic under a chapter.

REQUEST BODY

name	string	required
chapterId	string	required
order	number	optional

RESPONSE

```
201
{
  "success": true,
  "message": "Topic Created Successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "chapterId": "chp_algebra1",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-01T05:15:00.000Z",
    "updatedAt": "2026-08-01T05:15:00.000Z"
  }
}
```

ERRORS 404 Chapter not found

GET /api/topics

isAdmin*

List topics.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
chapterId	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Topics fetched successfully",
  "data": {
    "topics": [
      {
        "id": "top_quadeq1",
        "name": "Quadratic Equations",
        "order": 1,
        "isActive": true,
        "chapter": {
          "id": "chp_algebra1",
          "name": "Algebra I",
          "class": {
            "id": "cls_10th01",
            "name": "Class 10",
            "subject": {
              "id": "sub_math01",
              "name": "Mathematics"
            }
          }
        }
      },
      {
        "_count": {
          "videos": 1,
          "mcqTests": 1,
          "notes": 1
        }
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

GET /api/topics/:id

isAdmin*

Get one topic with everything linked to it.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Topic fetched successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "order": 1,
    "isActive": true,
    "chapter": {
      "id": "chp_algebra1",
      "name": "Algebra I",
      "class": {
        "id": "cls_10th01",
        "name": "Class 10",
        "subject": {
          "id": "sub_math01",
          "name": "Mathematics"
        }
      }
    }
  },
  "videos": [
    {
      "id": "vid_intro001",
      "videoName": "Intro to Quadratics",
      "isActive": true
    }
  ],
  "mcqTests": [
    {
      "id": "test_mcq001",
      "testName": "Quadratics Quiz"
    }
  ],
  "notes": [
    {
      "id": "note_pdf001",
      "title": "Quadratics Notes",
      "isActive": true
    }
  ]
}
```

```
}  
}
```

ERRORS

404 Topic not found

PUT /api/topics/:id

isAdmin*

Update a topic (chapterId is immutable).

REQUEST BODY

name	string	optional
order	number	optional
isActive	boolean	optional

RESPONSE

200

```
{  
  "success": true,  
  "message": "Topic Updated Successfully",  
  "data": {  
    "id": "top_quadeq1",  
    "name": "Quadratic Equations",  
    "order": 1,  
    "isActive": true  
  }  
}
```

ERRORS

404 Topic not found

DELETE /api/topics/:id

isAdmin*

Deactivate a topic.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "Topic Deactivated  
Successfully",  
  "data": {  
    "id": "top_quadeq1",  
    "isActive": false  
  }  
}
```

ERRORS

404 Topic not found

DELETE /api/topics/:id/permanent

isAdmin*

Hard-delete a topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Topic Permanently Deleted",
  "data": {
    "id": "top_quadeq1"
  }
}
```

ERRORS 404 Topic not found

Only the Topic and its join rows are removed — the linked Video/MCQ test/Notes rows themselves are untouched.

POST /api/topics/:id/videos

isAdmin*

Link an existing Video to this topic.

REQUEST BODY

videoId string required

RESPONSE

201

```
{
  "success": true,
  "message": "Video linked to topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "chapterId": "chp_algebra1",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-01T05:15:00.000Z",
    "updatedAt": "2026-08-02T07:00:00.000Z"
  }
}
```

ERRORS

404 Topic not found

404 Video not found

Returns the Topic's own scalar fields, not the refreshed video list — re-fetch `GET /api/topics/:id` to see it.

DELETE /api/topics/:id/videos/:videoId

isAdmin*

Unlink a Video from this topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video unlinked from topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS

404 Topic not found

POST /api/topics/:id/mcq-tests

isAdmin*

Link an existing MCQ test to this topic.

REQUEST BODY

testId string required

RESPONSE

201

```
{
  "success": true,
  "message": "MCQ test linked to topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS

404 Topic not found

404 MCQ test not found

DELETE /api/topics/:id/mcq-tests/:testId

isAdmin*

Unlink an MCQ test from this topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "MCQ test unlinked from topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS 404 Topic not found

POST /api/topics/:id/notes

isAdmin*

Link existing Notes to this topic.

REQUEST BODY

notesId string required

RESPONSE

201

```
{
  "success": true,
  "message": "Notes linked to topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS 404 Topic not found 404 Notes not found

DELETE /api/topics/:id/notes/:notesId

isAdmin*

Unlink Notes from this topic.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes unlinked from topic successfully",
  "data": {
    "id": "top_quadeq1",
    "name": "Quadratic Equations",
    "isActive": true
  }
}
```

ERRORS 404 Topic not found

Videos

Standalone video content, stored on Backblaze B2. Not owned by any Course or Topic — link it wherever it's needed.

Base /api/videos · 7 endpoints

POST /api/videos/upload-url

isAdmin*

Get a pre-signed B2 upload URL for an .mp4 file.

REQUEST BODY

fileName string (must end in .mp4) **required**

RESPONSE

200

```
{
  "success": true,
  "message": "Upload URL generated successfully",
  "data": {
    "uploadUrl": "https://pod-000-1234.backblaze.com/b2api/v2/b2_upload_file/...",
    "fileName": "videos/1735300000000-intro-to-quadratics.mp4",
    "headers": {
      "Authorization": "4_00abc123...",
      "X-Bz-File-Name": "videos%2F1735300000000-intro-to-quadratics.mp4",
      "Content-Type": "video/mp4",
      "X-Bz-Content-Sha1": "do_not_verify"
    }
  }
}
```

Upload the file straight to B2 with this URL/headers, then send the returned `fileName` back as `videoFileName` when you create the Video.

List videos, each with a freshly signed playback URL.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Videos fetched successfully",
  "data": {
    "videos": [
      {
        "id": "vid_intro001",
        "videoName": "Intro to Quadratics",
        "videoFileId": "4_z2c1...",
        "videoFileName":
"videos/1735300000000-intro-to-
quadratics.mp4",
        "videoSize": 52428800,
        "description": "Warm-up on the
quadratic formula.",
        "duration": "12:04",
        "isActive": true,
        "isPreview": false,
        "createdAt": "2026-08-
02T06:00:00.000Z",
        "updatedAt": "2026-08-
02T06:00:00.000Z",
        "topics": [
          {
            "id": "top_quadeq1",
            "name": "Quadratic Equations"
          }
        ],
        "videoUrl":
"https://f002.backblazeb2.com/file/tks-
videos/...?Authorization=..."
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

POST /api/videos

isAdmin*

Register a video after it's been uploaded to B2.

REQUEST BODY

videoName	string	required
videoFileId	string	required
videoFileName	string	required
videoSize	number	optional
description	string	optional
duration	string	optional
isPreview	boolean	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Video Created Successfully",
  "data": {
    "id": "vid_intro001",
    "videoName": "Intro to Quadratics",
    "videoFileId": "4_z2c1...",
    "videoFileName": "videos/17353000000000-
intro-to-quadratics.mp4",
    "videoSize": 52428800,
    "description": "Warm-up on the
quadratic formula.",
    "duration": "12:04",
    "isActive": true,
    "isPreview": false,
    "createdAt": "2026-08-
02T06:00:00.000Z",
    "updatedAt": "2026-08-02T06:00:00.000Z"
  }
}
```

Create/update responses are the plain scalar row — `videoUrl` only appears on GET (list/by id).

GET /api/videos/:id

isAdmin*

Get one video with its topic/course links and a signed URL.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video fetched successfully",
  "data": {
    "id": "vid_intro001",
    "videoName": "Intro to Quadratics",
    "isActive": true,
    "isPreview": false,
    "topics": [
      {
        "id": "top_quadeq1",
        "name": "Quadratic Equations"
      }
    ],
    "courses": [
      {
        "courseId": "crs_neet2026",
        "order": 3,
        "isActive": true,
        "course": {
          "id": "crs_neet2026",
          "courseName": "NEET Crash Course
2026"
        }
      }
    ],
    "videoUrl":
    "https://f002.backblazeb2.com/file/tks-
videos/...?Authorization=..."
  }
}
```

ERRORS

404 Video not found

PUT /api/videos/:id

isAdmin*

Update a video. All fields optional.

REQUEST BODY

videoName	string	optional
videoFileId	string	optional
videoFileName	string	optional
videoSize	number	optional
description	string	optional
duration	string	optional
isPreview	boolean	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Video Updated Successfully",
  "data": {
    "id": "vid_intro001",
    "videoName": "Intro to Quadratics –
revised",
    "isActive": true
  }
}
```

ERRORS 404 Video not found

DELETE /api/videos/:id

isAdmin*

Deactivate a video and revoke related access grants.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video Deactivated
Successfully",
  "data": {
    "id": "vid_intro001",
    "isActive": false
  }
}
```

ERRORS 404 Video not found

DELETE /api/videos/:id/permanent

isAdmin*

Delete the B2 file and the video row.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video Permanently Deleted",
  "data": {
    "id": "vid_intro001"
  }
}
```

ERRORS

404 Video not found

Also removes it from every Course/Topic it was linked to, deletes its Comments and UserAccess grants, and sets `videoId` to null on any StudentAttempt rows that referenced it.

Notes

Standalone PDF notes, stored on Cloudinary. Same independence as Video — link to any Topic or Course.

Base `/api/notes` · 6 endpoints

GET /api/notes

isAdmin*

List notes.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Notes fetched successfully",
  "data": {
    "notes": [
      {
        "id": "note_pdf001",
        "title": "Quadratics Notes",
        "notesUrl":
"https://res.cloudinary.com/tks/raw/upload/
notes/quadratics-notes.pdf",
        "notesFileId": "notes/quadratics-
notes_ab12",
        "notesFileName": "quadratics-
notes.pdf",
        "description": "Formula sheet +
worked examples.",
        "isActive": true,
        "createdAt": "2026-08-
02T06:10:00.000Z",
        "updatedAt": "2026-08-
02T06:10:00.000Z",
        "topics": [
          {
            "id": "top_quadeq1",
            "name": "Quadratic Equations"
          }
        ]
      }
    ],
    "total": 1,
    "page": 1,
    "limit": 10,
    "totalPages": 1
  }
}
```

POST /api/notes

isAdmin*

Upload a PDF and create a Notes record.

REQUEST BODY

file	file (multipart, PDF, ≤ 50MB)	required
title	string	required
description	string	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Notes Created Successfully",
  "data": {
    "id": "note_pdf001",
    "title": "Quadratics Notes",
    "notesUrl":
      "https://res.cloudinary.com/tks/raw/upload/
      notes/quadratics-notes.pdf",
    "notesFileId": "notes/quadratics-
      notes_ab12",
    "notesFileName": "quadratics-
      notes.pdf",
    "description": "Formula sheet + worked
      examples.",
    "isActive": true,
    "createdAt": "2026-08-
      02T06:10:00.000Z",
    "updatedAt": "2026-08-02T06:10:00.000Z"
  }
}
```

ERRORS 400 Notes file is required

multipart/form-data — the file goes under field name `file`, alongside the other fields.

GET /api/notes/:id

isAdmin*

Get one notes record with its topic/course links.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes fetched successfully",
  "data": {
    "id": "note_pdf001",
    "title": "Quadratics Notes",
    "isActive": true,
    "topics": [
      {
        "id": "top_quadeq1",
        "name": "Quadratic Equations"
      }
    ],
    "courses": [
      {
        "courseId": "crs_neet2026",
        "order": 5,
        "isActive": true,
        "course": {
          "id": "crs_neet2026",
          "courseName": "NEET Crash Course
2026"
        }
      }
    ]
  }
}
```

ERRORS

404 Notes not found

PUT /api/notes/:id

isAdmin*

Update notes, optionally replacing the PDF.

REQUEST BODY

file	file (multipart, optional)	required
title	string	optional
description	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Notes Updated Successfully",
  "data": {
    "id": "note_pdf001",
    "title": "Quadratics Notes (v2)",
    "isActive": true
  }
}
```

ERRORS 404 Notes not found

DELETE /api/notes/:id

isAdmin*

Deactivate notes.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes Deactivated Successfully",
  "data": {
    "id": "note_pdf001",
    "isActive": false
  }
}
```

ERRORS 404 Notes not found

DELETE /api/notes/:id/permanent

isAdmin*

Delete the Cloudinary file and the notes row.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes Permanently Deleted",
  "data": {
    "id": "note_pdf001"
  }
}
```

ERRORS

404 Notes not found

MCQ Tests

Standalone quiz banks (TestQuestion + its TestQuestionItem questions), independent of any one Video. Also serves student test-taking and grading.

Base /api/tests · 13 endpoints

POST /api/tests

Admin only

Create an MCQ test with its questions.

REQUEST BODY

testName	string	required
marksPerQuestion	number	required
questions	array — {question, optionA, optionB, optionC, optionD, correctOption: A B C D, explanation?} (min 1)	required

RESPONSE

201

```
{
  "success": true,
  "message": "Test created successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz",
    "marksPerQuestion": 4,
    "createdAt": "2026-08-02T06:20:00.000Z",
    "updatedAt": "2026-08-02T06:20:00.000Z",
    "questions": [
      {
        "id": "ques_q1",
        "testId": "test_mcq001",
        "question": "Roots of x² - 5x + 6 = 0?",
        "optionA": "2, 3",
        "optionB": "1, 6",
        "optionC": "-2, -3",
        "optionD": "0, 5",
        "correctOption": "A",
        "explanation": "Factor as (x-2)(x-3).",
        "createdAt": "2026-08-02T06:20:00.000Z",
        "updatedAt": "2026-08-02T06:20:00.000Z"
      }
    ]
  }
}
```

GET /api/tests

Admin only

List MCQ tests.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
topicId	string	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Tests fetched successfully",
  "data": {
    "tests": [
      {
        "id": "test_mcq001",
        "testName": "Quadratics Quiz",
        "marksPerQuestion": 4,
        "topics": [
          {
            "id": "top_quadeq1",
            "name": "Quadratic Equations"
          }
        ],
        "_count": {
          "questions": 10,
          "attempts": 42
        }
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}
```

GET /api/tests/student/topic/:topicId

Signed in

Student view: every test linked to a topic, questions with no answer key.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Student tests fetched successfully",
  "data": [
    {
      "id": "test_mcq001",
      "testName": "Quadratics Quiz",
      "marksPerQuestion": 4,
      "topics": [
        {
          "id": "top_quadeq1",
          "name": "Quadratic Equations"
        }
      ],
      "questions": [
        {
          "id": "ques_q1",
          "question": "Roots of  $x^2 - 5x + 6$  = 0?",
          "optionA": "2, 3",
          "optionB": "1, 6",
          "optionC": "-2, -3",
          "optionD": "0, 5"
        }
      ]
    }
  ]
}
```

`data` is a bare array, not a paginated envelope. `correctOption` / `explanation` are stripped here.

GET /api/tests/student/:id

Signed in

Student view of a single test (no answer key).

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Student test fetched successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz",
    "marksPerQuestion": 4,
    "questions": [
      {
        "id": "ques_q1",
        "question": "Roots of  $x^2 - 5x + 6 = 0$ ?",
        "optionA": "2, 3",
        "optionB": "1, 6",
        "optionC": "-2, -3",
        "optionD": "0, 5"
      }
    ]
  }
}
```

ERRORS

404 Test not found

GET /api/tests/:id

Admin only

Admin view of a test, full answer key included.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Test fetched successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz",
    "marksPerQuestion": 4,
    "topics": [
      {
        "id": "top_quadeq1",
        "name": "Quadratic Equations"
      }
    ],
    "questions": [
      {
        "id": "ques_q1",
        "question": "Roots of  $x^2 - 5x + 6 = 0$ ?",
        "optionA": "2, 3",
        "optionB": "1, 6",
        "optionC": "-2, -3",
        "optionD": "0, 5",
        "correctOption": "A",
        "explanation": "Factor as (x-2)(x-3)."
```

ERRORS 404 Test not found

PUT /api/tests/:id

Admin only

Update test name/marks.

REQUEST BODY

testName	string	optional
marksPerQuestion	number	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Test updated successfully",
  "data": {
    "id": "test_mcq001",
    "testName": "Quadratics Quiz v2",
    "marksPerQuestion": 5
  }
}
```

ERRORS 404 Test not found

DELETE /api/tests/:id

Admin only

Delete a test and its questions.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Test deleted successfully",
  "data": {
    "id": "test_mcq001"
  }
}
```

ERRORS 404 Test not found

POST /api/tests/:id/questions

Admin only

Add a question to a test.

REQUEST BODY

question	string	required
optionA	string	required
optionB	string	required
optionC	string	required
optionD	string	required
correctOption	A B C D	required
explanation	string	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Question added successfully",
  "data": {
    "id": "ques_q2",
    "testId": "test_mcq001",
    "question": "Sum of roots of
ax2+bx+c=0?",
    "optionA": "-b/a",
    "optionB": "b/a",
    "optionC": "-c/a",
    "optionD": "c/a",
    "correctOption": "A",
    "explanation": null
  }
}
```

ERRORS 404 Test not found

PUT /api/tests/:id/questions/:questionId

Admin only

Update a question. Any subset of fields.

REQUEST BODY

question	string	optional
optionA	string	optional
optionB	string	optional
optionC	string	optional
optionD	string	optional
correctOption	A B C D	optional
explanation	string	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Question updated
successfully",
  "data": {
    "id": "ques_q2",
    "testId": "test_mcq001",
    "correctOption": "A"
  }
}
```

ERRORS 404 Question not found for this test

DELETE /api/tests/:id/questions/:questionId

Admin only

Remove a question.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Question deleted
successfully",
  "data": {
    "id": "ques_q2"
  }
}
```

ERRORS **404** Question not found for this test

GET /api/tests/:id/attempts

Admin only

List attempts for a test.

QUERY PARAMS

page	number	optional
limit	number	optional
videoId	string	optional
studentId	string	optional
status	IN_PROGRESS COMPLETED	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Student attempts fetched successfully",
  "data": {
    "attempts": [
      {
        "id": "att_9911",
        "studentId": "usr_stu9001",
        "videoId": "vid_intro001",
        "testId": "test_mcq001",
        "status": "COMPLETED",
        "totalQuestions": 10,
        "correctAnswers": 8,
        "wrongAnswers": 2,
        "marksPerQuestion": 4,
        "totalMarks": 40,
        "obtainedMarks": 32,
        "startedAt": "2026-08-20T10:00:00.000Z",
        "submittedAt": "2026-08-20T10:11:00.000Z",
        "student": {
          "id": "usr_stu9001",
          "name": "Ariana Student",
          "email": "ariana@example.com",
          "mobile": "9876543210",
          "class": "10th"
        },
        "video": {
          "id": "vid_intro001",
          "videoName": "Intro to Quadratics"
        },
        "test": {
          "id": "test_mcq001",
          "testName": "Quadratics Quiz"
        }
      }
    ],
    "page": 1,
  }
}
```

```
"limit": 10,
"total": 1,
"totalPages": 1
}
}
```

GET /api/tests/:id/attempts/:attemptId

Admin only

Get one attempt, scoped to this test.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Student attempt fetched successfully",
  "data": {
    "id": "att_9911",
    "testId": "test_mcq001",
    "status": "COMPLETED",
    "obtainedMarks": 32,
    "answers": [
      {
        "questionId": "ques_q1",
        "question": "Roots of  $x^2 - 5x + 6 = 0$ ?",
        "optionA": "2, 3",
        "optionB": "1, 6",
        "optionC": "-2, -3",
        "optionD": "0, 5",
        "correctOption": "A",
        "selected": "A",
        "correct": true,
        "explanation": "Factor as (x-2)(x-3).",
      }
    ]
  }
}
```

ERRORS

404 Student attempt not found for this test (attempt exists but belongs to a different test)

POST /api/tests/:id/attempts

Signed in

Student submits answers; the server grades them.

REQUEST BODY

videoId	string	optional
startedAt	ISO date	required
submittedAt	ISO date	optional
status	IN_PROGRESS COMPLETED	optional
answers	array — {questionId, selected: A B C D}, one per question	required

RESPONSE

201

```
{
  "success": true,
  "message": "Student attempt submitted successfully",
  "data": {
    "id": "att_9912",
    "studentId": "usr_stu9001",
    "videoId": "vid_intro001",
    "testId": "test_mcq001",
    "status": "COMPLETED",
    "totalQuestions": 10,
    "correctAnswers": 9,
    "wrongAnswers": 1,
    "totalMarks": 40,
    "obtainedMarks": 36,
    "answers": [
      {
        "questionId": "ques_q1",
        "question": "Roots of  $x^2 - 5x + 6 = 0$ ?",
        "correctOption": "A",
        "selected": "A",
        "correct": true
      }
    ]
  }
}
```

ERRORS

404 Test not found

404 Video not found (if videoId is passed but doesn't exist)

400 Test has no questions

400 All questions must be answered

400 Duplicate answer for question <id>

400 Missing answer for question <id>

videoId is optional context only — it is no longer validated against the test (tests aren't owned by a single video).

Student Attempts

Read-only view of graded attempts — the same records as /api/tests/:id/attempts, without needing a test id.

Base /api/student-attempts · 3 endpoints

GET /api/student-attempts/admin

Admin only

List all attempts across every test.

QUERY PARAMS

page	number	optional
limit	number	optional
testId	string	optional
videoId	string	optional
studentId	string	optional
status	IN_PROGRESS COMPLETED	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Student attempts fetched successfully",
  "data": {
    "attempts": [
      {
        "id": "att_9911",
        "testId": "test_mcq001",
        "status": "COMPLETED",
        "obtainedMarks": 32
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}
```

GET /api/student-attempts/admin/:attemptId

Admin only

Get one attempt by id.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Student attempt fetched successfully",
  "data": {
    "id": "att_9911",
    "testId": "test_mcq001",
    "status": "COMPLETED",
    "obtainedMarks": 32
  }
}
```

ERRORS 404 Student attempt not found

GET /api/student-attempts/me

Signed in

The caller's own attempt history.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "My attempts fetched successfully",
  "data": [
    {
      "id": "att_9911",
      "testId": "test_mcq001",
      "status": "COMPLETED",
      "obtainedMarks": 32,
      "totalMarks": 40
    }
  ]
}
```

`data` is a bare array, not the paginated envelope used above.

Courses

The sellable package: a Course optionally links Subjects, Videos, Notes and MCQ tests — each independently reusable, each optional.

Base /api/courses · 14 endpoints

POST /api/courses

isAdmin*

Create a course shell (no content linked yet).

REQUEST BODY

courseName	string	required
thumbnail	string	optional
accessType	free paid (default paid)	optional
price	number	optional
strikePrice	number	optional
validityMonths	number	optional
enableEmi	boolean	optional
installments	array — {installment, price}	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Course Created Successfully",
  "data": {
    "id": "crs_neet2026",
    "courseName": "NEET Crash Course 2026",
    "accessType": "paid",
    "price": 4999,
    "strikePrice": 6999,
    "validityMonths": 12,
    "enableEmi": false,
    "installments": null,
    "isActive": true,
    "createdAt": "2026-08-02T06:30:00.000Z",
    "updatedAt": "2026-08-02T06:30:00.000Z"
  }
}
```

ERRORS **409 Course already exists**

When `accessType` is `"free"`, `enableEmi` / `price` / `strikePrice` / `validityMonths` / `installments` are force-reset to `false` / `null` server-side, whatever was sent.

GET /api/courses

isAdmin*

List courses.

QUERY PARAMS

page	number	optional
limit	number	optional
search	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Courses fetched successfully",
  "data": {
    "courses": [
      {
        "id": "crs_neet2026",
        "courseName": "NEET Crash Course 2026",
        "accessType": "paid",
        "price": 4999,
        "isActive": true
      }
    ],
    "page": 1,
    "limit": 10,
    "totalPages": 1,
    "total": 1
  }
}
```

GET /api/courses/:id

isAdmin*

Get one course with everything linked to it, in order.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Course fetched successfully",
  "data": {
    "id": "crs_neet2026",
    "courseName": "NEET Crash Course 2026",
    "isActive": true,
    "subjects": [
      {
        "order": 1,
        "subject": {
          "id": "sub_math01",
          "name": "Mathematics"
        }
      }
    ],
    "videos": [
      {
        "order": 1,
        "isActive": true,
        "video": {
          "id": "vid_intro001",
          "videoName": "Intro to
Quadratics",
          "isActive": true
        }
      }
    ],
    "notes": [
      {
        "order": 1,
        "isActive": true,
        "notes": {
          "id": "note_pdf001",
          "title": "Quadratics Notes",
          "isActive": true
        }
      }
    ],
    "mcqTests": [
      {
```



```
    "order": 1,
    "isActive": true,
    "test": {
      "id": "test_mcq001",
      "testName": "Quadratics Quiz"
    }
  }
]
}
```

ERRORS 404 Course not found

PUT /api/courses/:id

isAdmin*

Update a course.

REQUEST BODY

courseName	string	optional
thumbnail	string	optional
accessType	free paid	optional
price	number	optional
strikePrice	number	optional
validityMonths	number	optional
enableEmi	boolean	optional
installments	array	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Course Updated Successfully",
  "data": {
    "id": "crs_neet2026",
    "courseName": "NEET Crash Course 2026",
    "price": 4499
  }
}
```

ERRORS 404 Course not found 409 Course name already exists

DELETE /api/courses/:id

isAdmin*

Deactivate a course — also deactivates its CourseVideo links and every UserAccess grant for it.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Course Deactivated Successfully",
  "data": {
    "id": "crs_neet2026",
    "isActive": false
  }
}
```

ERRORS 404 Course not found

DELETE /api/courses/:id/permanent

isAdmin*

Hard-delete a course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Course Permanently Deleted",
  "data": {
    "id": "crs_neet2026"
  }
}
```

ERRORS 404 Course not found

Only removes the Course row and its join rows (CourseSubject/CourseVideo/CourseNotes/CourseMcqTest/UserAccess). The linked Video/Notes/MCQ/Subject records are untouched — they may be used by other courses.

POST /api/courses/:id/subjects

isAdmin*

Link a subject to this course.

REQUEST BODY

subjectId	string	required
order	number	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Subject linked to course successfully",
  "data": {
    "id": "csub_001",
    "courseId": "crs_neet2026",
    "subjectId": "sub_math01",
    "order": 1,
    "createdAt": "2026-08-02T06:31:00.000Z"
  }
}
```

ERRORS 404 Course not found 404 Subject not found

409 Subject already linked to this course

DELETE /api/courses/:id/subjects/:subjectId

isAdmin*

Unlink a subject from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Subject unlinked from course successfully",
  "data": {
    "courseId": "crs_neet2026",
    "subjectId": "sub_math01"
  }
}
```

ERRORS 404 Course not found

POST /api/courses/:id/videos

isAdmin*

Link a video to this course.

REQUEST BODY

videoId	string	required
order	number	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Video linked to course successfully",
  "data": {
    "id": "cvid_001",
    "courseId": "crs_neet2026",
    "videoId": "vid_intro001",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-02T06:32:00.000Z"
  }
}
```

ERRORS

404 Course not found

404 Video not found

409 Video already linked to this course

DELETE /api/courses/:id/videos/:videoId

isAdmin*

Unlink a video from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Video unlinked from course successfully",
  "data": {
    "courseId": "crs_neet2026",
    "videoId": "vid_intro001"
  }
}
```

ERRORS

404 Course not found

POST /api/courses/:id/notes

isAdmin*

Link notes to this course.

REQUEST BODY

notesId	string	required
order	number	optional

RESPONSE

201

```
{
  "success": true,
  "message": "Notes linked to course successfully",
  "data": {
    "id": "cnote_001",
    "courseId": "crs_neet2026",
    "notesId": "note_pdf001",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-02T06:33:00.000Z"
  }
}
```

ERRORS

404 Course not found

404 Notes not found

409 Notes already linked to this course

DELETE /api/courses/:id/notes/:notesId

isAdmin*

Unlink notes from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Notes unlinked from course successfully",
  "data": {
    "courseId": "crs_neet2026",
    "notesId": "note_pdf001"
  }
}
```

ERRORS

404 Course not found

POST /api/courses/:id/mcq-tests

isAdmin*

Link an MCQ test to this course.

REQUEST BODY

testId	string	required
order	number	optional

RESPONSE

201

```
{
  "success": true,
  "message": "MCQ test linked to course successfully",
  "data": {
    "id": "ctest_001",
    "courseId": "crs_neet2026",
    "testId": "test_mcq001",
    "order": 1,
    "isActive": true,
    "createdAt": "2026-08-02T06:34:00.000Z"
  }
}
```

ERRORS 404 Course not found 404 MCQ test not found

409 MCQ test already linked to this course

DELETE /api/courses/:id/mcq-tests/:testId

isAdmin*

Unlink an MCQ test from this course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "MCQ test unlinked from course successfully",
  "data": {
    "courseId": "crs_neet2026",
    "testId": "test_mcq001"
  }
}
```

ERRORS 404 Course not found

User Access

Grants a student access to specific videos within a course. Every call fully replaces the user's existing grants.

Base /api/user-access · 3 endpoints

POST /api/user-access

isAdmin*

Replace a user's entire access grant set.

REQUEST BODY

userId	string	required
courses	array — {courseId, videoIds: string[]}	required

RESPONSE

200

```
{
  "success": true,
  "message": "User access updated successfully"
}
```

ERRORS

400 User not found

400 Course not found: <courseId>

400 Video '<videoId>' is not linked to course '<courseName>'

No `data` field. Every failure comes back as `HTTP 400`, even "User not found" — the controller doesn't read the thrown error's real status code.

GET /api/user-access/:userId

isAdmin*

Get a user's current access grants, grouped by course.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "data": {
    "user": {
      "id": "usr_stu9001",
      "name": "Ariana Student",
      "email": "ariana@example.com",
      "mobile": "9876543210"
    },
    "courses": [
      {
        "courseId": "crs_neet2026",
        "courseName": "NEET Crash Course
2026",
        "videos": [
          {
            "videoId": "vid_intro001",
            "videoName": "Intro to
Quadratics"
          }
        ]
      }
    ]
  }
}
```

ERRORS 400 User not found

No message field on this one.

PUT /api/user-access/:userId

isAdmin*

Same as POST, with userId taken from the path instead of the body.

REQUEST BODY

course array — {courseId, videoIds:
s string[]}

required

RESPONSE

200

```
{
  "success": true,
  "message": "User access updated
successfully"
}
```

ERRORS

400 User not found

400 Video '<videoId>' is not linked to course '<courseName>'

Comments

Threaded (one level deep) comments on a video.

Base /api/comments · 5 endpoints

POST /api/comments

isAdmin*

Post a top-level comment on a video.

REQUEST BODY

videoId	string	required
message	string	required

RESPONSE

201

```
{
  "success": true,
  "message": "Comment Added Successfully",
  "data": {
    "id": "cmt_88771",
    "videoId": "vid_intro001",
    "userId": "usr_stu9001",
    "message": "Great explanation,
thanks!",
    "parentId": null,
    "createdAt": "2026-08-
20T11:00:00.000Z",
    "updatedAt": "2026-08-
20T11:00:00.000Z",
    "user": {
      "id": "usr_stu9001",
      "name": "Ariana Student",
      "role": "STUDENT"
    }
  }
}
```

ERRORS 404 Video not found

GET /api/comments/video/:videoId

isAdmin*

List a video's comments with their replies.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Comments fetched successfully",
  "data": [
    {
      "id": "cmt_88771",
      "message": "Great explanation, thanks!",
      "parentId": null,
      "user": {
        "id": "usr_stu9001",
        "name": "Ariana Student",
        "role": "STUDENT"
      },
      "replies": [
        {
          "id": "cmt_88772",
          "message": "Agreed!",
          "parentId": "cmt_88771",
          "user": {
            "id": "usr_stu9002",
            "name": "Vikram Student",
            "role": "STUDENT"
          }
        }
      ]
    }
  ]
}
```

ERRORS **404** Video not found

Admin moderation feed — every video that has at least one comment.

QUERY PARAMS

page	number	optional
limit	number	optional
videoName	string	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Comments fetched successfully",
  "data": {
    "videos": [
      {
        "videoId": "vid_intro001",
        "videoName": "Intro to Quadratics",
        "comments": [
          {
            "id": "cmt_88771",
            "username": "Ariana Student",
            "role": "STUDENT",
            "message": "Great explanation, thanks!",
            "dateandtime": "2026-08-20T11:00:00.000Z",
            "parentId": null
          }
        ]
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}
```

POST /api/comments/:id/reply

Admin only

Reply to a comment (as the admin).

REQUEST BODY

message string required

RESPONSE

201

```
{
  "success": true,
  "message": "Reply Added Successfully",
  "data": {
    "id": "cmt_88773",
    "videoId": "vid_intro001",
    "parentId": "cmt_88771",
    "message": "Glad it helped!",
    "user": {
      "id": "usr_admin01",
      "name": "Priya Admin",
      "role": "ADMIN"
    }
  }
}
```

ERRORS 404 Comment not found

DELETE /api/comments/:id

Admin only

Delete a comment (and its replies, cascade).

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Comment Deleted Successfully",
  "data": {
    "id": "cmt_88771"
  }
}
```

ERRORS 404 Comment not found

Testimonials

Student reviews. New submissions start inactive until an admin approves them.

Base /api/testimonials · 5 endpoints

POST /api/testimonials

isAdmin*

Submit a testimonial as the current user.

REQUEST BODY

star	number 1-5	required
review	string	required

RESPONSE

```
201
{
  "success": true,
  "message": "Testimonial Submitted Successfully",
  "data": {
    "id": "test_rev001",
    "username": "Ariana Student",
    "star": 5,
    "review": "This platform got me through NEET prep!",
    "isActive": false,
    "createdAt": "2026-08-20T11:10:00.000Z"
  }
}
```

isActive defaults to false — it won't appear on /public until an admin flips it on via PUT.

GET /api/testimonials/public

isAdmin*

Approved (isActive: true) testimonials only.

QUERY PARAMS

page	number	optional
limit	number	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonials fetched successfully",
  "data": {
    "testimonials": [
      {
        "id": "test_rev001",
        "username": "Ariana Student",
        "star": 5,
        "review": "This platform got me through NEET prep!",
        "isActive": true,
        "createdAt": "2026-08-20T11:10:00.000Z"
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}
```

Despite the name, this still requires a valid `Authorization` header — it isn't reachable by a logged-out visitor.

GET /api/testimonials

Admin only

Every testimonial, approved or not.

QUERY PARAMS

page	number	optional
limit	number	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonials fetched successfully",
  "data": {
    "testimonials": [
      {
        "id": "test_rev001",
        "username": "Ariana Student",
        "star": 5,
        "isActive": false
      }
    ],
    "page": 1,
    "limit": 10,
    "total": 1,
    "totalPages": 1
  }
}
```


PUT /api/testimonials/:id

Admin only

Edit or approve/hide a testimonial.

REQUEST BODY

star	number 1-5	optional
review	string	optional
isActive	boolean	optional

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonial Updated Successfully",
  "data": {
    "id": "test_rev001",
    "username": "Ariana Student",
    "star": 5,
    "isActive": true
  }
}
```

ERRORS 404 Testimonial not found

DELETE /api/testimonials/:id

Admin only

Permanently remove a testimonial.

REQUEST

No body or query params.

RESPONSE

200

```
{
  "success": true,
  "message": "Testimonial Deleted Successfully",
  "data": {
    "id": "test_rev001"
  }
}
```

ERRORS 404 Testimonial not found

This is a hard delete — unlike almost every other "delete" in this API, there's no soft `isActive: false` step.

Misc

Unauthenticated liveness checks.

Base / · 2 endpoints

GET /

Public

Root liveness check.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "message": "Tks Academy Backend Running"  
}
```

GET /api/health

Public

Health check.

REQUEST

No body or query params.

RESPONSE

200

```
{  
  "success": true,  
  "message": "API is healthy"  
}
```

TKS Academy backend · generated from the current route/controller/service source, not a live server.