

Cucumber Report

Sep 26, 2023, 4:35:16 PM

Start : Sep 26, 4:35:07.629 PM

End : Sep 26, 4:35:15.466 PM

Duration : 7.837 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0


PASSED - 4
FAILED - 11
SKIPPED - 0

PASSED - 24
FAILED - 11
SKIPPED - 38




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Testing the Queue Page</u>	0.381 s	9	0	9	0	41	0	9	32
<u>Feature to test the SigIn Page</u>	4.936 s	2	2	0	0	18	18	0	0
<u>Testing the Tree Page</u>	2.452 s	4	2	2	0	14	6	2	6

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag1	1	0	1	0	1	0	1	0
@tag2	1	0	1	0	1	0	1	0
@tag3	6	0	6	0	1	0	1	0
@tag4	1	0	1	0	1	0	1	0
@tag6	1	0	1	0	1	0	1	0
@tag8	1	0	1	0	1	0	1	0
@tag5	1	0	1	0	1	0	1	0
@tag7	1	0	1	0	1	0	1	0
@tag9	1	0	1	0	1	0	1	0
@TreePage01	1	1	0	0	1	0	1	0
@TreePage02	1	1	0	0	1	0	1	0
@TreePage03	1	0	1	0	1	0	1	0
@TreePage04	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Testing the Queue Page</u>	9	0	9	0	0.381 s
2	<u>Feature to test the SigIn Page</u>	2	2	0	0	4.936 s
3	<u>Testing the Tree Page</u>	4	2	2	0	2.452 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Testing the Queue Page</u>	<u>User is able to navigate Queue</u>	6	0	1	5	0.062 s
2	<u>Testing the Queue Page</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	1	3	0.007 s
3	<u>Testing the Queue Page</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	1	3	0.006 s
4	<u>Testing the Queue Page</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	1	3	0.005 s
5	<u>Testing the Queue Page</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	1	3	0.003 s
6	<u>Testing the Queue Page</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.013 s
7	<u>Testing the Queue Page</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.009 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Testing the Queue Page</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.005 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Testing the Queue Page</u>	<u>User validating Practice Questions Page and navigate back to home page</u>	4	0	1	3	0.008 s
10	<u>Feature to test the SigIn Page</u>	<u>Check if SignIn is successful</u>	9	9	0	0	4.054 s
11	<u>Feature to test the SigIn Page</u>	<u>Check if SignIn is successful</u>	9	9	0	0	0.860 s
12	<u>Testing the Tree Page</u>	<u>The user is able to navigate to Overview of Trees page</u>	3	3	0	0	2.376 s
13	<u>Testing the Tree Page</u>	<u>The user is able to navigate to a page having an tryEditor from Overview of Trees page</u>	3	3	0	0	0.026 s
14	<u>Testing the Tree Page</u>	<u>The user is able run code in Editor for Valid Python Code</u>	4	0	1	3	0.002 s
15	<u>Testing the Tree Page</u>	<u>The user is able run code in Editor for Invalid Python Code</u>	4	0	1	3	0.005 s

Testing the Queue Page

FAILED	DURATION - 0.381 s	Scenarios		Steps	
/ 4:35:07.629 PM // 4:35:08.010 PM /		Total - 9		Total - 41	
		Pass - 0		Pass - 0	
		Fail - 9		Fail - 9	
		Skip - 0		Skip - 32	

User is able to navigate Queue



FAILED	DURATION - 0.062 s		Steps	
/ 4:35:07.638 PM // 4:35:07.700 PM /			Total - 6	
Testing the Queue Page			Pass - 0	
@tag1			Fail - 1	
			Skip - 5	

#	Step / Hook Details	Status	Duration
1	<p>Given User click on Get started button in Queue module</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions.QueueStepDefiniton at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:144) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:144)</p>	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)</p> <p>at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)</p> <p>at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)</p> <p>at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)</p> <p>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "Utilities.ConfigReader.properties" is null</p> <p>at Utilities.ConfigReader.getqueueurl(ConfigReader.java:185)</p> <p>at PageObjects.QueuePage.<init>(QueuePage.java:14)</p> <p>at StepDefinitions.QueueStepDefiniton.<init>(QueueStepDefiniton.java:10)</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p>		



#	Step / Hook Details	Status	Duration
2	When User click on Implementation of Queue in Python	SKIPPED	0.001 s
3	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.002 s
5	And User click on run button	SKIPPED	0.001 s
6	Then User should be presented with run result	SKIPPED	0.002 s

User is able to navigate to tryeditor page and run invalid python code

<div>FAILED</div> <div>DURATION - 0.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 4:35:07.811 PM // 4:35:07.818 PM /				
Testing the Queue Page				
@tag2				



#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	FAILED	0.003 s
	Step undefined		
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	SKIPPED	0.000 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.001 s

User is able to navigate to tryeditor page and run invalid python code

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 4:35:07.875 PM // 4:35:07.881 PM /				
Testing the Queue Page				
@tag3 @tag4				



#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page Step undefined	FAILED	0.001 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.001 s
4	Then User should get alert message	SKIPPED	0.001 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 0.005 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:35:07.935 PM // 4:35:07.940 PM /				
Testing the Queue Page				
@tag3 @tag6				

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page Step undefined	FAILED	0.001 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 0.003 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:35:07.988 PM // 4:35:07.991 PM /				
Testing the Queue Page				
@tag8 @tag3				

#	Step / Hook Details	Status	Duration
1	Given The user is on try editor page Step undefined	FAILED	0.001 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.001 s

User is able to navigate to tryeditor page and run valid python code



FAILED DURATION - 0.013 s / 4:35:07.840 PM // 4:35:07.853 PM / Testing the Queue Page @tag3		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User click on Implementation using collections text io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions.QueueStepDefiniton at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:144) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:144) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "Utilities. ConfigReader.properties" is null at Utilities.ConfigReader.getqueueurl(ConfigReader.java:185) at PageObjects.QueuePage.<init>(QueuePage.java:14) at StepDefinitions.QueueStepDefiniton.<init>(QueueStepDefiniton.java:10) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.001 s



User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.009 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 4:35:07.899 PM // 4:35:07.908 PM /				
Testing the Queue Page				
@tag3 @tag5				

#	Step / Hook Details	Status	Duration
1	<p>Given User click on Implementation using array text</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions.QueueStepDefiniton at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:144) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:144) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "Utilities. ConfigReader.properties" is null at Utilities.ConfigReader.getqueueurl(ConfigReader.java:185) at PageObjects.QueuePage.<init>(QueuePage.java:14) at StepDefinitions.QueueStepDefiniton.<init>(QueueStepDefiniton.java:10) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.001 s



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 4:35:07.966 PM // 4:35:07.971 PM /				
Testing the Queue Page				
@tag7 @tag3				

#	Step / Hook Details	Status	Duration
1	<p>Given User click on Queue Operations text</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions.QueueStepDefiniton at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:144) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:144) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "Utilities. ConfigReader.properties" is null at Utilities.ConfigReader.getqueueurl(ConfigReader.java:185) at PageObjects.QueuePage.<init>(QueuePage.java:14) at StepDefinitions.QueueStepDefiniton.<init>(QueueStepDefiniton.java:10) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	And click Try here button and navigate to try editor page	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s



User validating Practice Questions Page and navigate back to home page

<div>FAILED</div> <div>DURATION - 0.008 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 4:35:08.002 PM // 4:35:08.010 PM /				
Testing the Queue Page				
@tag9				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is in Queue operations page</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions.QueueStepDefiniton at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:144) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:144) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "Utilities. ConfigReader.properties" is null at Utilities.ConfigReader.getqueueurl(ConfigReader.java:185) at PageObjects.QueuePage.<init>(QueuePage.java:14) at StepDefinitions.QueueStepDefiniton.<init>(QueueStepDefiniton.java:10) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	When User click on practice questons in Queue operations page	SKIPPED	0.001 s
3	Then Navigate back to Queue operations page	SKIPPED	0.002 s
4	Then Navigate back to Homepage	SKIPPED	0.000 s

Feature to test the Sign Page


PASSED	DURATION - 4.936 s	Scenarios		Steps	
/ 4:35:08.045 PM // 4:35:12.981 PM /		Total - 2		Total - 18	
		Pass - 2		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if SignIn is successful

<div>PASSED</div>	<div>DURATION - 4.054 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:08.045 PM // 4:35:12.099 PM /</div>				
<div>Feature to test the SignIn Page</div>				


#	Step / Hook Details	Status	Duration
1	Given user is on Login page	PASSED	3.216 s
2	When user clicks Register	PASSED	0.173 s
3	Then user is navigated to the register page	PASSED	0.007 s
4	Given user is on Login page	PASSED	0.098 s
5	When Pass inputs from excel sheet	PASSED	0.001 s
6	Then click login button	PASSED	0.080 s
7	Given user is on Login page	PASSED	0.077 s
8	When The user enter invalid "test" and "test"	PASSED	0.157 s
9	Then click login button to verify	PASSED	0.235 s

Check if SignIn is successful





#	Step / Hook Details	Status	Duration
1	Given user is on Login page	PASSED	0.075 s
2	When user clicks Register	PASSED	0.156 s
3	Then user is navigated to the register page	PASSED	0.007 s
4	Given user is on Login page	PASSED	0.092 s
5	When Pass inputs from excel sheet	PASSED	0.000 s
6	Then click login button	PASSED	0.061 s
7	Given user is on Login page	PASSED	0.084 s
8	When The user enter invalid "alchemyteam" and "Numpy@Ninja"	PASSED	0.122 s
9	Then click login button to verify	PASSED	0.256 s

Testing the Tree Page





The user is able to navigate to Overview of Trees page

<div>PASSED</div>	<div>DURATION - 2.376 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:13.015 PM // 4:35:15.391 PM /</div>				
<div>Testing the Tree Page</div>				
<div>@TreePage01</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page after logged in	PASSED	2.196 s
2	When The user clicks on the Overview of Trees link	PASSED	0.170 s
3	Then The user should be directed to the Overview of Trees of tree Page	PASSED	0.008 s

The user is able to navigate to a page having an tryEditor from Overview of Trees page

<div>PASSED</div>	<div>DURATION - 0.026 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:15.405 PM // 4:35:15.431 PM /</div>				
<div>Testing the Tree Page</div>				
<div>@TreePage02</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on the overview of trees after logged in	PASSED	0.017 s
2	When The user clicks Try Here button in a tree page	PASSED	0.000 s
3	Then The user should be redirected to a page having tryEditor with a Run button to test	PASSED	0.006 s

The user is able run code in Editor for Valid Python Code

<div>FAILED</div> <div>DURATION - 0.002 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 4:35:15.443 PM // 4:35:15.445 PM /				
Testing the Tree Page				
@TreePage03				

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test Step undefined	FAILED	0.001 s
2	When The user enters valid python code in Editor from sheet "print 'Hello'"	SKIPPED	0.000 s
3	And clicks run button	SKIPPED	0.001 s
4	Then The user is presented with the result after run button is clicked	SKIPPED	0.000 s

The user is able run code in Editor for Invalid Python Code

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 4:35:15.461 PM // 4:35:15.466 PM /				
Testing the Tree Page				
@TreePage04				

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test Step undefined	FAILED	0.002 s
2	When The user enters invalid python code in Editor from sheet "Hello"	SKIPPED	0.000 s
3	And clicks run button	SKIPPED	0.000 s
4	Then The user gets an error message	SKIPPED	0.000 s