

Cucumber Report

Sep 24, 2023, 4:49:28 PM

Start : Sep 24, 4:48:33.578 PM

End : Sep 24, 4:49:27.363 PM

Duration : 53.785 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 1
SKIPPED - 0

PASSED - 19
FAILED - 3
SKIPPED - 0


PASSED - 79
FAILED - 3
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Testing the Queue Page</u>	53.785 s	18	15	3	0	62	55	3	4
<u>Feature to test the SigIn Page</u>	3.703 s	2	2	0	0	18	18	0	0
<u>Testing the Tree Page</u>	1.733 s	2	2	0	0	6	6	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@QueuePage01	1	1	0	0	1	0	1	0
@QueuePage02	1	1	0	0	1	0	1	0
@QueuePage03	1	1	0	0	1	0	1	0
@QueuePage07	1	1	0	0	1	0	1	0
@QueuePage04	7	6	1	0	1	0	1	0
@QueuePage11	1	1	0	0	1	0	1	0
@QueuePage15	1	1	0	0	1	0	1	0
@TreePage03	1	0	1	0	1	0	1	0
@QueuePage08	1	1	0	0	1	0	1	0
@QueuePage12	1	0	1	0	1	0	1	0
@QueuePage16	1	1	0	0	1	0	1	0
@TreePage04	1	0	1	0	1	0	1	0
@QueuePage05	1	1	0	0	1	0	1	0
@QueuePage06	1	1	0	0	1	0	1	0
@QueuePage09	1	1	0	0	1	0	1	0
@QueuePage10	1	1	0	0	1	0	1	0
@QueuePage14	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@QueuePage17	1	1	0	0	1	0	1	0
@TreePage01	1	1	0	0	1	1	0	0
@TreePage02	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Testing the Queue Page</u>	18	15	3	0	53.785 s
2	<u>Feature to test the SigIn Page</u>	2	2	0	0	3.703 s
3	<u>Testing the Tree Page</u>	2	2	0	0	1.733 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Testing the Queue Page</u>	<u>The user is able to navigate to Implementation of Queue in Python link page</u>	3	3	0	0	3.627 s
2	<u>Testing the Queue Page</u>	<u>The user should be directed to editor page with run button to test python code</u>	3	3	0	0	0.401 s
3	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Valid Python Code</u>	4	4	0	0	6.395 s
4	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Valid Python Code</u>	3	3	0	0	4.233 s
5	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Valid Python Code</u>	4	4	0	0	6.342 s
6	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Valid Python Code</u>	4	4	0	0	6.311 s
7	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Valid Python Code</u>	4	1	1	2	2.184 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Invalid Python Code</u>	4	4	0	0	4.294 s
9	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Invalid Python Code</u>	4	4	0	0	4.274 s
10	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Invalid Python Code</u>	3	2	1	0	2.205 s
11	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Invalid Python Code</u>	4	4	0	0	4.267 s
12	<u>Testing the Queue Page</u>	<u>The user is able run code in Editor for Invalid Python Code</u>	4	1	1	2	2.189 s
13	<u>Testing the Queue Page</u>	<u>The user is able to navigate to queue page and click on Implementation using collections deque link</u>	3	3	0	0	0.138 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>Testing the Queue Page</u>	<u>The user should be directed to editor page with run button to test python code from Implementation using collections page</u>	3	3	0	0	0.185 s
15	<u>Testing the Queue Page</u>	<u>The user is able to navigate to queue page and click on Implementation using array link</u>	3	3	0	0	0.150 s
16	<u>Testing the Queue Page</u>	<u>The user should be directed to editor page with run button to test python code from Implementation using array page</u>	3	3	0	0	0.282 s
17	<u>Testing the Queue Page</u>	<u>The user should be directed to editor page with run button to test python code from Queue Operations page</u>	3	3	0	0	0.279 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Testing the Queue Page</u>	<u>The user is able to navigate to QueueOp page and click on Practice Questions</u>	3	3	0	0	0.217 s
19	<u>Feature to test the SigIn Page</u>	<u>Check if SignIn is successful</u>	9	9	0	0	2.833 s
20	<u>Feature to test the SigIn Page</u>	<u>Check if SignIn is successful</u>	9	9	0	0	0.853 s
21	<u>Testing the Tree Page</u>	<u>The user is able to navigate to Overview of Trees page</u>	3	3	0	0	1.711 s
22	<u>Testing the Tree Page</u>	<u>The user is able to navigate to a page having an tryEditor from Overview of Trees page</u>	3	3	0	0	0.015 s

Testing the Queue Page



FAILED	DURATION - 53.785 s	Scenarios		Steps	
/ 4:48:33.578 PM // 4:49:27.363 PM /		Total - 18		Total - 62	
		Pass - 15		Pass - 55	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 4	

The user is able to navigate to Implementation of Queue in Python link page

<div>PASSED</div> <div>DURATION - 3.627 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:48:33.582 PM // 4:48:37.209 PM /</div>			
<div>Testing the Queue Page</div>			
<div>@QueuePage01</div>			



#	Step / Hook Details	Status	Duration
1	Given The user in queue page	PASSED	3.490 s
2	When The user clicks on Implementation of queue in python link	PASSED	0.111 s
3	Then The user should be directed to Implementation of Queue in Python page	PASSED	0.009 s

The user should be directed to editor page with run button to test python code

<div>PASSED</div> <div>DURATION - 0.401 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:48:37.310 PM // 4:48:37.711 PM /</div>			
<div>Testing the Queue Page</div>			
<div>@QueuePage02</div>			



#	Step / Hook Details	Status	Duration
1	Given The user is in Implementation of queue in python link page	PASSED	0.006 s
2	When The user clicks on Tryhere link	PASSED	0.393 s
3	Then The user navigates to Editor page with Run button	PASSED	0.002 s

The user is able run code in Editor for Valid Python Code

PASSED	DURATION - 6.395 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:48:37.746 PM // 4:48:44.141 PM /				
Testing the Queue Page				
@QueuePage03				



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.147 s
2	When The user enters valid python code in Editor from sheet "print 'Hello'"	PASSED	2.095 s
3	And clicks run button	PASSED	2.103 s
4	Then The user is presented with the result after run button is clicked	PASSED	2.046 s

The user is able run code in Editor for Valid Python Code

PASSED		DURATION - 4.233 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:48:48.828 PM // 4:48:53.061 PM /						
Testing the Queue Page						
@QueuePage07 @QueuePage04						



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.131 s
2	When The user enters valid python code in Editor from sheet "print 'Hello'"	PASSED	2.074 s
3	Then The user is presented with the result after run button is clicked	PASSED	2.027 s

The user is able run code in Editor for Valid Python Code

<div>PASSED</div> <div>DURATION - 6.342 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:48:57.820 PM // 4:49:04.162 PM /</div>			
<div>Testing the Queue Page</div>			
<div>@QueuePage11 @QueuePage04</div>			



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.160 s
2	When The user enters valid python code in Editor from sheet "print 'Hello'"	PASSED	2.078 s
3	And clicks run button	PASSED	2.072 s
4	Then The user is presented with the result after run button is clicked	PASSED	2.030 s

The user is able run code in Editor for Valid Python Code

<div>PASSED</div> <div>DURATION - 6.311 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:49:06.685 PM // 4:49:12.996 PM /</div>			
<div>Testing the Queue Page</div>			
<div>@QueuePage15 @QueuePage04</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.125 s
2	When The user enters valid python code in Editor from sheet "print 'Hello'"	PASSED	2.089 s
3	And clicks run button	PASSED	2.064 s
4	Then The user is presented with the result after run button is clicked	PASSED	2.031 s



The user is able run code in Editor for Valid Python Code

<div>FAILED</div> <div>DURATION - 2.184 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 4:49:22.981 PM // 4:49:25.165 PM /</div>				
<div>Testing the Queue Page</div>				
<div>@TreePage03</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.134 s
2	When The user enters valid python code in Editor from sheet "print 'Hello'" org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1bd5a52cc96e90a91f6d7a2e11b5c47, sendKeysToElement {id=AB56138BA749149AE734013FF96F4266_element_948, value=[Ljava.lang.CharSequence;@1f0e2bdc]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\satis\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57953}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57953/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (d1bd5a52cc96e90a91f6d7a2e11b5c47)] -> xpath: //form[@id='answer_form']/div/div/div/textarea] Session ID: d1bd5a52cc96e90a91f6d7a2e11b5c47 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy35.sendKeys(Unknown Source) at PageObjects.QueuePage.runValidPythonCode(QueuePage.java:80)	FAILED	2.047 s



#	Step / Hook Details	Status	Duration
	at StepDefinitions.QueueStepDefinition.the_user_enters_valid_python_code_in_editor_from_sheet(QueueStepDefinition.java:53) at ?.The user enters valid python code in Editor from sheet "print 'Hello'"(file:///C:/Users/satis/eclipse-workspace/DSAlgoTest/src/test/resources/features/Tree.feature:18) * Not displayable characters are replaced by '?'.		
3	And clicks run button	SKIPPED	0.001 s
4	Then The user is presented with the result after run button is clicked	SKIPPED	0.000 s

The user is able run code in Editor for Invalid Python Code

<div>PASSED</div> <div>DURATION - 4.294 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:48:44.156 PM // 4:48:48.450 PM /</div>			
<div>Testing the Queue Page</div>			
<div>@QueuePage04</div>			



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.125 s
2	When The user enters invalid python code in Editor from sheet "Hello"	PASSED	2.074 s
3	And clicks run button	PASSED	2.077 s
4	Then The user gets an error message	PASSED	0.015 s

The user is able run code in Editor for Invalid Python Code

<div>PASSED</div> <div>DURATION - 4.274 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:48:53.073 PM // 4:48:57.347 PM /				
Testing the Queue Page				
@QueuePage08 @QueuePage04				

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.125 s
2	When The user enters invalid python code in Editor from sheet "Hello"	PASSED	2.068 s
3	And clicks run button	PASSED	2.066 s
4	Then The user gets an error message	PASSED	0.014 s

The user is able run code in Editor for Invalid Python Code

FAILED DURATION - 2.205 s / 4:49:04.171 PM // 4:49:06.376 PM / Testing the Queue Page @QueuePage12 @QueuePage04		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.121 s
2	When The user enters invalid python code in Editor from sheet "Hello"	PASSED	2.069 s
3	Then The user gets an error message	FAILED	0.014 s

org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1bd5a52cc96e90a91f6d7a2e11b5c47, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\satis\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57953}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57953/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d1bd5a52cc96e90a91f6d7a2e11b5c47

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1107) at PageObjects.QueuePage.getErrorText(QueuePage.java:106) at StepDefinitions.QueueStepDefinition.the_user_gets_an_error_message(QueueStepDefinition.java:73) at ?.The user gets an error message(file:///C:/Users/satis/eclipse-workspace/DSETest/src/test/resources/features/Queue.feature:98) * Not displayable characters are replaced by '?'. </pre>		

The user is able run code in Editor for Invalid Python Code

<div>PASSED</div> <div>DURATION - 4.267 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.124</td></tr><tr><td>2</td><td>2.065</td></tr><tr><td>3</td><td>2.066</td></tr><tr><td>4</td><td>0.012</td></tr></tbody></table></div>	Step	Duration (s)	1	0.124	2	2.065	3	2.066	4	0.012	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step		Duration (s)											
1		0.124											
2		2.065											
3	2.066												
4	0.012												
<div>/ 4:49:13.005 PM // 4:49:17.272 PM /</div>													
<div>Testing the Queue Page</div>													
<div>@QueuePage16 @QueuePage04</div>													



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.124 s
2	When The user enters invalid python code in Editor from sheet "Hello"	PASSED	2.065 s
3	And clicks run button	PASSED	2.066 s
4	Then The user gets an error message	PASSED	0.012 s

The user is able run code in Editor for Invalid Python Code

FAILED		DURATION - 2.189 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:49:25.174 PM // 4:49:27.363 PM /						
Testing the Queue Page						
@TreePage04						



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an Editor with a Run button to test	PASSED	0.125 s
2	<p>When The user enters invalid python code in Editor from sheet "Hello"</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1bd5a52cc96e90a91f6d7a2e11b5c47, sendKeysToElement {id=E5BB24980B709AD1587F35CFEE663B1E_element_978, value=[Ljava.lang.CharSequence;@4070ace9]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\satis\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57953}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57953/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (d1bd5a52cc96e90a91f6d7a2e11b5c47)] -> xpath: //form[@id='answer_form']/div/div/div/textarea] Session ID: d1bd5a52cc96e90a91f6d7a2e11b5c47 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy35.sendKeys(Unknown Source) at PageObjects.QueuePage.runInvalidPythonCode(QueuePage.java:85) at StepDefinitions.QueueStepDefinition.the_user_enters_invalid_python_code_in_editor_from_sheet(QueueStepDefinition.java:68) at ?.The user enters invalid python code in Editor from sheet "Hello"(file:///C:/Users/satis/eclipse-workspace/DSAlgoTest/src/test/resources/features/Tree.feature:29) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.063 s
3	And clicks run button	SKIPPED	0.000 s
4	Then The user gets an error message	SKIPPED	0.001 s

The user is able to navigate to queue page and click on Implementation using collections deque link

<div><div>PASSED</div><div>DURATION - 0.138 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:48:48.477 PM // 4:48:48.615 PM /				
Testing the Queue Page				
@QueuePage05				

#	Step / Hook Details	Status	Duration
1	Given The user in editor page and navigates to the queue page	PASSED	0.033 s
2	When The user clicks on Implementation using collections deque link	PASSED	0.096 s
3	Then The user should be redirected to Implementation using collections deque page	PASSED	0.006 s

The user should be directed to editor page with run button to test python code from Implementation using collections page

<div>PASSED</div>	<div>DURATION - 0.185 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:48:48.629 PM // 4:48:48.814 PM /</div>				
<div>Testing the Queue Page</div>				
<div>@QueuePage06</div>				

#	Step / Hook Details	Status	Duration
1	Given The user in implementation using collections page	PASSED	0.001 s
2	When The user clicks on Tryhere link	PASSED	0.183 s
3	Then The user navigates to Editor page with Run button	PASSED	0.001 s

The user is able to navigate to queue page and click on Implementation using array link

PASSED	DURATION - 0.150 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:48:57.362 PM // 4:48:57.512 PM /				
Testing the Queue Page				
@QueuePage09				



#	Step / Hook Details	Status	Duration
1	Given The user in editor page and navigates to the queue page	PASSED	0.030 s
2	When The user clicks on Implementation using array link	PASSED	0.108 s
3	Then The user should be redirected to Implementation using array page	PASSED	0.008 s

The user should be directed to editor page with run button to test python code from Implementation using array page

PASSED	DURATION - 0.282 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:48:57.526 PM // 4:48:57.808 PM /				
Testing the Queue Page				
@QueuePage10				



#	Step / Hook Details	Status	Duration
1	Given The user in implementation using array page	PASSED	0.107 s
2	When The user clicks on Tryhere link	PASSED	0.172 s
3	Then The user navigates to Editor page with Run button	PASSED	0.001 s

The user should be directed to editor page with run button to test python code from Queue Operations page

PASSED	DURATION - 0.279 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:49:06.394 PM // 4:49:06.673 PM /				
Testing the Queue Page				
@QueuePage14				



#	Step / Hook Details	Status	Duration
1	Given The user in Queue Operations page	PASSED	0.116 s
2	When The user clicks on Tryhere link	PASSED	0.162 s
3	Then The user navigates to Editor page with Run button	PASSED	0.001 s

The user is able to navigate to QueueOp page and click on Practice Questions



PASSED	DURATION - 0.217 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:49:17.283 PM // 4:49:17.500 PM /				
Testing the Queue Page				
@QueuePage17				

#	Step / Hook Details	Status	Duration
1	Given The user is in Editor page and navigates to QueueOp page	PASSED	0.110 s
2	When the user clicks on Practice Questions	PASSED	0.099 s
3	Then The user is directed to Practice page	PASSED	0.007 s

Feature to test the SigIn Page


PASSED	DURATION - 3.703 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 4:49:17.518 PM // 4:49:21.221 PM /					

Check if SignIn is successful

<div>PASSED</div> <div>DURATION - 2.833 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:49:17.518 PM // 4:49:20.351 PM /</div>			
<div>Feature to test the SignIn Page</div>			


#	Step / Hook Details	Status	Duration
1	Given user is on Login page	PASSED	1.631 s
2	When user clicks Register	PASSED	0.154 s
3	Then user is navigated to the register page	PASSED	0.006 s
4	Given user is on Login page	PASSED	0.091 s
5	When Pass inputs from excel sheet	PASSED	0.468 s
6	Then click login button	PASSED	0.066 s
7	Given user is on Login page	PASSED	0.066 s
8	When The user enter invalid "test" and "test"	PASSED	0.155 s
9	Then click login button to verify	PASSED	0.194 s

Check if SignIn is successful




#	Step / Hook Details	Status	Duration
1	Given user is on Login page	PASSED	0.072 s
2	When user clicks Register	PASSED	0.131 s
3	Then user is navigated to the register page	PASSED	0.010 s
4	Given user is on Login page	PASSED	0.096 s
5	When Pass inputs from excel sheet	PASSED	0.027 s
6	Then click login button	PASSED	0.059 s
7	Given user is on Login page	PASSED	0.074 s
8	When The user enter invalid "alchemyteam" and "Numpy@Ninja"	PASSED	0.125 s
9	Then click login button to verify	PASSED	0.255 s

Testing the Tree Page




The user is able to navigate to Overview of Trees page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page after logged in	PASSED	1.529 s
2	When The user clicks on the Overview of Trees link	PASSED	0.170 s
3	Then The user should be directed to the Overview of Trees of tree Page	PASSED	0.010 s

The user is able to navigate to a page having an tryEditor from Overview of Trees page



#	Step / Hook Details	Status	Duration
1	Given The user is on the overview of trees after logged in	PASSED	0.007 s
2	When The user clicks Try Here button in a tree page	PASSED	0.001 s
3	Then The user should be redirected to a page having tryEditor with a Run button to test	PASSED	0.007 s