Congratulations! You passed!

Grade received 80% **Latest Submission Grade** 80% **To pass** 80% or higher

Go to next item

1. The function

$$\beta(\mathbf{x},\mathbf{y}) = \mathbf{x}^T \begin{bmatrix} 2 & -1 \\ -1 & 1 \end{bmatrix} \mathbf{y}$$

is

1 / 1 point

- [x] an inner product

> **Correct**
> It's symmetric, bilinear and positive definite. Therefore, it is a valid inner product.

- [ ] not an inner product
- [ ] not bilinear
- [x] bilinear

> **Correct**
> Yes:
> - β is symmetric. Therefore, we only need to show linearity in one argument.
> - For any $\lambda \in \mathbb{R}$ it holds that $\beta(\mathbf{x}+\lambda\mathbf{z},\mathbf{y}) = \beta(\mathbf{x},\mathbf{y}) + \lambda\beta(\mathbf{z},\mathbf{y})$. This holds because of the rules for vector-matrix multiplication and addition.

- [ ] not symmetric
- [x] positive definite

> **Correct**
> Yes, the matrix has only positive eigenvalues and $\beta(\mathbf{x},\mathbf{x}) > 0$ for all $\mathbf{x} \neq \mathbf{0}$ and $\beta(\mathbf{x},\mathbf{x}) = 0 \iff \mathbf{x} = \mathbf{0}$

- [ ] not positive definite
- [x] symmetric

> **Correct**
> Yes: $\beta(\mathbf{x},\mathbf{y}) = \beta(\mathbf{y},\mathbf{x})$

2. The function

$$\beta(\mathbf{x},\mathbf{y}) = \mathbf{x}^T \begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix} \mathbf{y}$$

is

1 / 1 point

- [x] symmetric

> **Correct**
> Correct: $\beta(\mathbf{x},\mathbf{y}) = \beta(\mathbf{y},\mathbf{x})$

- [ ] not symmetric
- [x] not an inner product

> **Correct**
> Correct: Since β is not positive definite, it cannot be an inner product.

- [x] not positive definite

> **Correct**
> With $x = [1,1]^T$ we get $\beta(\mathbf{x},\mathbf{x}) = 0$. Therefore β is not positive definite.

- [x] bilinear

> **Correct**
> Correct:
> - β is symmetric. Therefore, we only need to show linearity in one argument.
> - $\beta(\mathbf{x}+\lambda\mathbf{z},\mathbf{y}) = \beta(\mathbf{x},\mathbf{y}) + \lambda\beta(\mathbf{z},\mathbf{y})$. This holds because of the rules for vector-matrix multiplication and addition.

- [ ] not bilinear
- [ ] an inner product
- [ ] positive definite

3. The function

$$\beta(\mathbf{x},\mathbf{y}) = \mathbf{x}^T \begin{bmatrix} 2 & 1 \\ -1 & 1 \end{bmatrix} \mathbf{y}$$

is

0 / 1 point

- [ ] symmetric
- [x] not symmetric

> **Correct**
> Correct: If we take $\mathbf{x} = [1,1]^T$ and $\mathbf{y} = [2,-1]^T$ then $\beta(\mathbf{x},\mathbf{y}) = 0$ but $\beta(\mathbf{y},\mathbf{x}) = 6$. Therefore, β is not symmetric.

- [ ] bilinear

- [ ] not bilinear
- [ ] an inner product
- [x] not an inner product

Correct
Correct: Symmetry is violated.

You didn't select all the correct answers

4. The function

$$\beta(\mathbf{x}, \mathbf{y}) = \mathbf{x}^T \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \mathbf{y}$$

is

1 / 1 point

- [ ] not bilinear
- [ ] not an inner product
- [x] bilinear

Correct
It is the dot product, which we know already. Therefore, it is positive bilinear.

- [ ] not symmetric
- [ ] not positive definite
- [x] positive definite

Correct
It is the dot product, which we know already. Therefore, it is positive definite.

- [x] an inner product

Correct
It is the dot product, which we know already. Therefore, it is also an inner product.

- [x] symmetric

Correct
It is the dot product, which we know already. Therefore, it is symmetric.

5. For any two vectors $\mathbf{x}, \mathbf{y} \in \mathbb{R}^2$ write a short piece of code that defines a valid inner product.

1 / 1 point

```python
import numpy as np

def dot(a, b):
    """Compute dot product between a and b.
    Args:
      a, b: (2,) ndarray as R^2 vectors

    Returns:
      a number which is the dot product between a, b
    """

    dot_product = np.dot(a,b)

    return dot_product

# Test your code before you submit.
a = np.array([1,0])
b = np.array([0,1])
print(dot(a,b))
```

Run

Reset

Correct

Good job!