

# Cucumber Report

Nov 21, 2023, 11:43:26 AM

Start : Nov 21, 11:42:51.897 AM

End : Nov 21, 11:43:24.597 AM

Duration : 32.700 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0


PASSED - 8  
FAILED - 1  
SKIPPED - 2



| Feature   |          | Scenario |   |   |   | Step |   |   |   |
|---|----------|----------|---|---|---|------|---|---|---|
| Name  | Duration | T        | P | F | S | T    | P | F | S |
| <u>Dietician API TC:001 Dietician login and logout http request</u> | 32.700 s | 3        | 2 | 1 | 0 | 11   | 8 | 1 | 2 |





| # | Feature Name  | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Dietician API TC:001 Dietician login and logout http request</u> | 3 | 2 | 1 | 0 | 32.700 s |





| # | Feature Name  | Scenario Name  | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | <u>Dietician API TC:001 Dietician login and logout http request</u> | <u>Dietician login response with valid credentials</u> | 4 | 4 | 0 | 0 | 7.553 s  |
| 2 | <u>Dietician API TC:001 Dietician login and logout http request</u> | <u>Dietician create new patient using post request</u> | 3 | 3 | 0 | 0 | 1.544 s  |
| 3 | <u>Dietician API TC:001 Dietician login and logout http request</u> | <u>Dietician sends get all patient http request</u>    | 4 | 1 | 1 | 2 | 23.458 s |

## Dietician API TC:001 Dietician login and logout http request



|  |                     |           |   |            |   |
|--|---------------------|-----------|---|------------|---|
| <b>FAILED</b>                          | DURATION - 32.700 s | Scenarios |  | Steps      |  |
| / 11:42:51.897 AM // 11:43:24.597 AM / |                     | Total - 3 |   | Total - 11 |   |
|  |                     | Pass - 2  |   | Pass - 8   |   |
|  |                     | Fail - 1  |   | Fail - 1   |   |
|  |                     | Skip - 0  |   | Skip - 2   |   |

## Dietician login response with valid credentials

|   |                               |   |                      |  |
|---|-------------------------------|---|----------------------|--|
| <div>PASSED</div>   | <div>DURATION - 7.553 s</div> | <div></div> | <div>Steps</div>     | <div></div> |
| <div>/ 11:42:51.913 AM // 11:42:59.466 AM /</div>                       |                               |   | <div>Total - 4</div> |  |
| <div>Dietician API TC:001 Dietician login and logout http request</div> |                               |   | <div>Pass - 4</div>  |  |
|   |                               |   | <div>Fail - 0</div>  |  |
|   |                               |   | <div>Skip - 0</div>  |  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Add userLoginDto Payload from sheet "dietician_User_login" | PASSED | 4.197 s  |
| 2 | When User send post http request for Dietician login             | PASSED | 3.073 s  |
| 3 | Then The API call got success with a status code 200             | PASSED | 0.006 s  |
| 4 | And Verify the response body                                     | PASSED | 0.023 s  |

## Dietician create new patient using post request

|   |                               |   |                      |  |
|---|-------------------------------|---|----------------------|--|
| <div>PASSED</div>   | <div>DURATION - 1.544 s</div> | <div></div> | <div>Steps</div>     | <div></div> |
| <div>/ 11:42:59.582 AM // 11:43:01.126 AM /</div>                       |                               |   | <div>Total - 3</div> |  |
| <div>Dietician API TC:001 Dietician login and logout http request</div> |                               |   | <div>Pass - 3</div>  |  |
|   |                               |   | <div>Fail - 0</div>  |  |
|   |                               |   | <div>Skip - 0</div>  |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Add new patient payload from sheet "CreatePatient" and send post http request | PASSED | 1.474 s  |
| 2 | Then new patient created and verify status code 201                                 | PASSED | 0.056 s  |
| 3 | And verify the response body created with patient                                   | PASSED | 0.001 s  |

### Dietician sends get all patient http request

|  |  |  |   |
|--|--|--|---|
| <b>FAILED</b><br>DURATION - 23.458 s<br>/ 11:43:01.139 AM // 11:43:24.597 AM /<br>Dietician API TC:001 Dietician login and logout http request |  | Steps<br>Total - 4<br>Pass - 1<br>Fail - 1<br>Skip - 2 |  |
|--|--|--|---|

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User send get request with valid token  | PASSED | 0.374 s  |
| 2 | And get all patient details<br><pre> java.lang.RuntimeException: com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException: Unrecognized field "patientId" (class com.dietician.ResponseBody.PatientDetailsResponse), not marked as ignorable (4 known properties: "PatientId", "LastName", "FirstName", "Email") at [Source: (String){"patientId":1236,"FirstName":"monica","LastName":"chandler","ContactNumber":"7788994455","Email":"friends@gmail.com","Allergy":"Milk","FoodCategory":"VEGAN","FileMorbidity":{"T4":"1.22 µg/dl","TSH":"100.0 mIU/L"},"FileMorbidityCondition":{"655786579f75c94b7ef72f00":"Thyroid: Hypothyroidism \n"},"DateOfBirth":"2001-06-21T00:00:00.000+00:00","DieticianId":115},{ "patientId":1267,"FirstName":"nemo","LastName":"dori","ContactNumber":"9966332255","Email":"findingNemo@gma"[truncated 1059 chars]; line: 1, column: 19] (through reference chain: java.util.ArrayList[0]-&gt;com.dietician.ResponseBody.PatientDetailsResponse["patientId"])     at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:30)     at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)     at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58)     at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)     at io.restassured.internal.mapping.ObjectMapping.parseWithJackson2(ObjectMapping.groovy:254)     at io.restassured.internal.mapping.ObjectMapping\$parseWithJackson2\$1.callStatic(Unknown Source)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) </pre> | FAILED | 23.058 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)<br/> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240)<br/> at io.restassured.internal.mapping.ObjectMapping.deserialize(ObjectMapping.groovy:56)<br/> at io.restassured.internal.mapping.ObjectMapping\$deserialize\$0.call(Unknown Source)<br/> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)<br/> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)<br/> at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)<br/> at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl\$as\$3.callCurrent(Unknown Source)<br/> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)<br/> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)<br/> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194)<br/> at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:246)<br/> at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:186)<br/> at com.dietician.StepDefinition.PatientControllerGetAndPutSteps.get_all_patient_details(PatientControllerGetAndPutSteps.java:42)<br/> at ?.get all patient details(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:24)<br/> Caused by: com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException: Unrecognized field "patientId" (class com.dietician.ResponseBody.PatientDetailsResponse), not marked as ignorable (4 known properties: "PatientId", "LastName", "FirstName", "Email") at [Source: (String) "{"patientId":1236,"FirstName":"monica","LastName":"chandler","ContactNumber":"7788994455","Email":"friends@gmail.com","Allergy":"Milk","FoodCategory":"VEGAN","FileMorbidity":{"655786579f75c94b7ef72f00":{"T4":"1.22 µg/dl","TSH":"100.0 mIU/L"}}, "FileMorbidityCondition":{"655786579f75c94b7ef72f00":"Thyroid: Hypothyroidism \n"},"DateOfBirth":"2001-06-21T00:00:00.000+00:00","DieticianId":115},"patientId":1267,"FirstName":"nemo","LastName":"dori","ContactNumber":"9966332255","Email":"findingNemo@gma"[truncated 1059 chars]; line: 1, column: 19] (through reference chain: java.util.ArrayList[0]-&gt;com.dietician.ResponseBody.PatientDetailsResponse["patientId"])<br/> at com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException.from(UnrecognizedPropertyException.java:61)<br/> at com.fasterxml.jackson.databind.DeserializationContext.handleUnknownProperty(DeserializationContext.java:855)<br/> at com.fasterxml.jackson.databind.deser.std.StdDeserializer.handleUnknownProperty(StdDeserializer.java:1206)<br/> at com.fasterxml.jackson.databind.deser.BeanDeserializerBase.handleUnknownProperty(BeanDeserializerBase.java:1592)<br/> at com.fasterxml.jackson.databind.deser.BeanDeserializerBase.handleUnknownVanilla(BeanDeserializerBase.java:1570)<br/> at com.fasterxml.jackson.databind.deser.BeanDeserializer.vanillaDeserialize(BeanDeserializer.java:299)<br/> at com.fasterxml.jackson.databind.deser.BeanDeserializer.deserialize(BeanDeserializer.java:156)<br/> at com.fasterxml.jackson.databind.deser.std.CollectionDeserializer.deserialize(CollectionDeserializer.java:285)<br/> at com.fasterxml.jackson.databind.deser.std.CollectionDeserializer.deserialize(CollectionDeserializer.java:244)<br/> at com.fasterxml.jackson.databind.deser.std.CollectionDeserializer.deserialize(CollectionDeserializer.java:27)<br/> at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4482)<br/> at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3434)<br/> at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:28)<br/> at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source)<br/> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)<br/> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)<br/> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)</p> |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58)<br>at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source)<br>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)<br>at io.restassured.internal.mapping.ObjectMapper.parseWithJackson2(ObjectMapping.groovy:254)<br>at io.restassured.internal.mapping.ObjectMapper\$parseWithJackson2\$1.callStatic(Unknown Source)<br>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240)<br>at io.restassured.internal.mapping.ObjectMapper.deserialize(ObjectMapping.groovy:56)<br>at io.restassured.internal.mapping.ObjectMapper\$deserialize\$0.call(Unknown Source)<br>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)<br>at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)<br>at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl\$as\$3.callCurrent(Unknown Source)<br>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194)<br>at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:246)<br>at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:186)<br>at com.dietician.StepDefinition.PatientControllerGetAndPutSteps.get_all_patient_details(PatientControllerGetAndPutSteps.java:42)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:27)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:49)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:51)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)<br>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) |        |          |



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)<br>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)<br>* Not displayable characters are replaced by '?'. |         |          |
| 3 | Then new patient created and verify status code 200   | SKIPPED | 0.002 s  |
| 4 | And verify the response body of get request   | SKIPPED | 0.001 s  |