Cucumber Report

Start : Nov 17, 9:31:31.322 PM	End : Nov 17, 9:31:34.569 PM	Duration : 3.247 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Dietician API Validating User login and logout module	*3.247 s*	*1*	*0*	*1*	*0*	*4*	*2*	*1*	*1*

#	Feature Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	1	0	1	0	3.247 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	Dietcian login response with valid credentials	4	2	1	1	3.239 s

Dietician API Validating User login and logout module

FAILED	DURATION - 3.247 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 9:31:31.322 PM // 9:31:34.569 PM /			1		4

Dietcian login response with valid credentials

FAILED	DURATION - 3.239 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 9:31:31.330 PM // 9:31:34.569 PM /				4
Dietician API Validating User login and logout module				

#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload	PASSED	1.080 s
2	When User send post http request for Dietcian login	PASSED	1.924 s
3	Then The API call got success with a status code 200	FAILED	0.007 s

	io.cucumber.core.exception.CucumberException: Step [The API call got success with a status code {int}] is defined with 0 parameters at 'com.dietician.StepDefinition.DieticianLoginStepDef.the_API_call_got_success_with_a_status_code()'. However, the gherkin step has 1 arguments:
	* 200 Step text: The API call got success with a status code 200
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:135)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:49)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:51)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)
	  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
4	And Verify the body and get token from payload	SKIPPED	0.002 s