

# Cucumber Report

Nov 20, 2023, 3:16:55 PM

Start : Nov 20, 3:16:48.494 PM

End : Nov 20, 3:16:53.903 PM

Duration : 5.409 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0


PASSED - 7  
FAILED - 1  
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Dietician API TC:001 Dietician login and logout http request</u>	5.409 s	3	2	1	0	11	7	1	3





#	Feature Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	3	2	1	0	5.409 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietician login response with valid credentials</u>	4	4	0	0	4.707 s
2	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietician create new patient using post request</u>	4	0	1	3	0.067 s
3	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>LoginIn with InValid UserName and Password</u>	3	3	0	0	0.519 s

## Dietician API TC:001 Dietician login and logout http request



<b>FAILED</b>	DURATION - 5.409 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 11 Pass - 7 Fail - 1 Skip - 3	
/ 3:16:48.494 PM // 3:16:53.903 PM /					

## Dietician login response with valid credentials

<div>PASSED</div> <div>DURATION - 4.707 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:16:48.503 PM // 3:16:53.210 PM /</div>				
<div>Dietician API TC:001 Dietician login and logout http request</div>				

#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload from sheet "dietician_User_login"	PASSED	2.416 s
2	When User send post http request for Dietician login	PASSED	2.113 s
3	Then The API call got success with a status code 200	PASSED	0.005 s
4	And Verify the response body	PASSED	0.018 s

## Dietician create new patient using post request

<div>FAILED</div> <div>DURATION - 0.067 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 3:16:53.298 PM // 3:16:53.365 PM /</div>				
<div>Dietician API TC:001 Dietician login and logout http request</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Add new patient payload</p> <pre> java.lang.IllegalArgumentException: Illegal character in query at index 21: /patient?patientInfo={"FirstName":"sun","LastName":"dori","ContactN umber":"1122556699","Email":"findingNemo@gmail.com","Allergy":"Pecan","FoodCategory":"Vegetarian","DateOfBirth":"2010-06-21"}   at java.base/java.net.URI.create(URI.java:903)   at java.base/java.net.URI.resolve(URI.java:1086)   at io.restassured.internal.http.URIBuilder.setQueryNVP(URIBuilder.java:174)   at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:287)   at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:317)   at io.restassured.internal.http.URIBuilder\$addQueryParams\$3.call(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)   at io.restassured.internal.RequestSpecificationImpl.generateRequestUriForLogging(RequestSpecificationImpl.groovy:1145)   at io.restassured.internal.RequestSpecificationImpl.this\$2\$generateRequestUriForLogging(RequestSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)   at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)   at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)   at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)   at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)   at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194)   at io.restassured.internal.RequestSpecificationImpl.newFilterContext(RequestSpecificationImpl.groovy:1090)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)   at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)   at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)   at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)   at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)   at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)   at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1702) </pre>	FAILED	0.042 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:80) at ?.Add new patient payload(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:14) Caused by: java.net.URISyntaxException: Illegal character in query at index 21: /patient?patientInfo={"FirstName":"sun","LastName":"dori","ContactNumber":"1122556699","Email":"findingNemo@gmail.com","Allergy":"Pecan","FoodCategory":"Vegetarian","DateOfBirth":"2010-06-21"} at java.base/java.net.URI\$Parser.fail(URI.java:2970) at java.base/java.net.URI\$Parser.checkChars(URI.java:3141) at java.base/java.net.URI\$Parser.parseHierarchical(URI.java:3229) at java.base/java.net.URI\$Parser.parse(URI.java:3182) at java.base/java.net.URI.&lt;init&gt;(URI.java:620) at java.base/java.net.URI.create(URI.java:901) at java.base/java.net.URI.resolve(URI.java:1086) </pre>		



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.http.URIBuilder.setQueryNVP(URIBuilder.java:174) at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:287) at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:317) at io.restassured.internal.http.URIBuilder\$addQueryParams\$3.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.RequestSpecificationImpl.generateRequestUriForLogging(RequestSpecificationImpl.groovy:1145) at io.restassured.internal.RequestSpecificationImpl.this\$2\$generateRequestUriForLogging(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194) at io.restassured.internal.RequestSpecificationImpl.newFilterContext(RequestSpecificationImpl.groovy:1090) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1702) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		



#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:80) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When Dietician calls "Create New Patient" with "post" http request	SKIPPED	0.002 s
3	Then the API call got success with a status code 200	SKIPPED	0.001 s
4	And verify the patient id created	SKIPPED	0.001 s

### LoginIn with InValid UserName and Password

<div>PASSED</div>	<div>DURATION - 0.519 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 3:16:53.384 PM // 3:16:53.903 PM /</div>				
<div>Dietician API TC:001 Dietician login and logout http request</div>				

#	Step / Hook Details	Status	Duration
1	Given user enters with invalid data from sheet "dietician_User_login"	PASSED	0.482 s
2	When user sends the post request with Invalid emailid and password	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
3	But user get status code 401 Unauthorized for invalid login	PASSED	0.023 s