Cucumber Report

Start : Nov 20, 3:09:40.444 PM	End : Nov 20, 3:09:45.618 PM	Duration : 5.174 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 3

1

3

11

Pass %

0 %

66 %

63 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dietician API TC:001 Dietician login and logout http request	*5.174 s*	*3*	*2*	*1*	*0*	*11*	*7*	*1*	*3*

#	Feature Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	3	2	1	0	5.174 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	Dietcian login response with valid credentials	4	4	0	0	4.509 s
2	Dietician API TC:001 Dietician login and logout http request	Dietician create new patient using post request	4	0	1	3	0.064 s
3	Dietician API TC:001 Dietician login and logout http request	LoginIn with InValid UserName and Password	3	3	0	0	0.491 s

Dietician API TC:001 Dietician login and logout http request

FAILED	DURATION - 5.174 s	Scenarios		Steps	
		Total - 3		Total - 11	
/ 3:09:40.444 PM // 3:09:45.618 PM /		Pass - 2	3	Pass - 7	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

Dietcian login response with valid credentials

PASSED	DURATION - 4.509 s		Steps	
/ 3:09:40.454 PM // 3:09:44.963 PM /			Total - 4	
Dietician API TC:001 Dietician login and logout http request			Pass - 4	4
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload from sheet "dietician_User_login"	PASSED	2.287 s
2	When User send post http request for Dietcian login	PASSED	2.039 s
3	Then The API call got success with a status code 200	PASSED	0.005 s
4	And Verify the response body	PASSED	0.019 s

Dietician create new patient using post request

| FAILED	DURATION - 0.064 s		Steps	
/ 3:09:45.047 PM // 3:09:45.111 PM /			Total - 4	
Dietician API TC:001 Dietician login and logout http request			Pass - 0	4
			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Add new patient payload	FAILED	0.046 s

	java.net.ConnectException: Connection refused: connect
	   at java.base/sun.nio.ch.Net.connect0(Native Method)
	   at java.base/sun.nio.ch.Net.connect(Net.java:579)
	   at java.base/sun.nio.ch.Net.connect(Net.java:568)
	   at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:576)
	   at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327)
	   at java.base/java.net.Socket.connect(Socket.java:666)
	   at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:121)
	   at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180)
	   at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326)
	   at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:605)
	   at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:440)
	   at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835)
	   at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83)
	   at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141)
	   at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349)
	   at io.restassured.internal.http.HTTPBuilder$post$2.call(Unknown Source)
	   at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209)
	   at io.restassured.internal.RequestSpecificationImpl.this2sendRequest(RequestSpecificationImpl.groovy)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	   at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)
	   at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)
	   at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)
	   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)
	   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)
	   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)
	   at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)
	   at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)
	   at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)
	   at io.restassured.filter.Filter$filter.call(Unknown Source)
	   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)
	   at io.restassured.filter.Filter$filter$0.call(Unknown Source)
	   at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)
	   at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)
	   at io.restassured.filter.Filter$filter$0.call(Unknown Source)
	   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)
	   at io.restassured.filter.Filter$filter.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext$next.call(Unknown Source)		
	at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext$next.call(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		
	at io.restassured.internal.RequestSpecificationImpl.this2applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710)		
	at io.restassured.internal.RequestSpecificationImpl.this2applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176)		
	at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy)		
	at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:59)		
	at ?.Add new patient payload(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:14)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When Dietician calls "Create New Patient" with "post" http request	SKIPPED	0.003 s
3	Then the API call got success with a status code 200	SKIPPED	0.001 s
4	And verify the patient id created	SKIPPED	0.001 s

LoginIn with InValid UserName and Password

PASSED	DURATION - 0.491 s	Steps	
/ 3:09:45.127 PM // 3:09:45.618 PM /		Total - 3	
Dietician API TC:001 Dietician login and logout http request		Pass - 3	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user enters with invalid data from sheet "dietician_User_login"	PASSED	0.457 s
2	When user sends the post request with Invalid emailid and password	PASSED	0.002 s
3	But user get status code 401 Unauthorized for invalid login	PASSED	0.021 s