

Cucumber Report

Nov 20, 2023, 2:47:50 PM

Start : Nov 20, 2:47:42.229 PM

End : Nov 20, 2:47:49.217 PM

Duration : 6.988 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 7
FAILED - 1
SKIPPED - 3



| Feature | | Scenario | | | | Step | | | |
|---|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Dietician API TC:001 Dietician login and logout http request</u> | 6.988 s | 3 | 2 | 1 | 0 | 11 | 7 | 1 | 3 |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Dietician API TC:001 Dietician login and logout http request</u> | 3 | 2 | 1 | 0 | 6.988 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | <u>Dietician API TC:001 Dietician login and logout http request</u> | <u>Dietician login response with valid credentials</u> | 4 | 4 | 0 | 0 | 6.059 s |
| 2 | <u>Dietician API TC:001 Dietician login and logout http request</u> | <u>Dietician create new patient using post request</u> | 4 | 0 | 1 | 3 | 0.220 s |
| 3 | <u>Dietician API TC:001 Dietician login and logout http request</u> | <u>LoginIn with InValid UserName and Password</u> | 3 | 3 | 0 | 0 | 0.561 s |

Dietician API TC:001 Dietician login and logout http request



| | | | | | |
|--------------------------------------|--------------------|--|---|---|---|
| FAILED | DURATION - 6.988 s | Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0 |  | Steps Total - 11 Pass - 7 Fail - 1 Skip - 3 |  |
| / 2:47:42.229 PM // 2:47:49.217 PM / | | | | | |
| | | | | | |

Dietician login response with valid credentials

| | | | | |
|---|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 6.059 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 2:47:42.240 PM // 2:47:48.299 PM /</div> | | | | |
| <div>Dietician API TC:001 Dietician login and logout http request</div> | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Add userLoginDto Payload from sheet "dietician_User_login" | PASSED | 3.141 s |
| 2 | When User send post http request for Dietician login | PASSED | 2.681 s |
| 3 | Then The API call got success with a status code 200 | PASSED | 0.008 s |
| 4 | And Verify the response body | PASSED | 0.021 s |

Dietician create new patient using post request



| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.220 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div> | <div></div> |
| / 2:47:48.416 PM // 2:47:48.636 PM / | | | | |
| Dietician API TC:001 Dietician login and logout http request | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given Add new patient payload</p> <pre> java.net.ConnectException: Connection refused: connect at java.base/sun.nio.ch.Net.connect0(Native Method) at java.base/sun.nio.ch.Net.connect(Net.java:579) at java.base/sun.nio.ch.Net.connect(Net.java:568) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:576) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:666) at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:121) at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180) at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326) at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:605) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:440) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) </pre> | FAILED | 0.194 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:47) at ?.Add new patient payload(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:14) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. When Dietician calls "Create New Patient" with "post" http request | | |
| 2 | Then the API call got success with a status code 200 | SKIPPED | 0.003 s |
| 3 | And verify the patient id created | SKIPPED | 0.001 s |
| 4 | | SKIPPED | 0.002 s |

Login with InValid UserName and Password

| | | | | | | |
|--|--|--------------------|--|--|--|---|
| PASSED | | DURATION - 0.561 s | |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 2:47:48.656 PM // 2:47:49.217 PM / | | | | | | |
| Dietician API TC:001 Dietician login and logout http request | | | | | | |
| | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user enters with invalid data from sheet "dietician_User_login" | PASSED | 0.503 s |
| 2 | When user sends the post request with Invalid emailid and password | PASSED | 0.005 s |
| 3 | But user get status code 401 Unauthorized for invalid login | PASSED | 0.038 s |