


| Feature | | | Scei | nario | | | St | ер | |
|--|----------|---|------|-------|---|---|----|----|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Dietician API TC:001 Dietician login and logout http request | 41.266 s | 2 | 1 | 1 | 0 | 8 | 4 | 1 | 3 |

FEATURES SUMMARY -- 3 --




| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Dietician API TC:001 Dietician login and logout http request | 2 | 1 | 1 | 0 | 41.266 s |

SCENARIOS SUMMARY -- 4 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---|----------|
| 1 | Dietician API TC:001 Dietician login and logout http request | Dietcian login response with valid credentials | 4 | 4 | 0 | 0 | 41.088 s |
| 2 | Dietician API TC:001 Dietician login and logout http request | Dietician create new patient using post request | 4 | 0 | 1 | 3 | 0.074 s |

Dietician API TC:001 Dietician login and logout http request




Dietcian login response with valid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Add userLoginDto Payload from sheet "dietician_User_login" and 1 | PASSED | 38.321 s |
| 2 | When User send post http request for Dietcian login | PASSED | 2.553 s |
| 3 | Then The API call got success with a status code 200 | PASSED | 0.005 s |
| 4 | And Verify the response body | PASSED | 0.022 s |

Dietician create new patient using post request



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Add new patient payload | FAILED | 0.044 s |
| | java.lang.lllegalArgumentException: lllegal character in query at index 31: /dietician/patient?patientInfo={ "FirstName": "sun", "LastName": "dori", "ContactNumber": "1122556699", "Email": "findingNemo@gmail.com", "Allergy": "Pecan", "FoodCategory": "Vegetarian", "DateOfBirth": "2010-06-21" } | | |
| | at java.base/java.net.URI.create(URI.java:903) | | |
| | at java.base/java.net.URI.resolve(URI.java:1086) | | |
| | at io.restassured.internal.http.URIBuilder.setQueryNVP(URIBuilder.java:174) | | |
| | at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:287) | | |
| | at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:317) | | |
| | at io.restassured.internal.http.URIBuilder\$addQueryParams\$3.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) | | |
| | at io.restassured.internal.RequestSpecificationImpl.generateRequestUriForLogging(RequestSpecificationImpl.groovy:1145) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$generateRequestUriForLogging(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194) | | |
| | at io.restassured.internal.RequestSpecificationImpl.newFilterContext(RequestSpecificationImpl.groovy:1090) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1702) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) | | |
| | at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:41) | | |
| | at ?.Add new patient payload(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login. | | |
| | feature:14) | | |
| | Caused by: java.net.URISyntaxException: Illegal character in query at index 31: /dietician/patient?patientInfo={ "FirstName": "sun", "LastName": "dori", "ContactNumber": "1122556699", "Email": "findingNemo@gmail.com", "Allergy": "Pecan", "FoodCategory": "Vegetarian", "DateOfBirth": "2010-06-21" } | | |
| | at java.base/java.net.URI\$Parser.fail(URI.java:2970) | | |
| | at java.base/java.net.URI\$Parser.checkChars(URI.java:3141) | | |
| | at java.base/java.net.URI\$Parser.parseHierarchical(URI.java:3229) | | |
| | at java.base/java.net.URI\$Parser.parse(URI.java:3182) | | |
| | at java.base/java.net.URI. <init>(URI.java:620)</init> | | |
| | at java.base/java.net.URI.create(URI.java:901) | | |
| | αι μεναιρασσημενατήσει Ο Ντιοι σαισί Ο Ντιμαναι 30 ± <i>)</i> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/java.net.URI.resolve(URI.java:1086) | | |
| | at io.restassured.internal.http.URIBuilder.setQueryNVP(URIBuilder.java:174) | | |
| | at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:287) | | |
| | at io.restassured.internal.http.URIBuilder.addQueryParams(URIBuilder.java:317) | | |
| | at io.restassured.internal.http.URIBuilder\$addQueryParams\$3.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) | | |
| | at io.restassured.internal.RequestSpecificationImpl.generateRequestUriForLogging(RequestSpecificationImpl.groovy:1145) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$generateRequestUriForLogging(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194) | | |
| | at io.restassured.internal.RequestSpecificationImpl.newFilterContext(RequestSpecificationImpl.groovy:1090) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1702) | | |
| | $at\ io. rest assured. internal. Request Specification Impl. this \$2\$ apply Path Params And Send Request (Request Specification Impl. groovy)$ | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | $at\ io. rest assured. internal. Request Specification Impl. apply Path Params And Send Request (Request Specification Impl. groovy: 1710)$ | | |
| | $at\ io. rest assured. internal. Request Specification Impl. this \$2\$ apply Path Params And Send Request (Request Specification Impl. groovy)$ | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) | | |
| | at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:41) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:27) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:49) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:51) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When Dietician calls "Create New Patient" with "post" http request | SKIPPED | 0.002 s |
| 3 | Then the API call got success with a status code 200 | SKIPPED | 0.001 s |
| 4 | And verify the patient id created | SKIPPED | 0.002 s |