Cucumber Report

Start : Nov 20, 1:58:43.947 PM	End : Nov 20, 1:58:47.977 PM	Duration : 4.030 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 6

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Dietician API TC:001 Dietician login and logout http request	*4.030 s*	*2*	*0*	*2*	*0*	*8*	*0*	*2*	*6*

#	Feature Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	2	0	2	0	4.030 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	Dietcian login response with valid credentials	4	0	1	3	3.526 s
2	Dietician API TC:001 Dietician login and logout http request	Dietician create new patient using post request	4	0	1	3	0.344 s

Dietician API TC:001 Dietician login and logout http request

FAILED	DURATION - 4.030 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 1:58:43.947 PM // 1:58:47.977 PM /		Pass - 0		Pass - 0	
		Fail - 2	2	Fail - 2	8
		Skip - 0		Skip - 6	

Dietcian login response with valid credentials

FAILED	DURATION - 3.526 s		Steps	
/ 1:58:43.960 PM // 1:58:47.486 PM /			Total - 4	
Dietician API TC:001 Dietician login and logout http request			Pass - 0	
			Fail - 1	4
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload from sheet "dietician_User_login" and 1	FAILED	3.257 s

	java.lang.IllegalStateException: Cannot get a STRING value from a BOOLEAN cell
	    at org.apache.poi.xssf.usermodel.XSSFCell.typeMismatch(XSSFCell.java:987)
	    at org.apache.poi.xssf.usermodel.XSSFCell.getRichStringCellValue(XSSFCell.java:336)
	    at org.apache.poi.xssf.usermodel.XSSFCell.getStringCellValue(XSSFCell.java:280)
	    at com.dietician.Utilities.ExcelReader.readSheet(ExcelReader.java:76)
	    at com.dietician.Utilities.ExcelReader.readSheet(ExcelReader.java:55)
	    at com.dietician.Utilities.ExcelReader.getData(ExcelReader.java:46)
	    at com.dietician.Utilities.CredentialBuilder.buildDieticianLogin(CredentialBuilder.java:11)
	    at com.dietician.Request.DietLoginPost.validData(DietLoginPost.java:16)
	    at com.dietician.StepDefinition.DieticianLoginStep.add_userLoginDto_Payload_from_sheet_and(DieticianLoginStep.java:29)
	    at ?.Add userLoginDto Payload from sheet "dietician_User_login" and 1(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:4)
	* Not displayable characters are replaced by '?'.		

2	When User send post http request for Dietcian login	SKIPPED	0.004 s
3	Then The API call got success with a status code 200	SKIPPED	0.003 s
4	And Verify the response body	SKIPPED	0.002 s

Dietician create new patient using post request

FAILED	DURATION - 0.344 s
/ 1:58:47.633 PM // 1:58:47.977 PM /	
Dietician API TC:001 Dietician login and logout http request	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given Add new patient payload	FAILED	0.327 s

	java.lang.IllegalArgumentException: Header value cannot be null
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869)
	    at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:37)
	    at ?.Add new patient payload(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:14)
	* Not displayable characters are replaced by '?'.		

2	When Dietician calls "Create New Patient" with "post" http request	SKIPPED	0.002 s
3	Then the API call got success with a status code 200	SKIPPED	0.002 s
4	And verify the patient id created	SKIPPED	0.002 s