



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dietician API Validating User login and logout module	5.675 s	2	2	0	0	8	8	0	0
Dietician API fetching all the morbidities and retrieve morbidity condition by test name	1.332 s	2	1	1	0	7	5	1	1

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	2	2	0	0	5.675 s
2	Dietician API fetching all the morbidities and retrieve morbidity condition by test name	2	1	1	0	1.332 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	Dietcian login response with valid credentials	4	4	0	0	5.282 s
2	Dietician API Validating User login and logout module	User Logout with Authorization	4	4	0	0	0.216 s
3	Dietician API fetching all the morbidities and retrieve morbidity condition by test *	Fetching all the morbidities	4	4	0	0	0.665 s
4	Dietician API fetching all the morbidities and retrieve morbidity condition by test *	Fetch a morbidity by test name	3	1	1	1	0.497 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

Dietician API Validating User login and logout module


PASSED	DURATION - 5.675 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 10:22:09.129 AM	/// 10:22:14.804 AM /	Pass - 2	2	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	
				'	

Dietcian login response with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload	PASSED	2.604 s
2	When User send post http request for Dietcian login	PASSED	2.459 s
3	Then The API call got success with a status code 200	PASSED	0.012 s
4	And Verify the response body	PASSED	0.009 s

User Logout with Authorization




DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
1	Given user enters the URL with valid endpoint	PASSED	0.008 s
2	When user sends the Get request with Authorizing the Bearer token	PASSED	0.184 s
3	Then user should get status code 200 OK	PASSED	0.010 s
4	And user should see the message "Logout successful" in response body	PASSED	0.002 s

Dietician API fetching all the morbidities and retrieve morbidity condition by test name


FAILED	DURATION - 1.332 s	Scenarios		Steps	
		Total - 2		Total - 7	
/ 10:22:14.823 AM	// 10:22:16.155 AM /	Pass - 1	2	Pass - 5	7
		Fail - 1		Fail - 1	🐔 ' 📕
		Skip - 0		Skip - 1	

Fetching all the morbidities



#	Step / Hook Details	Status	Duration
1	Given user is logged in as dietician	PASSED	0.422 s
2	When user sends the Get request along with Bearer token	PASSED	0.185 s
3	Then user should get status code 200 OK in response	PASSED	0.031 s
4	And Verify the response body	PASSED	0.008 s

Fetch a morbidity by test name



#	Step / Hook Details	Status	Duration
1	Given user is logged in as dietician	PASSED	0.387 s
2	When user sends the Get request with prameter "THYRO_TSH_2"	FAILED	0.082 s
	java.lang.lllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: morbidityName.		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176)		
	at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)		
	at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)		
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext\$next.call(Unknown Source)		
	at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext\$next.call(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		

#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172)		
	at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy)		
	at com.dietician.StepDefinition.MorbidityStep.user_sends_the_Get_request_with_prameter(MorbidityStep.java:51)		
	at ?.user sends the Get request with prameter "THYRO_TSH_2"(file:///C:/Users/gagan/Desktop/Team2_StatusCode_200/src/test/resources/		
	Features/MorbidityController.feature:11)		
	* Not displayable characters are replaced by '?'.		
3	Then user should get status code 200 OK	SKIPPED	0.006 s