

# Cucumber Report

Nov 19, 2023, 5:20:03 PM

Start : Nov 19, 5:19:56.909 PM

End : Nov 19, 5:20:01.999 PM

Duration : 5.090 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 3  
FAILED - 4  
SKIPPED - 7



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Dietician API TC:001 Dietician login and logout http request</u>	4.525 s	2	0	2	0	8	3	2	3
<u>Dietician API fetching all the morbidities and retrieve morbidity condition by test name</u>	0.552 s	2	0	2	0	6	0	2	4





#	Feature Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	2	0	2	0	4.525 s
2	<u>Dietician API fetching all the morbidities and retrieve morbidity condition by test name</u>	2	0	2	0	0.552 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietcian login response with valid credentials</u>	4	1	1	2	4.200 s
2	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>User Logout with Authorization</u>	4	2	1	1	0.188 s
3	<u>Dietician API fetching all the morbidities and retrieve morbidity condition by test *</u>	<u>Fetching all the morbidities</u>	3	0	1	2	0.281 s
4	<u>Dietician API fetching all the morbidities and retrieve morbidity condition by test *</u>	<u>Fetch a morbidity by test name</u>	3	0	1	2	0.258 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

**Dietician API TC:001 Dietician login and logout http request**

<b>FAILED</b>	<b>DURATION - 4.525 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 8 Pass - 3 Fail - 2 Skip - 3	
/ 5:19:56.909 PM // 5:20:01.434 PM /					

**Dietician login response with valid credentials**



<div>FAILED</div> <div>DURATION - 4.200 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 5:19:56.914 PM // 5:20:01.114 PM /				
Dietician API TC:001 Dietician login and logout http request				

#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload	PASSED	2.491 s
2	When User send post http request for Dietician login  io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at com.dietician.RestAssuredBase.RestAssuredBase.rawToJson(RestAssuredBase.java:29) at com.dietician.StepDefinition.DieticianLoginStep.user_send_post_http_request_for_Dietician_login(DieticianLoginStep.java:31) at ?.User send post http request for Dietician login(file:///C:/Users/gagan/Desktop/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:5) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:130)	FAILED	1.526 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at com.dietician.RestAssuredBase.RestAssuredBase.rawToJson(RestAssuredBase.java:29) at com.dietician.StepDefinition.DieticianLoginStep.user_send_post_http_request_for_Dietician_login(DieticianLoginStep.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The API call got success with a status code 200	SKIPPED	0.004 s
4	And Verify the response body	SKIPPED	0.003 s



## User Logout with Authorization

FAILED	DURATION - 0.188 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 5:20:01.246 PM // 5:20:01.434 PM /				
Dietician API TC:001 Dietician login and logout http request				



#	Step / Hook Details	Status	Duration
1	Given user enters the URL with valid endpoint	PASSED	0.006 s
2	When user sends the Get request with Authorizing the Bearer token	PASSED	0.169 s
3	Then user should get status code 200 OK <pre> java.lang.AssertionError: expected:&lt;503&gt; but was:&lt;200&gt; at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at com.dietician.StepDefinition.DieticianLogOutStep.user_should_get_status_code_OK(DieticianLogOutStep.java:36) at ?.user should get status code 200 OK(file:///C:/Users/gagan/Desktop/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:12) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
4	And user should see the message "Logout successful" in response body	SKIPPED	0.001 s

### Dietician API fetching all the morbidities and retrieve morbidity condition by test name

<b>FAILED</b>	DURATION - 0.552 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 0 Fail - 2 Skip - 4	
/ 5:20:01.447 PM // 5:20:01.999 PM /					

### Fetching all the morbidities

<b>FAILED</b>	DURATION - 0.281 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 5:20:01.447 PM // 5:20:01.728 PM /				
Dietician API fetching all the morbidities and retrieve morbidity condition by test name				



#	Step / Hook Details	Status	Duration
1	<p>Given user is logged in as dietician</p> <p>io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document  at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1002)  at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967)  at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047)  at io.restassured.path.json.JsonPath.get(JsonPath.java:202)  at com.dietician.RestAssuredBase.RestAssuredBase.rawToJson(RestAssuredBase.java:29)  at com.dietician.StepDefinition.MorbidityStep.user_is_logged_in(MorbidityStep.java:27)  at ?.user is logged in as dietician(file:///C:/Users/gagan/Desktop/Team2_StatusCode_200/src/test/resources/Features/MorbidityController.feature:4)  Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '&lt;', no possible valid JSON value or punctuation could be recognized.  at groovy.json.JsonLexer.nextToken(JsonLexer.java:86)  at groovy.json.JsonLexer\$nextToken.call(Unknown Source)  at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97)</p>	FAILED	0.266 s



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at com.dietician.RestAssuredBase.RestAssuredBase.rawToJson(RestAssuredBase.java:29) at com.dietician.StepDefinition.MorbidityStep.user_is_logged_in(MorbidityStep.java:27) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		

#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When user sends the Get request along with Bearer token	SKIPPED	0.001 s
3	Then user should get status code 200 OK in response	SKIPPED	0.001 s

### Fetch a morbidity by test name

FAILED		DURATION - 0.258 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 5:20:01.741 PM // 5:20:01.999 PM /						
Dietician API fetching all the morbidities and retrieve morbidity condition by test name						

#	Step / Hook Details	Status	Duration
1	<p>Given user is logged in as dietician</p> <pre>io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at com.dietician.RestAssuredBase.RestAssuredBase.rawToJson(RestAssuredBase.java:29) at com.dietician.StepDefinition.MorbidityStep.user_is_logged_in(MorbidityStep.java:27) at ?.user is logged in as dietician(file:///C:/Users/gagan/Desktop/Team2_StatusCode_200/src/test/resources/Features/MorbidityController.feature:10) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '&lt;', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83)</pre>	FAILED	0.232 s

#	Step / Hook Details	Status	Duration
	at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at com.dietician.RestAssuredBase.RestAssuredBase.rawToJson(RestAssuredBase.java:29) at com.dietician.StepDefinition.MorbidityStep.user_is_logged_in(MorbidityStep.java:27) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		

#	Step / Hook Details	Status	Duration
	<div>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'. </div>		
2	When user sends the Get request with test name "Plasma Glucose"	SKIPPED	0.002 s
3	Then user should get status code 200 OK in response	SKIPPED	0.001 s