

Cucumber Report

Nov 20, 2023, 8:18:30 PM

Start : Nov 20, 8:18:24.827 PM

End : Nov 20, 8:18:29.157 PM

Duration : 4.330 s

Features

Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 5



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Dietician API TC:001 Dietician login and logout http request</u>	4.330 s	2	0	2	0	7	0	2	5





#	Feature Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	2	0	2	0	4.330 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietcian login response with valid credentials</u>	4	0	1	3	3.966 s
2	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietician create new patient using post request</u>	3	0	1	2	0.172 s

Dietician API TC:001 Dietician login and logout http request

FAILED	DURATION - 4.330 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 7 Pass - 0 Fail - 2 Skip - 5	
/ 8:18:24.827 PM // 8:18:29.157 PM /					

Dietician login response with valid credentials



<div>FAILED</div> <div>DURATION - 3.966 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 8:18:24.855 PM // 8:18:28.821 PM /				
Dietician API TC:001 Dietician login and logout http request				

#	Step / Hook Details	Status	Duration
1	<p>Given Add userLoginDto Payload from sheet "dietician_User_login"</p> <pre> java.lang.RuntimeException: java.io.FileNotFoundException: C:\suganya\NumpyNinja\Team2_StatusCode_200\src\test\resources\DieticianAPI.xlsx (The process cannot access the file because it is being used by another process) at com.dietician.Utilities.ExcelReader.readSheet(ExcelReader.java:64) at com.dietician.Utilities.ExcelReader.getData(ExcelReader.java:51) at com.dietician.Request.PayloadBuilder.dieticianLoginData(PayloadBuilder.java:15) at com.dietician.StepDefinition.DieticianLoginStep.add_userLoginDto_Payload_from_sheet(DieticianLoginStep.java:40) at ?.Add userLoginDto Payload from sheet "dietician_User_login"(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/ Features/01_Dietician%20Login.feature:4) Caused by: java.io.FileNotFoundException: C:\suganya\NumpyNinja\Team2_StatusCode_200\src\test\resources\DieticianAPI.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:295) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:236) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:185) at org.apache.poi.openxml4j.opc.internal.FileHelper.copyFile(FileHelper.java:65) at org.apache.poi.openxml4j.opc.ZipPackage.closeImpl(ZipPackage.java:480) </pre>	FAILED	2.535 s

#	Step / Hook Details	Status	Duration
	at org.apache.poi.openxml4j.opc.OPCPackage.close(OPCPackage.java:470) at org.apache.poi.ooxml.POIXMLDocument.close(POIXMLDocument.java:189) at org.apache.poi.xssf.usermodel.XSSFWorkbook.close(XSSFWorkbook.java:610) at com.dietician.Utilities.ExcelReader.readSheet(ExcelReader.java:59) at com.dietician.Utilities.ExcelReader.getData(ExcelReader.java:51) at com.dietician.Request.PayloadBuilder.dieticianLoginData(PayloadBuilder.java:15) at com.dietician.StepDefinition.DieticianLoginStep.add_userLoginDto_Payload_from_sheet(DieticianLoginStep.java:40) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
2	When User send post http request for Dietician login	SKIPPED	0.003 s
3	Then The API call got success with a status code 200	SKIPPED	0.002 s
4	And Verify the response body	SKIPPED	0.001 s

Dietician create new patient using post request

<div>FAILED</div> <div>DURATION - 0.172 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 8:18:28.984 PM // 8:18:29.156 PM /				
Dietician API TC:001 Dietician login and logout http request				

#	Step / Hook Details	Status	Duration
1	Given Add new patient payload from sheet "CreatePatient" and send post http request java.lang.RuntimeException: java.io.FileNotFoundException: C:\suganya\NumpyNinja\Team2_StatusCode_200\src\test\resources\DieticianAPI.xlsx (The process cannot access the file because it is being used by another process) at com.dietician.Utilities.ExcelReader.readSheet(ExcelReader.java:64) at com.dietician.Utilities.ExcelReader.getData(ExcelReader.java:51) at com.dietician.Request.PayloadBuilder.createPatientData(PayloadBuilder.java:29) at com.dietician.StepDefinition.DieticianLoginStep.add_new_patient_payload_from_sheet_and_send_post_http_request(DieticianLoginStep.java:63) at ?.Add new patient payload from sheet "CreatePatient" and send post http request(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:14) Caused by: java.io.FileNotFoundException: C:\suganya\NumpyNinja\Team2_StatusCode_200\src\test\resources\DieticianAPI.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:295) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:236) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:185) at org.apache.poi.openxml4j.opc.internal.FileHelper.copyFile(FileHelper.java:65) at org.apache.poi.openxml4j.opc.ZipPackage.closeImpl(ZipPackage.java:480) at org.apache.poi.openxml4j.opc.OPCPackage.close(OPCPackage.java:470)	FAILED	0.143 s

#	Step / Hook Details	Status	Duration
	at org.apache.poi.ooxml.POIXMLDocument.close(POIXMLDocument.java:189) at org.apache.poi.xssf.usermodel.XSSFWorkbook.close(XSSFWorkbook.java:610) at com.dietician.Utilities.ExcelReader.readSheet(ExcelReader.java:59) at com.dietician.Utilities.ExcelReader.getData(ExcelReader.java:51) at com.dietician.Request.PayloadBuilder.createPatientData(PayloadBuilder.java:29) at com.dietician.StepDefinition.DieticianLoginStep.add_new_patient_payload_from_sheet_and_send_post_http_request(DieticianLoginStep.java:63) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'. 2 Then new patient created and verify status code 201		
2	Then new patient created and verify status code 201	SKIPPED	0.002 s
3	And verify the response body created with patient	SKIPPED	0.001 s