



| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Dietician API TC:001 Dietician login and logout http request | 6.717 s | 3 | 2 | 1 | 0 | 11 | 7 | 1 | 3 |

FEATURES SUMMARY -- 3 --




| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Dietician API TC:001 Dietician login and logout http request | 3 | 2 | 1 | 0 | 6.717 s |

SCENARIOS SUMMARY -- 4 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---|----------|
| 1 | Dietician API TC:001 Dietician login and logout http request | Dietcian login response with valid credentials | 4 | 4 | 0 | 0 | 5.965 s |
| 2 | Dietician API TC:001 Dietician login and logout http request | Dietician create new patient using post request | 4 | 0 | 1 | 3 | 0.091 s |
| 3 | Dietician API TC:001 Dietician login and logout http request | LoginIn with InValid UserName and Password | 3 | 3 | 0 | 0 | 0.519 s |

Dietician API TC:001 Dietician login and logout http request




Dietcian login response with valid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Add userLoginDto Payload from sheet "dietician_User_login" | PASSED | 3.181 s |
| 2 | When User send post http request for Dietcian login | PASSED | 2.550 s |
| 3 | Then The API call got success with a status code 200 | PASSED | 0.004 s |
| 4 | And Verify the response body | PASSED | 0.024 s |

Dietician create new patient using post request




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Add new patient payload | FAILED | 0.066 s |
| | java.net.ConnectException: Connection refused: connect | | |
| | at java.base/sun.nio.ch.Net.connect0(Native Method) | | |
| | at java.base/sun.nio.ch.Net.connect(Net.java:579) | | |
| | at java.base/sun.nio.ch.Net.connect(Net.java:568) | | |
| | at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:576) | | |
| | at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) | | |
| | at java.base/java.net.Socket.connect(Socket.java:666) | | |
| | at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:121) | | |
| | at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180) | | |
| | at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:605) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:440) | | |
| | at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) | | |
| | at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) | | |
| | at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) | | |
| | at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) | | |
| | at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) | | |
| | at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) | | |
| | at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) | | |
| | at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:49) | | |
| | at ?.Add new patient payload(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login. | | |
| | feature:14) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When Dietician calls "Create New Patient" with "post" http request | SKIPPED | 0.002 s |
| 3 | Then the API call got success with a status code 200 | SKIPPED | 0.001 s |
| 4 | And verify the patient id created | SKIPPED | 0.002 s |

LoginIn with InValid UserName and Password



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user enters with invalid data from sheet "dietician_User_login" | PASSED | 0.470 s |
| 2 | When user sends the post request with Invalid emailid and password | PASSED | 0.003 s |
| 3 | But user get status code 401 Unauthorized for invalid login | PASSED | 0.033 s |