Cucumber Report

Start : Nov 20, 7:35:11.703 PM	End : Nov 20, 7:35:13.070 PM	Duration : 1.367 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 7

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dietician API TC:001 Dietician login and logout http request	*1.367 s*	*2*	*0*	*2*	*0*	*7*	*0*	*0*	*7*

#	Feature Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	2	0	2	0	1.367 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	Dietcian login response with valid credentials	4	0	0	4	1.200 s
2	Dietician API TC:001 Dietician login and logout http request	Dietician create new patient using post request	3	0	0	3	0.028 s

Dietician API TC:001 Dietician login and logout http request

FAILED	DURATION - 1.367 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 7:35:11.703 PM // 7:35:13.070 PM /			2		7

Dietcian login response with valid credentials

FAILED	DURATION - 1.200 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 7:35:11.714 PM // 7:35:12.914 PM /				4
Dietician API TC:001 Dietician login and logout http request				

#	Step / Hook Details	Status	Duration
	BEFORE - com.dietician.Hooks.Hooks.requestSpec()	FAILED	0.967 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240)
	    at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	    at io.restassured.builder.RequestSpecBuilder.setBaseUri(RequestSpecBuilder.java:1112)		

#	Step / Hook Details	Status	Duration
	at com.dietician.Hooks.Hooks.requestSpec(Hooks.java:23)		
1	Given Add userLoginDto Payload from sheet "dietician_User_login"	SKIPPED	0.008 s
2	When User send post http request for Dietcian login	SKIPPED	0.002 s
3	Then The API call got success with a status code 200	SKIPPED	0.002 s
4	And Verify the response body	SKIPPED	0.001 s

Dietician create new patient using post request

FAILED	DURATION - 0.028 s
/ 7:35:13.041 PM // 7:35:13.069 PM /	
Dietician API TC:001 Dietician login and logout http request	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - com.dietician.Hooks.Hooks.requestSpec()	FAILED	0.003 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	    at io.restassured.builder.RequestSpecBuilder.setBaseUri(RequestSpecBuilder.java:1112)
	    at com.dietician.Hooks.Hooks.requestSpec(Hooks.java:23)		

1	Given Add new patient payload from sheet "CreatePatient" and send post http request	SKIPPED	0.002 s
2	Then new patient created and verify status code 201	SKIPPED	0.002 s
3	And verify the response body created with patient	SKIPPED	0.001 s