

# Cucumber Report

Nov 20, 2023, 1:23:58 PM

Start : Nov 20, 1:23:53.811 PM

End : Nov 20, 1:23:57.411 PM

Duration : 3.600 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 0  
FAILED - 2  
SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Dietician API TC:001 Dietician login and logout http request</u>	3.600 s	2	0	2	0	8	0	2	6





#	Feature Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	2	0	2	0	3.600 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietcian login response with valid credentials</u>	4	0	1	3	3.159 s
2	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietician create new patient using post request</u>	4	0	1	3	0.321 s

## Dietician API TC:001 Dietician login and logout http request



<b>FAILED</b>	DURATION - 3.600 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 8 Pass - 0 Fail - 2 Skip - 6	
/ 1:23:53.811 PM // 1:23:57.411 PM /					

## Dietician login response with valid credentials

<div>FAILED</div> <div>DURATION - 3.159 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 1:23:53.823 PM // 1:23:56.982 PM /</div>				
<div>Dietician API TC:001 Dietician login and logout http request</div>				

#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload from sheet "dietician_User_login" and 1 java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because the return value of "java.util.Map.get(Object)" is null at com.dietician.Utilities.CredentialBuilder.buildDieticianLogin(CredentialBuilder.java:15) at com.dietician.Request.DietLoginPost.validData(DietLoginPost.java:18) at com.dietician.StepDefinition.DieticianLoginStep.add_userLoginDto_Payload_from_sheet_and(DieticianLoginStep.java:29) at ?.Add userLoginDto Payload from sheet "dietician_User_login" and 1(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:4) * Not displayable characters are replaced by '?'.	FAILED	2.917 s
2	When User send post http request for Dietician login	SKIPPED	0.003 s
3	Then The API call got success with a status code 200	SKIPPED	0.002 s
4	And Verify the response body	SKIPPED	0.002 s

## Dietician create new patient using post request

<div>FAILED</div> <div>DURATION - 0.321 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:23:57.090 PM // 1:23:57.411 PM /				
Dietician API TC:001 Dietician login and logout http request				

#	Step / Hook Details	Status	Duration
1	Given Add new patient payload <pre> java.lang.IllegalArgumentException: Header value cannot be null     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)     at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)     at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)     at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869)     at com.dietician.StepDefinition.PatientControllerSteps.add_new_patient_payload(PatientControllerSteps.java:37)     at ?.Add new patient payload(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.305 s
2	When Dietician calls "Create New Patient" with "post" http request	SKIPPED	0.002 s
3	Then the API call got success with a status code 200	SKIPPED	0.002 s
4	And verify the patient id created	SKIPPED	0.001 s