



Feature		Scenario				Step			
Name	Duration	T	P	F	S	<b>T</b>	P	F	S
Dietician API TC:001 Dietician login and logout http request	11.462 s	3	2	1	0	11	8	1	2

FEATURES SUMMARY -- 3 --




#	Feature Name	T	P	F	S	Duration	
1	Dietician API TC:001 Dietician login and logout http request	3	2	1	0	11.462 s	

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	Dietcian login response with valid credentials	4	4	0	0	7.061 s
2	Dietician API TC:001 Dietician login and logout http request	Dietician create new patient using post request	3	3	0	0	3.596 s
3	Dietician API TC:001 Dietician login and logout http request	Dietician sends get all patient http request	4	1	1	2	0.677 s

## **Dietician API TC:001 Dietician login and logout http request**




## Dietcian login response with valid credentials




#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload from sheet "dietician_User_login"	PASSED	3.985 s
2	When User send post http request for Dietcian login	PASSED	2.823 s
3	Then The API call got success with a status code 200	PASSED	0.005 s
4	And Verify the response body	PASSED	0.021 s

## Dietician create new patient using post request



#	Step / Hook Details	Status	Duration
1	Given Add new patient payload from sheet "CreatePatient" and send post http request	PASSED	3.548 s
2	Then new patient created and verify status code 201	PASSED	0.034 s
3	And verify the response body created with patient	PASSED	0.002 s

## Dietician sends get all patient http request



#	Step / Hook Details	Status	Duration
1	Given User send get request with valid token	PASSED	0.302 s
2	And get all patient details	FAILED	0.349 s
	java.lang.RuntimeException: com.fasterxml.jackson.databind.exc.MismatchedInputException: Cannot deserialize instance of `com.dietician. ResponseBody.GetAllPatientResponse` out of START_ARRAY token at [Source: (String)"[{"patientId":1236,"FirstName":"monica","LastName": "chandler","ContactNumber":"7788994455","Email":"friends@gmail. com","Allergy!":"Milk","FoodCategory:"VEGAN","FileMorbidity":{"655786579f75c94b7ef72f00":{"T4":"1.22 µg/dl","TSH":"100.0 mlU/ L"}),"FileMorbidityCondition":{"655786579f75c94b7ef72f00":"Thyroid: Hypothyroidism \n"},"DateOfBirth":"2001-06-21T00:00:00.000+00:00","Die ticianld":115},{"patientId":1267,"FirstName":"nemo","LastName":"dori","ContactNumber":"9966332255","Email":"findingNemo@gma"[truncated 1059 chars]; line: 1, column: 1] at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58) at io.restassured.mapper.ObjectMappersdeserializeeO.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at io.restassured.internal.mapping.ObjectMapping.parseWithJackson2(ObjectMapping.groovy:254) at io.restassured.internal.mapping.ObjectMappingsparseWithJackson2(DijectMapping.groovy:254) at io.restassured.internal.mapping.ObjectMappingsparseWithJackson2(Static(CallSite.Array.java:53) at org.codehaus.groovy.runtime.callsite.CallSite.Array.defaultCallSite.ic(AbstractCallSite.java:21		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240)		
	at io.restassured.internal.mapping.ObjectMapping.deserialize(ObjectMapping.groovy:56)		
	at io.restassured.internal.mapping.ObjectMapping\$deserialize\$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		
	at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)		
	at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:169)		
	at com.dietician.StepDefinition.PatientControllerGetAndPutSteps.get_all_patient_details(PatientControllerGetAndPutSteps.java:44)		
	at ?.get all patient details(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.		
f	eature:24)		
	Caused by: com.fasterxml.jackson.databind.exc.MismatchedInputException: Cannot deserialize instance of `com.dietician.ResponseBody.		
	GetAllPatientResponse`out of START_ARRAY token at [Source: (String)"[{"patientId":1236,"FirstName":"monica","LastName":"chandler","Con		
	actNumber":"7788994455","Email":"friends@gmail.		
	om","Allergy":"Milk","FoodCategory":"VEGAN","FileMorbidity":{"655786579f75c94b7ef72f00":{"T4":"1.22 µg/dl","TSH":"100.0 mlU/ ."}},"FileMorbidityCondition":{"655786579f75c94b7ef72f00":"Thyroid: Hypothyroidism \n"},"DateOfBirth":"2001-06-21T00:00:00.000+00:00","Die		
	cianId":115},{"patientId":1267,"FirstName":"nemo","LastName":"dori","ContactNumber":"9966332255","Email":"findingNemo@gma"[truncated]		
	.059 chars]; line: 1, column: 1]		
	at com.fasterxml.jackson.databind.exc.MismatchedInputException.from(MismatchedInputException.java:59)		
	at com.fasterxml.jackson.databind.DeserializationContext.reportInputMismatch(DeserializationContext.java:1464)		
	at com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext.java:1238)		
	at com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext.java:1190)		
	at com.fasterxml.jackson.databind.deser.BeanDeserializer. deserializeFromArray(BeanDeserializer.java:604)		
	at com.fasterxml.jackson.databind.deser.BeanDeserializerdeserializeOther(BeanDeserializer.java:190)		
	at com.fasterxml.jackson.databind.deser.BeanDeserializer.deserialize(BeanDeserializer.java:166)		
	at com.fasterxml.jackson.databind.ObjectMapperreadMapAndClose(ObjectMapper.java:4482)		
	at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3434)		
	at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:28)		
	at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)		
	at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58)		
	at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)		
	at io.restassured.internal.mapping.ObjectMapping.parseWithJackson2(ObjectMapping.groovy:254)		
	at io.restassured.internal.mapping.ObjectMapping\$parseWithJackson2\$1.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.mapping.ObjectMapping.deserialize(ObjectMapping.groovy:56)		
	at io.restassured.internal.mapping.ObjectMapping\$deserialize\$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		
	at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)		
	at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:169)		
	$at\ com. dietician. Step Definition. Patient Controller Get And Put Steps. get\_all\_patient\_details (Patient Controller Get And Put Steps. java: 44)$		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:27)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
3	Then new patient created and verify status code 200	SKIPPED	0.002 s
4	And verify the response body of get request	SKIPPED	0.002 s