

# Cucumber Report

Nov 21, 2023, 12:13:17 PM

**Start : Nov 21, 12:13:08.551 PM**

**End : Nov 21, 12:13:16.448 PM**

**Duration : 7.897 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 2**


**FAILED - 1**

**SKIPPED - 0**


**PASSED - 8**

**FAILED - 1**


**SKIPPED - 2**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Dietician API TC:001 Dietician login and logout http request</u>	7.897 s	3	2	1	0	11	8	1	2





#	Feature Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	3	2	1	0	7.897 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietician login response with valid credentials</u>	4	4	0	0	6.030 s
2	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietician create new patient using post request</u>	3	3	0	0	1.342 s
3	<u>Dietician API TC:001 Dietician login and logout http request</u>	<u>Dietician sends get all patient http request</u>	4	1	1	2	0.397 s

## Dietician API TC:001 Dietician login and logout http request



<b>FAILED</b>	DURATION - 7.897 s	Scenarios		Steps	
/ 12:13:08.551 PM // 12:13:16.448 PM /		Total - 3		Total - 11	
		Pass - 2		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## Dietician login response with valid credentials

<div>PASSED</div>	<div>DURATION - 6.030 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 12:13:08.562 PM // 12:13:14.592 PM /</div>			<div>Total - 4</div>	
<div>Dietician API TC:001 Dietician login and logout http request</div>			<div>Pass - 4</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload from sheet "dietician_User_login"	PASSED	3.206 s
2	When User send post http request for Dietician login	PASSED	2.587 s
3	Then The API call got success with a status code 200	PASSED	0.006 s
4	And Verify the response body	PASSED	0.021 s

## Dietician create new patient using post request

PASSED		DURATION - 1.342 s			Steps	
/ 12:13:14.697 PM // 12:13:16.039 PM /					Total - 3	
Dietician API TC:001 Dietician login and logout http request					Pass - 3	
					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Add new patient payload from sheet "CreatePatient" and send post http request	PASSED	1.282 s
2	Then new patient created and verify status code 201	PASSED	0.044 s
3	And verify the response body created with patient	PASSED	0.002 s

### Dietician sends get all patient http request

<div>FAILED</div> <div>DURATION - 0.397 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:13:16.051 PM // 12:13:16.448 PM /				
Dietician API TC:001 Dietician login and logout http request				

#	Step / Hook Details	Status	Duration
1	Given User send get request with valid token	PASSED	0.004 s
2	And get all patient details  java.lang.RuntimeException: com.fasterxml.jackson.databind.exc.MismatchedInputException: Cannot deserialize instance of `java.util.ArrayList` out of START_OBJECT token at [Source: (String) "{"timestamp":"2023-11-21T18:13:15.906+00:00","status":401,"error":"Unauthorized","path":"/dietician/patient"}"; line: 1, column: 1] at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:30) at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58) at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.mapping.ObjectMapping.parseWithJackson2(ObjectMapping.groovy:254) at io.restassured.internal.mapping.ObjectMapping\$parseWithJackson2\$1.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240) at io.restassured.internal.mapping.ObjectMapping.deserialize(ObjectMapping.groovy:56) at io.restassured.internal.mapping.ObjectMapping\$deserialize\$0.call(Unknown Source)	FAILED	0.372 s

#	Step / Hook Details	Status	Duration
	<p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)  at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)  at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl\$as\$3.callCurrent(Unknown Source)  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194)  at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:246)  at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:186)  at com.dietician.StepDefinition.PatientControllerGetAndPutSteps.get_all_patient_details(PatientControllerGetAndPutSteps.java:44)  at ?.get all patient details(file:///C:/suganya/NumpyNinja/Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:24)  Caused by: com.fasterxml.jackson.databind.exc.MismatchedInputException: Cannot deserialize instance of `java.util.ArrayList&lt;com.dietician.ResponseBody.GetPatientDetailsResponse&gt;` out of START_OBJECT token at [Source: (String) "{"timestamp":"2023-11-21T18:13:15.906+00:00","status":401,"error":"Unauthorized","path":"/dietician/patient"}"; line: 1, column: 1]  at com.fasterxml.jackson.databind.exc.MismatchedInputException.from(MismatchedInputException.java:59)  at com.fasterxml.jackson.databind.DeserializationContext.reportInputMismatch(DeserializationContext.java:1464)  at com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext.java:1238)  at com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext.java:1190)  at com.fasterxml.jackson.databind.deser.std.CollectionDeserializer.handleNonArray(CollectionDeserializer.java:331)  at com.fasterxml.jackson.databind.deser.std.CollectionDeserializer.deserialize(CollectionDeserializer.java:264)  at com.fasterxml.jackson.databind.deser.std.CollectionDeserializer.deserialize(CollectionDeserializer.java:244)  at com.fasterxml.jackson.databind.deser.std.CollectionDeserializer.deserialize(CollectionDeserializer.java:27)  at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4482)  at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3434)  at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:28)  at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source)  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)  at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58)  at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source)  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)  at io.restassured.internal.mapping.ObjectMapping.parseWithJackson2(ObjectMapping.groovy:254)  at io.restassured.internal.mapping.ObjectMapping\$parseWithJackson2\$1.callStatic(Unknown Source)  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240)  at io.restassured.internal.mapping.ObjectMapping.deserialize(ObjectMapping.groovy:56)</p>		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.mapping.ObjectMapper\$deserialize\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229) at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl\$as\$3.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194) at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:246) at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:186) at com.dietician.StepDefinition.PatientControllerGetAndPutSteps.get_all_patient_details(PatientControllerGetAndPutSteps.java:44) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		



#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
3	Then new patient created and verify status code 200	SKIPPED	0.002 s
4	And verify the response body of get request	SKIPPED	0.001 s