

# Real MIS Sales Report Practice

## Sales Data

| Employee | Sales |
|----------|-------|
| Ravi     | 100   |
| Priya    | 200   |
| Kumar    | 300   |
| Ajay     | 400   |
| Ram      | 500   |
| John     | 600   |

---

## Total Sales

=SUM(B3:B8)

Result:

2100

---

## Average Sales

=AVERAGE(B3:B8)

Result:

350

---

## Highest Sales

=MAX(B3:B8)

Result:

600

---

Lowest Sales

```
=MIN(B3:B8)
```

Result:

100

Final MIS Report

| Metric        | Value |
|---------------|-------|
| Total Sales   | 2100  |
| Average Sales | 350   |
| Highest Sales | 600   |
| Lowest Sales  | 100   |

=====

|     |         |       |
|-----|---------|-------|
| D10 |         | fx    |
|     | A       | B     |
| 1   | Cell    | Value |
| 2   | A1      | Sales |
| 3   | A2      | 100   |
| 4   | A3      | 200   |
| 5   | A4      | 300   |
| 6   | A5      | 400   |
| 7   | A6      | 500   |
| 8   | B8      | 600   |
| 9   |         |       |
| 10  | Sum     | 2100  |
| 11  | Average | 350   |
| 12  | Maximum | 600   |
| 13  | Minimum | 100   |

## **Business Interpretation**

- Total Sales = 2100
- Average Sales per Employee = 350
- Best Performer = John (600)
- Lowest Performer = Ravi (100)

This is a simple example of how MIS professionals convert raw data into useful business information for management decisions.