

Next Topic: AVERAGE Function

Using the same data:

Value

100

200

300

400

500

600

Question:

If total sales are **2100** and there are **6 values**, what do you think the **average** will be?

Try to calculate manually first:

Average = Total ÷ Number of Values

Tell me your answer before we use the **=AVERAGE()** function.

—

Step 1: Total

$100 + 200 + 300 + 400 + 500 + 600 = 2100$

Step 2: Count Values

6

Step 3: Divide

$2100 \div 6 = 350$

✅ Average = 350

=====

Now Let's Use the AVERAGE Function

In Google Sheets, click cell **B11** and type:

`=AVERAGE(B3:B8)`

Press **Enter**.

Google Sheets will automatically calculate:

$(100 + 200 + 300 + 400 + 500 + 600) \div 6$

Result:

350

B11 =AVERAGE(B3:B8)

	A	B
1	Cell	Value
2	A1	Sales
3	A2	100
4	A3	200
5	A4	300
6	A5	400
7	A6	500
8	B8	600
9		
10	Sum	2100
11	Average	350

=====

Understanding AVERAGE in Business

Suppose these are daily sales:

Day	Sales
-----	-------

Mon	100
-----	-----

Tue	200
-----	-----

Wed	300
-----	-----

Thu	400
-----	-----

Fri	500
-----	-----

Sat	600
-----	-----

Total Sales:

=SUM(B3:B8)

Result:

2100

Average Sales:

=AVERAGE(B3:B8)

Result:

350

Business Meaning

A manager can say:

"Our average daily sales are ₹350."

This is more useful than looking at each day's sales separately.

=====