



25. Overview Of S3 Model Deployment

Complete & Continue



Yes. This screenshot is showing the **correct Secrets Manager setup for your Insurance + SageMaker project**.

In the screenshot, AWS is at:

Secrets Manager → Store a new secret → Choose secret type

Select this option

Choose:

Other type of secret 

That's the correct choice because you're storing AWS access credentials as key/value pairs, not database credentials.

Then enter two key/value pairs

In the **Key** column:

AWS_ACCESS_KEY_ID

In the **Value** column:

YOUR_AWS_ACCESS_KEY_ID

Then click **Add row**.

Second row:

AWS_SECRET_ACCESS_KEY

Value:

YOUR_AWS_SECRET_ACCESS_KEY

 **Do not send your actual access key or secret key to me or paste them in the chat.**

Encryption

Leave:

aws/secretsmanager

as the encryption key, unless your instructor specifically says otherwise.

Then click **Next**.

Very important — Secret name

When AWS asks for the secret name, your Python code expects:

```
secret_name = "insuranceAccessKey"
```

So enter exactly:

insuranceAccessKey

And your code expects the secret in:

ap-south-1

So make sure you are working in **Asia Pacific (Mumbai) / ap-south-1**, not **us-east-1**.

Your final setup should be:

Secret name:

insuranceAccessKey

Region:

ap-south-1

Key:

AWS_ACCESS_KEY_ID

Value:

[your access key]

Key:


AWS_SECRET_ACCESS_KEY

Value:


[your secret key]

After creating it, **don't expose the secret values**. We can then configure your EC2 application to retrieve it securely.

=====



===



===

Yes 👍 This screenshot is correct.

You have selected **Other type of secret** and entered the correct two keys:

AWS_ACCESS_KEY_ID
AWS_SECRET_ACCESS_KEY

Now:

1. Enter your actual values in the **two blank Value boxes**.
2. Keep **Encryption key** as:

aws/secretsmanager

3. Click **Next** at the bottom-right.

On the next screen

You will see **Configure secret**.

For **Secret name**, enter exactly:

insuranceAccessKey

You can leave the optional description blank.

Then continue through the remaining steps and create the secret.

 **Do not send me the actual Access Key ID or Secret Access Key.**

Also make sure you're in **Asia Pacific (Mumbai)** — **ap-south-1**, because your Python code uses:

```
region_name = "ap-south-1"
```


After you create the secret, send me a screenshot of the **secret name/list page** (without exposing the secret values).

====

courses.hopelearning.net/myaccount/#/course/81394/lesson/1703006?lesson=1703006&lesson_type=material§ion=374298&subject=222674

25. Overview Of S3 Model Deployment

Complete & Continue



```
def predict():
    try:
        # Format the input data into a numpy array
        #input_data = np.array([[age, blood_pressure, specific_gravity, albumin, sugar]])


        # Make prediction using the loaded model
        #prediction = model.predict(input_data)
        # ----- YOUR AWS CREDENTIALS -----
        aws_access_key_id = "AKIA2IOMYUANUADXYTAK"
        aws_secret_access_key = "vOX15G+sw6ag/YdTLy@UnvI14vbQ7jyMX51XpQ3"
        region_name = "ap-south-1"
        endpoint_name = "insurance-charge-endpoint4"
        # -----
        # Create a boto3 session using credentials
        boto_session = boto3.Session(
            aws_access_key_id=aws_access_key_id,
```

PS E:\Hope AI\2. Hope Ai\1. Tamil\Week-20-AWS-Sagemaker AI\Week-19-AWS-Sagemaker\Course-Hands-on\1. EC2 Hands-S3ModelWithkeys(hardcoded) Insurance>

courses.hopelearning.net/myaccount/#/course/81394/lesson/1703006?lesson=1703006&lesson_type=material§ion=374298&subject=222674

25. Overview Of S3 Model Deployment

Complete & Continue



ap-south-1.console.aws.amazon.com/secretsmanager/newsecret?region=ap-south-1

Step 1 - optional: Configure rotation

Step 4 - Review

Store a new secret

☐ Credentials for Amazon RDS database

☐ Credentials for Amazon DocumentDB database

☐ Credentials for Amazon Redshift data warehouse

☐ Credentials for other database

☒ Other type of secret

API key, OAuth token, other

Key/value pairs

Key/value Plaintext

AWS_ACCESS_KEY_ID	AKIA2IOMYUANUADXYTAK	Remove
AWS_SECRET_ACCESS_KEY	vOX15G+sw6ag/YdTLy@UnvI14vbQ7jyMX51XpQ3	Remove
+ Add row		

Encryption key



You can encrypt using the KMS key that Secrets Manager creates or a customer-managed KMS key that you create.

aws/secretsmanager

[+ New key](#)

Cancel Next

===



Policies give details as follows

← → ↻ courses.hopelearning.net/myaccount/#/course/81394/lesson/1703006?lesson=1703006&lesson_type=material§ion=374298&subject=222674 ☆ 🔒 📄 | All Bookmarks

25. Overview Of S3 Model Deployment

Complete & Continue

ap-south-1.console.aws.amazon.com/secretsmanager/newsecret?region=ap-south-1

AWS Secrets Manager > Secrets > Store a new secret

Add

Resource permissions - optional [info](#)

Add or edit a resource policy to access secrets across AWS accounts.

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Action": [
7         "secretsmanager:GetSecretValue",
8         "sagemaker:InvokeEndpoint"
9       ],
10      "Resource": [
11        "arn:aws:secretsmanager:ap-south-1:705340940315:secret:insurance/cesstkey*",
12        "arn:aws:sagemaker:ap-south-1:705340940315:endpoint/insurance-charge-endpoint4"
13      ]
14    }
15  ]
16 }
```

JSON Line 17, column 1 Errors: 0 Warnings: 0

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

=====

← → ↻ courses.hopelearning.net/myaccount/#/course/81394/lesson/1703006?lesson=1703006&lesson_type=material§ion=374298&subject=222674 ☆ 🔒 📄 | All Bookmarks

25. Overview Of S3 Model Deployment

Complete & Continue

ap-south-1.console.aws.amazon.com/secretsmanager/newsecret?region=ap-south-1

AWS Secrets Manager > Secrets > Store a new secret

PREREQ: YOU HAVE A RESOURCE POLICY TO ACCESS SECRETS ACROSS AWS ACCOUNTS.

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Action": [
7         "secretsmanager:GetSecretValue",
8         "sagemaker:InvokeEndpoint"
9       ],
10      "Resource": [
11        "arn:aws:secretsmanager:ap-south-1:705340940315:secret:insurance/cesstkey*",
12        "arn:aws:sagemaker:ap-south-1:705340940315:endpoint/insurance-charge-endpoint4"
13      ]
14    }
15  ]
16 }
```

JSON Line 11, column 82 Errors: 0 Warnings: 0

Replicate secret - optional

Create read-only replicas of your secret in other regions. Replica secrets incur a charge.

Cancel Previous Next

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

← → ↻ courses.hopelearning.net/myaccount/#/course/81394/lesson/1703006?lesson=1703006&lesson_type=material§ion=374298&subject=222674 ☆ All Bookmarks

25. Overview Of S3 Model Deployment

Complete & Continue

ap-south-1.console.aws.amazon.com/secretsmanager/newsecret?region=ap-south-1

Rotation function

Lambda rotation function

Secret that performs rotation

Sample code

Use these code samples to retrieve the secret in your application.

Java JavaScript C# Python3 Ruby Go Rust

```
1 Use this code snippet in your app.
2 # If you need more information about configurations
3 # or implementing the sample code, visit the AWS docs:
4 # https://aws.amazon.com/developer/language/python/
5
6 import boto3
7 from botocore.exceptions import ClientError
8
9
10 def get_secret():
11     secret_name = "InsuranceHopeDemoKey"
12     region_name = "ap-south-1"
13
14     # Create a Secrets Manager client
```

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

← → ↻ courses.hopelearning.net/myaccount/#/course/81394/lesson/1703006?lesson=1703006&lesson_type=material§ion=374298&subject=222674 ☆ All Bookmarks

25. Overview Of S3 Model Deployment

Complete & Continue

ap-south-1.console.aws.amazon.com/secretsmanager/listsecrets?region=ap-south-1

You have successfully stored the secret InsuranceHopeDemoKey. To show it in the list, choose Refresh. Use the sample code to update your applications to retrieve this secret. View details See sample code

Secrets

Filter secrets by name, description, tag key, tag value, owning service or primary Region

Secret name	Description	Last retrieved (UTC)
InsuranceAccessKey	-	26 June 2025

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

25. Overview Of S3 Model Deployment

Complete & Continue

us-east-1.console.aws.amazon.com/iam/home?region=ap-south-1#/policies/details/arn%3Aaws%3Aiam%3A%3A705340940315%3Apoli...

☰ IAM > Policies > insuranceSecretKey > Edit policy

Step 1
● **Modify permissions in insuranceSecretKey**
Step 2
○ Review and save

Modify permissions in insuranceSecretKey

Add permissions by selecting services, actions, resources, and conditions. Build permission statements using the JSON editor.

Policy editor Visual **JSON** Actions

```
1 {  
2   "Version": "2012-10-17",  
3   "Statement": [  
4     {  
5       "Effect": "Allow",  
6       "Action": [  
7         "secretsmanager:GetSecretValue",  
8         "sagemaker:InvokeEndpoint"  
9       ],  
10      "Resource": [  
11        "arn:aws:secretsmanager:ap-south-1:705340940315:secret:insuranceAcc...",  
12        "arn:aws:sagemaker:ap-south-1:705340940315:endpoint/insurance-charg...",  
13      ]  
14    }  
15  ]  
16 }
```

Edit statement

Select a statement

Select an existing statement in the policy or add a new statement.

+ Add new statement

cloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences