As an existing ONE Cash customer, I want to switch between my South and North wallet accounts, or create a second wallet in the other region when I am eligible, so that I can manage and access both wallets through one ONE Cash application without registering again or having to understand the different systems behind the service.

The experience must be simple and secure. It must protect each wallet's information, apply the correct regional requirements, and prevent customers from accessing restricted accounts or creating accounts when they are not eligible.

**2. Description and Business Rules**

**2.1. General account rules**

- A customer may have a maximum of two wallet accounts under the same mobile number (MSISDN):
    - One wallet in South.
    - One wallet in North.
- A customer must not be allowed to create two active wallets under the same mobile number in the same region.
- A second wallet under the same mobile number must always be created in the region opposite to the customer's existing wallet.
- The same identity number may be used for up to three accounts in each region, provided each account uses a different mobile number and the customer meets the applicable eligibility requirements.
- The two-account limit per mobile number and the three-account limit per identity number per region are separate rules. Both must be checked before creating an account.
- The system must check existing customer and wallet records before allowing a new account.
- A customer must not be able to bypass account restrictions by registering again, changing the mobile number, or starting another registration journey.
- The customer's existing wallet must remain unchanged when a second wallet is created.
- Each wallet must maintain its own:
    - Wallet ID and account alias.

    - Region.
    - Balance and currency.
    - KYC information and verification status.
    - Account tier and applicable limits.
    - PIN and PIN status.
    - Available services.
    - Transaction history.
    - Account status.
- Customers must not see internal system names, such as Telepin or YottaGet, anywhere in the switching or account-creation journey.
- The customer should see one unified ONE Cash application, with the correct wallet information displayed according to the selected account.

**2.2. Customer eligibility to switch or create another account**

- The Switch Account and Create New Account features must be available according to the customer's account type and status.
- For customers with Tier 0 or downgraded accounts:
    - If they have two accounts, the Switch Account feature must be available.
    - If they have only one eligible account, the Create New Account option may be available, subject to all eligibility rules.
- Customers with Viral or Signup accounts must not be allowed to create another account.
- Customers whose photo-upload or registration verification period has expired must not be allowed to create a second account.
- A customer with an existing Signup account must complete the applicable registration or verification process before becoming eligible for another wallet.
- If a customer has two eligible accounts, one in each region, the application must show Switch Account rather than Create New Account.
- The system must not allow a customer to create a third wallet under the same mobile number.

- The availability of the feature must always be based on the latest account status and eligibility, not only on the status displayed when the customer first opened the application.

**2.3. Account status and restrictions**

The system must consider the following account statuses before allowing the customer to switch or create another wallet:

- Active:
    - The account is eligible for login and switching, subject to authentication and device authorization.
- Tier 0 / Downgraded:
    - The account may use the applicable limited services.
    - The customer may be eligible to create another account, subject to the rules in this story.
- Blocked:
    - The account must not be accessible.
    - The customer must not be allowed to switch to it.
- Suspended:
    - The account must not be accessible.
    - The customer must not be allowed to use account creation to bypass the suspension.
- AML-blocked:
    - The account must not be accessible.
    - The customer must not be allowed to bypass the restriction by creating another account or registering again.
- Terminated:
    - The account must not be accessible.
    - The customer may be eligible to create a replacement account in the terminated account's region, subject to the rules in this story.

- Not Initialized:
    - The account exists, but its PIN has not yet been set.
    - The customer must complete the First-Time PIN Setup journey through Switch Account.
    - The system must not treat this account as a missing account or direct the customer to create another one.

**2.4. Suspended and AML-blocked account scenarios**

- If the customer's default account is Suspended but the customer has another Active and eligible wallet:
    - The customer must be allowed to access the other Active wallet through the applicable login or account-resolution process.
    - The Suspended wallet must remain inaccessible.
- If the customer's default account is Suspended and no other eligible wallet exists:
    - The customer must not be allowed to create another account.
    - The customer must not be allowed to start a new self-registration journey to bypass the suspension.
    - The customer must be directed to customer support or the appropriate review process.
- If the customer's default account is AML-blocked and no other eligible wallet exists:
    - The customer must not be allowed to create another account.
    - The customer must not be allowed to self-register again.
    - The customer must receive a neutral message directing them to customer support.
- The application must not reveal sensitive AML or Risk investigation information to the customer.
- If another wallet exists, its eligibility must be checked independently. The existence of an AML-blocked wallet must not automatically make an otherwise eligible wallet accessible if a wider compliance restriction applies to the customer.

**2.5. Terminated account and replacement account**

- If a customer has two accounts, one South and one North, and one of them becomes Terminated:
    - The Terminated account must no longer be available for switching.
    - The other eligible account must remain accessible.
    - The customer may request a replacement account in the region of the Terminated account.
- The replacement account must be subject to:
    - Identity verification.
    - The account limit per mobile number.
    - The identity-account limit per region.
    - KYC requirements.
    - AML and Risk checks.
    - Regional eligibility.
- The system must not automatically reactivate or recreate the Terminated account.
- The Terminated account must remain in the customer's historical records for audit and compliance purposes.
- If the customer is not eligible for a replacement account, the request must be rejected with an appropriate message.

**2.6. Region assignment and migration**

- Every wallet must retain its assigned region.
- A customer who has only one South wallet must remain in South until the wallet balance reaches zero.
- Once the South wallet balance is zero, the Risk Team may review and manually approve moving the wallet to North.
- The same rule applies to a customer with only one North wallet who may be considered for migration to South.
- Reaching a zero balance must not trigger automatic migration.
- If a customer already has two wallets, one South and one North:

    - The South wallet must remain in South.
    - The North wallet must remain in North.
    - Reaching zero balance in either wallet must not result in its migration to the other region.
    - Neither wallet may be moved to the other region under the normal migration process.
- The same rule applies regardless of which region was the customer's original wallet.
- A customer's change of address, Governorate, City, District, or other location information must not automatically change the region assigned to an existing wallet.
- Changes to backend location master data must not automatically migrate existing wallets.
- Any permitted regional migration must be manually reviewed and approved by the Risk Team, with the reason and approval recorded.

**3. Acceptance Criteria**

**AC-01: Switch Account Entry Point**

- The customer must be logged in to the ONE Cash application.
- The Switch Account option must be accessible from:
    - The Switch Account icon on the Home Screen.
    - The Side Menu, where applicable.
- The feature must be available only inside the authenticated application.
- The customer must not be asked to select a region or backend system from the Login Screen.
- When the customer selects Switch Account, the application must identify the customer's linked wallets and determine the appropriate next step.
- The application must identify:
    - The currently active wallet.
    - The other linked wallet, if one exists.
    - The region of each wallet.

    - The status of each wallet.
    - Whether the PIN has been initialized.
    - Whether the wallet is eligible for switching.
- The customer must not be asked to select Telepin, YottaGet, North, or South as a technical system choice.

**AC-02: Determine Whether to Switch or Create an Account**

When the customer selects the Switch Account icon, the application must follow these rules:

- Only one eligible wallet exists:
    - If the customer is eligible to create another wallet, the application must direct them to the Create New Account journey.
    - The new wallet must be created in the opposite region.
- Two eligible wallets exist:
    - The application must proceed with the Switch Account journey.
    - The customer must be able to access the other wallet.
    - The Create New Account option must not be offered as a third-wallet option.
- Two wallets exist, but one is Terminated:
    - The Terminated wallet must not be available for switching.
    - The remaining eligible wallet must remain accessible.
    - The customer may be allowed to create a replacement wallet in the Terminated wallet's region, subject to eligibility.
- The existing wallet is Suspended or AML-blocked, with no other eligible wallet:
    - The customer must not be allowed to create another wallet.
    - The application must display the appropriate restriction message.
- The application must not make the decision based only on the number of wallet records. It must also consider account status, eligibility, and region.

**AC-03: Display the Correct Account Options**

- If the customer has one eligible wallet and is eligible for another account:
    - The application must display Create New Account as the applicable option.
- If the customer has two eligible wallets, one in each region:
    - The application must display Switch Account.
    - Create New Account must be hidden or unavailable.
- If the customer has only one wallet but is not eligible to create another:
    - The application must not display an enabled Create New Account option.
- If the customer has a Viral or Signup account:
    - Create New Account must be disabled or hidden according to the agreed screen design.
- If the customer has an expired photo-upload or verification period:
    - Create New Account must not be available.
- If one account is Terminated and the other is eligible:
    - The customer may be shown the replacement-account journey, provided all eligibility checks pass.

**AC-04: Validate the Target Account Before Switching**

Before allowing the customer to switch, the application must check the latest status of the target wallet.

- If the target wallet is Active:
    - The customer may proceed to authentication.
- If the target wallet is Blocked:
    - Switching must not be allowed.
- If the target wallet is Suspended:
    - Switching must not be allowed.
- If the target wallet is AML-blocked:
    - Switching must not be allowed.
- If the target wallet is Terminated:

    - Switching must not be allowed.
- If the target wallet is Not Initialized:
    - The customer must be directed to First-Time PIN Setup, provided the wallet is otherwise eligible.
- The customer must receive a clear message when the target wallet is inaccessible.
- The application must not rely on an outdated account status saved on the device.

**AC-05: Switch to an Existing Wallet with an Initialized PIN**

- If the target wallet is Active and its PIN has already been initialized:
    - The customer must be directed to the target wallet's authentication screen.
- The customer must be able to authenticate using:
    - The PIN associated with the target wallet.
    - Biometrics, if enabled for that wallet and device.
- The PIN of the currently active wallet must not be used to authenticate the target wallet unless the PIN happens to be the same and the existing login-resolution rules determine the correct wallet.
- The system must validate the authentication against the target wallet.
- If authentication is successful:
    - The customer must be switched to the target wallet.
    - The target wallet must become the active wallet in the application.
- If authentication fails:
    - The customer must remain in the current wallet.
    - The application must display the relevant error message.
- Failed PIN attempts must be counted against the target wallet, not against the other wallet.
- The existing PIN attempt limits and account-locking rules must remain applicable.

**AC-06: Switch to a Wallet Whose PIN Has Not Been Initialized**

- If the target wallet exists but its PIN status is Not Initialized:

    - The customer must be directed to the First-Time PIN Setup journey.
    - The system must not attempt normal PIN authentication against that wallet.
    - The system must not display an Incorrect PIN message simply because the customer has not initialized the target wallet's PIN.
- The application must check whether a valid Default PIN has already been generated for the target wallet.
- If a valid Default PIN exists:
    - The customer must be allowed to use it to initialize the wallet.
- If no Default PIN exists:
    - The system must generate a temporary Default PIN and deliver it through the applicable channel.
- If the Default PIN has expired or has already been used:
    - The customer must be able to request a new Default PIN, subject to the configured security and retry rules.
- The customer must enter:
    - Default PIN.
    - New PIN.
    - Confirm New PIN.
- The customer must successfully validate the Default PIN before being allowed to set the permanent PIN.
- After successful PIN setup:
    - The wallet's PIN status must become Initialized.
    - The customer must be able to access the new wallet.
    - The PIN of the existing wallet must remain unchanged.

**AC-07: Default PIN Generation and Delivery**

- A temporary Default PIN must be generated after successful creation of the new wallet.
- The Default PIN must be:

    - Four numeric digits.
    - Temporary.
    - Single-use.
    - Valid for a configurable period.
    - Subject to configurable maximum attempts.
- The Default PIN must be associated with the newly created wallet, not simply with the customer's mobile number.
- North wallet:
    - The Default PIN must be sent through SMS.
    - If SMS delivery fails, the system must retry according to the notification rules.
    - The customer must be allowed to request a resend where permitted.
- South wallet:
    - SMS must be the default delivery channel.
    - WhatsApp may be used as an additional channel where configured and available.
    - SMS remains the primary channel for Default PIN validation unless the delivery configuration specifies otherwise.
- International customers creating a second wallet:
    - The Default PIN must be delivered only through WhatsApp or email.
    - SMS must not be mandatory or used as the required delivery channel.
    - The customer must have an available, valid contact method.
    - The application must indicate the delivery channel used without exposing the complete contact details.
- If WhatsApp or email is unavailable:
    - The application must not claim that the PIN was delivered.
    - The customer must be informed that delivery failed.

    - The customer must be offered another configured eligible channel, where available.
- A successful PIN delivery must not be assumed merely because the delivery request was submitted.
- The Default PIN must be invalidated after successful use.
- The customer must not be able to reuse an expired or consumed Default PIN.

**AC-08: Set the New PIN**

- The PIN Setup screen must contain:
    - Default PIN.
    - New PIN.
    - Confirm New PIN.
    - Show/Hide PIN option.
    - Continue or Next button.
- The numeric keypad must be displayed when the customer selects a PIN field.
- The Default PIN and New PIN must be masked by default.
- The New PIN must:
    - Contain exactly four numeric digits.
    - Not match the temporary Default PIN.
    - Not be a weak or commonly used PIN, according to the existing PIN policy.
    - Not be a sequential or repeated-digit PIN where prohibited by the existing validation rules.
- Confirm New PIN must match New PIN exactly.
- The system must apply the existing maximum-attempt and temporary-lock rules.
- If the customer enters an incorrect Default PIN:
    - The application must display an appropriate message.
    - The failed attempt must be counted against the target wallet.
- If the Default PIN expires:

    - The customer must be able to request a new one, subject to the security rules.
- If the PIN is successfully set:
    - The new PIN must be saved against the target wallet only.
    - The temporary PIN must no longer be valid.
    - The customer must proceed to the target wallet.

**AC-09: Device Binding and Authorization**

- When a customer creates the second wallet from an already authenticated and authorized device:
    - The device must be bound to the new wallet as part of the account-creation process.
    - An additional OTP must not be required solely because the customer is creating the second wallet on the same authorized device, in line with the existing second-account flow.
- Device binding must be maintained for each wallet.
- The device must be authorized for the target wallet before the customer can complete PIN setup or access it.
- A device being authorized for one wallet must not automatically mean it is authorized for every other wallet linked to the customer.
- When the customer changes to another account on the same device, the existing account/device security rules must apply.
- If the device is not authorized for the target wallet:
    - The customer must complete the required security-code/OTP verification.
    - OTP must be sent to the mobile number associated with the target account through the available configured channel.
- For the existing device-binding journey:
    - The customer may be offered SMS or WhatsApp when selecting a resend option, subject to channel availability.
    - A new device must follow the applicable verification and approval process.

- The application must recognize a reinstall on the same device according to the existing device-recognition rules.
- The maximum permitted number of devices per wallet must be enforced.
- A device blocked by the security rules must not be allowed to access the wallet.

**AC-10: Complete the Switch and Refresh the Wallet Information**

After successful authentication or PIN initialization, the application must open the target wallet and display its own information.

The application must refresh:

- Wallet balance.
- Currency.
- Account alias.
- Customer profile.
- KYC information and verification status.
- Account tier and applicable limits.
- Available services.
- Transaction history.
- Account-specific notifications.
- Other wallet-specific information and settings.

Additional requirements:

- The application must not continue displaying information from the previous wallet.
- The Home Screen must clearly identify the active wallet through its alias and currency.
- Available services must reflect the target wallet's region and account tier.
- The application must use the target wallet's correct balance and transaction history.
- The transaction screens must clearly display the active wallet's alias and currency.
- The existing currency-safety confirmation requirements must remain applicable when the customer is using a wallet other than the default wallet.

- The application must complete the switch only when the target wallet's required information has loaded successfully.
- If the required information cannot be loaded:
    - The switch must not be treated as successful.
    - The customer must not see a partially loaded wallet.
    - The customer must remain in a safe, valid application state.
    - An appropriate retry message must be displayed.

**AC-11: Default Wallet Preference for Each Device**

- Each authorized device must maintain its own preferred/default wallet.
- The default wallet on one device must not automatically become the default wallet on another device.
- For example:
    - Device A may use the South wallet as its default.
    - Device B may use the North wallet as its default.
- When the customer logs in from an existing device:
    - The application must recognize that device's preferred wallet.
    - Login must follow the existing account-resolution rules, including the Last Successful Session priority where applicable.
- When the customer logs in from a new device:
    - The device must follow the applicable device registration and authorization process.
    - Its default wallet must be established according to the account-resolution rules.
    - The preferred wallet on another device must not automatically override the new device's preference.
- After a successful switch, the application may ask:
    - “Would you like to make this your default account on this device?”
- If the customer selects Yes:

    - The target wallet must become the default for the current device.
- If the customer selects No:
    - The current device's existing default preference must remain unchanged.
- Dismissing the prompt must not cancel the successful switch.
- Changing the default wallet on one device must not change the preference on another device.
- If the device's preferred wallet becomes Blocked, Suspended, Terminated, or otherwise ineligible:
    - The system must not log the customer into that wallet.
    - The existing login-resolution rules must be applied to identify another eligible wallet, where permitted.
- The preference must be maintained according to the existing device and account persistence rules.

**AC-12: Create New Account Entry Point**

- The customer must be logged in to an eligible account.
- The customer selects Create New Account from the Side Menu.
- The application must display the new-account KYC screen.
- Before allowing the customer to proceed, the system must check:
    - Whether the customer has an eligible existing wallet.
    - The status of the existing wallet.
    - Whether the customer already has a wallet in the target region.
    - Whether the mobile number has reached its two-wallet limit.
    - Whether the identity number has reached its regional limit.
    - Whether the customer's account type allows another wallet.
    - Whether the customer has an AML, suspension, or other restriction.
    - Whether the existing Signup or photo-upload period has expired.

- The new account must be created in the region opposite to the existing eligible wallet.
- The customer must not be allowed to choose the same region as the existing wallet.
- The customer must not be allowed to create another account if both eligible regional wallets already exist.
- The customer must not be allowed to create a new wallet to bypass an existing suspension or AML restriction.

**AC-13: KYC Information Prefill and Mobile Number**

- The KYC screen must retrieve the existing customer's information and prefill the applicable fields.
- The mobile number must be displayed on the screen.
- The mobile number field must be dimmed and read-only.
- The customer must not be able to edit or replace the mobile number during second-account creation.
- The KYC fields must follow the requirements of the target region.
- The customer must not be asked to select the backend system.
- Referral Code must be hidden during second-account creation.
- The application must not validate or apply referral benefits during this journey.

**AC-14: Identity Type and KYC Fields**

- The application must display identity types according to the selected target region and the existing regional KYC configuration.
- The supported identity types in the existing registration requirements include:
    - ID North.
    - ID South.
    - Passport.
- Identity types must be shown only where supported by the applicable regional configuration.
- The KYC screen must display the fields required for the selected identity type.

- When the customer changes the identity type:
    - The application must refresh the relevant fields.
    - Previously entered fields that no longer apply must be cleared.
    - The customer must not submit stale or irrelevant information.
- Identity scanning must be available only for the supported identity types.
- Where scanning is not supported, the customer must be allowed to enter the required information manually.
- If scanning succeeds:
    - The identity number must be populated.
    - The customer must be allowed to review the extracted information.
    - The customer must be able to edit it where permitted by the KYC rules.
- If scanning fails:
    - The application must display an appropriate message.
    - Manual entry must remain available.

**AC-15: Special KYC Behavior When Creating a South Account**

When the customer opens the KYC screen for creating a South wallet:

- The customer selects the identity type.
- The application must clear the dependent KYC fields that must be re-entered or validated for the new wallet.
- Full Name and Gender must be retained according to the following rules:
    - Full Name:
    - Must be prefilled from the existing wallet.
    - Must remain editable.
    - Gender:
    - Must be prefilled from the existing wallet.
    - If the existing wallet is verified at Tier 1, Gender must be read-only and locked.

    - If the existing wallet is Tier 0 or downgraded, Gender must be prefilled but editable.
- The customer must complete the remaining mandatory fields according to the South KYC requirements.
- If the customer changes the identity type, the application must clear any fields that are no longer relevant.
- The application must not retain information from a previous identity type where it could lead to incorrect or inconsistent KYC information.

**AC-16: KYC Validation Rules**

The application must apply the existing regional KYC validation rules.

- Mandatory fields must be completed before the customer can proceed.
- The identity number must follow the format and length configured for the selected identity type.
- The existing document specifies:
    - ID North: 11 digits, configurable.
    - ID South: 12 digits, configurable.
    - Passport: 3–9 alphanumeric characters, configurable.
- Full Name must:
    - Be entered as shown on the identity document.
    - Meet the existing name-length and name-component requirements.
    - Not contain prohibited numbers or special characters.
- Date of Birth must be valid.
- The customer must meet the configured minimum age requirement, which is 18 in the existing registration baseline.
- Issuance Date and Expiry Date must be valid.
- Expiry Date must be later than Issuance Date.
- Gender must be completed where mandatory for the selected identity type.
- The system must validate duplicate identity records and regional account limits.

- All validation errors must be displayed clearly next to the relevant field or through an appropriate message.

**AC-17: Region, City, and District Selection**

- Region, City, and District must be populated dynamically from the backend master data.
- The available values must reflect the customer's selected registration journey and target region.
- The selection must follow this order:
    - Select Region.
    - Select City based on the selected Region.
    - Select District based on the selected City.
- When the customer changes Region:
    - The previously selected City must be cleared.
    - The previously selected District must be cleared.
    - The available Cities must be refreshed.
- When the customer changes City:
    - The previously selected District must be cleared.
    - The available Districts must be refreshed.
- When the customer clicks Create New Account:
    - Region, City, and District must be cleared.
    - The customer must select the applicable location for the new wallet.
- The application must not automatically reuse the location of the existing wallet without validating that it is applicable to the new wallet.
- The same updated backend master data must be used across:
    - Self-registration.
    - Create New Account from the Side Menu.
    - Agent registration.

    - Ambassador registration.
- When backend master data is changed, added, removed, or reassigned:
    - The updated information must be reflected in the applicable registration journeys.
    - The application must not continue offering outdated or invalid dropdown values.
    - The customer must be asked to refresh the selection if the previously selected value is no longer valid.
- The system must validate the selected Region, City, and District again before account creation.
- A change to location master data must not change the region of an existing wallet.

**AC-18: Region-Specific Terms and Conditions**

- The applicable Terms and Conditions must be displayed according to the selected Region, City, and District.
- The Terms and Conditions may differ between regions and locations.
- The application must display the latest applicable version.
- If the customer changes Region, City, or District:
    - The applicable Terms and Conditions must be refreshed.
    - The customer must review and accept the applicable version.
- Previous acceptance must not be considered valid if the customer is presented with a different applicable version.
- The customer must explicitly accept the Terms and Conditions before submitting the account-creation request.
- The system must retain the accepted version and the acceptance date and time.
- The account must not be created using an outdated or inapplicable Terms and Conditions version.

**AC-19: Account Limits and Duplicate Validation**

Before creating the new wallet, the system must confirm all of the following:

- The mobile number has not reached the maximum of two wallet accounts.
- The customer does not already have an eligible active wallet in the target region under the same mobile number.
- The identity number has not reached the maximum of three accounts in the target region.
- The identity number and customer records do not violate the applicable duplicate-account rules.
- The customer is eligible based on account type and status.
- The customer is not restricted by an AML or compliance rule.
- The selected Region, City, and District are valid.
- All mandatory KYC information is complete.
- The applicable Terms and Conditions have been accepted.
- The request has not already been successfully submitted.

If any validation fails:

- The account must not be created.
- The existing wallet must remain unchanged.
- The customer must receive the appropriate message explaining why the request cannot proceed.

**AC-20: Submit and Create the New Wallet**

- When the customer completes the KYC information and accepts the applicable Terms and Conditions, they may submit the request.
- The customer must see a clear indication that the request is being processed.
- The account must be created in the correct region based on the approved Region, City, and District configuration.
- The new wallet must be created with:
    - A unique Customer ID where applicable.
    - A unique Wallet ID.
    - The correct regional assignment.

    - The applicable account alias.
    - The appropriate initial account tier.
    - The correct KYC status.
    - PIN status Not Initialized until the customer sets a permanent PIN.
- The new account must initially follow the applicable Tier 0 and regional onboarding rules.
- The device must be bound to the new wallet according to the existing second-account device-binding rules.
- The new wallet's information must be stored in the correct regional account.
- The Default PIN must be generated and delivered according to AC-07.
- The existing wallet must not be changed by the new-account creation process.
- The system must prevent duplicate account creation if the customer submits the request more than once or retries after a delay.
- If the request fails, the customer must not be shown a success message.

**AC-21: Successful Account Creation — Verify Now or Later**

After successful account creation, the application must display:

“Congratulations! Your new wallet account has been created successfully. Would you like to verify your account now?”

The customer must be given two options:

- Verify Now
- Later

If the customer selects Later:

- The customer must proceed to the PIN Setup journey.
- The customer must enter Default PIN, New PIN, and Confirm PIN.
- After successful PIN setup:
    - The new wallet's PIN status must become Initialized.
    - The account must be available according to its Tier 0 and verification status.

    - The application must switch to the new wallet.
    - The customer must be redirected to the new wallet Home Screen.
- The new wallet must retain the applicable limited services until KYC verification is completed.

If the customer selects Verify Now:

- The customer must proceed to the document-upload screen.
- For an ID document:
    - Front image must be uploaded.
    - Back image must be uploaded where required.
    - Selfie must be uploaded.
- For Passport:
    - Front image is mandatory.
    - Back image is optional.
    - Selfie is mandatory.
- The application must validate image clarity and the applicable identity-document requirements.
- OCR and face detection/matching must be applied according to the existing verification process.
- The documents must be submitted for KYC verification.
- The application must display the appropriate confirmation message, such as:

“Your account will be verified within 24 hours. Please proceed to set your PIN.”

- The customer must still complete the PIN Setup journey.
- After PIN setup, the application must switch to the new wallet and display its information.
- The account must remain subject to its KYC status and Tier 0 restrictions until verification is completed.

If the customer cancels:

- The customer must remain in the original wallet.
- No partial switch must occur.
- No unintended change must be made to the original wallet.
- If the new wallet has already been successfully created, it must not be duplicated on a subsequent attempt. The customer must be able to resume the applicable PIN/KYC process according to the account's current status.

**AC-22: Account Information After Switching**

After a successful switch, the application must refresh all information based on the newly active wallet.

- Balance must be retrieved from the target wallet.
- Alias Code must reflect the target wallet.
- Services must reflect the target region and account tier.
- Profile must reflect the target wallet's KYC information.
- Limits must reflect the target wallet's tier and regional rules.
- Transactions must show the target wallet's transaction history.
- Notifications and other account-related information must reflect the target wallet.
- The application must not mix South and North wallet information.
- The Home Screen must clearly show which wallet is currently active.

**AC-23: Biometric Authentication**

- Biometric authentication must be available where enabled for the customer, account, and device.
- Biometric authentication must follow the existing account and device association rules.
- Successful biometric authentication must not bypass account-status or device-authorization checks.
- If biometric authentication fails:
    - The customer must be allowed to use the PIN authentication option.
- If biometric authentication is not enabled:

    - The customer must use the PIN.
- After the first successful switch, the application may offer the customer the option to enable biometric authentication for the target wallet on the current device.
- The customer's biometric preference for one wallet must not automatically enable biometrics for another wallet unless explicitly supported by the existing biometric policy.

**AC-24: Cancel and Back Navigation**

- If the customer cancels switching before successful authentication:
    - The customer must remain in the current wallet.
    - No session or default-wallet preference must change.
- If the customer cancels First-Time PIN Setup:
    - The target wallet must remain Not Initialized.
    - The customer must return to the original wallet or an appropriate safe screen.
- If the customer cancels account creation before submission:
    - No new wallet must be created.
    - The original wallet must remain unchanged.
- If the customer leaves the KYC screen before submitting:
    - Any saved draft must follow the agreed registration-draft policy.
    - No wallet must be created without a successful account-creation submission.
- When the customer returns to an incomplete journey:
    - The system must recheck the account status, eligibility, identity limits, and current regional information before allowing continuation.

**AC-25: Regional Migration Restrictions**

- A customer with one South wallet must remain in South until the wallet balance is zero.

- A zero balance only makes the customer eligible for Risk Team review; it does not trigger automatic migration.
- A customer with one North wallet must follow the corresponding rule before migration to South.
- A customer who already has a South and North wallet must retain both regional assignments.
- Zero balance in either wallet must not trigger migration.
- The system must not migrate an existing wallet because of:
    - A change in residential address.
    - A change in Governorate, City, or District.
    - A change in backend location master data.
    - A customer switching to the other wallet.
    - A customer creating an additional wallet.
- Any approved manual migration must be handled through the Risk Team's process.
- The migration decision and execution must be recorded for audit purposes.

**4. Validations and Customer Messages**

The following validations and messages must be covered. Existing validation messages and codes from the shared document should be reused where applicable.

**4.1. Account eligibility and status**

- Customer already has two eligible wallets:
    - “You already have the maximum number of accounts allowed for this mobile number.”
- Account already exists in the selected region:
    - “You already have an account in this region.”
- Customer is not eligible to create another account:
    - “You cannot create a new account at this time. Please contact customer support.”
- Suspended or restricted account:

    - “Your account is currently unavailable. Please contact customer support.”
- AML restriction:
    - “We are unable to process your request at this time. Please contact customer support.”
- Terminated target account:
    - “This account is not accessible.”
- Signup account or expired photo-upload period:
    - “Your registration period has expired. Please contact customer support to continue.”
- Maximum identity accounts reached:
    - “This ID is linked to the maximum number of accounts allowed.”

**4.2. Switching and authentication**

- Incorrect PIN:
    - “Incorrect PIN. Please try again.”
- Biometric authentication failed:
    - “Authentication failed. Please try again or use your PIN.”
- Target account inaccessible:
    - “This account is not accessible.”
- Device mismatch or unauthorized device:
    - “This device cannot be used to access this account.”
- Maximum device limit reached:
    - “Maximum authorized devices reached. Please contact customer support.”
- Session switch failed:
    - “Unable to switch accounts. Please try again.”
- Account information could not be loaded:
    - “Unable to load your account information. Please try again.”

**4.3. PIN setup**

- Default PIN is incorrect:
    - “Incorrect default PIN.”
- Default PIN expired:
    - “Default PIN expired. Please request a new one.”
- Default PIN already used:
    - “Temporary PIN is no longer valid.”
- Maximum attempts exceeded:
    - “Maximum attempts exceeded. Please try again later.”
- New PIN is invalid or weak:
    - “Please choose a stronger PIN.”
- New PIN matches Default PIN:
    - “New PIN cannot match the temporary PIN.”
- PIN confirmation mismatch:
    - “PIN confirmation does not match.”
- Default PIN delivery failed:
    - “Unable to send your temporary PIN. Please try again later.”

**4.4. KYC and identity validation**

- Mandatory information missing:
    - “Please complete all required fields.”
- Invalid identity number:
    - “Invalid ID number. Please check and try again.”
- Invalid Passport number:
    - “Invalid passport number.”
- Invalid Full Name:
    - “Please enter your full name as shown on your identity document.”
- Invalid date:

    - “Invalid date. Please check and try again.”
- Age below the configured minimum:
    - “You must be at least 18 years old to register.”
- Gender required:
    - “Please select gender.”
- Invalid identity scan:
    - “Unable to read ID. Please enter manually.”
- Invalid or duplicate identity record:
    - “This ID is linked to the maximum number of accounts allowed.”

**4.5. Region, City, District and Terms and Conditions**

- Region unavailable:
    - “The selected region is unavailable. Please select another region.”
- City does not belong to the selected Region:
    - “The selected city is not valid for this region.”
- District does not belong to the selected City:
    - “The selected district is not valid for this city.”
- Location master data has changed:
    - “Your location information has been updated. Please refresh and select your location again.”
- Terms and Conditions not accepted:
    - “Please accept the Terms and Conditions before continuing.”
- Terms and Conditions updated:
    - “The Terms and Conditions have been updated. Please review and accept the latest version.”

**4.6. Account creation**

- Account creation failed:
    - “Account creation failed. Please try again later.”

- Request already being processed:
    - “Your request is already being processed. Please wait.”
- Default PIN delivery failed:
    - “Unable to deliver your temporary PIN. Please try again later.”
- Network or service unavailable:
    - “The service is temporarily unavailable. Please try again later.”

**5. Existing Error Codes to Retain**

The following codes are already documented in the shared stories and should be reused where applicable.

**Switch Account**

- `SW_001` — Incorrect PIN.
- `SW_002` — Biometric failed.
- `SW_003` — Account inactive.
- `SW_004` — Default PIN expired.
- `SW_005` — PIN not initialized.
- `SW_006` — Maximum attempts exceeded.
- `SW_007` — Device mismatch.
- `SW_008` — System unavailable.

**PIN Setup**

- `PIN-001` — PIN is required.
- `PIN-002` — PIN must be exactly 4 digits.
- `PIN-003` — Only numbers are allowed.
- `PIN-004` — Incorrect PIN. Please try again.
- `PIN-005` — Temporary PIN has expired. Please request a new PIN.
- `PIN-006` — Temporary PIN is no longer valid.
- `PIN-007` — PINs do not match.

- `PIN-008` — PIN cannot be sequential.
- `PIN-009` — Please choose a stronger PIN.
- `PIN-010` — New PIN cannot match the temporary PIN.
- `PIN-011` — Maximum attempts exceeded. Please try again later.
- `PIN-012` — Account temporarily locked. Please try again later.
- `PIN-013` — Account locked. PIN reset is required.
- `PIN-014` — Unable to validate PIN. Please try again later.
- `PIN-015` — Unable to set PIN. Please try again.
- `PIN-016` — PIN service unavailable.
- `PIN-017` — Too many requests. Please try again later.

**KYC and Registration**

- `REG-ID-001` — This field is required.
- `REG-ID-002` — Invalid ID number. Please check and try again.
- `REG-ID-003` — Unable to read ID. Please enter manually.
- `REG-ID-004` — Please complete all required fields.
- `REG-ID-005` — This ID is linked to more than three accounts.
- `REG-ID-006` — You already have three accounts with the same ID.
- `REG-ID-007` — You must be at least 18 years old to register.
- `REG-ID-008` — Invalid passport number.
- `REG-ID-009` — Invalid full name.
- `REG-ID-011` — Invalid referral code.
- `REG-ID-012` — Account creation failed. Please try again later.
- `REG-ID-013` — AML review required. Your account has been created and is pending verification.
- `REG-ID-014` — Invalid issue or expiry date.
- `REG-ID-015` — Device binding failed. Please try again.

- `REG-ID-017` — Invalid date of birth.
- `REG-ID-018` — Unable to read referral QR code.

Important: The AML registration code above belongs to the existing general registration story. It must not be used to override the updated rule in this story: a customer whose existing account is AML-blocked and has no other eligible wallet must not create another account or self-register to bypass the restriction.

Any additional error codes required for the new regional, device-specific, or account-eligibility rules should be agreed with the development team and mapped to the existing error-code catalogue. They should not be introduced as conflicting duplicate codes.

**6. Main Scenarios and Expected Results**

**Scenario 1: Customer has one South wallet and creates a North wallet**

- Customer logs in to the South wallet.
- Customer selects Switch Account or Create New Account.
- The application confirms that the customer has only one eligible wallet.
- The customer is eligible for another wallet.
- The application opens the Create New Account journey.
- Customer completes the North KYC requirements.
- Customer selects the applicable Region, City, and District.
- Customer accepts the applicable Terms and Conditions.
- The system validates the identity and account limits.
- The North wallet is created successfully.
- The device is bound to the new wallet.
- A Default PIN is generated and delivered.
- Customer completes PIN setup.
- The application switches to the North wallet and displays its information.

**Scenario 2: Customer has one North wallet and creates a South wallet**

- The same process applies in the opposite direction.

- The application must apply the South KYC and location requirements.
- The new South wallet must be created independently of the existing North wallet.
- The Default PIN and verification flow must follow the South and customer-type delivery rules.

**Scenario 3: Customer already has both South and North wallets**

- Customer selects Switch Account.
- The application identifies both wallets.
- The application displays the other wallet as the switching destination.
- Customer authenticates using the target wallet's PIN or biometrics.
- The application switches to the target wallet.
- All wallet information is refreshed.
- Create New Account must not be offered.

**Scenario 4: Target wallet exists but PIN is not initialized**

- Customer selects Switch Account.
- The application identifies the target wallet.
- The application detects that its PIN is Not Initialized.
- The customer is directed to First-Time PIN Setup.
- Customer enters the Default PIN.
- Customer enters and confirms a new PIN.
- The system validates the information.
- The PIN is initialized.
- The customer is redirected to the target wallet Home Screen.

**Scenario 5: Default wallet is Suspended, but the other wallet is Active**

- Customer attempts to log in.
- The system identifies the Suspended wallet.
- The Suspended wallet is excluded from login.

- The system checks the other wallet.
- If the other wallet is Active, eligible, and authorized for the device, the customer can access it.
- The Suspended wallet remains inaccessible.
- The customer cannot create another wallet to bypass the suspension.

**Scenario 6: Default wallet is AML-blocked or Suspended, with no other eligible wallet**

- Customer attempts to log in or create another account.
- The system identifies the restriction.
- The application blocks account creation and self-registration as a workaround.
- The customer receives a neutral message directing them to customer support.

**Scenario 7: One of the two wallets is Terminated**

- Customer logs in through the remaining eligible wallet.
- Customer selects Create New Account.
- The system identifies the terminated wallet's region.
- The system checks identity limits, regional eligibility, and compliance restrictions.
- If all conditions are satisfied, the customer may create a replacement wallet in that region.
- The Terminated wallet remains in the customer's historical records.

**Scenario 8: Customer attempts to create a third wallet under the same mobile number**

- The customer already has one South and one North wallet.
- Customer selects Create New Account.
- The system identifies that the mobile number has reached its maximum account limit.
- The application prevents account creation.
- The customer can use Switch Account only.

**Scenario 9: Customer's identity number has reached three accounts in the target region**

- Customer starts the account-creation journey.
- The system checks all accounts linked to the identity number.
- The identity already has three accounts in the target region.
- The request is rejected.
- The customer receives the appropriate validation message.

**Scenario 10: Customer has a Signup account with an expired photo-upload period**

- Customer attempts to create another wallet.
- The system identifies the Signup status and expired verification period.
- Create New Account is not available.
- The account's services remain dimmed or unavailable according to the Signup rules.
- The customer must complete the applicable registration recovery or verification process.

**Scenario 11: Customer changes Region during KYC**

- Customer selects a Region.
- The application displays the applicable Cities.
- Customer selects a City.
- The application displays the applicable Districts.
- Customer changes the Region.
- The previous City and District are cleared.
- The application loads the new applicable Cities and Districts.
- The applicable Terms and Conditions are refreshed.
- The customer must accept the correct version before submission.

**Scenario 12: Backend location master data changes during registration**

- Customer starts account creation.
- The backend location information is updated.
- The application refreshes the relevant dropdown values.

- The system checks the selected location again when the customer submits the request.
- If the selected value is no longer valid, the customer must refresh and select a valid value.
- No account is created with invalid location information.

**Scenario 13: Two devices have different default wallets**

- Customer has both South and North wallets.
- Device A has South as its preferred wallet.
- Device B has North as its preferred wallet.
- Customer logs in from both devices.
- Each device follows its own default-wallet preference and the applicable Last Successful Session and device authorization rules.
- Changing the preference on Device A must not change the preference on Device B.

**Scenario 14: Customer cancels account creation**

- Customer starts creating a second wallet.
- Customer cancels before submitting the KYC information.
- The original wallet remains unchanged.
- No new wallet is created.
- The customer can return to the application safely.

**Scenario 15: Customer's single South wallet reaches zero balance**

- Customer has only one South wallet.
- The balance reaches zero.
- The wallet remains in South.
- The system does not migrate it automatically.
- The Risk Team may review and manually approve migration to North.
- If the customer already has both South and North wallets, the South wallet remains in South regardless of its balance.

**Scenario 16: Switch succeeds but target wallet information cannot be loaded**

- Customer authenticates successfully.
- The application starts loading the target wallet information.
- A critical loading step fails.
- The application must not display a partially loaded wallet.
- The customer must receive a retryable error.
- The previous valid session must be retained or the customer must be returned to a safe state.

**7. Audit and Tracking Requirements**

The following events must be recorded for monitoring, support, security, and investigation:

- Customer initiated Switch Account.
- Customer initiated Create New Account.
- Linked wallets were retrieved.
- Account eligibility was checked.
- Target wallet was identified.
- Target wallet status was checked.
- Switching was successful or failed.
- Default PIN was generated.
- Default PIN delivery was attempted, including the delivery channel and result.
- PIN setup was successful or failed.
- Device binding was successful or failed.
- KYC information was submitted.
- Identity validation was successful or failed.
- Region, City, and District were selected.
- Terms and Conditions version was accepted.
- Account creation was successful or failed.

- Customer changed the default wallet on a device.
- Replacement account was requested.
- Regional migration was requested, approved, rejected, or completed.

The relevant records should include, where applicable:

- Customer ID.
- Mobile number.
- Wallet ID.
- Device ID.
- Current wallet and target wallet.
- Region.
- Date and time.
- Action performed.
- Result.
- Failure reason or error code.
- Terms and Conditions version and acceptance time.
- Risk approval details for regional migration.

Sensitive PIN values and authentication credentials must never be written into ordinary audit logs.

**8. Analytics Events**

The following events should be supported, reusing existing event names wherever they are already implemented:

- `switch_initiated`
- `first_time_switch_detected`
- `default_pin_sent`
- `default_pin_delivery_failed`
- `pin_setup_completed`
- `switch_completed`

- `switch_failed`
- `default_wallet_change_requested`
- `default_wallet_changed`
- `account_creation_started`
- `account_creation_validation_failed`
- `account_created`
- `kyc_submitted`
- `terms_accepted`
- `device_binding_completed`
- `regional_migration_requested`
- `regional_migration_completed`

Analytics should distinguish between switching an existing wallet and creating a new wallet.

**9. Important Product Decisions and Clarifications**

The following distinctions must be maintained during development and testing:

1. Two different account limits: The maximum of two accounts applies to one mobile number. The maximum of three accounts applies to one identity number in each region, using different mobile numbers. Both limits must be enforced.
2. Create New Account is not a way around restrictions: A customer with a Suspended or AML-blocked account and no other eligible wallet must not be able to create another wallet or self-register to bypass the restriction.
3. Terminated is different from Suspended or Blocked: A Terminated wallet cannot be accessed, but the customer may qualify for a replacement wallet in that region after the required checks. A Suspended or AML-blocked wallet must not be bypassed through replacement-account creation.
4. Not Initialized is not a missing account: If the second wallet already exists but has no permanent PIN, the customer must complete First-Time PIN Setup. The customer must not be sent through account creation again.

5. Device-specific default is different from a global default: Each device can have its own preferred wallet. Changing the default on one device must not change it on another device. The existing Last Successful Session and login-resolution rules must also be respected.
6. Creating the second wallet on an authorized device: The existing second-account journey does not require an additional OTP solely because the customer is creating the wallet on the same authorized device. However, the target wallet must still be associated with the device and protected by the applicable device security rules.
7. International PIN delivery is different from local delivery: For international customers creating a second wallet, the Default PIN must be delivered through WhatsApp or email only. SMS must not be mandatory.
8. Region and location are not interchangeable: Changing a customer's City or District must not change the region of an existing wallet. Master-data changes affect the available registration choices, not existing wallet assignments.
9. Regional migration is not account creation: A zero balance allows a single-wallet customer to be considered for manual migration by Risk. It does not automatically move the wallet. A customer with both regional wallets retains both regional assignments.

10. Regional KYC requirements must remain separate: North and South account creation must use their respective identity types, fields, location rules, and KYC requirements. The application must not apply one region's rules to the other.

11. The original wallet must remain independent: Creating or switching to the second wallet must never change the original wallet's balance, PIN, KYC status, region, transaction history, or account status.

12. Use the existing login and PIN stories as the source of authentication behavior: This story defines how the customer enters the Switch Account and Create New Account journeys. The existing Login, Reset PIN, and Default PIN stories remain responsible for their detailed authentication and PIN rules.

Source alignment: This version retains the original document's account limits, Tier 0 and downgraded eligibility, regional KYC requirements, default PIN flow, device binding, verification options, and existing Switch Account behavior. The additional rules you supplied are incorporated as updated business requirements, particularly the three-accounts-per-region identity limit, international PIN delivery, read-only mobile number, KYC field behavior, device-specific default wallet, and regional migration restrictions.