

# Worst Case Residue Limits Calculations Matrix

Leucine

2019/05/07

**Document Information**

Document information is given in the table below

S.No	Item	Information
1	Document ID	MAC-Matrix/1
2	Document Generated At	06-05-2019 - 11:17:16 IST
3	Document Generated By	admin@lt.com
4	MAC Protocol ID	CV/1

# TABLE OF CONTENTS

## 0.1 Actives Limit Calculations

section text here

### 0.1.1 Febuxostat Tablets 40 mg 80 mg and 120 mg (Pr1)

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etexilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

**0.1.2 Dabigatran Etexilate Capsules 75 mg 110 mg and 150 mg (Pr2)**

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etexilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

**0.1.3 Telmisartan Tablets 20 mg 40 mg and 80 mg (Pr3)**

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etexilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

#### 0.1.4 Rosuvastatin Calcium Tablets 5 mg 10 mg 20 mg and 40 mg (Pr4)

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etextilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

#### 0.1.5 Pregabalin Capsules 25 mg 50 mg 75 mg 100 mg 150 mg 200 mg 225 mg and 300 mg (Pr5)

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etextilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

### 0.1.6 Test Product (Pr6)

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etextilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

## 0.2 Cleaning Agent Limit Calculations

section text here

**0.2.1 Febuxostat Tablets 40 mg 80 mg and 120 mg (Pr1)**

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etxilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

**0.2.2 Dabigatran Etxilate Capsules 75 mg 110 mg and 150 mg (Pr2)**

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etxilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr1	Pr1
2	Pr2	Pr2
3	Pr3	Pr3

Equipment	Largest Surface Area
Scoop (DAPR009)	300

### 0.2.3 Telmisartan Tablets 20 mg 40 mg and 80 mg (Pr3)

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etxilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300

### 0.2.4 Rosuvastatin Calcium Tablets 5 mg 10 mg 20 mg and 40 mg (Pr4)

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etxilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml



Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment                      Largest Surface Area  
Scoop (DAPR009)      300

### **0.2.5 Pregabalin Capsules 25 mg 50 mg 75 mg 100 mg 150 mg 200 mg 225 mg and 300 mg (Pr5)**

some text here

Worst SAL: 0.725 mg/sqcm

Next Production: Dabigatran Etextilate Capsules 75 mg 110 mg and 150 mg (Pr2)

Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment                      Largest Surface Area  
Scoop (DAPR009)      300

0.2.6 Test Product (Pr6)

some text here  
Worst SAL: 0.725 mg/sqcm  
Next Production: Dabigatran Etexilate Capsules 75 mg 110 mg and 150 mg (Pr2)  
Next PSwab Limit: 1813.458 ppm Swab Area: 25 sqcm Swab Volume: 10 ml

Previous API(A)	Next Production	ID (B)
1	Pr2	Pr2
2	Pr3	Pr3
3	Pr4	Pr4

Equipment	Largest Surface Area
Scoop (DAPR009)	300