

Sensor Report

timestamp	voltage	temperature	vibration	pressure
21-11-2025 20:28	271.22	72.4	0.117	1.78
21-11-2025 20:29	225.77	73.4	0.616	1.32
21-11-2025 20:30	229.46	87.5	0.880	1.65
21-11-2025 20:31	245.70	67.3	0.926	1.16
21-11-2025 20:32	253.16	91.6	0.183	1.18
21-11-2025 20:33	247.40	91.1	0.360	1.28
21-11-2025 20:34	228.83	72.8	0.552	1.51
21-11-2025 20:35	231.80	74.3	0.246	1.15
21-11-2025 20:36	269.05	98.1	0.235	1.77
21-11-2025 20:37	276.89	72.0	0.114	1.38
21-11-2025 20:38	240.79	74.3	0.239	1.80
21-11-2025 20:39	240.16	56.7	0.205	0.88
21-11-2025 20:40	246.95	77.1	0.571	1.70
21-11-2025 20:41	275.48	69.5	0.639	0.87
21-11-2025 20:42	237.71	85.3	0.451	1.87
21-11-2025 20:43	242.03	75.6	0.229	1.57
21-11-2025 20:44	224.58	80.4	0.914	0.95
21-11-2025 20:45	246.54	71.8	0.741	1.03
21-11-2025 20:46	256.90	87.6	0.864	1.57
21-11-2025 20:47	222.48	84.4	0.989	1.79
21-11-2025 20:48	266.44	81.0	0.282	0.96
21-11-2025 20:49	279.82	89.7	0.139	1.25
21-11-2025 20:50	234.13	70.5	0.981	1.03
21-11-2025 20:51	277.65	79.5	0.629	1.98
21-11-2025 20:52	251.59	80.8	0.781	1.13
21-11-2025 20:53	222.34	82.3	0.550	1.26
21-11-2025 20:54	230.11	75.1	0.966	1.10
21-11-2025 20:55	271.32	55.2	0.825	1.82
21-11-2025 20:56	233.48	89.4	0.734	1.48
21-11-2025 20:57	257.93	94.6	0.414	1.99
21-11-2025 20:58	268.49	70.5	0.315	0.92
21-11-2025 20:59	221.61	99.6	0.376	1.76
21-11-2025 21:00	241.48	57.9	0.542	1.40

timestamp	voltage	temperature	vibration	pressure
21-11-2025 21:01	240.55	55.9	0.462	1.89
21-11-2025 21:02	250.10	92.1	0.987	1.44
21-11-2025 21:03	239.74	83.6	0.185	1.82
21-11-2025 21:04	250.60	78.8	0.302	1.67
21-11-2025 21:05	264.92	61.5	0.317	1.54
21-11-2025 21:06	271.91	81.3	0.604	1.98
21-11-2025 21:07	279.52	87.2	0.957	1.14
21-11-2025 21:08	226.33	65.4	0.946	1.50
21-11-2025 21:09	245.81	80.2	0.464	1.76
21-11-2025 21:10	230.48	78.9	0.265	1.82
21-11-2025 21:11	247.99	75.7	0.612	1.87
21-11-2025 21:12	233.03	89.2	0.988	1.41
21-11-2025 21:13	223.40	69.3	0.413	1.24
21-11-2025 21:14	228.46	98.9	0.630	1.34
21-11-2025 21:15	276.18	64.9	0.160	1.17
21-11-2025 21:16	271.66	70.1	0.193	1.81
21-11-2025 21:17	276.83	58.6	0.685	1.95
21-11-2025 21:18	268.27	69.6	0.115	1.78
21-11-2025 21:19	253.86	55.5	0.125	1.51
21-11-2025 21:20	240.51	56.2	0.578	1.10
21-11-2025 21:21	273.85	71.9	0.293	0.94
21-11-2025 21:22	249.19	65.4	0.204	0.84
21-11-2025 21:23	250.58	86.5	0.659	1.27
21-11-2025 21:24	251.17	99.2	0.436	1.87
21-11-2025 21:25	250.83	72.5	0.357	1.80
21-11-2025 21:26	246.41	60.5	0.660	0.85
21-11-2025 21:27	233.14	81.7	0.978	0.92
21-11-2025 21:28	224.75	56.2	0.180	1.61
21-11-2025 21:29	243.52	64.6	0.223	1.92
21-11-2025 21:30	246.93	61.3	0.665	1.68
21-11-2025 21:31	245.15	67.5	0.488	1.10
21-11-2025 21:32	241.11	71.1	0.436	1.77
21-11-2025 21:33	268.40	62.1	0.396	1.80
21-11-2025 21:34	257.66	86.3	0.931	1.42

timestamp	voltage	temperature	vibration	pressure
21-11-2025 21:35	271.41	92.0	0.272	1.71
21-11-2025 21:36	258.14	93.7	0.659	1.81
21-11-2025 21:37	249.11	95.9	0.701	1.86
21-11-2025 21:38	241.99	89.0	0.555	1.51
21-11-2025 21:39	248.73	87.7	0.709	1.19
21-11-2025 21:40	224.99	64.9	0.978	1.67
21-11-2025 21:41	240.99	59.1	0.949	1.20
21-11-2025 21:42	264.39	86.0	0.131	1.56
21-11-2025 21:43	255.72	92.8	0.213	1.23
21-11-2025 21:44	251.85	58.8	0.459	0.91
21-11-2025 21:45	270.28	81.6	0.225	0.85
21-11-2025 21:46	228.16	80.3	0.885	1.90
21-11-2025 21:47	220.93	76.8	0.829	1.31
21-11-2025 21:48	247.20	81.8	0.336	0.82
21-11-2025 21:49	253.49	96.3	0.589	1.92
21-11-2025 21:50	248.67	91.9	0.283	1.92
21-11-2025 21:51	263.27	95.3	0.975	1.08
21-11-2025 21:52	272.17	98.7	0.578	0.90
21-11-2025 21:53	239.90	79.7	0.343	1.39
21-11-2025 21:54	261.46	73.0	0.232	1.43
21-11-2025 21:55	270.78	68.8	0.192	1.39
21-11-2025 21:56	229.25	59.6	0.866	1.84
21-11-2025 21:57	225.04	59.7	0.121	1.81
21-11-2025 21:58	275.07	64.2	0.915	1.49
21-11-2025 21:59	228.84	84.4	0.983	1.40
21-11-2025 22:00	269.54	55.6	0.958	1.04
21-11-2025 22:01	260.57	98.7	0.674	1.73
21-11-2025 22:02	228.44	61.6	0.943	1.09
21-11-2025 22:03	229.33	67.0	0.651	1.42
21-11-2025 22:04	258.88	58.4	0.302	1.85
21-11-2025 22:05	271.94	84.3	0.370	1.84
21-11-2025 22:06	247.46	69.0	0.641	0.88
21-11-2025 22:07	238.14	73.7	0.963	1.35
21-11-2025 20:36	242.94	75.2	0.359	0.93

timestamp	voltage	temperature	vibration	pressure
21-11-2025 20:37	261.72	72.3	0.674	1.17
21-11-2025 20:38	277.40	81.3	0.826	1.07
21-11-2025 20:39	260.93	70.2	0.930	1.04
21-11-2025 20:40	237.15	74.3	0.467	1.24
21-11-2025 20:41	225.82	85.6	0.403	1.30
21-11-2025 20:42	247.32	87.2	0.808	1.32
21-11-2025 20:43	274.52	79.3	0.194	1.45
21-11-2025 20:44	260.63	61.6	0.141	1.30
21-11-2025 20:45	234.38	82.9	0.939	1.26
21-11-2025 20:46	269.55	77.8	0.186	1.09
21-11-2025 20:47	263.82	84.6	0.280	1.47
21-11-2025 20:48	260.56	62.6	0.399	1.03
21-11-2025 20:49	226.33	67.1	0.315	1.18
21-11-2025 20:50	261.78	68.7	0.733	0.85
21-11-2025 20:51	273.29	81.0	0.122	0.87
21-11-2025 20:52	260.96	72.5	0.758	1.02
21-11-2025 20:53	220.35	87.4	0.398	1.22
21-11-2025 20:54	240.17	81.8	0.952	1.40
21-11-2025 20:55	244.22	83.6	0.793	0.97
21-11-2025 20:56	272.77	63.1	0.975	0.98
21-11-2025 22:15	278.69	76.1	0.418	0.88
21-11-2025 22:16	223.04	84.6	0.553	1.31
21-11-2025 22:17	249.56	75.4	0.953	0.92
21-11-2025 22:18	221.07	58.6	0.363	1.05
21-11-2025 22:19	226.93	62.3	0.614	0.93
21-11-2025 22:20	254.09	74.6	0.741	1.24
21-11-2025 22:21	242.22	59.0	0.442	1.17
21-11-2025 22:22	258.86	86.1	0.340	0.89
21-11-2025 22:23	274.89	66.2	0.290	1.31
21-11-2025 22:24	270.08	79.5	0.238	1.14
21-11-2025 22:25	264.19	75.0	0.593	1.03
21-11-2025 22:25	235.48	87.6	0.499	0.97
21-11-2025 22:26	247.48	81.1	0.489	0.82
21-11-2025 22:26	248.34	85.7	0.915	0.81

timestamp	voltage	temperature	vibration	pressure
21-11-2025 22:27	249.22	62.7	0.739	0.90
21-11-2025 22:27	261.98	88.7	0.760	0.97
21-11-2025 22:28	258.53	57.3	0.860	1.20
21-11-2025 22:28	255.91	68.7	0.924	0.97
21-11-2025 22:29	244.29	84.4	0.665	1.36
21-11-2025 22:29	230.56	71.7	0.222	1.45
21-11-2025 22:30	239.11	56.4	0.944	1.09
21-11-2025 22:30	248.98	89.4	0.770	1.15
21-11-2025 22:30	244.77	63.4	0.222	0.82
21-11-2025 22:30	266.58	80.5	0.213	1.16
21-11-2025 22:31	268.49	70.9	0.235	1.25
21-11-2025 22:31	277.95	63.3	0.122	1.04
21-11-2025 22:31	229.89	88.2	0.874	1.21
21-11-2025 22:32	241.31	68.7	0.290	0.95
21-11-2025 22:32	259.90	62.3	0.744	1.32
21-11-2025 22:32	240.46	89.6	0.761	0.88
21-11-2025 22:33	255.52	80.5	0.202	1.07
21-11-2025 22:33	269.03	58.8	0.402	0.91
21-11-2025 22:33	271.00	75.2	0.193	1.05
21-11-2025 22:34	272.80	65.7	0.416	1.22
21-11-2025 22:34	230.06	64.7	0.127	1.31
21-11-2025 22:34	236.87	75.3	0.813	1.05
21-11-2025 22:35	239.43	67.1	0.781	1.15
21-11-2025 22:35	242.77	79.2	0.154	1.15
21-11-2025 22:35	251.60	83.7	0.238	1.35
21-11-2025 22:36	235.47	63.8	0.246	1.34
21-11-2025 22:36	221.47	87.7	0.337	1.39
21-11-2025 22:36	225.51	87.1	0.141	0.82
21-11-2025 22:37	222.48	60.7	0.976	1.35
21-11-2025 22:37	243.49	67.5	0.111	1.09
21-11-2025 22:37	240.44	67.0	0.242	1.03
21-11-2025 22:38	270.60	67.6	0.129	1.41
21-11-2025 22:38	275.24	89.6	0.494	1.29
21-11-2025 22:38	270.03	73.3	0.324	0.96

timestamp	voltage	temperature	vibration	pressure
21-11-2025 22:39	265.57	65.7	0.628	0.97
21-11-2025 22:39	261.60	57.8	0.235	1.40
21-11-2025 22:39	246.00	60.7	0.783	1.07
21-11-2025 22:40	268.99	85.0	0.335	0.95
21-11-2025 22:40	229.10	59.9	0.492	1.04
21-11-2025 22:40	271.27	70.5	0.411	1.24
21-11-2025 22:41	224.19	79.2	0.820	1.07
21-11-2025 22:41	276.21	78.3	0.998	1.15
21-11-2025 22:41	231.07	71.0	0.304	1.27
21-11-2025 22:42	232.19	64.3	0.906	0.94
21-11-2025 22:42	260.92	74.1	0.678	1.01
21-11-2025 22:42	267.81	68.6	0.763	0.93
21-11-2025 22:43	262.08	78.4	0.483	1.17
21-11-2025 22:43	244.72	70.1	0.515	1.23
21-11-2025 22:43	221.69	87.8	0.702	1.01
21-11-2025 22:44	233.45	63.3	0.758	1.40
21-11-2025 22:44	254.84	76.2	0.265	1.44
21-11-2025 22:44	245.03	72.9	0.628	0.82
21-11-2025 22:45	241.67	57.7	0.795	1.25
21-11-2025 22:45	266.05	88.6	0.203	1.00
21-11-2025 22:45	259.85	57.5	0.524	0.81
21-11-2025 22:46	266.59	61.1	0.685	0.93
21-11-2025 22:46	234.48	68.7	0.907	1.12
21-11-2025 22:46	259.99	71.0	0.467	1.49
21-11-2025 22:47	240.05	78.0	0.645	1.03
21-11-2025 22:47	225.89	82.4	0.619	0.95
21-11-2025 22:47	268.54	58.0	0.909	0.93
21-11-2025 22:48	247.00	56.6	0.224	1.37
21-11-2025 22:48	260.01	73.7	0.235	1.25
21-11-2025 22:48	256.19	81.0	0.858	1.22
21-11-2025 22:49	230.49	70.5	0.978	0.86
21-11-2025 22:49	252.28	64.2	0.355	1.20
21-11-2025 22:49	239.02	57.8	0.192	1.13
21-11-2025 22:50	277.99	74.8	0.740	1.36

timestamp	voltage	temperature	vibration	pressure
21-11-2025 22:50	232.02	77.4	0.163	0.98
21-11-2025 22:50	272.27	64.0	0.381	0.95
21-11-2025 22:51	225.68	83.1	0.336	1.36
21-11-2025 22:51	265.60	89.4	0.651	0.92
21-11-2025 22:51	263.95	56.2	0.329	1.44
21-11-2025 22:52	275.11	66.6	0.925	1.33
21-11-2025 22:52	220.30	67.2	0.366	1.47
21-11-2025 22:52	226.58	81.0	0.613	1.35
21-11-2025 22:53	267.37	59.9	0.742	1.39
21-11-2025 22:53	279.51	77.4	0.485	1.22
21-11-2025 22:53	252.29	72.4	0.240	1.39
21-11-2025 22:54	245.63	66.0	0.377	1.39
21-11-2025 22:54	222.85	84.5	0.488	1.32
21-11-2025 22:54	276.49	83.0	0.774	1.12
21-11-2025 22:54	229.41	81.6	0.430	0.83
21-11-2025 22:55	221.35	56.5	0.995	1.08
21-11-2025 22:55	245.59	89.3	0.301	1.35
21-11-2025 22:55	270.34	64.4	0.374	0.80
21-11-2025 22:56	225.36	84.3	0.733	1.25
21-11-2025 22:56	255.46	89.6	0.330	1.34
21-11-2025 22:56	277.95	79.9	0.859	0.83
21-11-2025 22:57	267.26	55.6	0.572	1.45
21-11-2025 22:57	253.00	60.1	0.642	1.40
21-11-2025 22:57	266.70	76.5	0.605	0.95
21-11-2025 22:58	248.24	64.7	0.563	1.31
21-11-2025 22:58	256.60	82.6	0.449	1.26
21-11-2025 22:58	277.49	71.6	0.299	1.28
21-11-2025 22:59	254.59	66.8	0.299	1.06
21-11-2025 22:59	231.06	87.8	0.440	1.15
21-11-2025 22:59	259.25	84.5	0.250	1.45
21-11-2025 23:00	279.26	83.3	0.824	1.21
21-11-2025 23:00	246.86	63.0	0.540	1.41
21-11-2025 23:00	244.07	77.5	0.822	1.42
21-11-2025 23:01	259.69	56.5	0.375	1.20

timestamp	voltage	temperature	vibration	pressure
21-11-2025 23:01	230.92	82.8	0.267	1.31
21-11-2025 23:01	268.38	64.9	0.319	1.34
21-11-2025 23:02	236.57	63.8	0.441	1.10
21-11-2025 23:02	230.22	68.6	0.563	0.94
21-11-2025 23:02	244.87	60.7	0.820	1.25
21-11-2025 23:03	241.15	86.7	0.308	1.39
21-11-2025 23:03	261.34	87.9	0.571	1.30
21-11-2025 23:03	272.13	75.5	0.561	1.36
21-11-2025 23:04	256.92	78.5	0.803	1.23
21-11-2025 23:04	220.82	73.7	0.544	1.12
21-11-2025 23:04	279.81	60.0	0.704	0.92
21-11-2025 23:05	271.05	70.8	0.541	1.42
21-11-2025 23:05	246.71	64.5	0.596	1.06
21-11-2025 23:05	234.30	66.4	0.898	0.93
21-11-2025 23:06	262.69	86.1	0.155	0.82
21-11-2025 23:06	246.80	62.2	0.704	1.10
21-11-2025 23:06	224.14	83.8	0.156	1.03
21-11-2025 23:07	248.73	63.2	0.188	0.98
21-11-2025 23:07	228.67	66.1	0.478	1.28
21-11-2025 23:07	258.16	83.0	0.614	1.29
21-11-2025 23:08	277.76	58.2	0.343	1.47
21-11-2025 23:08	223.66	76.3	0.172	1.25
21-11-2025 23:08	240.42	86.1	0.931	1.34
21-11-2025 23:09	248.77	79.7	0.147	1.24
21-11-2025 23:09	251.40	64.0	0.958	1.04
21-11-2025 23:09	262.03	88.9	0.195	0.81
21-11-2025 23:10	242.74	80.5	0.694	1.29
21-11-2025 23:10	228.65	69.6	0.115	1.24
21-11-2025 23:10	267.52	86.6	0.706	0.92
21-11-2025 23:11	228.18	72.9	0.689	0.86
21-11-2025 23:11	253.63	81.9	0.998	1.05
21-11-2025 23:11	228.93	64.0	0.828	1.35
21-11-2025 23:12	247.70	81.4	0.263	0.83
21-11-2025 23:12	224.44	80.6	0.618	0.84

timestamp	voltage	temperature	vibration	pressure
21-11-2025 23:12	248.18	68.7	0.718	1.35
21-11-2025 23:13	240.84	71.4	0.303	1.33
21-11-2025 23:13	232.82	74.6	0.814	1.32
21-11-2025 23:13	239.67	81.5	0.385	1.11
21-11-2025 23:14	272.68	78.7	0.118	0.82
21-11-2025 23:14	226.30	64.8	0.319	0.82
21-11-2025 23:14	261.94	74.2	0.853	0.98
21-11-2025 23:15	265.38	80.1	0.486	0.92
21-11-2025 23:15	273.17	84.0	0.283	0.85
21-11-2025 23:15	238.20	82.3	0.178	1.36
21-11-2025 23:16	262.91	59.7	0.127	1.40
21-11-2025 23:16	242.21	61.8	0.961	0.85
21-11-2025 23:16	221.99	67.1	0.669	1.25
21-11-2025 23:17	241.06	66.4	0.222	1.41
21-11-2025 23:17	262.13	74.2	0.350	1.21
21-11-2025 23:17	255.02	74.0	0.778	1.08
21-11-2025 23:18	255.21	89.5	0.507	0.97
21-11-2025 23:18	246.83	88.3	0.190	1.39
21-11-2025 23:18	243.31	57.5	0.217	1.22
21-11-2025 23:19	268.49	67.5	0.524	1.44
21-11-2025 23:19	236.39	68.7	0.748	0.87
21-11-2025 23:19	232.21	79.7	0.768	1.46
21-11-2025 23:20	238.26	74.5	0.848	1.26
21-11-2025 23:20	270.05	82.9	0.637	0.95
21-11-2025 23:20	269.05	71.3	0.873	0.96
21-11-2025 23:21	226.47	82.9	0.929	1.05
21-11-2025 23:21	253.27	56.5	0.993	1.28
21-11-2025 23:21	265.77	69.1	0.561	1.28
21-11-2025 23:22	260.98	71.9	0.544	0.85
21-11-2025 23:22	231.46	71.9	0.770	1.17
21-11-2025 23:22	275.11	64.5	0.562	1.46
21-11-2025 23:23	265.62	73.0	0.830	1.42
21-11-2025 23:23	220.39	59.1	0.604	0.85
21-11-2025 23:23	224.08	63.5	0.285	0.97

timestamp	voltage	temperature	vibration	pressure
21-11-2025 23:24	251.17	68.5	0.829	0.97
21-11-2025 23:24	272.10	56.8	0.206	1.22
21-11-2025 23:24	258.36	84.4	0.826	1.46
21-11-2025 23:25	267.13	77.1	0.656	1.01
21-11-2025 23:25	236.33	68.2	0.169	1.17
21-11-2025 23:25	223.36	79.1	0.652	1.11
21-11-2025 23:26	225.09	69.5	0.106	1.22
21-11-2025 23:26	275.50	59.6	0.784	1.04
21-11-2025 23:26	236.06	88.4	0.586	1.21
21-11-2025 23:27	273.04	72.7	0.866	1.22
21-11-2025 23:27	234.83	78.4	0.934	0.95
21-11-2025 23:27	242.41	65.0	0.837	1.08
21-11-2025 23:28	241.95	56.6	0.764	1.24
21-11-2025 23:28	228.58	55.1	0.288	1.50
21-11-2025 23:28	264.74	69.9	0.314	0.94
21-11-2025 23:29	230.12	64.5	0.210	1.32
21-11-2025 23:29	274.97	66.2	0.386	1.45
21-11-2025 23:29	225.97	83.0	0.602	0.80
21-11-2025 23:30	237.62	88.4	0.126	0.80
21-11-2025 23:30	246.36	66.8	0.411	1.21
21-11-2025 23:30	243.75	74.4	0.308	1.49
21-11-2025 23:31	220.11	69.0	0.519	1.20
21-11-2025 23:31	242.92	66.4	0.641	0.96
21-11-2025 23:31	224.88	64.2	0.746	1.35
21-11-2025 23:32	253.15	85.3	0.312	0.97
21-11-2025 23:32	262.48	67.2	0.873	1.19
21-11-2025 23:32	228.31	73.6	0.740	1.04
21-11-2025 23:33	274.14	76.9	0.526	0.91
21-11-2025 23:33	253.77	73.3	0.445	0.83
21-11-2025 23:33	257.52	66.7	0.344	1.49
21-11-2025 23:34	231.46	79.7	0.971	0.93
21-11-2025 23:34	276.49	73.4	0.266	0.95
21-11-2025 23:34	250.22	86.8	0.213	1.16
21-11-2025 23:35	252.02	78.6	0.934	1.20

timestamp	voltage	temperature	vibration	pressure
21-11-2025 23:35	225.35	76.0	0.161	1.13
21-11-2025 23:35	264.69	85.7	0.834	1.19
21-11-2025 23:36	276.75	79.8	0.894	1.26
21-11-2025 23:36	247.20	66.4	0.970	0.99
21-11-2025 23:36	243.78	85.0	0.301	1.26
21-11-2025 23:37	258.77	89.2	0.221	0.90
21-11-2025 23:37	254.66	81.9	0.415	1.42
21-11-2025 23:37	252.90	73.0	0.126	1.45
21-11-2025 23:38	252.34	56.5	0.934	1.17
21-11-2025 23:38	236.95	85.0	0.999	1.29
21-11-2025 23:38	270.37	64.8	0.926	1.46
21-11-2025 23:39	242.74	81.2	0.327	1.29
21-11-2025 23:39	266.82	88.0	0.541	1.47
21-11-2025 23:39	221.83	83.2	0.985	1.20
21-11-2025 23:40	234.05	56.6	0.485	1.39
21-11-2025 23:40	251.07	65.6	0.487	1.01
21-11-2025 23:40	272.45	69.3	0.447	1.05
21-11-2025 23:41	238.15	62.4	0.380	1.43
21-11-2025 23:41	266.57	57.2	0.587	1.46
21-11-2025 23:41	270.84	74.2	0.603	0.82
21-11-2025 23:42	261.80	75.8	0.296	1.45
21-11-2025 23:42	221.64	67.5	0.646	1.08
21-11-2025 23:42	277.70	64.1	0.932	1.42
21-11-2025 23:43	245.52	55.7	0.634	1.15
21-11-2025 23:43	253.99	70.1	0.699	1.01
21-11-2025 23:43	233.41	88.1	0.820	1.00
21-11-2025 23:44	226.27	72.3	0.118	1.15
21-11-2025 23:44	238.57	85.8	0.414	1.46
21-11-2025 23:44	251.92	63.4	0.644	1.04
21-11-2025 23:45	251.66	80.6	0.697	0.84
21-11-2025 23:45	254.76	75.6	0.697	1.37
21-11-2025 23:45	224.08	57.3	0.444	1.34
21-11-2025 23:46	225.04	75.0	0.987	1.13
21-11-2025 23:46	238.67	58.6	0.879	0.96

timestamp	voltage	temperature	vibration	pressure
21-11-2025 23:46	264.45	61.0	0.866	1.01
21-11-2025 23:47	240.75	56.3	0.749	1.44
21-11-2025 23:47	228.12	87.6	0.336	1.35
21-11-2025 23:47	230.03	71.7	0.711	1.09
21-11-2025 23:48	237.77	78.0	0.801	0.87
21-11-2025 23:48	254.78	72.0	0.554	1.01
21-11-2025 23:48	274.61	78.7	0.643	0.94
21-11-2025 23:49	249.65	72.7	0.321	0.86
21-11-2025 23:49	247.32	63.0	0.102	1.23
21-11-2025 23:49	222.91	64.1	0.996	1.45
21-11-2025 23:50	269.28	80.4	0.995	1.28
21-11-2025 23:50	221.50	66.2	0.825	1.41
21-11-2025 23:50	247.77	73.6	0.984	1.22
21-11-2025 23:51	220.20	83.0	0.168	1.40
21-11-2025 23:51	230.50	63.9	0.195	1.38
21-11-2025 23:51	228.53	62.3	0.180	0.97
21-11-2025 23:52	231.75	62.6	0.499	1.13
21-11-2025 23:52	223.12	58.5	0.402	1.27
21-11-2025 23:52	222.30	80.9	0.439	1.40
21-11-2025 23:53	261.75	67.8	0.931	1.39
21-11-2025 23:53	234.78	82.8	0.437	1.00
21-11-2025 23:53	275.48	63.8	0.254	1.18
21-11-2025 23:54	250.24	68.2	0.175	0.91
21-11-2025 23:54	231.55	72.4	0.417	1.47
21-11-2025 23:54	261.25	72.4	0.629	1.26
21-11-2025 23:55	237.98	81.6	0.605	1.02
21-11-2025 23:55	234.07	60.3	0.512	1.32
21-11-2025 23:55	253.14	80.1	0.146	1.20
21-11-2025 23:56	228.09	69.6	0.837	1.04
21-11-2025 23:56	259.86	87.2	0.486	1.36
21-11-2025 23:56	250.75	62.4	0.722	0.95
21-11-2025 23:57	229.47	79.5	0.384	1.24
21-11-2025 23:57	262.80	58.9	0.749	1.12

timestamp	voltage	temperature	vibration	pressure
21-11-2025 23:57	240.60	64.3	0.483	1.23
21-11-2025 23:58	223.38	89.2	0.868	1.27
21-11-2025 23:58	254.84	88.5	0.381	1.35
21-11-2025 23:58	243.21	84.2	0.468	1.43
21-11-2025 23:59	227.11	64.8	0.949	0.95
21-11-2025 23:59	226.46	64.4	0.471	0.87
21-11-2025 23:59	247.78	78.8	0.754	1.44
22-11-2025 00:00	238.90	87.8	0.549	1.42
22-11-2025 00:00	229.35	76.9	0.472	1.14
22-11-2025 00:00	251.46	88.8	0.577	1.24
22-11-2025 00:01	261.41	69.6	0.306	1.43
22-11-2025 00:01	261.30	78.3	0.108	1.38
22-11-2025 00:01	239.17	58.7	0.232	0.92
22-11-2025 00:02	239.06	68.5	0.877	0.92
22-11-2025 00:02	259.49	57.2	0.697	1.42
22-11-2025 00:02	249.66	69.4	0.336	1.23
22-11-2025 00:03	248.42	89.3	0.132	1.03
22-11-2025 00:03	260.68	62.9	0.989	1.33
22-11-2025 00:03	268.35	82.3	0.914	1.09
22-11-2025 00:04	235.58	72.5	0.703	1.34
22-11-2025 00:04	244.06	73.2	0.427	0.94
22-11-2025 00:04	237.40	63.2	0.571	0.85
22-11-2025 00:05	253.35	66.6	0.289	1.40
22-11-2025 00:05	235.67	65.0	0.109	1.49
22-11-2025 00:05	264.58	66.2	0.634	1.21
22-11-2025 00:06	234.02	71.7	0.198	1.47
22-11-2025 00:06	221.65	57.2	0.963	1.10
22-11-2025 00:06	276.75	85.3	0.845	0.83
22-11-2025 00:07	273.27	76.3	0.439	1.35
22-11-2025 00:07	225.45	73.9	0.412	1.02
22-11-2025 00:07	251.36	84.9	0.704	0.94
22-11-2025 00:08	256.97	70.7	0.147	1.45
22-11-2025 00:08	224.73	88.6	0.505	1.07

timestamp	voltage	temperature	vibration	pressure
22-11-2025 00:08	262.83	68.8	0.266	1.22
22-11-2025 00:09	240.44	61.0	0.243	1.46
22-11-2025 00:09	242.51	70.7	0.596	1.15
22-11-2025 00:09	224.18	76.5	0.803	0.99
22-11-2025 00:10	290.19	55.8	0.817	1.42
22-11-2025 00:10	235.20	68.6	0.119	1.50
22-11-2025 00:10	230.89	82.2	0.412	1.18
22-11-2025 00:11	277.97	79.7	0.193	0.93
22-11-2025 00:11	234.33	55.2	0.431	1.35
22-11-2025 00:11	227.28	62.2	0.332	1.00
22-11-2025 00:12	249.54	74.4	0.381	0.91
22-11-2025 00:12	236.45	62.9	0.732	1.07
22-11-2025 00:12	225.42	77.6	0.368	1.17
22-11-2025 00:13	229.68	69.5	0.434	0.86
22-11-2025 00:13	260.79	57.8	0.850	1.10
22-11-2025 00:13	260.35	89.3	0.518	1.00
22-11-2025 00:14	233.70	75.6	0.425	1.30
22-11-2025 00:14	236.54	71.7	0.640	1.12
22-11-2025 00:14	248.29	83.9	0.756	1.18
22-11-2025 00:15	229.69	66.9	0.329	1.49
22-11-2025 00:15	279.14	79.1	0.294	1.00
22-11-2025 00:15	261.85	84.1	0.588	1.08
22-11-2025 00:16	238.86	81.4	0.847	0.82
22-11-2025 00:16	275.77	72.8	0.444	0.90
22-11-2025 00:16	231.26	89.2	0.425	1.49
22-11-2025 00:17	226.08	75.6	0.732	0.93
22-11-2025 00:17	249.03	70.1	0.648	1.15
22-11-2025 00:17	221.52	80.0	0.229	1.13
22-11-2025 00:18	245.88	56.3	0.264	1.13
22-11-2025 00:18	237.92	63.7	0.801	0.98
22-11-2025 00:18	242.45	88.5	0.544	1.26
22-11-2025 00:19	228.37	73.5	0.459	0.92
22-11-2025 00:19	227.08	63.1	0.787	1.33

timestamp	voltage	temperature	vibration	pressure
22-11-2025 00:19	249.33	71.9	0.107	1.34
22-11-2025 00:20	252.42	79.3	0.225	1.09
22-11-2025 00:20	239.49	57.8	0.861	0.92
22-11-2025 00:20	266.65	63.7	0.994	0.99
22-11-2025 00:21	247.27	77.3	0.482	1.11
22-11-2025 01:11	249.08	56.1	0.637	0.86
22-11-2025 01:11	233.66	86.9	0.958	0.91
22-11-2025 01:11	235.63	82.9	0.660	1.08
22-11-2025 01:12	253.98	61.7	0.267	1.39
22-11-2025 01:12	236.32	68.6	0.969	1.32
22-11-2025 01:12	276.11	71.6	0.623	1.04
22-11-2025 01:13	239.19	87.6	0.575	1.27
22-11-2025 01:13	244.98	74.6	0.366	1.34
22-11-2025 01:13	259.01	58.0	0.637	1.31
22-11-2025 01:14	251.30	65.0	0.129	1.37
22-11-2025 01:14	223.76	85.4	0.916	1.20
22-11-2025 01:14	232.56	57.4	0.435	0.96
22-11-2025 01:15	278.76	73.2	0.439	1.49
22-11-2025 01:15	221.78	57.6	0.688	1.38
22-11-2025 01:15	231.91	69.5	0.609	1.28
22-11-2025 01:16	220.17	76.9	0.795	1.44
22-11-2025 01:16	255.18	87.5	0.520	1.00
22-11-2025 01:16	243.66	69.7	0.760	1.34
22-11-2025 01:17	225.32	60.4	0.551	1.48
22-11-2025 01:17	272.41	63.5	0.330	1.11
22-11-2025 01:17	237.67	81.5	0.394	1.25
22-11-2025 01:18	224.80	72.6	0.830	0.97
22-11-2025 01:18	222.18	80.1	0.256	0.98
22-11-2025 01:18	224.42	75.7	0.880	0.87
22-11-2025 01:19	268.78	65.1	0.685	1.17
22-11-2025 01:19	224.75	81.7	0.755	1.04
22-11-2025 01:19	265.96	61.8	0.243	0.86
22-11-2025 01:20	262.65	68.2	0.106	0.84

timestamp	voltage	temperature	vibration	pressure
22-11-2025 01:20	248.71	86.1	0.425	1.26
22-11-2025 01:20	263.23	73.1	0.218	0.84
22-11-2025 01:21	243.95	74.6	0.829	1.49
22-11-2025 01:21	242.11	78.6	0.325	1.06
22-11-2025 01:21	228.17	76.6	0.251	0.93
22-11-2025 01:22	230.42	86.5	0.482	1.18
22-11-2025 01:22	280.08	70.6	0.324	1.18
22-11-2025 01:22	253.54	78.8	0.639	1.10
22-11-2025 01:23	225.33	63.6	0.688	1.39
22-11-2025 01:23	225.87	76.0	0.792	1.06
22-11-2025 01:23	295.07	70.2	0.364	1.24
22-11-2025 01:24	238.69	83.3	0.496	0.99
22-11-2025 01:24	225.27	80.4	0.134	1.50
22-11-2025 01:24	257.49	68.3	0.725	1.05
22-11-2025 01:25	226.75	79.6	0.759	1.50
22-11-2025 01:25	258.49	67.0	0.643	1.11
22-11-2025 01:25	223.11	82.9	0.358	0.89
22-11-2025 01:26	273.62	89.7	0.888	1.38
22-11-2025 01:26	257.60	72.6	0.584	1.42
22-11-2025 01:26	265.85	63.0	0.129	1.25
22-11-2025 01:27	231.12	79.7	0.146	0.90
22-11-2025 01:27	275.51	88.8	0.260	1.37
22-11-2025 01:27	267.10	72.5	0.922	1.25
22-11-2025 01:28	231.09	59.2	0.311	0.89
22-11-2025 01:28	227.39	61.1	0.911	1.17
22-11-2025 01:28	245.82	88.1	0.853	1.22
22-11-2025 01:29	227.59	78.1	0.873	0.89
22-11-2025 01:29	233.98	71.5	0.104	0.80
22-11-2025 01:29	236.43	56.9	0.798	1.40
22-11-2025 01:30	271.42	69.2	0.468	1.10
22-11-2025 01:30	249.20	70.9	0.378	0.93
22-11-2025 01:30	229.81	80.8	0.440	1.23
22-11-2025 01:31	263.24	55.6	0.861	1.27

timestamp	voltage	temperature	vibration	pressure
22-11-2025 01:31	241.36	69.0	0.888	1.14
22-11-2025 01:31	259.18	70.9	0.563	1.29
22-11-2025 01:32	222.35	64.6	0.562	1.36
22-11-2025 01:32	254.50	78.0	0.164	0.81
22-11-2025 01:32	244.89	88.5	0.562	1.03
22-11-2025 01:37	255.66	69.1	0.982	1.16
22-11-2025 01:37	266.47	55.5	0.433	1.47
22-11-2025 01:37	222.91	89.1	0.297	1.15
22-11-2025 01:38	231.90	73.2	0.105	1.07
22-11-2025 01:38	252.18	81.0	0.588	1.31
22-11-2025 01:38	265.63	59.4	0.135	1.15
22-11-2025 01:39	259.11	73.4	0.309	1.50
22-11-2025 01:39	251.56	65.6	0.971	1.04
22-11-2025 01:39	229.35	58.8	0.545	1.21
22-11-2025 01:40	249.69	84.7	0.685	1.26
22-11-2025 01:40	224.04	58.0	0.717	0.94
22-11-2025 01:40	238.29	56.8	0.923	1.38
22-11-2025 01:41	240.01	83.0	0.270	1.31
22-11-2025 01:41	229.27	61.5	0.443	0.98
22-11-2025 01:41	290.12	79.2	0.275	1.48
22-11-2025 01:42	250.13	55.2	0.768	1.44
22-11-2025 01:42	239.62	70.0	0.471	0.92
22-11-2025 01:42	247.43	56.5	0.691	1.46
22-11-2025 01:43	251.23	74.7	0.938	1.15
22-11-2025 01:43	255.06	82.1	0.586	1.25
22-11-2025 01:43	264.32	75.4	0.657	1.36
22-11-2025 01:44	242.81	67.5	0.127	1.09
22-11-2025 01:44	253.01	69.3	0.372	1.16
22-11-2025 01:44	223.25	71.2	0.869	1.22
22-11-2025 01:45	259.66	70.6	0.165	1.34
22-11-2025 01:45	265.89	79.4	0.646	1.05
22-11-2025 01:45	264.88	86.2	0.821	1.17
22-11-2025 01:46	274.14	84.5	0.976	1.29

timestamp	voltage	temperature	vibration	pressure
22-11-2025 01:46	241.08	64.6	0.859	1.02
22-11-2025 01:46	270.98	85.9	0.193	1.23
22-11-2025 01:47	240.61	82.8	0.406	1.41
22-11-2025 01:47	271.03	64.7	0.814	1.24
22-11-2025 01:47	290.04	69.5	0.847	1.45
22-11-2025 01:48	223.27	80.0	0.333	0.86
22-11-2025 01:48	246.70	62.1	0.526	1.25
22-11-2025 01:48	225.62	81.4	0.483	1.13
22-11-2025 01:48	225.62	81.4	1.130	1.13
22-11-2025 01:48	225.62	81.4	0.483	NaN
22-11-2025 01:49	228.65	65.6	0.433	0.93
22-11-2025 01:49	246.75	89.8	0.652	1.34
22-11-2025 01:50	277.54	73.7	0.492	1.31
22-11-2025 01:50	279.20	79.4	0.835	1.32
22-11-2025 01:50	222.29	82.5	0.466	0.99
22-11-2025 01:51	239.52	70.4	0.873	1.12
22-11-2025 01:51	221.81	73.5	0.254	1.08
22-11-2025 01:51	272.57	56.6	0.555	1.41
22-11-2025 01:52	264.74	86.8	0.762	0.82
22-11-2025 01:52	237.68	61.9	0.231	1.38
22-11-2025 01:52	258.23	84.1	0.181	1.29
22-11-2025 01:53	248.35	56.9	0.579	0.96
22-11-2025 01:53	241.68	85.0	0.927	1.10
22-11-2025 01:53	243.05	73.7	0.288	1.26
22-11-2025 01:54	235.03	76.7	0.909	1.41
22-11-2025 01:54	226.35	67.6	0.886	1.15
22-11-2025 01:54	240.60	77.7	0.459	1.11
22-11-2025 01:55	273.03	83.2	0.512	1.23
22-11-2025 01:55	271.55	57.6	0.374	0.90
22-11-2025 01:55	263.33	70.5	0.137	1.30
22-11-2025 01:56	234.11	62.0	0.266	0.96
22-11-2025 01:56	262.78	61.6	0.364	0.91
22-11-2025 01:56	227.78	73.5	0.456	0.82

timestamp	voltage	temperature	vibration	pressure
22-11-2025 01:57	226.86	68.5	0.405	1.05
22-11-2025 01:57	243.91	60.0	0.147	0.85
22-11-2025 01:57	247.38	66.7	0.595	1.45
22-11-2025 01:58	271.68	87.3	0.353	1.37
22-11-2025 01:58	252.67	63.1	0.190	0.85
22-11-2025 01:58	230.12	65.9	0.946	1.03
22-11-2025 01:59	236.68	78.1	0.691	0.98
22-11-2025 01:59	256.84	64.6	0.171	0.95
22-11-2025 01:59	239.21	68.5	0.833	1.37
22-11-2025 02:00	233.52	57.9	0.216	1.27
22-11-2025 02:00	275.48	77.8	0.328	0.94
22-11-2025 02:00	232.73	64.3	0.226	0.82
22-11-2025 02:01	259.66	68.7	0.946	1.34
22-11-2025 02:01	253.53	67.7	0.343	1.14
22-11-2025 02:01	265.71	55.2	0.151	0.88
22-11-2025 02:02	257.49	58.4	0.726	1.49
22-11-2025 02:02	235.41	88.9	0.952	1.45
22-11-2025 02:02	233.73	89.8	0.379	0.84
22-11-2025 02:03	224.87	59.4	0.325	1.29
22-11-2025 02:03	257.36	66.8	0.455	0.95
22-11-2025 02:03	227.23	57.7	0.559	1.39
22-11-2025 02:04	261.86	57.7	0.595	0.93
22-11-2025 02:04	248.96	86.3	0.712	1.25
22-11-2025 02:04	262.95	55.5	0.726	0.94
22-11-2025 02:05	239.72	56.7	0.880	0.95
22-11-2025 02:05	224.76	88.4	0.466	1.06
22-11-2025 02:05	237.05	66.1	0.847	1.42
22-11-2025 02:06	221.42	75.4	0.582	1.10
22-11-2025 02:06	238.06	64.8	0.556	1.45
22-11-2025 02:06	257.43	81.9	0.772	1.05
22-11-2025 02:07	260.57	65.4	0.171	1.47
22-11-2025 02:07	240.08	83.1	0.789	1.35
22-11-2025 02:07	222.39	56.8	0.331	1.36
22-11-2025 02:08	229.76	61.5	0.709	1.31

timestamp	voltage	temperature	vibration	pressure
22-11-2025 02:08	240.73	55.0	0.637	1.25
22-11-2025 02:08	253.00	66.5	0.112	1.15
22-11-2025 02:09	253.66	63.4	0.913	0.92
22-11-2025 02:09	247.16	66.3	0.371	1.26
22-11-2025 02:09	230.75	71.0	0.563	1.39
22-11-2025 02:10	221.41	61.2	0.258	0.89
22-11-2025 02:10	221.51	67.6	0.104	1.38
22-11-2025 02:10	256.86	76.9	0.909	1.37
22-11-2025 02:11	261.33	89.9	0.804	1.00
22-11-2025 02:11	268.22	87.6	0.748	1.42
22-11-2025 02:11	265.27	84.7	0.317	1.41
22-11-2025 02:12	269.69	68.1	0.163	0.93
22-11-2025 02:12	270.61	65.6	0.382	1.06
22-11-2025 02:12	247.09	55.0	0.198	1.13
22-11-2025 02:13	272.14	89.7	0.136	1.04
22-11-2025 02:13	262.74	85.6	0.686	1.30
22-11-2025 02:13	254.75	69.6	0.582	1.10
22-11-2025 02:14	273.29	69.2	0.133	0.99
22-11-2025 02:14	279.97	78.9	0.732	1.17
22-11-2025 02:14	254.59	56.4	0.421	1.42
22-11-2025 02:15	274.33	87.4	0.740	0.86
22-11-2025 02:15	275.54	79.8	0.423	1.35
22-11-2025 02:15	252.71	56.5	0.723	1.18
22-11-2025 02:16	265.28	68.1	0.668	1.00
22-11-2025 02:16	259.40	74.4	0.448	1.35
22-11-2025 02:16	248.52	65.9	0.355	0.97
22-11-2025 02:17	249.66	56.4	0.636	0.99
22-11-2025 02:17	222.41	88.1	0.132	0.86
22-11-2025 02:17	256.28	64.8	0.481	0.88
22-11-2025 02:18	220.08	55.1	0.915	1.04
22-11-2025 02:18	273.49	77.8	0.445	1.04
22-11-2025 02:18	260.12	55.2	0.374	0.88
22-11-2025 02:19	259.12	59.2	0.625	1.20
22-11-2025 02:19	273.07	57.7	0.172	1.13

timestamp	voltage	temperature	vibration	pressure
22-11-2025 02:19	232.68	89.5	0.919	1.00
22-11-2025 02:20	237.72	61.3	0.607	1.29
22-11-2025 02:20	235.14	83.5	0.861	1.00
22-11-2025 02:20	221.24	56.0	0.633	1.04
22-11-2025 02:21	230.35	85.8	0.570	1.46
22-11-2025 02:21	221.21	75.0	0.708	1.45
22-11-2025 02:21	252.40	84.6	0.766	0.81
22-11-2025 02:22	263.61	87.0	0.824	1.14
22-11-2025 02:22	247.44	79.2	0.736	1.27
22-11-2025 02:22	238.85	60.5	0.573	1.34
22-11-2025 02:23	237.55	79.6	0.193	1.10
22-11-2025 02:23	227.21	84.9	0.853	0.94
22-11-2025 02:23	266.17	86.2	0.484	0.88
22-11-2025 02:24	269.13	69.7	0.709	0.94
22-11-2025 02:24	260.74	57.5	0.508	1.06
22-11-2025 02:24	229.20	62.4	0.573	1.49
22-11-2025 02:25	243.26	55.7	0.265	0.93
22-11-2025 02:25	254.01	83.9	0.332	1.31
22-11-2025 02:25	273.65	85.7	0.650	1.16
22-11-2025 02:26	239.16	73.2	0.559	1.06
22-11-2025 02:26	242.71	86.1	0.254	1.03
22-11-2025 02:26	271.59	71.2	0.895	1.20
22-11-2025 02:27	234.41	76.0	0.855	1.12
22-11-2025 02:27	240.73	65.4	0.679	1.30
22-11-2025 02:27	238.87	63.7	0.668	1.13
22-11-2025 02:28	231.90	82.9	0.680	1.30
22-11-2025 02:28	232.46	66.7	0.852	1.08
22-11-2025 02:28	273.73	72.0	0.470	1.34
22-11-2025 02:29	244.05	72.1	0.786	0.97
22-11-2025 02:29	246.45	76.4	0.265	1.13
22-11-2025 02:29	221.45	74.0	0.425	0.96
22-11-2025 02:32	396.24	71.2	0.169	1.44
22-11-2025 02:33	374.06	60.9	0.619	1.42
22-11-2025 02:34	228.50	56.7	0.965	1.28

timestamp	voltage	temperature	vibration	pressure
22-11-2025 02:34	362.56	74.1	0.448	1.09
22-11-2025 02:35	357.23	60.4	0.550	0.84
22-11-2025 02:35	268.25	82.4	0.157	1.22
22-11-2025 02:36	310.45	88.3	0.943	1.42
22-11-2025 02:36	308.35	65.8	0.661	1.44
22-11-2025 02:37	250.33	73.2	0.273	1.27
22-11-2025 02:37	391.13	58.2	0.322	1.35
22-11-2025 02:38	305.81	67.2	0.515	1.16
22-11-2025 02:38	354.69	61.8	0.785	1.07
22-11-2025 02:39	327.93	60.7	0.189	1.20
22-11-2025 02:39	271.77	84.0	0.406	0.82
22-11-2025 02:40	392.43	61.1	0.434	0.84
22-11-2025 02:40	326.55	75.6	0.900	1.21
22-11-2025 02:41	280.76	78.7	0.381	0.84
22-11-2025 02:41	247.62	70.3	0.208	1.45
2025-11-22 02:43:27	251.98	78.8	0.259	1.15
2025-11-22 02:44:27	363.53	69.2	0.989	1.28
2025-11-22 02:45:27	344.09	66.6	0.753	0.93
2025-11-22 02:46:27	229.11	71.6	0.760	1.23
2025-11-22 02:47:27	226.76	63.5	0.206	1.45
2025-11-22 02:48:27	387.54	56.6	0.538	1.01
2025-11-22 02:49:27	247.76	62.9	0.344	1.27
2025-11-22 02:50:27	301.24	76.1	0.793	1.03
2025-11-22 02:51:27	283.83	88.7	0.521	1.25
2025-11-22 02:52:27	287.11	81.1	0.790	1.01
2025-11-22 02:53:27	276.77	79.1	0.462	0.91
2025-11-22 02:54:27	280.44	77.8	0.881	1.35
2025-11-22 02:55:27	288.79	62.4	0.951	1.34
2025-11-22 02:56:27	360.85	66.5	0.956	1.18
2025-11-22 02:57:27	358.30	71.4	0.951	0.85
2025-11-22 02:57:29	307.92	79.8	0.232	1.36
2025-11-22 02:58:27	230.65	70.0	0.260	0.89
2025-11-22 02:58:29	353.59	74.4	0.340	0.95
2025-11-22 02:59:27	273.74	79.5	0.144	1.11

timestamp	voltage	temperature	vibration	pressure
2025-11-22 02:59:29	270.09	70.9	0.478	1.19
2025-11-22 02:59:54	386.13	64.6	0.718	0.90
2025-11-22 03:00:29	258.47	66.5	0.887	1.21
2025-11-22 03:00:54	233.96	82.6	0.977	1.32
2025-11-22 03:01:29	331.13	56.2	0.686	1.06
2025-11-22 03:01:54	258.52	63.3	0.516	1.10
2025-11-22 03:02:29	387.15	80.5	0.314	1.06
2025-11-22 03:02:54	304.38	79.6	0.605	1.04
2025-11-22 03:03:29	301.49	60.6	0.906	1.08
2025-11-22 03:03:54	280.73	70.1	0.562	1.43
2025-11-22 03:04:29	380.22	69.7	0.596	1.31
2025-11-22 03:04:54	354.09	57.5	0.504	1.02
2025-11-22 03:05:29	293.08	86.4	0.696	0.97
2025-11-22 03:05:54	334.17	73.4	0.239	1.38
2025-11-22 03:06:29	336.53	67.3	0.273	1.07
2025-11-22 03:06:54	305.44	89.2	0.557	1.34
2025-11-22 03:07:29	384.99	65.9	0.454	1.42
2025-11-22 03:07:54	232.33	65.6	0.873	0.84
2025-11-22 03:08:29	265.01	77.1	0.241	0.81
2025-11-22 03:08:54	335.19	75.8	0.205	0.85
2025-11-22 03:09:29	298.78	76.3	0.853	1.39
2025-11-22 03:09:54	243.72	73.8	0.617	1.43
2025-11-22 03:10:29	336.92	56.1	0.287	0.95
2025-11-22 03:10:54	292.02	58.5	0.213	1.40
2025-11-22 03:11:29	257.01	61.0	0.697	1.31
2025-11-22 03:11:54	287.46	74.3	0.196	0.89
2025-11-22 03:12:29	228.40	73.0	0.757	1.46
2025-11-22 03:12:54	257.25	57.2	0.173	1.02
2025-11-22 03:13:29	335.12	77.8	0.144	1.26
2025-11-22 03:13:54	374.33	64.0	0.337	1.21
2025-11-22 03:14:29	287.71	76.9	0.504	0.98
2025-11-22 03:14:54	358.10	71.4	0.270	1.16
2025-11-22 03:15:29	378.31	70.8	0.544	0.82

timestamp	voltage	temperature	vibration	pressure
2025-11-22 03:15:54	261.10	58.8	0.573	1.42
2025-11-22 03:16:29	270.41	84.7	0.830	1.13
2025-11-22 03:16:54	222.45	84.5	0.477	1.05
2025-11-22 03:17:29	342.88	83.7	0.559	1.37
2025-11-22 03:17:54	221.03	65.7	0.559	1.12
2025-11-22 03:18:29	285.76	88.3	0.275	1.42
2025-11-22 03:18:54	311.19	76.3	0.921	1.47
2025-11-22 03:19:29	309.22	59.2	0.394	1.17
2025-11-22 03:19:54	355.00	88.0	0.668	1.29
2025-11-22 03:20:29	243.79	83.5	0.801	1.40
2025-11-22 03:20:54	372.17	73.2	0.678	0.88
2025-11-22 03:21:29	234.49	72.8	0.805	1.12
2025-11-22 03:21:54	372.05	74.4	0.708	0.93
2025-11-22 03:22:29	375.43	76.1	0.868	0.93
2025-11-22 03:22:54	323.27	55.1	0.402	1.10
2025-11-22 03:23:29	263.89	78.2	0.820	1.27
2025-11-22 03:23:54	283.22	70.8	0.745	1.23
2025-11-22 03:24:29	304.97	69.0	0.510	0.84
2025-11-22 03:24:54	327.77	58.6	0.106	0.98
2025-11-22 03:25:29	252.19	63.8	0.865	1.39
2025-11-22 03:25:54	234.56	80.4	0.992	1.27
2025-11-22 03:26:29	245.07	62.3	0.744	1.14
2025-11-22 03:26:54	280.52	85.2	0.755	0.83
2025-11-22 03:27:29	383.38	69.4	0.649	1.40
2025-11-22 03:27:54	321.53	65.5	0.761	1.06
2025-11-22 03:28:29	266.13	61.6	0.894	1.41
2025-11-22 03:28:54	309.29	83.4	0.508	1.35
2025-11-22 03:29:29	221.86	70.9	0.351	1.21
2025-11-22 03:29:54	244.27	74.0	0.619	0.92
2025-11-22 03:30:29	241.03	79.6	0.374	1.21
2025-11-22 03:30:54	390.84	75.0	0.458	1.12
2025-11-22 03:31:29	265.90	83.2	0.792	1.05
2025-11-22 03:31:54	258.10	81.6	0.112	1.49

timestamp	voltage	temperature	vibration	pressure
2025-11-22 03:32:29	312.73	82.7	0.597	1.12
2025-11-22 03:32:54	265.79	75.9	0.280	0.86
2025-11-22 03:33:29	361.62	84.8	0.846	0.94
2025-11-22 03:33:54	327.84	57.9	0.477	1.32
2025-11-22 03:34:29	245.91	78.4	0.490	0.81