



EXPERIMENT NO 5

CODE:






File Edit Search Run Compile Debug Project Options Window
DSA5.C
void checkheatwave(){
struct node * tempnode=head; while(tempnode!=NULL){
if(tempnode->temperature>=40){
printf("Heatwave Warning! Temperature:%dC\n",tempnode->temperature);
}
tempnode= tempnode->next;
}
}
int main(){
int choice,temp;
do{
printf("\n----Heatwave Monitoring System-----\n");
printf("1.Add Temperature\n");
printf("2.Display Temperature\n");
printf("3.Check Heatwave\n");
printf("4.Exit");
printf("\nEnter choice:\n");
scanf("%d",&choice);
switch(choice){
58:65


DSA5.C
switch(choice){
case 1:
printf("Enter Temperature:");
scanf("%d",&temp);
insert(temp);
break;
case 2:
display();
break;
case 3:
checkheatwave();
break;
case 4:
printf("Program Ended.\n");
break;
default:
printf("Invalid choice!!\n");
}
}while(choice!=4);
return 0;
}
29:65

OUTPUT:

```
----Heatwave Monitoring System-----
1.Add Temperature
2.Display  Temperature
3.Check Heatwave
4.Exit
Enter choice:
1
Enter Temperature:32
Temperature added.
```

```
----Heatwave Monitoring System-----
1.Add Temperature
2.Display  Temperature
3.Check Heatwave
4.Exit
Enter choice:
1
Enter Temperature:29
Temperature added.
```

```
----Heatwave Monitoring System-----
1.Add Temperature
2.Display  Temperature
3.Check Heatwave
4.Exit
Enter choice:
1
Enter Temperature:38
Temperature added.
```

```
----Heatwave Monitoring System-----
1.Add Temperature
2.Display  Temperature
3.Check Heatwave
4.Exit
Enter choice:
2
Temperature Readings:
32 C->29 C->38 C->NULL
```

```
----Heatwave Monitoring System-----
1.Add Temperature
2.Display  Temperature
3.Check Heatwave
4.Exit
Enter choice:
1
Enter Temperature:46
Temperature added.
```

```
----Heatwave Monitoring System-----
1.Add Temperature
2.Display  Temperature
3.Check Heatwave
4.Exit
Enter choice:
3
Heatwave Warning! Temperature:46C
```

```
----Heatwave Monitoring System-----
1.Add Temperature
2.Display  Temperature
3.Check Heatwave
4.Exit
Enter choice:
2
Temperature Readings:
32 C->29 C->38 C->46 C->NULL
```