

BHADRAVATI HOME

Warm Contemporary Minimalism

Interior Design Package — Version 2

First-floor studio · Bhadravati, Karnataka

Client handoff · Design control only — not fabrication-approved

Supersedes V1: FINAL_DELIVERABLE/Bhadravati_FINAL_Interior_Design.pdf (2026-08-11)



Living — social zone (daylight concept · AI-assisted · verify on site)

Generated 2026-08-12 · Reconciled to SOURCE_OF_TRUTH + CONTRADICTIONS · 3-door wardrobe · S1241 Latte-all · NN9074 default

0. Scope, ethics & fabrication hold

This package is **design control** for client review and fabricator briefing. It is **not** a stamped construction set, shop drawing, accessibility certification, or permit approval. Visuals are conceptual; dimensions are labelled clear openings until a signed site-measure sheet supersedes them.

FABRICATION HOLD — Do not cut shutters from clear openings alone. Measure granite thickness (drawing conflict 1.50 in vs 15 mm — pick neither). Approve physical samples under morning / afternoon / 3000 K light. Disclose: concept images may be AI-assisted; they do not prove constructability.

- In scope: concept, zoning, locked finish codes, K-01/W-01 baselines, lighting intent, FF&E; sizing, phasing, risks.
- Out of scope: structural/MEP engineering, AHJ stamps, aluminium-system shop drawings until fabricator selection.
- Procurement ethics: only catalogue-confirmed SKUs; do not order filename typo **844485** (not locked; catalogue Hector Pine is 84485 SU if ever sampled).

1. Discovery lock — design direction

The home will feel calm, practical, and locally believable — not a pale showroom and not textbook Japandi. Architecture and circulation come before styling. Climate drivers: dust/smoke, hard water, monsoon humidity, strong daylight.

Non-negotiables (controlling)

- Existing **black granite** kitchen remains; scope = **shutters only** (no island, L-flip, waterfall ends, new carcass).
- Kitchen base + drawers + loft = **Century S1241 MT Latte only** — never dual-tone; never 80236 in kitchen.
- Wardrobe = **3 doors** (single L + double R), leaves **457 / 457 / 458 mm** inside 1372 mm clear — not four leaves; not two slabs.
- Hardware = brushed stainless **recessed** pulls; edges E3 ABS **2 mm kitchen / 1 mm wardrobe**; lighting **3000 K**; matte/low-sheen.
- Default walls **NN9074**; ceiling **WW0005**; NN9088 = Scheme B alternate only.
- No TV feature wall, gold strips, gloss/sparkle laminates, or Japandi prop clutter.

Concept	Decision
A — Warm Contemporary Minimalism (NN9074 + Latte + Idria)	LOCKED FINAL
B — Textbook Japandi	Reject as governing style
C — Dual-tone kitchen / NN9088 as default walls	Reject (supersedes Corrected Handover schedule)

2–4. Site baseline, zoning & human factors

Studio envelope ? 21 × 18 ft (6401 × 5486 mm) — plan relationship only, not a cut sheet. Source hierarchy: signed site measure ? dimension_register_v1 ? this package ? renders.

Zone	Position	Intent
Bedroom	SW	Queen bed; 2 nightstands; no dark feature wall
Living	S-centre	3-seat sofa; round coffee; floating TV cabinet; no TV wall
Kitchen	SE	Single-wall granite; shutters only; sink under window; fridge extreme right
Bathroom	NW	Open shower retained; basin outside shower
Wardrobe	N-centre	54×90×19.20 in niche; 3 doors 457/457/458
Study	NE	Desk at large window; 2–3 shallow shelves max

Circulation: primary 900–1200 mm · secondary 600–900 mm · sofa–coffee 450–500 mm · bed sides ?600 mm · wardrobe standing clear ?600 mm (prefer 900). Counter ~787 mm AFF; hanging bay ~991 mm — verify for users. No accessibility certification claimed. All door/window sizes = **UNVERIFIED** (bedroom window conflict: do not hard-code).

Key dimensions — K-01 / W-01 (design baseline)

Clear openings only. Do not manufacture from these values directly. Granite thickness: UNKNOWN — measure on site (C-01: 1.50 in vs 15 mm — invent neither).

Kitchen register (K-01)

Item	in	mm
Module width	106.00	2692
Ref. wall width	220.00	5588
Floor ? loft underside	102.00	2591
Loft ? lower shelf underside	48.00	1219
Shelf underside ? counter top	23.00	584
Floor ? counter top	31.00	787
Internal counter depth	19.20	488
B1 / B2 / B3 clear	48 / 36 / 18	1219 / 914 / 457

B1+B2+B3=102 in; + four 1 in supports = 106 in — arithmetic PASS. Finish lock = S1241 MT Latte (laminated). Kitchen aluminium frame system = open pending fabricator (C-09).

Wardrobe register (W-01)

Item	in	mm
Clear W × H × D	54 × 90 × 19.20	1372 × 2286 × 488
Left / partition / right	21 / 0.59 / 32.41	533 / 15 / 823
Three vertical leaves (locked)	1 single + 1 double	457 / 457 / 458
Left openings T?B	12 + 4×19.5	305 + 4×495
Right stack	12 / 39 hang / 9.5 / 12 / 17.5	305 / 991 / 241 / 305 / 445


457+457+458=1372 — PASS. Four-leaf language in older V1 chapters is superseded (C-02 / F1).

Floor plan (relational)

FLOORPLAN CONCEPT · V2

Bhadravati Home - Scale-True Floor Plan

Warm Contemporary Minimalism | scale_px_per_mm = 0.1 (locked) | Studio 6401 x 5486 mm = plan_relationship_only | K-01/W-01 register | Not fabrication-approved



Source: dimension_register_v1 + design_tokens.json + MASTER_BRIEF - Do not cut shutters from this drawing - site measure supersedes


Bhadravati Interior Design - V2 - Warm Contemporary Minimalism · Design control only — not fabrication-approved

V2 LOCK: Single-wall granite kitchen (shutters only) · Fridge extreme right · No island / L-flip · Circulation 900–1200 mm primary

V2 zoning floorplan — single-wall kitchen; W-01 3-door wardrobe; relational only. Cite register depths from SoT (W-01 / counter depth **488 mm**) — do not OCR plan chips (leaf widths are **457 / 457 / 458**; depth is not 458).

5–7. Color, materials & finishes (locked)

Hex values for Birla paints are shade-card exact. Laminate hexes are screen approximations — approve physical chips beside granite under morning / afternoon / 3000 K. Do not print or procure typo SKU **844485**.



Role	Code	Notes
Scheme A walls (default)	Birla NN9074 Puddle of Grey	#B5AB9C exact
Scheme A ceiling	Birla WW0005 White Linen	#EEDEE9 exact
Scheme B walls (alt only)	Birla NN9088 Ecru Tint	Shows dust faster
Scheme B ceiling	Birla WW0020 Virgin White	Sample confirm
Kitchen all shutters	Century S1241 MT Latte	Base+drawers+loft; one code
TV cabinet only	80236 DW Slate Grey (or Latte)	Controlled accent — not kitchen
Wardrobe preferred	84689 SU Idria Oak	Backup 84687 Lyon only
Edges	E3 ABS matched	2 mm kitchen / 1 mm wardrobe; matt
Hardware	Brushed SS recessed	No projecting bars
Counter	Existing black granite	Retain; shutters only

BHADRAVATI · VISUAL PALETTE BOARD
Version 2 · Concept A locked — Warm Contemporary Minimalism · Matte / low-sheen · 3000 K baseline

LOCKED PRIMARY
Approve physical samples beside granite under morning / afternoon / 3000 K light

NN9074
Puddle of Grey
#B5AB9C
Walls · Scheme A default

WW0005
White Linen
#EEDEE9
Ceiling · matt

S1241 MT
Latte
#A49483 catalogue crop
Wardrobe face · doors

84689 SU
Idria Oak
#3D483C website crop
Wardrobe face · 3 doors

80236 DW
Slate Grey
#575D5C catalogue crop
TV · wardrobe shutters

Granite
Existing black
#1A1A1A
Counter retain · not quartz

HARDWARE · EDGE · LIGHT

Brushed SS
Recessed pulls
Kitchen + wardrobe · no bar handles

E3 ABS
Matched edge
Kitchen 2 mm · wardrobe 1 mm

3000 K
Warm-neutral
Baseline CCT · CRI >90 pref.

OPTIONAL / ALTERNATE · ONE SURFACE MAX

NN9088 Ecru Tint
#F5E0D9
Scheme B walls (alt)

GG7140 Tender Buds
#F5C9D1
Optional · one wall max

GG7162 Old Olive Trees
#B0C0A4
Optional · one wall max

DO NOT USE
No gold / brass · no gloss / sparkle laminates
No dual-tone kitchen · Latte only (S1241)
No 4-wall wardrobe · locked 3 doors (457457/458)
No TV feature wall · Slate Grey not in kitchen
No 4-kitchen flip · retain single-wall granite

Screen hex/RGB are approximate. Physical sample approval + signed site measure required before fabrication. · Source: design_tskems_v2.json / MASTER_BRIEF_V2.md

Visual palette board V2 — Scheme A locks (NN9074 / WW0005 / S1241 Latte / Idria); do-not-use rules on board. Idria chip sampled from CenturyPly European Grey product image (not taupe).

Bhadravati V2 — Warm Contemporary Minimalism | Design control (not fabrication-approved)

7

Boards & hardware (options + lock)

From **BOARD_DECISION.md** (catalog + user reviews; prior Sainik-wardrobe rec revisited). Kitchen = shutters-only on existing black granite. Wardrobe = carcass + three hinged Idria leaves. **IS 303:2024** = general-purpose MR/BWR/BWP. **IS 710:2024** = marine. Product name “710” is not the stamp. Sainik 710 official page = **IS 303 BWP**. Greenply Ecotec 710 = IS 303; Greenply **710 Marine** = IS 710.

Locked primary / alternate

Location	Primary (BOQ)	Alternate
Kitchen shutters · S1241 MT Latte 0.8 mm · 2 mm E3 ABS · 3000 K	Century Club Prime 19 mm — IS 710 on sheet-edge stamp + CenturyPromise QR. Laminate both faces .	Boilo 18 mm if CNC/HDF-fluent. Greenply 710 Marine 19 mm (IS 710 stamp). Classic Marine / Bond 710 only if stamped IS 710.
Wardrobe carcass + 3 Idria leaves · 54×90×19.20 in · 1 mm E3 ABS	Club Prime 19 mm or Greenply 710 Marine 19 mm (IS 710 stamp). Same mill as kitchen ply path preferred.	HDHMR / HDWR 18 mm if CNC. Boilo too heavy for 90 in doors. Sainik 710 19 mm = contingency only (QR, no core gaps) — not the written default.

Options matrix (all cores considered)

Option	Official grade	Kitchen	Wardrobe	Why / why not
Club Prime 19 mm	Marine-BWP claimed; confirm IS 710 stamp	Y primary	Y primary	Composed core + calibration for 0.8 mm + daily cups. Carpenter-native.
Greenply 710 Marine 19	IS 710 on product page (resole PF)	Y peer	Y peer	Same role as Club Prime. Not Ecotec.
Action Tesa Boilo 18	BWP FR HDF (not ply). Density/FR = mill claims	Y if CNC	N heavy	Homogeneous cups. No independent 3–7 yr diary. ~54 kg/sheet.
Tesa HDHMR / Greenpanel HDWR 18	IS 12406 family; MR not BWP	~ loft	Y CNC	Factory shutter. Seal every edge. Open edges swell irreversibly.
Classic Marine / Bond 710	Dealer IS 710; Classic official page silent	~ if stamped	~ if stamped	Cost middle. Verbal “marine” is not a stamp.
Sainik 710 19 mm	IS 303 BWP — not marine IS 710	N default	Contingency only	Economy / alternate-core risk. Availability ≠ performance. QR still required.
Ecotec 710 / Vista 710	Ecotec = IS 303; Vista = no IS on site	N default	~ until stamp	Peer-grade trap. Kitply Gold/Marine only if ISI IS 710.
Architect / Austin / local 710	Architect = premium claim; Austin inspect-every-sheet	Architect = cost	Architect overkill	No unique failure mode here. Unbranded 710 = reject.
Interior MDF / particle board	IS 12406 Gr.2 / IS 3087 · UF	N	N	Wet swell, hinge tear-out, 4–5 yr write-off.

Why Sainik is not the wardrobe lock: 90 in leaves fail by hinge tear-out, sag, and 0.8 mm telegraph — Sainik does not publish composed-core or screw numbers; “710” ≠ IS 710. Year 3–7 cost is rework, not skipping Club Prime. Full compare: **BOARD_DECISION.md**.

Hardware schedule (named series)

Item	Spec	Lock
Pulls	Brushed stainless recessed only (J / finger / recessed)	LOCKED — no bars / brass / black
Hinges	Hettich Sensys 8645i 110° integrated soft-close; 5 per tall wardrobe leaf	Kitchen + wardrobe; not Onsys / clip-on dampers. Invoice + carton on site (fakes).
Channels (if drawers)	Hettich KA 5632 (45 kg) or KA 4732 Silent System (35 kg)	Only if drawers exist
Wardrobe lock	Godrej Curvo 8010 (25 mm); 8011 if finished stack thicker	SS cover. Godrej ≠ concealed hinge.
Hanging rail	Oval 30×15 mm + mid-support (Hettich SL 322 / Ebco WRF class)	Required at ~centre of 54 in
Screws	SS304 in kitchen / wet-risk; Hettich-supplied hinge screws	Predrill cups
Edges	E3 ABS matched · 2 mm kitchen / 1 mm wardrobe	Seal every edge; matt
Wardrobe hinge value cut	Ebco integrated soft-close (named SKU) — wardrobe only	Not the kitchen hinge spec

Executive lock: Kitchen shutters → Club Prime 19 mm IS 710 stamp (or Boilo 18 mm if HDF shop; or Greenply 710 Marine 19 mm). Wardrobe → Club Prime 19 mm or Greenply 710 Marine 19 mm (HDHMR 18 mm if CNC; not Boilo; Sainik 19 mm contingency only). Hettich Sensys 8645i · KA 5632/4732 if drawers · Godrej Curvo 8010 · oval 30×15 mm rail with mid-support · SS304 kitchen · recessed SS pulls only · seal every edge · laminate both faces of kitchen shutters. Evidence: BOARD_DECISION.md · wiki/01–08 (Honest Interior Source).

Wiki lock — this house (encyclopaedia synthesis)

From `wiki/08_BHADRAVATI_LOCKED_SPEC.md` after articles 01–06. “710” in a product name is a **trademark**, not a grade. Sainik 710 and Ecotec 710 print **IS 303 BWP**. Greenply **710 Marine** prints **IS 710**. Club Prime only if **IS 710 is on the sheet edge**. QR ≠ marine. Website `■/sqft` is often the wrong thickness. Idria Oak is Century **European Grey** (screen `#3D483C`), not taupe. Godrej Curvo 8010 is a **lock**, not a hinge. Recessed brushed SS only.

Item	Lock
Kitchen core	Club Prime 19 mm IS 710 stamp (or Boilo 18 mm CNC; or Greenply 710 Marine 19 mm). Not Sainik default.
Wardrobe core	Club Prime or Greenply 710 Marine 19 mm . HDHMR 18 mm if CNC. Not Boilo on 90 in doors. Sainik = contingency.
Faces	S1241 MT Latte all kitchen · 84689 SU Idria European Grey wardrobe · 80236 DW TV only · finish letters are the SKU.
Edge / gum	E3 ABS 2 mm kitchen / 1 mm wardrobe . Marine/Hi-Per on sheets. PUR edge only if demonstrated.
Hardware	Sensys 8645i (not Onsys), 5 cups / 90 in leaf . KA 5632/4732. Curvo 8010 lock . Oval 30×15 + mid-support. SS304 wet.
Community	Reddit 403. Fakes are the real risk. No Boilo 2–5 yr diaries. Factory machine edges beat iron-on.

This page contains the following errors:

error on line 18 at column 59: PCDATA invalid Char value 20
error on line 18 at column 60: Encoding error

Below is a rendering of the page up to the first error.

K-01 exploded — granite retained, S1241 MT Latte, B1/B2/B3, 2 mm ABS, recessed SS · conceptual

This page contains the following errors:

error on line 18 at column 60: PCDATA invalid Char value 20
error on line 18 at column 61: Encoding error

Below is a rendering of the page up to the first error.

W-01 exploded — 457/457/458, Idria European Grey #3D483C, 5× Sensys, Curvo 8010 lock · conceptual

This page contains the following errors:

error on line 3 at column 47: PCDATA invalid Char value 20
error on line 3 at column 48: Encoding error

Below is a rendering of the page up to the first error.

Material stack — both-faces 0.8 mm + ABS wrap · Idria is olive/grey-green, not taupe

8–12. Wellness, lighting, acoustics, systems & codes

IEQ / climate: Mid-tone washable greige (NN9074), matte wipeable joinery, sealed wet-risk boards (BWP at hinge/splash), spare laminate/edge for repairability, preserve daylight with sheers for glare/heat. Prefer durability over green theater.

Lighting: Baseline **3000 K** (bedroom lamps 2700–3000 K). Prefer CRI ≥90 at kitchen/living finishes. Mandatory kitchen under-loft linear task (300–750 lux guidance). Living ambient 150–300; bedroom 50–150; study/reading 300–500. Separate zones + dimming living/bedroom. Accent minimal — no cove glitter.

Acoustics: Small hard studio — rugs, closed storage, tight-weave textiles. No specialty acoustic product claims.

Systems: Preserve sink plumbing access; do not permanently seal damp zones; do not conceal DB without access; SS304 at humid risk; moisture-rated bath fittings.

Codes awareness (non-certifying): Keep egress/aisles clear of FF&E.; New electrical points ? licensed electrician. No AHJ stamp claimed in this package.



Evening material / lighting junction — 3000 K intent · conceptual

13–14. FF&E; schedule & budget phasing

Item	Approx	Notes
3-seat sofa	~2150×875×825 mm	Wipeable taupe; front legs on rug
Round coffee table	Ø700–800 × H~425	450–500 mm to sofa
Floating TV cabinet	1400–1800 mm	80236 DW or Latte; no TV wall
Queen bed + 2 nightstands	Mattress ~1525×2030	Sides ?600 mm where possible
Study desk + mesh chair	Desk 1200–1500	2–3 shelves ?300 mm deep
Kitchen shutters B1–B3 + loft	Clear 48/36/18 in	S1241 MT Latte; recessed pulls
Wardrobe 3 leaves	457/457/458 mm	84689 Idria; Options A/B face

Budget tiers

- **Essential:** Kitchen Latte shutters + wardrobe 3 leaves + NN9074/WW0005 paint + E3 edges + recessed hardware + kitchen task LED.
- **Recommended:** + TV cabinet, ambient dimming, sofa/curtains/rugs, bedside & study lamps.
- **Premium:** Proven PUR, upgraded boards/lighting, spare laminate kit — still no gloss / island / TV wall.

Phase 0 measure+samples ? 1 wet/storage core ? 2 light+living ? 3 sleep/work ? 4 optional polish. Quotes must state board grade/thickness, laminate code/finish, edge brand/thickness, adhesive process, hinge models, warranty exclusions, spares.

15–16. Living — three-view set (conceptual)



Living — social zone daylight · no balcony invention · 80236 floating cabinet only



Living — from TV toward sofa



Living — side across social zone

Kitchen — granite retained + S1241 Latte (conceptual)

Single-wall existing black granite. All shutters Century S1241 MT Latte with recessed brushed SS pulls. Fridge extreme right. No waterfall/end-panel invention. Loft/shelf bands schematic vs K-01.



Kitchen — granite + Latte shutters



Kitchen — from fridge along run (fridge right)



Kitchen — loft / mid shelf band detail (schematic)

Front elevation with clear openings + V2 chrome: S1241 Latte-all, recessed brushed stainless pulls, existing granite retained. Drawn bar pulls on source art may not match recessed-pull lock — prefer recessed.

Existing black granite retained - ALL shutters Century S1241 MT Latte - Brushed stainless recessed pulls - Module 106.00" / wall 220.00"



CLEAR OPENINGS: B1 48.00" - B2 36.00" - B3 18.00" | Floor→counter 31.00" - shelf band 23.00" - loft clear 48.00" - floor→loft underside 102.00"

Bhadravati V2 — Warm Contemporary Minimalism | Design control (not fabrication-approved)

Paint schemes A vs B (walls/ceilings only)

Scheme A (default): NN9074 + WW0005. **Scheme B (alternate):** NN9088 + WW0020. Joinery codes unchanged. Supersedes Corrected Handover which showed NN9088 as used default (C-04).



A · Living



B · Living



A · Kitchen



B · Kitchen

Wardrobe — 3-door Options A / B

Locked: three leaves **457 / 457 / 458 mm** inside clear **1372 × 2286 × 488 mm**. Preferred face laminate **84689 SU Idria Oak** (backup 84687 Lyon). Recessed pulls only. Client chooses Option A or B after samples. Four-leaf text elsewhere is superseded.



Option A — Aluminium frame + fluted glass




Option B — Plywood / Idria face



Bedroom continuity — three-door plywood wardrobe (not four leaves)

Locked leaf widths **457 / 457 / 458 mm** inside 1372 mm clear. Four-leaf artwork is superseded and excluded from this client PDF.



- Option A: aluminium frame + fluted glass
- Option B: Idria Oak face (shown)
- SUPERSEDES prior four-leaf elevation (legacy QA only)

Bhadravati V2 — Warm Contemporary Minimalism | Design control (not fabrication-approved)

Bedroom / wardrobe continuity views



From wardrobe toward bed



Three-door wardrobe detail

17–19. Documentation mindset & install sequence

Drawings/schedules in this pack are **design control**. Fabricator issues shop drawings after sample sign-off. Existing vs new: granite existing; shutters/wardrobe leaves new. Dual units follow register (in + mm).

- Measure & sign site sheet (K-01, W-01, openings) ? photograph tape end-to-end.
- Approve sample board (NN9074/WW0005 and/or Scheme B; S1241; 84689; 80236; E3; recessed SS) beside granite @ morning/afternoon/3000 K.
- Choose wardrobe Option A or B; lock quote (board grades, laminate codes, edges, hinges, access panels).
- Fabricate ? site prep ? install kitchen shutters + wardrobe ? paint ? lighting ? FF&E; ? punch.

20–22. Next actions, residuals & case-study note

1. Sign the site-measure sheet

Kitchen, wardrobe niche, all openings. Resolves C-01 granite thickness and C-05/C-11 window conflicts.

2. Approve physical sample board

Scheme A default chips + optional Scheme B; S1241 MT Latte; 84689 Idria; 80236; E3 1&2 mm; recessed brushed SS — beside granite under morning / afternoon / 3000 K. Choose wardrobe A or B.

3. Lock fabricator shop drawings + quotation

One kitchen laminate (S1241 all); three wardrobe leaves 457/457/458; boards; edges; recessed hardware; service access — then only then commission fabrication-faithful visuals.

Open residuals (do not fabricate around these)

- C-01 Granite thickness UNKNOWN — measure.
- C-05 / C-11 Openings UNVERIFIED — site measure.
- Exact kitchen shutter overlay vs B1/B2/B3 clear — shop drawings after system choice (C-09).
- Wardrobe overlay/inset/reveals/hinge sides TBD.
- AI loft/shelf bands remain schematic.

Portfolio case note: Site-specific resilient Indian home — dust, monsoon, hard water, repairability. V2 fixed four-leaf drift, dual-tone kitchen contradiction, and NN9088-as-default confusion from older packs.

Important: Images and diagrams are conceptual. Design-control only — not fabrication-approved until signed site measure and physical sample approval.


Control docs: SOURCE_OF_TRUTH.md · wiki/00–08 · BOARD_DECISION.md · CONTRADICTIONS.md · MASTER_BRIEF_V2.md · design_tokens_v2.json · dimension_register_v1.

Appendix — visual QA contact sheet (V2)

Six-up strip for client visual QA: living, kitchen Latte, kitchen detail, wardrobe 3-door, wardrobe dims, evening light. Historical / dark-cabinet contact sheets excluded. **Do not OCR** the wardrobe-dims panel — controlling SoT values follow in the caption.

V2 QA / CONTACT SHEET


Corrected material lock check · Latte kitchen · 3-door wardrobe · warm greige walls · matte finishes




Living




Kitchen Latte




Kitchen detail



Wardrobe 3-door



Wardrobe dims



Evening light

Reject if: dual-tone kitchen · projecting bar handles · 4 wardrobe leaves · cool grey walls · gloss sparkle · invented openings

QA contact sheet V2 — conceptual only. Wardrobe SoT lock (override baked overlays): clear niche **1372 × 2286 × 488 mm**; leaves **457 / 457 / 458 mm**; preferred face **84689 SU Idria Oak**. Do not trust OCR of height/depth typos or wrong laminate names on the sheet.