IBM Z DATATHON 2026 · SSF2026 · SUHAS ADIGA · INDIVIDUAL ENTRY

SafePay recording script

A 3-minute video that moves between the pitch deck and the live demo while you speak: a slide explains each idea, then the demo shows it working. About 380 words in 2 minutes 52 seconds. Speak calmly; you don't need to rush.

The video at a glance

Time	On screen	The point it makes
0:00–0:15	Slides 1–2	You can't block a bank transfer
0:15–0:30	Slide 3	Word lists and monthly scoring are easy to dodge, and slow
0:30–0:45	Slide 4	A decision on every payment, inside the payment flow
0:45–1:05	**Demo:** threat split across 9 payments	SafePay reads the whole sentence; the money still arrives
1:05–1:17	Slide 5	Three layers, because each one alone misses something
1:17–1:35	**Demo:** polite but menacing	The pattern catches what words miss
1:35–1:55	**Demo:** Message settings	The victim stays in control, and can leave in one tap
1:55–2:17	**Demo:** analyst console and evidence pack	Granite helps the specialist team; the evidence can be verified
2:17–2:32	Slide 7	Weeks sooner than monthly scoring
2:32–2:45	Slide 11	Fast and private on IBM Z
2:45–2:52	Slide 13	The money gets through, the abuse doesn't

Before you record (about 15 minutes ahead)

1. The lab notebook container is stopped. (Check with `ssh ibmz "podman ps"`: it shouldn't list `notebook`.)
2. On the VM: `bash ~/safepay/run_safepay.sh` starts Granite and SafePay. If both already answer, you can skip this.
3. On the laptop, open the tunnel and leave that window open: `ssh -N -L 8090:127.0.0.1:8090 ibmz`
4. In one Edge window, open two tabs: **tab 1** the deck (`pitch/SafePay_pitch_deck.pdf`; press **Ctrl + ** for one page at a time), **tab 2** the demo (`http://localhost:8090`). Switch between them with **Ctrl + 1** and **Ctrl + 2**. Maximise the window, zoom 100%.
5. On the demo, press **Reset** just before your first take. Then record the scenes in order: scene 4 creates case #1 and scene 6 creates case #2.
6. Click each scenario only once. Clicking one again adds more payments to the same case, and the evidence pack would no longer have "all eight".
7. After scene 6, open `http://localhost:8090/analyst` and wait until case #2 shows a **Granite brief** (one to two minutes) before you record scene 8. Takes are separate, so the wait doesn't appear in the video.

8. On Windows: plug in the charger, close other apps, press **Win + N** → *Do not disturb*.

Rehearse once without recording, then press **Reset** again before the real takes.

The script

Small grey lines are what to show. Large lines are what to say. Record one scene per take. Scenes marked **DEMO** are in tab 2; the rest are slides in tab 1.

---

1 · The problem

`0:00–0:15 · 15 s`

Slide 1 (title), then slide 2.

Hi, I'm Suhas, and this is SafePay. When someone escapes an abuser, they block them everywhere. But you can't block a bank transfer, so abusers send one-cent payments with threats in the reference.

---

2 · Why today's defences fall short

`0:15–0:30 · 15 s`

Slide 3.

Banks use banned-word lists, which abusers dodge with disguised spellings, or by splitting one threat across nine transfers. The best published model scores relationships once a month, so victims are exposed for weeks.

---

3 · What SafePay does

`0:30–0:45 · 15 s`

Slide 4. On the last sentence, switch to the demo (**Ctrl + 2**).

SafePay sits inside the payment flow on IBM Z. It reads real ISO 20022 payment messages and makes a decision on every payment in about a millisecond. Here it is, running live.

---

4 · DEMO · Threat split across nine payments

`0:45–1:05 · 20 s`

Click **Threat split across 9 payments**. Point at the **Joined with recent** box in the middle, then Sam's app on the right.

This threat is split across nine transfers, so no single message trips a filter. SafePay joins them up, reads "I am going to find you and kill you", and hides all nine. The money still arrives, because it could be child support.

---

5 · Three layers

`1:05–1:17 · 12 s`

Slide 5 (**Ctrl + 1**). On the last word, back to the demo.

That's one of three layers: a message model that undoes disguised spellings, a joiner for split messages, and a relationship model on IBM Snap ML.

6 · DEMO · Polite but menacing

1:17–1:35 · 18 s

Click **Polite but menacing (coercive control)**. Point at the message score (about 0.0), then the relationship score.

Here there are no rude words: "saw you at the gym today", "I'm outside". The message scores near zero. But the relationship model sees penny payments at night, never answered, and opens a case.

---

7 · DEMO · The victim's side

1:35–1:55 · 20 s

In Sam's app, open **Message settings**. Choose **In the app only**, tick **Someone else may see my phone**, press **Save**. Under Riley, choose **Application for a protection order** → **Allow a record**. Then press **Quick exit**.

The victim stays in control. Sam chooses in-app contact only, because someone else may see her phone, and allows a record of Riley's payments for a protection order. One tap on quick exit hides everything.

---

8 · DEMO · Analyst console and evidence pack

1:55–2:17 · 22 s

Before this take, wait until case #2 shows its Granite brief. Click **Analyst console**, open case **#2**, point at the safe-contact panel, then the **Granite brief**. Click **Prepare signed evidence pack**, then **Verify**, then **Simulate tampering**.

The specialist team sees her rules first, and IBM Granite, running on the same machine, drafts their brief. With her consent, they prepare a signed evidence pack of all eight payments. Change one full stop, and verification fails.

---

9 · Results

2:17–2:32 · 15 s

Slide 7 (**Ctrl + 1**).

Against the bank's monthly approach, SafePay opens a case in a median of 3 days instead of 19, and withholds 92% of abusive messages as they arrive.

---

10 · Built on IBM Z

2:32–2:45 · 13 s

Slide 11.

It all runs on an IBM z17 in LinuxONE Community Cloud: over 900 payments a second, encrypted and pseudonymised, with no data leaving the platform.

11 · Close

2:45–2:52 · 7 s

Slide 13.

SafePay: the money gets through, the abuse doesn't, and the evidence does. Thank you.

Recording with Clipchamp (built into Windows 11)

1. Start → type **Clipchamp** → *Create a new video* → *Record & create* → **Screen and camera** (or just **Screen** if you'd rather not appear). Allow the camera and microphone, and pick the Edge window that has the deck and demo tabs, so switching tabs mid-take is recorded too.
2. **One scene per take.** Pause for a second before and after speaking; it makes trimming easy. A mistake then costs 20 seconds, not 3 minutes.
3. Drag the takes onto the timeline in order and trim the gaps. If you used the camera, shrink it to a small circle in the empty area under the demo's middle panel, so it never covers Sam's app or a slide's numbers.
4. Check the length on the timeline: **3:00 or less.**
5. *Export* → **1080p**. Watch the whole file once.
6. Upload to YouTube as **Unlisted** (or Google Drive shared with *Anyone with the link*) and paste the link into Hack2Skill.

Voice

- Earphones with a mic near your mouth beat the laptop mic.
- Quiet room. Do a 10-second test take and listen back.
- Smile on the first and last lines; it's audible.

Never show

- The `.pem` key file or its folder
- The Jupyter lab token
- Your email, chats or notifications

Submitting on Hack2Skill

- Project title: **Suhas Adiga_IBM Z Datathon 2026 Project**
- Put **SSF2026** in the project description.
- Live demo: `http://148.100.99.226:8090`. Put the login in the description: user **judge**, and the password from `ssh ibmz "cat ~/.safepay/demo_password"`. Before you submit, start it with `bash run_safepay.sh public` and open the link once from your own browser.
- Attach: the video link, `github.com/suhasadiga06/IBMZ`, `SafePay_pitch_deck.pdf`, and `SafePay_architecture.png` as the design flowchart.
- The README lists every open-source library and dataset with its licence, which the rules ask for.
- Deadline: **Sunday 18 October 2026, 10:00 PM IST.**