

Stakeholder Question Catalogue 09

Prospective Students and Family Members

80 practical questions for prospective students and accompanying family members or supporters, mapped to proposed privacy-preserving sensing, current authoritative visit information, explicit operations, evidence quality, uncertainty, permissions and safe answer boundaries.

STAKEHOLDER	People considering study at Cardiff and accompanying family members, carers or supporters who are unfamiliar with Abacws and need verified public information to plan and experience a visit.
QUESTION RANGE	Open-day planning; travel and arrival; entrances and check-in; public wayfinding; course and building discovery; amenities and breaks; accessibility and sensory comfort; demand peaks, departure, disruptions, emergencies and lower-impact travel.
EVIDENCE MODEL	Proposed anonymous sensing is combined with current organiser, admissions-event, programme, room, entrance, route, lift, amenity, accessibility, closure, transport, weather, security applications, tickets or communications, identifying or tracking people, inferring sensitive traits, predicting admission or enrolment, granting access, replacing staff judgement or overstating the evidence.

Core principle: Help prospective students and families make their own travel, arrival, route, participation, break, accessibility and contingency choices from verified public information - without inspecting applications, tickets or communications, identifying or tracking people, inferring sensitive traits, predicting admission or enrolment, granting access, replacing staff judgement or overstating the evidence.

1. Catalogue scope and design principles

This catalogue covers questions prospective students and accompanying family members may ask before, during or immediately after an Abacws visit. It supports their own choices using verified public information; it does not assess applications, predict enrolment, organise events or replace admissions, accessibility, security or other responsible services.

Proposed capability, not current fact

Every sensor, integration and conversational service is a design requirement unless deployment, mapping, permission and operational status are independently verified. The May 2021 plan is historical spatial reference only.

Prospective-visitor-owned decisions

Questions support travel, arrival, route, participation, break, comfort, accessibility, departure and contingency choices. They do not evaluate applications, decide offers, allocate places or operate the visit.

Current authoritative verification

Current programme, venue, public opening, entrance, route, lift, service, capacity, accessibility, closure and emergency status must come from the responsible current source, not historical room labels or telemetry alone.

Correctly located evidence

A room, entrance, queue, route or amenity claim requires sensing in the named space or verified segment. Corridor or adjacent-room evidence may be labelled context but cannot be silently substituted.

Privacy and sensitive-trait minimisation

Use anonymous aggregate counts and numerical environmental/acoustic indicators only where proportionate. Never inspect applications, tickets, identities, faces, speech, messages, screens, network traffic or device content, or build movement histories.

Authoritative-source precedence

Organiser and admissions-event instructions, access/registration policy, official booking, current wayfinding, accessibility, lift/service status, security notices, certified alarms and official emergency communications override telemetry.

Honest operation and failure

Each record labels observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation. Missing, stale, conflicting, unauthorised or insufficient evidence produces clarification, a limited answer, deferral or not assessable.

Concrete stakeholder value

Each answer should support a practical visit decision without exposing other people, predicting academic outcomes or transferring organiser, admissions, accessibility, security, facilities, transport or emergency authority to the conversational service.

2. How to read each question record

Each record turns a natural prospective-student or family-member question into a bounded evidence requirement. The fields identify proposed sensing, current authoritative sources, the operation performed, uncertainty and when the service must clarify, qualify, defer or return not assessable.

PROSPECTIVE-STUDENT OR FAMILY-MEMBER QUESTION	A natural question asked to make a travel, arrival, route, participation, break, accessibility, support or contingency choice - not an admissions, organiser or operator decision.
SENSORS AND TELEMETRY	Physically plausible proposed entrance, room, route, lift, queue, environmental, acoustic, amenity, weather or service evidence with location, timing, aggregation, privacy and quality limits.
AUTHORITATIVE SUPPORTING DATA	Current organiser, programme, room, access, public-opening, wayfinding, accessibility, amenity, transport, security, service, closure or emergency records that take precedence over inference.
ANALYSIS REQUIRED	The exact operation: observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation. It states the decision window, minimum evidence, method and safe failure.
ANSWER BOUNDARY	What the building must not infer, disclose, control, certify or authorise; when it must ask for clarification, give a limited answer, defer to the responsible service or return not assessable.
WHY THIS IS USEFUL	The concrete travel, arrival, route, participation, break, accessibility, support, departure or contingency decision supported by the answer.

Readiness

R1 - practical Core verified public information and basic current spatial, status or provenance data.	R2 - integration-dependent Programme, room, access, accessibility, route, lift, queue, amenity, weather, transport, service or forecast integration.	R3 - research or restricted Dense validated sensing, controlled operational data, high-consequence accessibility/safety handling or stronger privacy and governance controls.
Global rule: use only verified public spaces and authorised data; preserve timestamps, spatial coverage and quality; inspect no application, ticket, identity or communication content; never identify or track people; and return a limited or not-assessable answer when critical evidence or authority is missing.		

3. Worked example: planning a first open-day visit

A responsible answer combines the current programme and public access with correctly scoped route, queue, lift, amenity and environmental evidence. It never treats an open door as permission, an empty room as available or building telemetry as an admissions, accessibility or safety decision.

Prospective student: "I am visiting with my parent, need step-free routes, want the computing course talk and a project-space tour, and would prefer a quieter break. Can you build a realistic plan and show what is confirmed versus estimated?"

1. Resolve stated needs

Use only the visit date, selected sessions, companion context and functional preferences the user chooses to provide. Do not inspect applications, registrations or personal history.

2. Verify programme and authority

Confirm the current organiser programme, public eligibility, venues, entrance, accessible routes, lift/door status, break-space eligibility and official changes before using telemetry.

3. Verify evidence quality

Require correctly mapped route/queue/room evidence, observed and retrieved times, commissioning/calibration, uptime, gaps, drift and source agreement. Mark unverified criteria unknown.

4. Perform the right operations

Use authorised lookup for programme/access, schedule and route calculation for feasibility, observation for current conditions and forecast only with comparable evidence.

5. Recommend visitor-owned choices

Recommend a feasible sequence, arrival buffer, verified route, eligible break space and fallback. Do not book sessions, grant access or judge course/application fit.

6. Communicate answerability

Separate confirmed facts, estimates and forecasts; show source times and uncertainty; identify recheck points; defer or return not assessable when authority or evidence is absent.

ILLUSTRATIVE ANSWER STRUCTURE

"The organiser confirms both public sessions and the designated entrance. The current step-free route is open and the lift reports operational, but status should be rechecked shortly before arrival. The two sessions are feasible with a 14 to 20 minute transition range. A confirmed public break area is available; it is currently quieter than the main waiting zone, although seating is not guaranteed. I cannot validate registration, predict course fit or certify the route for every individual need. One route counter has a gap, so the crowd forecast is low confidence."

1. Pre-visit and open-day planning

Questions PF-001-PF-002

PF-001

CORE

L2 - calculation/comparison

R2 - integration-dependent

Prospective-student or family-member question: Is today's Abacws open day confirmed, which entrance should we use, and when should we arrive?

Sensors and telemetry

Proposed evidence: Anonymous bidirectional counters covering every entrance and exit of the organiser-defined check-in queue, with owner-issued check-in open/closed status if available. Coverage: the organiser-defined queue boundary and all relevant entrances/exits; an uncovered branch makes wait time incomplete. Timing and quality: Use crossing events with clock-aligned 1-minute aggregates. Require full boundary coverage, reconciled entry/exit counts, validated count error, clock sync, uptime/gaps, plus fresh service status. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: open-day organiser record, official programme, public-opening hours, approved entrance, check-in rules, companion policy, closure notices and official communications. Precedence: The organiser-defined check-in point, opening/registration rules and steward instructions override counts and wait estimates. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: observation + bounded wait estimate. Decision interval: planned arrival through the first selected session. Minimum evidence: confirmed check-in point/open status, complete boundary-count coverage, validated count error and a service-rate range if wait is estimated. Method: Report current aggregate crowding and estimate wait only from complete counts plus a validated service-rate range; otherwise omit wait time. Controls/baseline: If wait is estimated, use the current service configuration and a validated rate range; do not borrow a rate from a different event without disclosure. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer public access from an open door or low occupancy, inspect registrations, validate eligibility, grant entry or guarantee admission. Use aggregates only; no identities or movement histories. If boundary coverage, count quality, check-in status or service-rate evidence is inadequate, report crowding only or mark wait time not assessable.

Why this is useful: Supports the decision to travel, approach the correct entrance and allow a realistic arrival buffer.

PF-002

PROGRAMME

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: I'm interested in one subject. Which talks, tours and demonstrations can we fit in without clashes?

Sensors and telemetry

Proposed evidence: The primary answer needs no telemetry; optional anonymous crowd bands at organiser-confirmed public venues may be used only as supplementary context. Coverage: the organiser-confirmed activity and public venue; telemetry cannot expand eligibility. Timing and quality: Any optional aggregate count must retain exact boundary mapping, 1-minute aggregation, clock sync, validated count error, uptime/gaps, plus observed/retrieved time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: open-day programme, session descriptions, subject/faculty ownership, official start/end times, venue assignments, public eligibility, capacity or registration rules and current changes. Use only interests and time constraints the user chooses to state. Precedence: Current organiser/admissions-event programme, eligibility, booking, public-opening and companion rules override telemetry and the May 2021 floor plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup. Decision interval: the stated visit window. Minimum evidence: a current organiser-owned programme/rule for the named activity, valid for the visit time and public permission scope. Method: Return the current organiser-owned rule or programme entry. Optional crowd telemetry is clearly separate and cannot change eligibility. Controls/baseline: Use the programme version and public-eligibility rules effective for the requested visit time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect application records or infer academic interests from browsing, identity or prior activity. If the organiser-owned programme/rule is missing, stale or conflicting, provide no inferred eligibility and defer to the named organiser or admissions-event contact.

Why this is useful: Helps the prospective student build a subject-focused itinerary that is feasible within the official programme.

1. Pre-visit and open-day planning

Questions PF-003-PF-004

PF-003

CORE

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: How much time should we allow for the course talk, building tour and questions with staff?

Sensors and telemetry

Proposed evidence: Optional anonymous counts on organiser-confirmed venue and public route boundaries, plus current lift/door status where a live transfer estimate is requested; no personal location sensing. Coverage: each organiser-confirmed activity, break point and verified public route segment in the proposed visit window. Timing and quality: Use event-driven asset status and time-aligned 1-minute aggregate counts. Retain exact segment mapping, clock sync, commissioning, uptime/gaps, relocation/maintenance flags and freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme durations, organiser-approved public route, tour format, service-point opening hours, official appointment or drop-in rules, venue changes and accessibility information. Precedence: Current organiser programme, official venue/booking, public access and current route/lift/closure data govern; crowd telemetry only adjusts feasibility. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, schedule calculation and recommendation. Decision interval: the planned visit. Minimum evidence: current eligible programme items, confirmed venues, complete public routes, transfer assumptions and current closures/lift state. Method: Filter to eligible activities, calculate transfer and break time on current public routes, then recommend a feasible sequence with explicit buffers. Controls/baseline: Use only activities valid for the same visit and calculate against current routes/closures rather than historic room labels. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer service availability or public permission from occupancy, promise that staff will be free, or inspect appointment records beyond user-authorised timing constraints. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If an activity, venue, access rule or route segment is unresolved, show confirmed items only and mark the full itinerary not assessable.

Why this is useful: Lets the family decide whether the intended visit fits their available time and where a buffer is needed.

PF-004

ACCESS

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: Can my parent, carer or supporter join each activity, and do they need separate registration?

Sensors and telemetry

Proposed evidence: The primary answer needs no telemetry; optional anonymous crowd bands at organiser-confirmed public venues may be used only as supplementary context. Coverage: the organiser-confirmed activity and public venue; telemetry cannot expand eligibility. Timing and quality: Any optional aggregate count must retain exact boundary mapping, 1-minute aggregation, clock sync, validated count error, uptime/gaps, plus observed/retrieved time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser companion policy, session-specific public eligibility, registration conditions, venue capacity rules, accessibility/support arrangements and named contact for exceptions. Precedence: Current organiser/admissions-event programme, eligibility, booking, public-opening and companion rules override telemetry and the May 2021 floor plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup. Decision interval: each selected session. Minimum evidence: a current organiser-owned programme/rule for the named activity, valid for the visit time and public permission scope. Method: Return the current organiser-owned rule or programme entry. Optional crowd telemetry is clearly separate and cannot change eligibility. Controls/baseline: Use the programme version and public-eligibility rules effective for the requested visit time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect or reproduce registrations, infer relationships, validate identity, grant permission or override organiser discretion. If the organiser-owned programme/rule is missing, stale or conflicting, provide no inferred eligibility and defer to the named organiser or admissions-event contact.

Why this is useful: Supports deciding whether an accompanying person can join, wait elsewhere or needs organiser confirmation.

1. Pre-visit and open-day planning

Questions PF-005-PF-006

PF-005

ACCESS

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: Which activities are drop-in, and which need a booking, registration or invitation?

Sensors and telemetry

Proposed evidence: The primary answer needs no telemetry; optional anonymous crowd bands at organiser-confirmed public venues may be used only as supplementary context. Coverage: the organiser-confirmed activity and public venue; telemetry cannot expand eligibility. Timing and quality: Any optional aggregate count must retain exact boundary mapping, 1-minute aggregation, clock sync, validated count error, uptime/gaps, plus observed/retrieved time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser programme, session access classification, registration requirements, public-opening rules, room booking, security-approved visitor routes and event updates. Precedence: Current organiser/admissions-event programme, eligibility, booking, public-opening and companion rules override telemetry and the May 2021 floor plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup. Decision interval: the selected visit date and time. Minimum evidence: a current organiser-owned programme/rule for the named activity, valid for the visit time and public permission scope. Method: Return the current organiser-owned rule or programme entry. Optional crowd telemetry is clearly separate and cannot change eligibility. Controls/baseline: Use the programme version and public-eligibility rules effective for the requested visit time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect tickets or personal records, infer permission from an open room, or grant entry. Use aggregates only; no identities or movement histories. If the organiser-owned programme/rule is missing, stale or conflicting, provide no inferred eligibility and defer to the named organiser or admissions-event contact.

Why this is useful: Helps the group choose activities they are actually permitted to attend.

PF-006

PROGRAMME

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: We only have two hours. What should we prioritise to understand the course and see Abacws?

Sensors and telemetry

Proposed evidence: Optional anonymous counts on organiser-confirmed venue and public route boundaries, plus current lift/door status where a live transfer estimate is requested; no personal location sensing. Coverage: each organiser-confirmed activity, break point and verified public route segment in the proposed visit window. Timing and quality: Use event-driven asset status and time-aligned 1-minute aggregate counts. Retain exact segment mapping, clock sync, commissioning, uptime/gaps, relocation/maintenance flags and freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme, session purpose, public eligibility, official route graph, service-point hours, user-stated subject interests and accessibility or pace preferences. Precedence: Current organiser programme, official venue/booking, public access and current route/lift/closure data govern; crowd telemetry only adjusts feasibility. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, schedule calculation and recommendation. Decision interval: two hours. Minimum evidence: current eligible programme items, confirmed venues, complete public routes, transfer assumptions and current closures/lift state. Method: Filter to eligible activities, calculate transfer and break time on current public routes, then recommend a feasible sequence with explicit buffers. Controls/baseline: Use only activities valid for the same visit and calculate against current routes/closures rather than historic room labels. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not evaluate course quality, application fit or admission prospects, infer interests beyond stated preferences, or promise access. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If an activity, venue, access rule or route segment is unresolved, show confirmed items only and mark the full itinerary not assessable.

Why this is useful: Gives a time-limited visitor a balanced plan for course discovery, building experience and questions.

1. Pre-visit and open-day planning

Questions PF-007-PF-008

PF-007

CORE

L3 - forecast/contingency

R3 - research or restricted

Prospective-student or family-member question: The course talk is repeated. Which authorised session is likely to be less crowded?

Sensors and telemetry

Proposed evidence: Anonymous counts at every organiser-defined session entrance/exit and queue boundary, with current room capacity and event-state context; no registration or identity sensing. Coverage: each eligible repeat session, its confirmed room/entry boundary and the same decision window. Timing and quality: Use clock-aligned 1-minute aggregates and matched-session history. Require complete boundary coverage, current capacity/event state, count-error validation, gaps/drift flags and comparable programme conditions. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme, official venue and capacity, organiser registration totals or aggregate demand indicators where permitted, repeat-session equivalence and any reserved-access rules. Precedence: Current organiser schedule, official room booking/capacity and registration/access rules govern; counts forecast crowd only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: forecast and comparison. Decision interval: the candidate talk slots. Minimum evidence: eligible repeat sessions, official room/capacity/access state, complete counts and enough comparable events with similar programme conditions. Method: Compare only repeat sessions with the same programme role, venue/access rule and similar concurrent demand; return broad crowd bands and confidence. Controls/baseline: Match programme role, venue, capacity/access rule, time of day and concurrent-event pattern. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not identify attendees, expose registration counts where restricted, infer availability from low occupancy or guarantee entry/seating. Use aggregates only; no identities or movement histories. If eligible sessions, complete counts or comparable cases are inadequate, provide confirmed times only and mark crowd comparison not assessable.

Why this is useful: Supports choosing a repeat session that may be easier to enter and more comfortable, without treating a forecast as permission.

PF-008

WELLBEING

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Where can my family member wait quietly between activities, if a public waiting space is confirmed?

Sensors and telemetry

Proposed evidence: In-zone temperature/RH, direct NDIR CO2, illuminance, numerical LAeq/background percentiles and anonymous aggregate occupancy inside organiser-approved public waiting areas. Coverage: inside the specific organiser-approved public waiting area; corridor or adjacent-room readings are context only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices. Require commissioning and calibration, exact room/zone mapping, uptime/gaps, drift/relocation, and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public-space eligibility, opening hours, seating/usage policy, room purpose, closures, accessibility information and organiser guidance. Authoritative eligibility comes before sensor evidence. Precedence: Current public-space purpose, opening/access, seating rules and closures determine eligibility; telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + observation and recommendation. Decision interval: the requested waiting period. Minimum evidence: current public-space eligibility plus healthy commissioned in-zone sensors for every criterion used; occupancy does not prove a seat. Method: Filter to confirmed public spaces, then compare fresh in-zone conditions and walking distance; never equate low occupancy with a guaranteed seat. Controls/baseline: Compare only simultaneously eligible public spaces with aligned fresh observations; historic quietness is not current availability. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Quietness does not prove availability, privacy, accessibility or permission. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If public eligibility or target-area coverage is inadequate, provide confirmed location facts only; do not claim conditions or seating availability.

Why this is useful: Gives an accompanying person a lawful waiting option that better matches their comfort preference.

1. Pre-visit and open-day planning

Questions PF-009-PF-010

PF-009

EVIDENCE

L2 - recommendation

R1 - practical

Prospective-student or family-member question: What can the building answer, and what should we ask admissions, academic or event staff?

Sensors and telemetry

Proposed evidence: No sensor telemetry is required. Use a current public capability and referral catalogue and expose the provenance of any building evidence already used. Coverage: the public question and the authorised service or staff role responsible for answering it. Timing and quality: Retain source owner, scope, version, effective/retrieved time and permission. Do not substitute an LLM answer where the capability catalogue requires human referral. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: the current Talking Abacws capability catalogue, organiser and admissions service directory, public event guidance, access rules and named escalation contacts. Preserve source owner, effective time, retrieval time and permission scope. Precedence: Current public service/capability ownership and official contact routes govern; the conversational system cannot replace human advice. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: capability classification and referral. Decision interval: before and during the visit. Minimum evidence: a current public capability catalogue and service directory. Method: separate verified building facts from admissions, academic, finance, accommodation, accessibility or personal-support questions requiring authorised staff judgement. Output must name the responsible source and mark unsupported questions not assessable. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not answer admissions, course-fit, academic-support or personal-case questions as building facts. Route each unsupported topic to the named responsible service. If ownership or the current contact is unclear, explain the limit and return not assessable.

Why this is useful: Helps the visitor direct each question to the building or the responsible human service.

PF-010

EVIDENCE

L3 - provenance/assurance

R2 - integration-dependent

Prospective-student or family-member question: For our visit plan, what is confirmed, what is estimated, and what should we recheck before travelling?

Sensors and telemetry

Proposed evidence: No additional sensing is required. Expose mapping, sampling/aggregation, commissioning and calibration, uptime, gaps, drift/relocation, maintenance, observed and retrieved times for every telemetry source used. Coverage: every named room, entrance, route, amenity, service, device and external feed actually used in the answer. Timing and quality: Retain exact mapping, sampling/aggregation, clock sync, commissioning and calibration, uptime/gaps, drift/relocation, maintenance, observed/retrieved time and method version. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: all organiser, programme, room, entrance, route, lift, amenity, service, weather and closure sources used in the answer, with owner, effective time, version, staleness and conflicts. Precedence: For each statement, the owner-controlled source valid for the requested interval governs; conflicts remain visible and unsupported criteria are omitted. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: provenance and answerability assessment. Decision interval: the whole planned visit. Minimum evidence: the complete permitted source list, mappings, quality flags, times, method version, permissions and unresolved conflicts. Method: Label every statement as authorised lookup, observation, calculation, estimate, forecast, comparison, recommendation or not assessable, with source/quality. Controls/baseline: No evidence source may be hidden or silently downgraded; preserve conflicts and unsupported criteria. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not expose restricted source details or hide conflicts behind a single confidence score. Safe failure: Protect restricted source details and display conflicts/weak evidence rather than hiding them behind a single confidence score.

Why this is useful: Supports deciding what can be relied on now and what must be rechecked before travel.

2. Travel, arrival, entrances and check-in

Questions PF-011-PF-012

PF-011

CORE

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: When should we leave so we can travel, check in and reach the first session without rushing?

Sensors and telemetry

Proposed evidence: Current public entrance/exit, route-critical door and lift status, optional anonymous route counts, and authorised external transport status; no travel-account or device tracking. Coverage: the verified public route between the visitor-stated arrival/departure point and approved entrance/exit, plus the named official transport service. Timing and quality: Use fresh official provider status and event-driven asset state; aggregate route counts at one minute only. Retain source time, coverage, gaps and status conflicts. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated origin or arrival point, official event start/check-in times, current entrance and public route, verified lift/closure status, authorised external transport and weather feeds, and organiser late-arrival policy. Precedence: Official event timing, approved entrance/exit, current public route and authorised provider data override crowd estimates and the historical plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, route calculation and recommendation. Decision interval: departure through first session. Minimum evidence: confirmed event timing, approved entrance/exit, complete public route status and fresh official transport data for the named service. Method: Reconcile event timing with official transport status, calculate a bounded public-route time and recommend a departure/arrival range with a recheck point. Controls/baseline: Use the same origin, arrival deadline, access constraints and current provider timetable/status. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect travel accounts, track the group, guarantee transport performance or admission, or use low crowding as permission. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If event timing, route or provider data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Supports a realistic departure time that includes travel, check-in and movement to the first activity.

PF-012

WAYFINDING

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Which confirmed public entrance should we use from our station, bus stop or drop-off point?

Sensors and telemetry

Proposed evidence: Event-driven status for the organiser/security-approved public entrance door and any explicitly approved alternative, plus anonymous aggregate entrance counts. Coverage: the specifically approved public entrance and any organiser-approved alternative, not all building doors. Timing and quality: Use event-driven door status and time-aligned 1-minute aggregate counts. Require exact door/boundary mapping, heartbeat, maintenance state, uptime/gaps, plus observed/retrieved time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser arrival instructions, public entrance list, official pedestrian route graph, temporary closures, security notices, user-stated arrival point and accessibility requirements. Precedence: Current organiser/security-approved entrance, public-opening/access and closure notices override door activity or counts. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + current status check. Decision interval: planned arrival. Minimum evidence: event-specific approved entrance, current public opening/access, correct door mapping and fresh owner status; counts are optional context. Method: Resolve the current approved entrance first, verify physical/open status, and describe aggregate congestion only as supplementary context. Controls/baseline: Compare only organiser-approved entrances valid for the same event/time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

An unlocked door is not proof of public access. Use aggregates only; no identities or movement histories. If event-specific entrance/access or current status is unresolved, give confirmed public facts only and direct the visitor to the organiser/security contact.

Why this is useful: Helps unfamiliar visitors approach the correct public entrance from their chosen arrival point.

2. Travel, arrival, entrances and check-in

Questions PF-013-PF-014

PF-013

WAYFINDING

L2 - calculation/comparison

R2 - integration-dependent

Prospective-student or family-member question: Where is today's check-in point, and how long is the approved route from the entrance?

Sensors and telemetry

Proposed evidence: Event-driven route-critical door/lift status and anonymous aggregate counts on every verified public segment used in the travel-time calculation. Coverage: every verified public segment between the confirmed origin and destination. Timing and quality: Use event-driven asset state and time-aligned 1-minute counts. Require full segment coverage, clock sync, validated route-time assumptions, uptime/gaps and current closures. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser check-in location, approved entrance, public wayfinding graph, lift/door status, temporary closures and opening/check-in times. Precedence: Current public topology, access rules, destination, lift/door state and closures govern; counts only adjust a bounded time estimate. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: route calculation and bounded time estimate. Decision interval: arrival. Minimum evidence: confirmed origin/destination, complete eligible route, current lift/door/closure state and validated segment-time assumptions. Method: Calculate a conservative travel-time range from verified route geometry, current asset state and bounded aggregate delay; show assumptions. Controls/baseline: Use the same origin, destination, access mode and current asset/closure state for every alternative. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not validate registration, identify people in the queue or guarantee check-in time. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If route completeness or timing evidence is inadequate, give static directions with a conservative buffer or no time estimate.

Why this is useful: Lets the group navigate directly to check-in and judge whether their arrival buffer is adequate.

PF-014

ACCESS

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: I need a step-free route from my arrival point to check-in. Is the current approved route usable?

Sensors and telemetry

Proposed evidence: Authoritative lift-controller and route-critical door status plus anonymous aggregate counts on every segment of the organiser/accessibility-approved step-free public route. Coverage: every segment of the current approved step-free public route, including route-critical doors and lifts. Timing and quality: Use fresh owner-issued lift/door state and time-aligned aggregate counts. Require complete approved-route mapping, heartbeat, maintenance/closure flags and no uncovered critical segment. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: accessible-route record, organiser-approved entrance/check-in point, lift and automatic-door status, temporary closures, visitor access rules, accessibility-team guidance and user-stated functional requirements. Precedence: Current organiser/accessibility-approved route, lift/door state and closures override low crowding or inferred alternatives. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised accessibility lookup and route recommendation. Decision interval: planned arrival. Minimum evidence: confirmed destination, current approved step-free route, fresh lift/door/closure status and no unresolved critical segment. Method: Apply only functional requirements the visitor chooses to state, remove unavailable segments and return an approved route plus confirmed fallback/assistance. Controls/baseline: Compare only accessibility-approved routes satisfying the functional constraints the visitor states. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer disability or certify that a route suits every person. Use aggregates only; no identities or movement histories. If any critical route, lift, door, closure or authority is unresolved, do not recommend the route; defer to accessibility/organiser assistance.

Why this is useful: Supports deciding whether the planned arrival route meets the user-stated step-free requirement or needs staff confirmation.

2. Travel, arrival, entrances and check-in

Questions PF-015-PF-016

PF-015

ACCESS

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: We have a pushchair or small suitcase. Which approved route avoids stairs and confirmed narrow or closed sections?

Sensors and telemetry

Proposed evidence: Authoritative lift-controller and route-critical door status plus anonymous aggregate counts on every segment of the organiser/accessibility-approved step-free public route. Coverage: every segment of the current approved step-free public route, including route-critical doors and lifts. Timing and quality: Use fresh owner-issued lift/door state and time-aligned aggregate counts. Require complete approved-route mapping, heartbeat, maintenance/closure flags and no uncovered critical segment. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public route widths/constraints where authoritatively recorded, approved entrances, lift status, closures, visitor rules and organiser guidance for bulky items. Precedence: Current organiser/accessibility-approved route, lift/door state and closures override low crowding or inferred alternatives. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised accessibility lookup and route recommendation. Decision interval: arrival to venue. Minimum evidence: confirmed destination, current approved step-free route, fresh lift/door/closure status and no unresolved critical segment. Method: Apply only functional requirements the visitor chooses to state, remove unavailable segments and return an approved route plus confirmed fallback/assistance. Controls/baseline: Compare only accessibility-approved routes satisfying the functional constraints the visitor states. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect the item, certify passage dimensions without an authoritative record, grant access through service routes or guarantee lift capacity. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If any critical route, lift, door, closure or authority is unresolved, do not recommend the route; defer to accessibility/organiser assistance.

Why this is useful: Helps the group choose a practical public approach for a pushchair or small luggage.

PF-016

AMENITY

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: If we arrive before check-in opens, where may visitors officially wait?

Sensors and telemetry

Proposed evidence: In-zone temperature/RH, direct NDIR CO2, illuminance, numerical LAeq/background percentiles and anonymous aggregate occupancy inside organiser-approved public waiting areas. Coverage: inside the specific organiser-approved public waiting area; corridor or adjacent-room readings are context only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices. Require commissioning and calibration, exact room/zone mapping, uptime/gaps, drift/relocation, and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public-opening hours, organiser-approved early-arrival instructions, eligible waiting-space records, seating/use policy, accessibility, closures and security notices. Precedence: Current public-space purpose, opening/access, seating rules and closures determine eligibility; telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + observation and recommendation. Decision interval: early-arrival period. Minimum evidence: current public-space eligibility plus healthy commissioned in-zone sensors for every criterion used; occupancy does not prove a seat. Method: Filter to confirmed public spaces, then compare fresh in-zone conditions and walking distance; never equate low occupancy with a guaranteed seat. Controls/baseline: Compare only simultaneously eligible public spaces with aligned fresh observations; historic quietness is not current availability. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Low occupancy or an open door does not establish permission or seating availability. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If public eligibility or target-area coverage is inadequate, provide confirmed location facts only; do not claim conditions or seating availability.

Why this is useful: Provides a confirmed place to wait without gathering at a closed or restricted check-in area.

2. Travel, arrival, entrances and check-in

Questions PF-017-PF-018

PF-017

CONTINGENCY

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: What should we do if we arrive after check-in closes or after the first session starts?

Sensors and telemetry

Proposed evidence: The primary answer needs no telemetry; optional anonymous crowd bands at organiser-confirmed public venues may be used only as supplementary context. Coverage: the organiser-confirmed activity and public venue; telemetry cannot expand eligibility. Timing and quality: Any optional aggregate count must retain exact boundary mapping, 1-minute aggregation, clock sync, validated count error, uptime/gaps, plus observed/retrieved time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser late-arrival policy, check-in hours, help/contact point, session entry rules, public-opening status, approved entrance and official updates. Precedence: Current organiser/admissions-event programme, eligibility, booking, public-opening and companion rules override telemetry and the May 2021 floor plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup. Decision interval: actual arrival. Minimum evidence: a current organiser-owned programme/rule for the named activity, valid for the visit time and public permission scope. Method: Return the current organiser-owned rule or programme entry. Optional crowd telemetry is clearly separate and cannot change eligibility. Controls/baseline: Use the programme version and public-eligibility rules effective for the requested visit time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not grant late entry, bypass registration, reveal staff-only routes or promise admission. Use aggregates only; no identities or movement histories. If the organiser-owned programme/rule is missing, stale or conflicting, provide no inferred eligibility and defer to the named organiser or admissions-event contact.

Why this is useful: Lets a delayed visitor decide whether to continue, switch to a later activity or contact the organiser.

PF-018

TRAVEL

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Where is the official drop-off or pick-up point, and how long is the public walk to Abacws?

Sensors and telemetry

Proposed evidence: Current public entrance/exit, route-critical door and lift status, optional anonymous route counts, and authorised external transport status; no travel-account or device tracking. Coverage: the verified public route between the visitor-stated arrival/departure point and approved entrance/exit, plus the named official transport service. Timing and quality: Use fresh official provider status and event-driven asset state; aggregate route counts at one minute only. Retain source time, coverage, gaps and status conflicts. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser travel guidance, campus/public drop-off rules, road or path closures, official entrance, public route graph, accessibility information and authorised transport notices. Precedence: Official event timing, approved entrance/exit, current public route and authorised provider data override crowd estimates and the historical plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, route calculation and recommendation. Decision interval: arrival or collection time. Minimum evidence: confirmed event timing, approved entrance/exit, complete public route status and fresh official transport data for the named service. Method: Reconcile event timing with official transport status, calculate a bounded public-route time and recommend a departure/arrival range with a recheck point. Controls/baseline: Use the same origin, arrival deadline, access constraints and current provider timetable/status. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not identify vehicles, reserve a space, promise stopping permission or override road/security rules. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If event timing, route or provider data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Helps the group agree a lawful drop-off or collection point and estimate the remaining walk.

2. Travel, arrival, entrances and check-in

Questions PF-019-PF-020

PF-019

QUEUE

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: The designated entrance looks busy. Has another entrance been officially approved for this visit?

Sensors and telemetry

Proposed evidence: Event-driven status for the organiser/security-approved public entrance door and any explicitly approved alternative, plus anonymous aggregate entrance counts. Coverage: the specifically approved public entrance and any organiser-approved alternative, not all building doors. Timing and quality: Use event-driven door status and time-aligned 1-minute aggregate counts. Require exact door/boundary mapping, heartbeat, maintenance state, uptime/gaps, plus observed/retrieved time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser entrance policy, public-opening list, security restrictions, check-in routing, accessible-route data and temporary closures. Precedence: Current organiser/security-approved entrance, public-opening/access and closure notices override door activity or counts. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + current status check. Decision interval: immediate arrival. Minimum evidence: event-specific approved entrance, current public opening/access, correct door mapping and fresh owner status; counts are optional context. Method: Resolve the current approved entrance first, verify physical/open status, and describe aggregate congestion only as supplementary context. Controls/baseline: Compare only organiser-approved entrances valid for the same event/time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer an entrance is permitted because it is open, grant access or redirect around security controls. Use aggregates only; no identities or movement histories. If event-specific entrance/access or current status is unresolved, give confirmed public facts only and direct the visitor to the organiser/security contact.

Why this is useful: Lets visitors consider an approved alternative entrance without bypassing event or security controls.

PF-020

EVIDENCE

L3 - provenance/assurance

R2 - integration-dependent

Prospective-student or family-member question: Can you refresh the entrance, check-in and route information just before we arrive?

Sensors and telemetry

Proposed evidence: No additional sensing is required. Expose mapping, sampling/aggregation, commissioning and calibration, uptime, gaps, drift/relocation, maintenance, observed and retrieved times for every telemetry source used. Coverage: every named room, entrance, route, amenity, service, device and external feed actually used in the answer. Timing and quality: Retain exact mapping, sampling/aggregation, clock sync, commissioning and calibration, uptime/gaps, drift/relocation, maintenance, observed/retrieved time and method version. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser instructions, programme/venue updates, public-opening record, approved entrance, check-in location, route/lift/closure status and official communications. Precedence: For each statement, the owner-controlled source valid for the requested interval governs; conflicts remain visible and unsupported criteria are omitted. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: provenance and answerability assessment. Decision interval: the final 15 to 30 minutes before arrival. Minimum evidence: the complete permitted source list, mappings, quality flags, times, method version, permissions and unresolved conflicts. Method: Label every statement as authorised lookup, observation, calculation, estimate, forecast, comparison, recommendation or not assessable, with source/quality. Controls/baseline: No evidence source may be hidden or silently downgraded; preserve conflicts and unsupported criteria. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not silently reuse old status, infer permission from telemetry or promise that conditions will remain unchanged. Safe failure: Protect restricted source details and display conflicts/weak evidence rather than hiding them behind a single confidence score.

Why this is useful: Provides a last-minute check before the family commits to the final approach.

3. Public wayfinding, programme navigation and finding services

Questions PF-021-PF-022

PF-021

WAYFINDING

L2 - calculation/comparison

R1 - practical

Prospective-student or family-member question: What is the simplest current public route from check-in to my first course talk?

Sensors and telemetry

Proposed evidence: Event-driven route-critical door/lift status and optional anonymous aggregate counts on every verified public route segment. Coverage: every verified public segment between the confirmed origin and destination. Timing and quality: Use fresh event-driven asset state and optional 1-minute aggregate counts with exact segment mapping, uptime/gaps, plus observed/retrieved times. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser-confirmed venue, check-in location, public wayfinding graph, floor/room labels, access restrictions, lift/door status and temporary closures. Precedence: Current public topology, access rules, destination, door/lift state and closures override counts and the historical plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + route calculation. Decision interval: immediately after check-in. Minimum evidence: confirmed origin/destination, current public topology/access and fresh status for every route-critical asset. Method: Calculate only current authorised public paths; exclude staff-only/closed segments and provide a verified alternative if available. Controls/baseline: Compare only current public routes with the same start/end and access permissions. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer room access from occupancy, route through staff-only areas or operate doors/lifts. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If origin/destination, access, topology or asset status is missing/conflicting, provide confirmed static directions only or mark route not assessable.

Why this is useful: Helps a first-time visitor reach the correct room using only current public routes.

PF-022

PROGRAMME

L2 - calculation/comparison

R2 - integration-dependent

Prospective-student or family-member question: Will we have enough time to move from the course talk to the public building tour?

Sensors and telemetry

Proposed evidence: Event-driven route-critical door/lift status and anonymous aggregate counts on every verified public segment used in the travel-time calculation. Coverage: every verified public segment between the confirmed origin and destination. Timing and quality: Use event-driven asset state and time-aligned 1-minute counts. Require full segment coverage, clock sync, validated route-time assumptions, uptime/gaps and current closures. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme times, official venues and meeting point, public route graph, event transition rules, lift/closure status and accessibility requirements stated by the user. Precedence: Current public topology, access rules, destination, lift/door state and closures govern; counts only adjust a bounded time estimate. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: route calculation and bounded time estimate. Decision interval: end of talk to tour start. Minimum evidence: confirmed origin/destination, complete eligible route, current lift/door/closure state and validated segment-time assumptions. Method: Calculate a conservative travel-time range from verified route geometry, current asset state and bounded aggregate delay; show assumptions. Controls/baseline: Use the same origin, destination, access mode and current asset/closure state for every alternative. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not assume sessions end exactly on time, track the visitor or promise the tour will wait. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If route completeness or timing evidence is inadequate, give static directions with a conservative buffer or no time estimate.

Why this is useful: Lets the visitor decide whether both activities are feasible or whether a different slot is needed.

3. Public wayfinding, programme navigation and finding services

Questions PF-023-PF-024

PF-023

SERVICE

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Where is the official admissions or information help point, and when is it open?

Sensors and telemetry

Proposed evidence: Owner-issued open/closed or staffed-service status for the organiser-confirmed public help point, with optional anonymous aggregate queue counts at its public boundary. Coverage: the named organiser-confirmed public help or information point and its public queue boundary. Timing and quality: Use owner-issued service status and optional 1-minute queue aggregates with exact boundary mapping, uptime/gaps, plus freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser/admissions service-point location, opening/drop-in hours, appointment rules, public access, temporary relocation and closure notices. Precedence: Current organiser-owned help-point location, opening/staffed status and visitor-service rules override occupancy or apparent activity. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised service-point lookup. Decision interval: the user's available time. Minimum evidence: current organiser-confirmed location, service/open status, public eligibility and responsible contact. Method: Return the current organiser-confirmed location, open/service status and public route; counts may describe queueing but not staff identity or availability beyond the owner status. Controls/baseline: Use the service owner status effective for the visitor's free period. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect casework, application records or appointments beyond user-authorised timing, identify people in the queue or promise staff availability. Use aggregates only; no identities or movement histories. If current location/open status cannot be verified, provide the official contact route and no inferred staffed availability.

Why this is useful: Helps the prospective student use limited free time to reach the correct human information service.

PF-024

PRIVACY

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: Where can I speak to a student ambassador or staff member who is officially available to visitors?

Sensors and telemetry

Proposed evidence: Owner-issued open/closed or staffed-service status for the organiser-confirmed public help point, with optional anonymous aggregate queue counts at its public boundary. Coverage: the named organiser-confirmed public help or information point and its public queue boundary. Timing and quality: Use owner-issued service status and optional 1-minute queue aggregates with exact boundary mapping, uptime/gaps, plus freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser staffing plan expressed as public service points and times, official help desks, subject Q&A sessions, visitor programme and changes. Precedence: Current organiser-owned help-point location, opening/staffed status and visitor-service rules override occupancy or apparent activity. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised service-point lookup. Decision interval: the requested time. Minimum evidence: current organiser-confirmed location, service/open status, public eligibility and responsible contact. Method: Return the current organiser-confirmed location, open/service status and public route; counts may describe queueing but not staff identity or availability beyond the owner status. Controls/baseline: Use the service owner status effective for the visitor's free period. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not identify, track or expose schedules/locations of individuals, infer availability from presence, or promise a particular staff member. Use aggregates only; no identities or movement histories. If current location/open status cannot be verified, provide the official contact route and no inferred staffed availability.

Why this is useful: Directs the visitor to an authorised people-facing service without exposing anyone's location or schedule.

3. Public wayfinding, programme navigation and finding services

Questions PF-025-PF-026

PF-025

AMENITY

L2 - calculation/comparison

R1 - practical

Prospective-student or family-member question: Where is the nearest public toilet on my route, and is it currently in service?

Sensors and telemetry

Proposed evidence: Owner-issued status for the named public amenity plus current route-critical door/lift status; do not sense inside toilets or other private facilities. Coverage: the named public amenity and the verified public route from the stated origin. Timing and quality: Use fresh owner status and event-driven route asset state with exact amenity/route mapping, uptime/gaps and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public amenity inventory, opening/access status, route graph, temporary closure/maintenance notices and event public-zone rules. Precedence: Current amenity owner status and public route/access records override approach counts and the historical plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised amenity lookup and route calculation. Decision interval: immediate need. Minimum evidence: current amenity owner status, public permission, confirmed origin and complete eligible route status. Method: Resolve current amenity status first, then calculate the verified public route; if status is stale, give static location only. Controls/baseline: Use the same confirmed origin, current amenity status and public-access rules. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer availability from corridor traffic, inspect inside the facility, identify users or guarantee a cubicle. Do not infer disability or certify accessibility. If amenity or route status is unresolved, give confirmed static location and responsible contact only.

Why this is useful: Supports a timely toilet stop without relying on obsolete or inferred facility information.

PF-026

ACCESS

L2 - calculation/comparison

R2 - integration-dependent

Prospective-student or family-member question: Where is the nearest verified accessible toilet, and is the step-free route to it currently usable?

Sensors and telemetry

Proposed evidence: Owner-issued amenity status plus current lift/door state on every segment of the verified step-free public route; no sensing inside the facility. Coverage: the confirmed accessible amenity and every segment of the current step-free public route. Timing and quality: Use fresh owner amenity and lift/door state with complete step-free route mapping, heartbeat, closure/maintenance flags and no private-area sensing. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: accessible-amenity record, public access, user-stated functional requirements, lift/door/route status, closures and accessibility-team guidance. Precedence: Current amenity, accessibility-approved route, lift/door and closure records override telemetry or low crowding. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised accessibility lookup and route calculation. Decision interval: immediate. Minimum evidence: current confirmed amenity, approved step-free route and fresh status for every lift/door/closure on that route. Method: Resolve the confirmed amenity and approved step-free route using fresh owner state; identify any unresolved segment and assistance contact. Controls/baseline: Use the same stated functional requirements and current approved route status. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer disability or certify that the facility meets every individual need. If amenity or route status is missing/conflicting, do not claim current accessibility; defer to the responsible service.

Why this is useful: Helps the visitor reach a currently verified accessible facility or seek an authorised alternative.

3. Public wayfinding, programme navigation and finding services

Questions PF-027-PF-028

PF-027

WELLBEING

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Where can I sit somewhere quieter to read the programme and decide what to do next?

Sensors and telemetry

Proposed evidence: In-zone temperature/RH, direct NDIR CO2, illuminance, numerical LAeq/background percentiles and anonymous aggregate occupancy inside organiser-approved public waiting areas. Coverage: inside the specific organiser-approved public waiting area; corridor or adjacent-room readings are context only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices. Require commissioning and calibration, exact room/zone mapping, uptime/gaps, drift/relocation, and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public-space eligibility, opening hours, seating/use rules, route graph, closures and accessibility information. Precedence: Current public-space purpose, opening/access, seating rules and closures determine eligibility; telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + observation and recommendation. Decision interval: the next 15 to 30 minutes. Minimum evidence: current public-space eligibility plus healthy commissioned in-zone sensors for every criterion used; occupancy does not prove a seat. Method: Filter to confirmed public spaces, then compare fresh in-zone conditions and walking distance; never equate low occupancy with a guaranteed seat. Controls/baseline: Compare only simultaneously eligible public spaces with aligned fresh observations; historic quietness is not current availability. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Quietness does not prove availability, confidentiality, accessibility or permission. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If public eligibility or target-area coverage is inadequate, provide confirmed location facts only; do not claim conditions or seating availability.

Why this is useful: Gives the visitor a lawful place to pause and make the next programme decision.

PF-028

WAYFINDING

L2 - calculation/comparison

R1 - practical

Prospective-student or family-member question: Which verified public route reaches my demonstration without entering staff-only areas?

Sensors and telemetry

Proposed evidence: Event-driven route-critical door/lift status and optional anonymous aggregate counts on every verified public route segment. Coverage: every verified public segment between the confirmed origin and destination. Timing and quality: Use fresh event-driven asset state and optional 1-minute aggregate counts with exact segment mapping, uptime/gaps, plus observed/retrieved times. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser-confirmed demonstration venue, public route graph, access classification, temporary closures, event signage and lift/door status. Precedence: Current public topology, access rules, destination, door/lift state and closures override counts and the historical plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + route calculation. Decision interval: before the demonstration. Minimum evidence: confirmed origin/destination, current public topology/access and fresh status for every route-critical asset. Method: Calculate only current authorised public paths; exclude staff-only/closed segments and provide a verified alternative if available. Controls/baseline: Compare only current public routes with the same start/end and access permissions. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer permission from an open door or occupancy, expose restricted topology, grant access or operate doors/lifts. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If origin/destination, access, topology or asset status is missing/conflicting, provide confirmed static directions only or mark route not assessable.

Why this is useful: Helps the group reach the selected activity without accidentally entering restricted circulation.

3. Public wayfinding, programme navigation and finding services

Questions PF-029-PF-030

PF-029

PROGRAMME

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: My session finished early. Which confirmed public activity can I reach without missing its start?

Sensors and telemetry

Proposed evidence: Optional anonymous counts on organiser-confirmed venue and public route boundaries, plus current lift/door status where a live transfer estimate is requested; no personal location sensing. Coverage: each organiser-confirmed activity, break point and verified public route segment in the proposed visit window. Timing and quality: Use event-driven asset status and time-aligned 1-minute aggregate counts. Retain exact segment mapping, clock sync, commissioning, uptime/gaps, relocation/maintenance flags and freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme, public eligibility, remaining session capacity/registration status where the organiser publishes it, venues, route graph and current changes. Precedence: Current organiser programme, official venue/booking, public access and current route/lift/closure data govern; crowd telemetry only adjusts feasibility. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, schedule calculation and recommendation. Decision interval: now until the next chosen session. Minimum evidence: current eligible programme items, confirmed venues, complete public routes, transfer assumptions and current closures/lift state. Method: Filter to eligible activities, calculate transfer and break time on current public routes, then recommend a feasible sequence with explicit buffers. Controls/baseline: Use only activities valid for the same visit and calculate against current routes/closures rather than historic room labels. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect the visitor's registration or infer interests beyond stated preferences. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If an activity, venue, access rule or route segment is unresolved, show confirmed items only and mark the full itinerary not assessable.

Why this is useful: Makes useful use of spare time while protecting the start of the next confirmed activity.

PF-030

PROGRAMME

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Can you build one feasible itinerary covering sessions, transfers, breaks, toilets and help points?

Sensors and telemetry

Proposed evidence: Optional anonymous counts on organiser-confirmed venue and public route boundaries, plus current lift/door status where a live transfer estimate is requested; no personal location sensing. Coverage: each organiser-confirmed activity, break point and verified public route segment in the proposed visit window. Timing and quality: Use event-driven asset status and time-aligned 1-minute aggregate counts. Retain exact segment mapping, clock sync, commissioning, uptime/gaps, relocation/maintenance flags and freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-selected programme items and functional preferences; current venues/times, public route graph, check-in/service/amenity locations, opening rules, closures and accessibility sources. Precedence: Current organiser programme, official venue/booking, public access and current route/lift/closure data govern; crowd telemetry only adjusts feasibility. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, schedule calculation and recommendation. Decision interval: the full visit. Minimum evidence: current eligible programme items, confirmed venues, complete public routes, transfer assumptions and current closures/lift state. Method: Filter to eligible activities, calculate transfer and break time on current public routes, then recommend a feasible sequence with explicit buffers. Controls/baseline: Use only activities valid for the same visit and calculate against current routes/closures rather than historic room labels. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect application records or messages, infer interests, grant access, book sessions or guarantee service availability. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If an activity, venue, access rule or route segment is unresolved, show confirmed items only and mark the full itinerary not assessable.

Why this is useful: Provides one coherent visit plan rather than separate, potentially conflicting directions.

4. Course and faculty discovery, teaching spaces and the building experience

Questions PF-031-PF-032

PF-031

COURSE

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Which public sessions best explain the course structure, teaching approach and student support?

Sensors and telemetry

Proposed evidence: No environmental sensing is needed to establish course, tour or programme content. Optional room or route telemetry may describe current physical context only after the organiser confirms the public activity and venue. Coverage: the current public programme, tour or demonstration explicitly confirmed by the organiser; historic room labels are not evidence of current use. Timing and quality: Retain organiser source owner, programme version, effective/retrieved time and venue confirmation. Optional telemetry must be time-aligned, correctly located and labelled as physical context only. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: official programme, session descriptions, course/faculty ownership, public eligibility, venue/time and authoritative admissions/course information. Precedence: Current organiser/admissions-event programme, official public descriptions and confirmed venues override historic room labels and telemetry. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised programme/course-information lookup. Decision interval: the visit. Minimum evidence: current public programme description, organiser-confirmed session/tour and official venue; no application or current-student data. Method: Return only current public descriptions and organiser-confirmed activities. Separate observed building conditions from academic content or personal course-fit judgement. Controls/baseline: Use current public descriptions; do not infer quality or fit from room conditions or crowding. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect application data, rank courses, infer suitability or predict admission/enrolment. If programme/venue facts are not current, state the public information is unverified and refer to the organiser or academic staff.

Why this is useful: Helps the prospective student choose the public sessions most relevant to understanding the course experience.

PF-032

COURSE

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: Which teaching, project or collaborative spaces are officially included in today's public tour?

Sensors and telemetry

Proposed evidence: No environmental sensing is needed to establish course, tour or programme content. Optional room or route telemetry may describe current physical context only after the organiser confirms the public activity and venue. Coverage: the current public programme, tour or demonstration explicitly confirmed by the organiser; historic room labels are not evidence of current use. Timing and quality: Retain organiser source owner, programme version, effective/retrieved time and venue confirmation. Optional telemetry must be time-aligned, correctly located and labelled as physical context only. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser tour itinerary, public venue permissions, room purpose, access rules, route graph, closures and visitor instructions. Precedence: Current organiser/admissions-event programme, official public descriptions and confirmed venues override historic room labels and telemetry. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised programme/course-information lookup. Decision interval: the selected tour. Minimum evidence: current public programme description, organiser-confirmed session/tour and official venue; no application or current-student data. Method: Return only current public descriptions and organiser-confirmed activities. Separate observed building conditions from academic content or personal course-fit judgement. Controls/baseline: Use current public descriptions; do not infer quality or fit from room conditions or crowding. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer a room is open to visitors from occupancy or an unlocked door, reveal restricted spaces or grant access. Use aggregates only; no identities or movement histories. If programme/venue facts are not current, state the public information is unverified and refer to the organiser or academic staff.

Why this is useful: Clarifies what the organiser has actually made available for public viewing on that visit.

4. Course and faculty discovery, teaching spaces and the building experience

Questions PF-033-PF-034

PF-033

COURSE

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Which public demonstration best shows collaborative project work rather than only a lecture?

Sensors and telemetry

Proposed evidence: No environmental sensing is needed to establish course, tour or programme content. Optional room or route telemetry may describe current physical context only after the organiser confirms the public activity and venue. Coverage: the current public programme, tour or demonstration explicitly confirmed by the organiser; historic room labels are not evidence of current use. Timing and quality: Retain organiser source owner, programme version, effective/retrieved time and venue confirmation. Optional telemetry must be time-aligned, correctly located and labelled as physical context only. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser-curated session descriptions, subject/faculty ownership, format tags, public eligibility, venue/time and official changes. Precedence: Current organiser/admissions-event programme, official public descriptions and confirmed venues override historic room labels and telemetry. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised programme/course-information lookup. Decision interval: the visit. Minimum evidence: current public programme description, organiser-confirmed session/tour and official venue; no application or current-student data. Method: Return only current public descriptions and organiser-confirmed activities. Separate observed building conditions from academic content or personal course-fit judgement. Controls/baseline: Use current public descriptions; do not infer quality or fit from room conditions or crowding. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not analyse teaching content, infer academic fit or quality, or promise what an unscripted session will contain. If programme/venue facts are not current, state the public information is unverified and refer to the organiser or academic staff.

Why this is useful: Helps the visitor choose an activity that demonstrates the type of learning experience they want to understand.

PF-034

COMFORT

L2 - calculation/comparison

R3 - research or restricted

Prospective-student or family-member question: What are the current temperature, CO2 trend and numerical background-noise level in my next session room?

Sensors and telemetry

Proposed evidence: Occupied-zone air temperature/RH, direct NDIR CO2, numerical LAeq/background percentiles and anonymous occupancy inside the organiser-confirmed session room, with mapped HVAC airflow/status if available. Coverage: inside the organiser-confirmed session room at representative occupied-zone positions; large rooms need multiple commissioned points. Timing and quality: Use clock-aligned 1-minute aggregates. Require representative target-room placement, commissioning and calibration, mapped HVAC relationship, uptime/gaps, drift/relocation, maintenance and observed/retrieved time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser-confirmed session room, official room booking and capacity, public access, session start/end time, ventilation/HVAC served-zone mapping, maintenance state and any official room change. Preserve source owner and effective, observed and retrieval times; authorised records take precedence. Precedence: The organiser-confirmed room, current event status, room capacity and public-use rules govern; room telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: observation + bounded interpretation. Decision interval: the latest valid 1-minute interval before the confirmed session. Minimum evidence: representative healthy sensors inside that room, current room/session confirmation and aligned occupancy/HVAC context. Method: report values, recent trend, coverage, timestamps and quality; CO2 is a ventilation indicator and numerical sound is not audibility or safety. Missing room-level evidence makes the live condition not assessable. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not substitute corridor or adjacent-room data, diagnose health effects, certify air quality, judge teaching quality or recommend medical action. Use anonymous aggregates and numerical non-content acoustics only; retain no speech. If target-room mapping, calibration, coverage or freshness is inadequate, report confirmed room facts only and mark conditions not assessable.

Why this is useful: Supports deciding whether to enter, use an authorised repeat session or ask the organiser about current conditions.

4. Course and faculty discovery, teaching spaces and the building experience

Questions PF-035-PF-036

PF-035

CORE

L3 - forecast/contingency

R3 - research or restricted

Prospective-student or family-member question: Is my next course talk likely to be crowded or poorly ventilated enough to consider a repeat session?

Sensors and telemetry

Proposed evidence: The same in-room environmental and anonymous occupancy evidence as a direct observation, plus mapped HVAC status, outdoor weather and matched prior sessions. Coverage: the organiser-confirmed room and its mapped served HVAC zone; no proxy-room substitution. Timing and quality: Meet all room-observation quality gates and retain matched-session provenance, forecast issue time, horizon, model version, error range and recheck time.

Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser-confirmed repeat-session equivalence, official venues/capacities, registration or aggregate demand indicators where permitted, public eligibility, timetable, HVAC served-zone mapping and room changes. Preserve source owner and timing; authoritative programme and access records override telemetry.

Precedence: The organiser-confirmed room, event schedule/capacity and mapped HVAC owner status govern; matched history supports only a bounded forecast. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: short-horizon forecast and repeat-session comparison. Decision interval: the selected session from entry to scheduled end. Minimum evidence: current healthy in-room sensors, mapped HVAC state, expected attendance band and enough matched sessions with similar venue, duration, weather and programme context. Method: forecast ranges and confidence for crowding/CO2/temperature and compare only eligible repeat sessions. Weak comparators require current facts only. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not guarantee entry, seating, comfort or air quality, identify attendees, expose restricted registration data or use a low forecast as permission. Use anonymous aggregates only. If matched cases, room mapping, occupancy/HVAC/weather context or sensor health are inadequate, report current facts only and mark the forecast not assessable.

Why this is useful: Supports a choice between equivalent sessions using qualified demand and environmental evidence.

PF-036

PARTICIPATION

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Does the organiser confirm that my accompanying family member may sit with me during the course talk?

Sensors and telemetry

Proposed evidence: The primary answer needs no telemetry; optional anonymous crowd bands at organiser-confirmed public venues may be used only as supplementary context. Coverage: the organiser-confirmed activity and public venue; telemetry cannot expand eligibility. Timing and quality: Any optional aggregate count must retain exact boundary mapping, 1-minute aggregation, clock sync, validated count error, uptime/gaps, plus observed/retrieved time.

Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser seating/companion policy, registration rules, official venue capacity, reserved seating/accessibility arrangements and steward instructions. Precedence: Current organiser/admissions-event programme, eligibility, booking, public-opening and companion rules override telemetry and the May 2021 floor plan.

Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup. Decision interval: the session. Minimum evidence: a current organiser-owned programme/rule for the named activity, valid for the visit time and public permission scope. Method: Return the current organiser-owned rule or programme entry. Optional crowd telemetry is clearly separate and cannot change eligibility. Controls/baseline: Use the programme version and public-eligibility rules effective for the requested visit time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect registrations, identify attendees, reserve or allocate seats, override stewards or infer availability from an apparently empty area. Use aggregates only; no identities or movement histories. If the organiser-owned programme/rule is missing, stale or conflicting, provide no inferred eligibility and defer to the named organiser or admissions-event contact.

Why this is useful: Lets the family plan seating together only where the organiser confirms this is allowed.

4. Course and faculty discovery, teaching spaces and the building experience

Questions PF-037-PF-038

PF-037

ACCESS

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: I may find the talk difficult to hear. What communication support or seating guidance is confirmed?

Sensors and telemetry

Proposed evidence: owner-issued non-content status for the named captioning, assistive-listening or communication-support service; no microphone, speech recognition or personal sensing. Coverage: the exact organiser-confirmed session and room. Timing and quality: retain service owner, exact room/session mapping, scope, heartbeat, maintenance/fault state, effective and retrieved times. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser session details, venue accessibility information, assistive technology/captioning status, seating policy, user-stated functional requirement and accessibility-service guidance. Precedence: Current organiser/accessibility/AV confirmation and assistance process override device telemetry or advertising. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised support lookup and status check. Decision interval: the session. Minimum evidence: current organiser/accessibility/AV confirmation, named session/room and owner-issued service status when availability is claimed. Method: Return the organiser-confirmed arrangement and responsible contact; owner telemetry may indicate online/fault state but not guarantee individual suitability. Controls/baseline: Use confirmation for the exact session/room and requested support, not another event or generic advertising. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer a hearing need, analyse speech, promise audibility, reserve seating or certify suitability. Organiser, accessibility and AV confirmation governs. If the arrangement or owner status is missing or conflicting, state that it is unverified and refer to the named contact.

Why this is useful: Helps the visitor request or use confirmed communication support before the session begins.

PF-038

WELLBEING

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Which authorised activity is likely to be calmer for a child, older relative or someone who prefers less noise?

Sensors and telemetry

Proposed evidence: Numerical LAeq/background percentiles, illuminance and anonymous aggregate occupancy inside organiser-approved public calm or waiting areas; no raw audio, cameras or identity sensing. Coverage: inside organiser-approved public calm or waiting zones only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices with commissioning, uptime/gaps and no raw audio or identity sensing. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme, public eligibility, venue/time, session format and duration, accessibility/companion rules and user-stated preferences. Do not infer age, health or sensitivity. Precedence: Current organiser-approved public-space purpose, access/opening and closures determine eligibility; telemetry cannot certify individual suitability. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, direct comparison and recommendation. Decision interval: candidate activities. Minimum evidence: current public-space eligibility and representative aligned numerical acoustic/light/crowd evidence; suitability remains individual. Method: Compare only simultaneously eligible public spaces against preferences the visitor states; report trade-offs and never label a space universally suitable. Controls/baseline: Use only preferences the visitor volunteers and simultaneously eligible public spaces; no health/demographic profiling. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer sensitive traits, guarantee a calm environment, treat quietness as access permission or identify occupants. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If eligibility or representative evidence is inadequate, provide organiser-approved locations/contact only and do not claim suitability.

Why this is useful: Supports choosing a public activity that better matches an accompanying person's stated comfort needs.

4. Course and faculty discovery, teaching spaces and the building experience

Questions PF-039-PF-040

PF-039

COURSE

L2 - calculation/comparison

R3 - research or restricted

Prospective-student or family-member question: How do the public lecture, seminar and project spaces on today's tour differ in layout and current conditions?

Sensors and telemetry

Proposed evidence: Representative temperature/RH, direct NDIR CO2, illuminance, numerical acoustics and anonymous occupancy inside each organiser-confirmed public room being compared, with matched placement and timing. Coverage: inside each current organiser-confirmed public room at matched representative positions. Timing and quality: Use simultaneous clock-aligned 1-minute aggregates, matched sensor type/placement/calibration, complete target-room coverage and disclosed room/occupancy/HVAC differences. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: today's organiser-approved tour list, current room purpose and capacity, public access, layout description, session context, room booking and any closures. The May 2021 floor plan may support historical topology only and cannot verify present use. Precedence: Current organiser venue confirmation, official room capacity/layout and public-tour eligibility govern; telemetry compares conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: matched multi-room comparison. Decision interval: the aligned public-tour intervals. Minimum evidence: current public eligibility, official layout/capacity for each room and matched representative in-room sensors with aligned timestamps. Method: compare layout facts separately from measured temperature, CO2, light and numerical acoustics; disclose differences in room size, occupancy, activity, HVAC and coverage. Do not rank academic quality. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not rank course quality, infer learning outcomes, identify occupants, record speech, or present one-day conditions as the usual student experience. Use aggregates only; no identities or movement histories. If any room lacks current eligibility, matched coverage or aligned quality, do not rank the rooms; show only comparable confirmed facts.

Why this is useful: Helps the family understand different learning environments without treating one visit as proof of everyday conditions.

PF-040

EVIDENCE

L2 - recommendation

R1 - practical

Prospective-student or family-member question: Which important course-choice questions should I ask people because the building cannot answer them responsibly?

Sensors and telemetry

Proposed evidence: No sensor telemetry is required. Use a current public capability and referral catalogue and expose the provenance of any building evidence already used. Coverage: the public question and the authorised service or staff role responsible for answering it. Timing and quality: Retain source owner, scope, version, effective/retrieved time and permission. Do not substitute an LLM answer where the capability catalogue requires human referral. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: current public course and admissions information, official service directory, organiser guidance and named contact routes. No application, CRM or current-student records may be accessed. Precedence: Current public service/capability ownership and official contact routes govern; the conversational system cannot replace human advice. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: capability classification and referral. Decision interval: during or immediately after the visit. Minimum evidence: a current public capability/referral catalogue identifying the responsible admissions, academic, accessibility or event service. Method: Classify the question as building-evidence, public-information or human-judgement work and refer to the current responsible service for the latter. Controls/baseline: Use the current public responsibility/referral catalogue, not model confidence or prior conversations. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not assess course fit, application strength, admissions prospects or personal support needs. Identify only the responsible public information source or human service. If no current source is verified, return not assessable.

Why this is useful: Helps the prospective student reserve admissions, course-fit and personal-support questions for qualified people.

5. Amenities, breaks, comfort and accompanying-person needs

Questions PF-041-PF-042

PF-041

AMENITY

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Where can we take a seated break in a space confirmed open to visitors?

Sensors and telemetry

Proposed evidence: In-zone temperature/RH, direct NDIR CO₂, illuminance, numerical LAeq/background percentiles and anonymous aggregate occupancy inside organiser-approved public waiting areas. Coverage: inside the specific organiser-approved public waiting area; corridor or adjacent-room readings are context only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices. Require commissioning and calibration, exact room/zone mapping, uptime/gaps, drift/relocation, and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public-space eligibility, opening hours, seating/use rules, route graph, closures, accessibility and organiser guidance. Precedence: Current public-space purpose, opening/access, seating rules and closures determine eligibility; telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + observation and recommendation. Decision interval: the next break. Minimum evidence: current public-space eligibility plus healthy commissioned in-zone sensors for every criterion used; occupancy does not prove a seat. Method: Filter to confirmed public spaces, then compare fresh in-zone conditions and walking distance; never equate low occupancy with a guaranteed seat. Controls/baseline: Compare only simultaneously eligible public spaces with aligned fresh observations; historic quietness is not current availability. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer permission or availability from low occupancy, allocate seats, identify people or certify accessibility. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If public eligibility or target-area coverage is inadequate, provide confirmed location facts only; do not claim conditions or seating availability.

Why this is useful: Lets the group choose a confirmed visitor space for a seated rest.

PF-042

AMENITY

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Where may my accompanying person wait while I attend a session they are not joining?

Sensors and telemetry

Proposed evidence: In-zone temperature/RH, direct NDIR CO₂, illuminance, numerical LAeq/background percentiles and anonymous aggregate occupancy inside organiser-approved public waiting areas. Coverage: inside the specific organiser-approved public waiting area; corridor or adjacent-room readings are context only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices. Require commissioning and calibration, exact room/zone mapping, uptime/gaps, drift/relocation, and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser companion policy, eligible waiting-space records, opening hours, seating/use rules, accessibility, route and closure status. Precedence: Current public-space purpose, opening/access, seating rules and closures determine eligibility; telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + observation and recommendation. Decision interval: the session duration. Minimum evidence: current public-space eligibility plus healthy commissioned in-zone sensors for every criterion used; occupancy does not prove a seat. Method: Filter to confirmed public spaces, then compare fresh in-zone conditions and walking distance; never equate low occupancy with a guaranteed seat. Controls/baseline: Compare only simultaneously eligible public spaces with aligned fresh observations; historic quietness is not current availability. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not grant room access, infer privacy or guarantee a seat. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If public eligibility or target-area coverage is inadequate, provide confirmed location facts only; do not claim conditions or seating availability.

Why this is useful: Gives the accompanying person an authorised waiting plan while the prospective student attends independently.

5. Amenities, breaks, comfort and accompanying-person needs

Questions PF-043-PF-044

PF-043

AMENITY

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Where are refreshments officially available during our break, and are they open now?

Sensors and telemetry

Proposed evidence: Owner-issued open/fault status for the named public amenity; optional anonymous counts may describe its public approach only. Coverage: the named public amenity and its public approach, not private internal areas. Timing and quality: Use owner-issued status with exact asset mapping, heartbeat, maintenance/closure flag and effective/retrieved time. Optional approach counts require complete boundary coverage. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser/venue refreshment information, service opening hours, location, payment/access rules, temporary closure or stock notices where officially published, and route graph. Precedence: The amenity owner/service record, public opening/access and closure notice override occupancy, flow or apparent equipment activity. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised amenity lookup. Decision interval: the break. Minimum evidence: current owner-issued amenity open/fault status, public permission and closure information. Method: Return owner-issued public-use/open/fault status and route facts; telemetry never establishes permission. Controls/baseline: Use current owner status and public-use rules for the named amenity. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect purchases, payment accounts or dietary/health information, promise stock or infer opening from footfall. Use aggregates only; no identities or movement histories. If owner status, permission or closure information is absent/conflicting, give location only or mark availability not assessable.

Why this is useful: Helps the group decide where to use its limited break time for refreshments.

PF-044

AMENITY

L2 - calculation/comparison

R1 - practical

Prospective-student or family-member question: Where is the nearest confirmed public water-refill point on our route?

Sensors and telemetry

Proposed evidence: Owner-issued status for the named public amenity plus current route-critical door/lift status; do not sense inside toilets or other private facilities. Coverage: the named public amenity and the verified public route from the stated origin. Timing and quality: Use fresh owner status and event-driven route asset state with exact amenity/route mapping, uptime/gaps and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public amenity inventory, location, opening/access rules, maintenance/closure notices and route graph. Precedence: Current amenity owner status and public route/access records override approach counts and the historical plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised amenity lookup and route calculation. Decision interval: immediate or next break. Minimum evidence: current amenity owner status, public permission, confirmed origin and complete eligible route status. Method: Resolve current amenity status first, then calculate the verified public route; if status is stale, give static location only. Controls/baseline: Use the same confirmed origin, current amenity status and public-access rules. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer water quality or safety from flow, operate the device, promise availability or route through restricted areas. Do not infer disability or certify accessibility. If amenity or route status is unresolved, give confirmed static location and responsible contact only.

Why this is useful: Supports planning hydration without leaving the authorised public route unnecessarily.

5. Amenities, breaks, comfort and accompanying-person needs

Questions PF-045-PF-046

PF-045

AMENITY

L2 - calculation/comparison

R3 - research or restricted

Prospective-student or family-member question: Which public toilet option is expected to have the shorter wait during the next programme break?

Sensors and telemetry

Proposed evidence: Anonymous counts at every entrance/exit of the public amenity queue boundary, never inside private areas, plus owner-issued amenity open/fault status. Coverage: the public queue/approach boundary outside the named amenity, never inside toilets or private spaces. Timing and quality: Use time-aligned 1-minute entry/exit aggregates outside private areas, with full boundary coverage, validated count error, uptime/gaps and current amenity status. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public amenity list, opening/access status, event break schedule, route graph and maintenance closures. Precedence: Current amenity open/fault status and organiser break/service arrangements override aggregate wait estimates. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: observation + bounded queue estimate. Decision interval: the next break. Minimum evidence: current amenity status, complete approach-boundary coverage and a validated service-rate/history if a future wait is estimated. Method: Use current approach counts and comparable programme breaks with similar demand; report a broad wait range and no individual behaviour. Controls/baseline: Use comparable breaks with similar programme size, amenity layout and complete approach coverage. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not monitor inside toilets, identify users, infer gender/health, guarantee a cubicle or use crowding as accessibility proof. Use aggregates only; no identities or movement histories. If amenity status, boundary coverage or comparable history is inadequate, provide no wait forecast.

Why this is useful: Helps the group choose between verified facilities when a short programme break makes waiting time important.

PF-046

ACCESS

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: One of us needs frequent rests. Can you plan the visit around confirmed seating and shorter walking stages?

Sensors and telemetry

Proposed evidence: Current lift/door state and optional anonymous route counts on every verified public segment; correctly located seating-area conditions may be used only for organiser-approved rest points. Coverage: each approved rest point and every verified public route segment between selected activities. Timing and quality: Use fresh event-driven route status and optional 1-minute counts with complete segment/rest-point mapping, uptime/gaps and current closures. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated functional preferences, current programme, public route graph, verified seating/rest areas, opening/eligibility rules, lift/closure status and accessibility guidance. Precedence: Current organiser programme, approved rest spaces, public routes, lift/door state and closures govern; counts only inform timing. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: constrained itinerary calculation and recommendation. Decision interval: the full visit. Minimum evidence: current programme/venue eligibility, approved rest points, complete public routes and fresh lift/door/closure state. Method: Filter to confirmed rest spaces, minimise distance/level changes on current eligible routes and preserve enough transfer time for selected activities. Controls/baseline: Use confirmed activities, rest needs the visitor states and current approved public routes. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer health/disability, guarantee a seat, certify accessibility or route through restricted areas. Use aggregates only; no identities or movement histories. If any rest point or route segment is unverified, provide a partial plan and direct the visitor to organiser/accessibility assistance.

Why this is useful: Makes the visit more manageable by spacing activities around confirmed rest opportunities.

5. Amenities, breaks, comfort and accompanying-person needs

Questions PF-047-PF-048

PF-047

AMENITY

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Where may I charge my phone without entering a restricted room?

Sensors and telemetry

Proposed evidence: Owner-issued circuit/fault status for a specifically designated public charging point, with optional aggregate area occupancy; no device identity or charging history. Coverage: the specifically designated public charging point and its authorised public area. Timing and quality: Use owner-issued circuit/fault status with exact outlet mapping, heartbeat, maintenance/closure flag and effective/retrieved time; no device telemetry. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public amenity inventory, use policy, location, opening/access rules, electrical safety/maintenance status and route graph. Precedence: The amenity owner, public-use permission, circuit/fault status and closure record override occupancy or apparent socket use. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised service lookup and status check. Decision interval: the next break. Minimum evidence: current public-use permission and owner-issued status for the named designated charging point. Method: Return owner-issued status and public-use rule; do not infer availability from low occupancy or inspect connected devices. Controls/baseline: Use current owner status and public-use permission for the exact designated point. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect the device, network traffic or battery, reserve an outlet, infer safety from voltage alone or grant room access. Use aggregates only; no identities or movement histories. If public-use permission or owner status is unresolved, do not claim charging is available.

Why this is useful: Helps the visitor keep a phone usable for programme information and travel without entering restricted areas.

PF-048

AMENITY

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: Is there an official place to leave a coat or small bag during a session?

Sensors and telemetry

Proposed evidence: Owner-issued open/fault status for the named public amenity; optional anonymous counts may describe its public approach only. Coverage: the named public amenity and its public approach, not private internal areas. Timing and quality: Use owner-issued status with exact asset mapping, heartbeat, maintenance/closure flag and effective/retrieved time. Optional approach counts require complete boundary coverage. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser/venue bag and storage policy, public cloakroom/locker service, opening hours, restrictions, liability terms and location. Precedence: The amenity owner/service record, public opening/access and closure notice override occupancy, flow or apparent equipment activity. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised amenity lookup. Decision interval: the relevant session. Minimum evidence: current owner-issued amenity open/fault status, public permission and closure information. Method: Return owner-issued public-use/open/fault status and route facts; telemetry never establishes permission. Controls/baseline: Use current owner status and public-use rules for the named amenity. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer that an empty cupboard/room is available, accept custody, grant access, inspect belongings or promise security. Use aggregates only; no identities or movement histories. If owner status, permission or closure information is absent/conflicting, give location only or mark availability not assessable.

Why this is useful: Lets the group decide whether to carry belongings or use an officially provided storage service.

5. Amenities, breaks, comfort and accompanying-person needs

Questions PF-049-PF-050

PF-049

COMFORT

L2 - recommendation

R3 - research or restricted

Prospective-student or family-member question: This waiting area feels too warm or noisy. Is there another confirmed public break space nearby?

Sensors and telemetry

Proposed evidence: In-zone temperature/RH, direct NDIR CO₂, illuminance, numerical LAeq/background percentiles and anonymous aggregate occupancy inside organiser-approved public waiting areas. Coverage: inside the specific organiser-approved public waiting area; corridor or adjacent-room readings are context only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices. Require commissioning and calibration, exact room/zone mapping, uptime/gaps, drift/relocation, and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public-space eligibility, opening hours, route graph, seating/use rules, accessibility and closure status. Precedence: Current public-space purpose, opening/access, seating rules and closures determine eligibility; telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + observation and recommendation. Decision interval: the next 15 to 30 minutes. Minimum evidence: current public-space eligibility plus healthy commissioned in-zone sensors for every criterion used; occupancy does not prove a seat. Method: Filter to confirmed public spaces, then compare fresh in-zone conditions and walking distance; never equate low occupancy with a guaranteed seat. Controls/baseline: Compare only simultaneously eligible public spaces with aligned fresh observations; historic quietness is not current availability. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not diagnose health effects, guarantee comfort/seating, infer permission from quietness or use corridor readings as room evidence. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If public eligibility or target-area coverage is inadequate, provide confirmed location facts only; do not claim conditions or seating availability.

Why this is useful: Provides a lawful alternative when the current public waiting area does not suit the group.

PF-050

WAYFINDING

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: If we attend different sessions, what simple confirmed public meeting point should we agree on?

Sensors and telemetry

Proposed evidence: No background location sensing. Optional anonymous area occupancy may describe a confirmed public meeting point; the service does not locate either person. Coverage: the organiser-confirmed public meeting point; no attempt is made to locate either person. Timing and quality: Use only organiser-confirmed public-location data. Optional area counts are clock-aligned 1-minute aggregates with exact area mapping and no movement linkage. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser-recommended meeting points, public-opening/access rules, route graph, closures and session end locations/times. Precedence: Current organiser-confirmed public meeting-point eligibility and opening govern; occupancy cannot locate people or grant access. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + meeting-point recommendation. Decision interval: the agreed reunion time. Minimum evidence: a current organiser-confirmed public meeting place, opening/eligibility and route from each stated session. Method: Choose a simple confirmed public landmark reachable from both activities and calculate a meeting time using schedules and bounded route times; track nobody. Controls/baseline: Use confirmed public eligibility and route time from both stated activities; no inferred person location. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not locate either person, build movement histories, expose identities or guarantee that the group will find each other. If the place is not confirmed public/open or route timing is uncertain, offer only verified landmarks and ask the pair to choose.

Why this is useful: Gives separated family members a simple reunion plan without location tracking.

6. Accessibility, inclusion, sensory comfort and well-being

Questions PF-051-PF-052

PF-051

ACCESS

L2 - calculation/comparison

R2 - integration-dependent

Prospective-student or family-member question: Can you build a step-free itinerary covering every open-day session I selected?

Sensors and telemetry

Proposed evidence: Current lift/door status and optional anonymous route counts on every segment of the approved step-free itinerary. Coverage: every segment, lift and door in the current organiser/accessibility-approved step-free itinerary. Timing and quality: Use fresh owner-issued lift/door state with complete itinerary mapping, heartbeat, closure/maintenance flags and explicit status for every critical segment. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated functional requirements, current programme/venues, authoritative accessible-route graph, public access rules, lift/door status, closures, rest points and accessibility-team guidance. Precedence: Current organiser/accessibility-approved routes, lift/door state, closures and selected programme venues govern every segment. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: constrained step-free itinerary calculation. Decision interval: the full visit. Minimum evidence: current selected venues, approved step-free routes, fresh asset/closure state and a confirmed fallback/assistance process. Method: Solve the selected programme as a constrained route/schedule problem using only approved step-free segments, rest points and confirmed fallbacks. Controls/baseline: Use the same selected programme and visitor-stated constraints, with current approved routes and fallbacks. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer disability or guarantee every route meets every need, grant access or override accessibility/organiser decisions. Use aggregates only; no identities or movement histories. If any critical segment or fallback is unresolved, do not present a complete step-free itinerary; defer to the responsible service.

Why this is useful: Supports deciding whether the selected programme is feasible using currently verified step-free routes.

PF-052

ACCESS

L3 - forecast/contingency

R2 - integration-dependent

Prospective-student or family-member question: Is the lift on my public route in service, and what is the official fallback if it becomes unavailable?

Sensors and telemetry

Proposed evidence: Owner-issued fault/status for the relevant lift, door or route-critical asset, mapped to a current organiser/accessibility-approved fallback or assistance process. Coverage: the unavailable asset, the approved fallback/assistance process and every route-critical segment. Timing and quality: Use fresh owner-issued fault/status and current approved contingency; preserve effective/retrieved time, asset mapping, heartbeat and conflicts. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: accessible-route record, lift service status, closures, organiser venue/entrance, assistance arrangements and accessibility/security instructions. Precedence: The responsible accessibility/service owner and organiser-approved fallback override sensor status or inferred alternatives. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised status lookup + contingency recommendation. Decision interval: immediate or planned transition. Minimum evidence: fresh owner fault status and an explicitly approved fallback, assistance point or programme alternative valid for the visit time. Method: Return only the responsible-owner approved alternative/assistance and its current status; do not improvise an unverified route. Controls/baseline: Use the approved fallback valid for the exact failed asset, event and time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer serviceability from movement, operate the lift, certify accessibility or route through restricted areas. If no current approved alternative/assistance is confirmed, state not assessable and direct the visitor immediately to the responsible service.

Why this is useful: Lets the visitor continue, change the itinerary or seek assistance when a critical lift is unavailable.

6. Accessibility, inclusion, sensory comfort and well-being

Questions PF-053-PF-054

PF-053

ACCESS

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Can you choose an authorised route with less walking, fewer level changes and confirmed places to rest?

Sensors and telemetry

Proposed evidence: Current lift/door state and optional anonymous route counts on every verified public segment; correctly located seating-area conditions may be used only for organiser-approved rest points. Coverage: each approved rest point and every verified public route segment between selected activities. Timing and quality: Use fresh event-driven route status and optional 1-minute counts with complete segment/rest-point mapping, uptime/gaps and current closures. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated pace/rest preferences, current public topology, verified rest/seating points, programme venues/times, accessibility information and closures. Precedence: Current organiser programme, approved rest spaces, public routes, lift/door state and closures govern; counts only inform timing. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: constrained itinerary calculation and recommendation. Decision interval: the visit. Minimum evidence: current programme/venue eligibility, approved rest points, complete public routes and fresh lift/door/closure state. Method: Filter to confirmed rest spaces, minimise distance/level changes on current eligible routes and preserve enough transfer time for selected activities. Controls/baseline: Use confirmed activities, rest needs the visitor states and current approved public routes. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer health or mobility status, guarantee seating, certify route suitability or grant access. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If any rest point or route segment is unverified, provide a partial plan and direct the visitor to organiser/accessibility assistance.

Why this is useful: Supports a visit plan that matches the user-stated need for shorter, less demanding movement.

PF-054

WELLBEING

L2 - recommendation

R3 - research or restricted

Prospective-student or family-member question: I prefer a quieter, less crowded route between sessions. Which eligible public path is better now?

Sensors and telemetry

Proposed evidence: Anonymous counts and numerical LAeq/background percentiles on every eligible public route segment being compared; no raw audio or movement history. Coverage: every eligible public route segment being compared. Timing and quality: Use aligned 1-minute crowd and numerical acoustic aggregates on every compared segment, with exact mapping, representative placement, uptime/gaps and no speech. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme/venues, public route graph, lift/door/closure status and user-stated preference. Access rules take precedence over sensor scores. Precedence: Current public route/access/closure information governs; counts and numerical sound only compare eligible routes. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: current route comparison and recommendation. Decision interval: the next transition. Minimum evidence: confirmed eligible routes, complete segment counts and representative numerical acoustics with aligned timestamps. Method: Compare only eligible routes using aligned aggregate crowd and non-content sound evidence; report trade-offs and uncovered segments. Controls/baseline: Compare identical route eligibility/time windows with aligned segment coverage. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer sensory or health conditions, record speech, identify/track people or route through restricted areas. If any route lacks eligible status or adequate aligned coverage, do not rank routes by quietness/crowding.

Why this is useful: Lets the visitor choose between eligible routes using qualified crowd and non-content sound evidence.

6. Accessibility, inclusion, sensory comfort and well-being

Questions PF-055-PF-056

PF-055

ACCESS

L1 - lookup/observation

R2 - integration-dependent

Prospective-student or family-member question: Is captioning, an assistive listening system or other communication support confirmed for my talk?

Sensors and telemetry

Proposed evidence: Owner-issued non-content status for the named captioning, assistive-listening or communication-support service; telemetry may report device/service online or fault state only. Coverage: the confirmed session/room and the specific organiser, accessibility or AV-owned support service. Timing and quality: Use owner-issued status with exact room/session mapping, service scope, heartbeat, maintenance state, effective/retrieved time and organiser confirmation. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser session record, venue assistive-technology inventory/status, captioning plan, accessibility instructions, seating/arrival guidance and named support contact. Precedence: Current organiser/accessibility/AV confirmation and assistance process override device telemetry or advertising. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised support lookup and status check. Decision interval: before and during the session. Minimum evidence: current organiser/accessibility/AV confirmation, named session/room and owner-issued service status when availability is claimed. Method: Return the organiser-confirmed arrangement and responsible contact; owner telemetry may indicate online/fault state but not guarantee individual suitability. Controls/baseline: Use confirmation for the exact session/room and requested support, not another event or generic advertising. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer a communication need or promise support from room equipment metadata. Use only visitor-stated requirements and organiser-confirmed provision. If confirmation is missing or stale, defer to the responsible accessibility/event team.

Why this is useful: Enables the prospective student to confirm communication support or ask the responsible team before attending.

PF-056

ACCESS

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: I need a clear view and an easy exit. What seating arrangement or organiser assistance is confirmed?

Sensors and telemetry

Proposed evidence: Anonymous zone-level entry/exit and occupancy counts at organiser-authorised seating zones; current room layout, aisle, exit and accessible-space geometry remain authoritative data. Coverage: the confirmed room, current authoritative seating zones, entrances, aisles, exits and accessible spaces. Timing and quality: Use time-aligned 1-minute zone counts with complete entrances, reconciled totals, current layout version and count-error bounds. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser seating policy, accessible/priority seating process, venue layout, public exits, steward instructions, user-stated functional requirements and accessibility guidance. Precedence: Current organiser seating rules, authoritative room layout/capacity, aisle/exit clearances and steward instructions override counts. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised seating/support lookup and bounded recommendation. Decision interval: the named session. Minimum evidence: organiser-confirmed seating/assistance arrangements, current room layout, clear aisles/exits and any visitor-stated functional requirement. Anonymous counts may describe zone crowding only. Method: present eligible options and responsible contact; no seat allocation or guarantee. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer disability, allocate/reserve seats, certify sightlines or safety, or direct use of an emergency exit contrary to staff instructions. Use aggregates only; no identities or movement histories. Official warnings and competent-authority instructions take precedence. If current layout/capacity or complete count coverage is missing, do not infer free places, allocate seats or recommend a zone.

Why this is useful: Helps the visitor request a confirmed arrangement that supports viewing and leaving the room.

6. Accessibility, inclusion, sensory comfort and well-being

Questions PF-057-PF-058

PF-057

ACCESS

L2 - calculation/comparison

R1 - practical

Prospective-student or family-member question: Where is the nearest confirmed gender-neutral or otherwise suitable public toilet?

Sensors and telemetry

Proposed evidence: Owner-issued amenity status plus current lift/door state on every segment of the verified step-free public route; no sensing inside the facility. Coverage: the confirmed accessible amenity and every segment of the current step-free public route. Timing and quality: Use fresh owner amenity and lift/door state with complete step-free route mapping, heartbeat, closure/maintenance flags and no private-area sensing. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public amenity/accessibility record, user-stated requirement, opening/service status, route graph, lift/closure information and organiser/accessibility guidance. Precedence: Current amenity, accessibility-approved route, lift/door and closure records override telemetry or low crowding. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised accessibility lookup and route calculation. Decision interval: immediate. Minimum evidence: current confirmed amenity, approved step-free route and fresh status for every lift/door/closure on that route. Method: Resolve the confirmed amenity and approved step-free route using fresh owner state; identify any unresolved segment and assistance contact. Controls/baseline: Use the same stated functional requirements and current approved route status. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer gender identity or other sensitive traits, monitor inside the facility, identify users or certify suitability beyond the authoritative description. Do not infer disability or certify accessibility. If amenity or route status is missing/conflicting, do not claim current accessibility; defer to the responsible service.

Why this is useful: Directs the visitor to a currently verified suitable public facility.

PF-058

WELLBEING

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Is there a confirmed quiet or reflection space that visitors may use briefly?

Sensors and telemetry

Proposed evidence: Numerical LAeq/background percentiles, illuminance and anonymous aggregate occupancy inside organiser-approved public calm or waiting areas; no raw audio, cameras or identity sensing. Coverage: inside organiser-approved public calm or waiting zones only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices with commissioning, uptime/gaps and no raw audio or identity sensing. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public-space purpose/eligibility, opening/use rules, route, closures and accessibility information. The user need not state religion or health information. Precedence: Current organiser-approved public-space purpose, access/opening and closures determine eligibility; telemetry cannot certify individual suitability. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, direct comparison and recommendation. Decision interval: the next break. Minimum evidence: current public-space eligibility and representative aligned numerical acoustic/light/crowd evidence; suitability remains individual. Method: Compare only simultaneously eligible public spaces against preferences the visitor states; report trade-offs and never label a space universally suitable. Controls/baseline: Use only preferences the visitor volunteers and simultaneously eligible public spaces; no health/demographic profiling. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer religion, health or reason for use; do not record speech, identify occupants or treat quietness as permission. Use aggregates only; no identities or movement histories. If eligibility or representative evidence is inadequate, provide organiser-approved locations/contact only and do not claim suitability.

Why this is useful: Provides a confirmed place for a short low-stimulation or reflective break.

6. Accessibility, inclusion, sensory comfort and well-being

Questions PF-059-PF-060

PF-059

WELLBEING

L2 - recommendation

R1 - practical

Prospective-student or family-member question: I may need medication or a private well-being break. What official support or suitable visitor space is available?

Sensors and telemetry

Proposed evidence: no personal, health or medication sensing. Optional owner-issued status for an organiser-approved public support/well-being space and current route/lift/door information may support location only. Coverage: the named public support point or space and verified route. Timing and quality: retain owner, opening/status, effective/retrieved time and route asset freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser and accessibility-service guidance, confirmed public or supported space, opening/access rules, route status, named help point and emergency instructions. Use only functional requirements the visitor chooses to state; do not access health records. Precedence: Current organiser, accessibility/well-being service and public-space rules govern; telemetry cannot infer a health need or private suitability. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised support lookup and referral. Decision interval: the requested break. Minimum evidence: current organiser/support-service information, public-space eligibility and only the functional needs the visitor chooses to state. Method: Return the current support/referral and eligible public space, using only needs the visitor states; do not diagnose or infer health. Controls/baseline: Use only needs the visitor states and current public support information; do not infer medical circumstances. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not request or infer medical details, diagnose need or present a room as clinical support. Use only the functional requirement the visitor chooses to state. If no authorised space or support contact is confirmed, defer to the responsible team.

Why this is useful: Supports choosing an authorised private break option or contacting the responsible support team.

PF-060

WELLBEING

L3 - forecast/contingency

R3 - research or restricted

Prospective-student or family-member question: If the building becomes too crowded or noisy, what verified low-stimulation break or normal-exit plan can I use?

Sensors and telemetry

Proposed evidence: Numerical acoustics, illuminance and anonymous crowding on organiser-approved public break spaces and normal-exit routes, plus current lift/door status; no personal profiling. Coverage: the organiser-approved public break space and normal-exit route, separate from emergency egress. Timing and quality: Use aligned 1-minute numerical acoustic/light/crowd aggregates in approved public spaces plus fresh route asset state, with exact mapping, uptime/gaps and no profiling. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated preference, current public route/exit graph, eligible quiet/waiting spaces, lift/door/closure status, organiser help points and official safety instructions. Precedence: Current organiser-approved public space and normal-exit route govern; telemetry cannot replace accessibility or emergency advice. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: current-condition comparison and contingency recommendation. Decision interval: the current visit. Minimum evidence: an organiser-approved low-stimulation break option, verified normal-exit route and representative numerical acoustic/light/crowd evidence where available. Method: pre-identify a break and normal exit, state current conditions and keep emergency directions separate. Suitability is conditional on the visitor-stated preference. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer disability or health, track the visitor, guarantee low stimulation or optimise an emergency route contrary to official instructions. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If approved space/route or representative evidence is inadequate, provide a static organiser-confirmed plan only and no sensory guarantee.

Why this is useful: Gives the visitor a pre-agreed break or exit option if conditions become overwhelming.

7. Queues, transitions, demand peaks, departure and follow-up logistics

Questions PF-061-PF-062

PF-061

QUEUE

L3 - forecast/contingency

R3 - research or restricted

Prospective-student or family-member question: Which parts of the open day are likely to be busiest, and when should we move between activities?

Sensors and telemetry

Proposed evidence: Anonymous counts at organiser-confirmed venue, check-in, service and route boundaries, with current programme/capacity context and comparable prior open-day periods. Coverage: all venue, service and route boundaries used to forecast demand; uncovered boundaries remain unknown. Timing and quality: Use 1-minute aggregate counts and matched open-day history with complete boundary coverage, validated count error, programme/capacity alignment, gaps/drift flags and forecast issue time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme, venue capacities, organiser demand indicators where permitted, transition schedule, public route graph and current changes. Precedence: Current programme, venue capacity, access rules and organiser instructions govern; anonymous counts only estimate aggregate demand. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: aggregate demand forecast and recommendation. Decision interval: the visit. Minimum evidence: current programme/capacity/access context, complete covered boundaries and enough matched open-day periods with similar schedules. Method: Use current counts and matched open-day periods with similar programme/capacity; report peak windows, broad bands, confidence and recheck time. Controls/baseline: Match event format, programme, venue capacities, time, weather and counter coverage; disclose unmatched factors. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not identify attendees, expose restricted registration data, guarantee admission or infer popularity/quality from crowd size. Use aggregates only; no identities or movement histories. If coverage, programme/capacity context or comparable history is inadequate, report current facts only and no peak forecast.

Why this is useful: Helps the family time movements and breaks around likely demand peaks.

PF-062

WAYFINDING

L2 - calculation/comparison

R2 - integration-dependent

Prospective-student or family-member question: What is the quickest verified public route between my two back-to-back sessions?

Sensors and telemetry

Proposed evidence: Event-driven route-critical door/lift status and anonymous aggregate counts on every verified public segment used in the travel-time calculation. Coverage: every verified public segment between the confirmed origin and destination. Timing and quality: Use event-driven asset state and time-aligned 1-minute counts. Require full segment coverage, clock sync, validated route-time assumptions, uptime/gaps and current closures. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: session venues/times, public route graph, access restrictions, lift/door/closure status and user-stated functional requirements. Precedence: Current public topology, access rules, destination, lift/door state and closures govern; counts only adjust a bounded time estimate. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: route calculation and bounded time estimate. Decision interval: the scheduled transition. Minimum evidence: confirmed origin/destination, complete eligible route, current lift/door/closure state and validated segment-time assumptions. Method: Calculate a conservative travel-time range from verified route geometry, current asset state and bounded aggregate delay; show assumptions. Controls/baseline: Use the same origin, destination, access mode and current asset/closure state for every alternative. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not route through restricted areas, guarantee arrival time or infer access from an open door. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If route completeness or timing evidence is inadequate, give static directions with a conservative buffer or no time estimate.

Why this is useful: Supports deciding whether to leave immediately, use a different public route or contact the organiser.

7. Queues, transitions, demand peaks, departure and follow-up logistics

Questions PF-063-PF-064

PF-063

QUEUE

L2 - calculation/comparison

R3 - research or restricted

Prospective-student or family-member question: How long is the current check-in queue likely to take?

Sensors and telemetry

Proposed evidence: Anonymous bidirectional counters covering every entrance and exit of the organiser-defined check-in queue, with owner-issued check-in open/closed status if available. Coverage: the organiser-defined queue boundary and all relevant entrances/exits; an uncovered branch makes wait time incomplete. Timing and quality: Use crossing events with clock-aligned 1-minute aggregates. Require full boundary coverage, reconciled entry/exit counts, validated count error, clock sync, uptime/gaps, plus fresh service status. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: check-in point, open status, organiser service arrangement, queue boundary, late-arrival policy and official announcements. Precedence: The organiser-defined check-in point, opening/registration rules and steward instructions override counts and wait estimates. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: observation + bounded wait estimate. Decision interval: immediate arrival. Minimum evidence: confirmed check-in point/open status, complete boundary-count coverage, validated count error and a service-rate range if wait is estimated. Method: Report current aggregate crowding and estimate wait only from complete counts plus a validated service-rate range; otherwise omit wait time. Controls/baseline: If wait is estimated, use the current service configuration and a validated rate range; do not borrow a rate from a different event without disclosure. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not identify people, inspect registrations, infer admission or promise a wait time. Use aggregates only; no identities or movement histories. If boundary coverage, count quality, check-in status or service-rate evidence is inadequate, report crowding only or mark wait time not assessable.

Why this is useful: Lets the family judge whether to join the current queue or follow an authorised alternative instruction.

PF-064

QUEUE

L2 - calculation/comparison

R3 - research or restricted

Prospective-student or family-member question: During the next break, which authorised refreshment or toilet option is likely to have the shorter wait?

Sensors and telemetry

Proposed evidence: Anonymous counts at every entrance/exit of the public amenity queue boundary, never inside private areas, plus owner-issued amenity open/fault status. Coverage: the public queue/approach boundary outside the named amenity, never inside toilets or private spaces. Timing and quality: Use time-aligned 1-minute entry/exit aggregates outside private areas, with full boundary coverage, validated count error, uptime/gaps and current amenity status. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: amenity/service opening, public access, route graph, event break timing, maintenance/closure status and organiser guidance. Precedence: Current amenity open/fault status and organiser break/service arrangements override aggregate wait estimates. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: observation + bounded queue estimate. Decision interval: the next break. Minimum evidence: current amenity status, complete approach-boundary coverage and a validated service-rate/history if a future wait is estimated. Method: Use current approach counts and comparable programme breaks with similar demand; report a broad wait range and no individual behaviour. Controls/baseline: Use comparable breaks with similar programme size, amenity layout and complete approach coverage. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect purchases, identify users, guarantee stock/cubicles or treat low crowding as accessibility proof. Use aggregates only; no identities or movement histories. If amenity status, boundary coverage or comparable history is inadequate, provide no wait forecast.

Why this is useful: Helps the group use a short break efficiently without treating estimates as guarantees.

7. Queues, transitions, demand peaks, departure and follow-up logistics

Questions PF-065-PF-066

PF-065

TRAVEL

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: When should we leave Abacws to reach our chosen train or bus without rushing?

Sensors and telemetry

Proposed evidence: Current public entrance/exit, route-critical door and lift status, optional anonymous route counts, and authorised external transport status; no travel-account or device tracking. Coverage: the verified public route between the visitor-stated arrival/departure point and approved entrance/exit, plus the named official transport service. Timing and quality: Use fresh official provider status and event-driven asset state; aggregate route counts at one minute only. Retain source time, coverage, gaps and status conflicts. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated departure service/stop, current public exit route, organiser end time, external transport timetable/live status, weather, lift/closure status and security/public-opening rules. Precedence: Official event timing, approved entrance/exit, current public route and authorised provider data override crowd estimates and the historical plan. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup, route calculation and recommendation. Decision interval: final session to transport departure. Minimum evidence: confirmed event timing, approved entrance/exit, complete public route status and fresh official transport data for the named service. Method: Reconcile event timing with official transport status, calculate a bounded public-route time and recommend a departure/arrival range with a recheck point. Controls/baseline: Use the same origin, arrival deadline, access constraints and current provider timetable/status. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect tickets or travel accounts, guarantee transport, track the group or redirect through restricted exits. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If event timing, route or provider data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Supports a departure decision that includes walking, exit congestion and a sensible transport buffer.

PF-066

QUEUE

L2 - calculation/comparison

R3 - research or restricted

Prospective-student or family-member question: Can we avoid the busiest corridor changeover on the way to our next session?

Sensors and telemetry

Proposed evidence: Anonymous aggregate counts on every eligible public corridor, stair and lift-lobby segment, combined with current door/lift/closure status. Coverage: every eligible route segment being compared; uncovered segments are unknown. Timing and quality: Use aligned 1-minute counts on every eligible segment with exact mapping, full coverage, count-error bounds, uptime/gaps and current closures. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: programme transition times, public route graph, access/closure status and user-stated schedule constraints. Precedence: Current public route graph, access rules, lift/door state and closures override counts and forecasts. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: time-dependent route comparison. Decision interval: the next transition. Minimum evidence: confirmed eligible routes, fresh lift/door/closure state and valid count coverage for every compared segment. Method: Compare only authorised routes using aligned aggregate counts and current topology/assets; report time/crowd trade-offs and unknown segments. Controls/baseline: Use the same start/end, access rules, time window and complete segment coverage. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not identify or track people, infer class attendance or route through restricted areas. Do not infer disability or certify accessibility. If any compared route lacks current eligibility or complete coverage, do not claim a less crowded route.

Why this is useful: Lets the family choose a slightly earlier or alternative authorised route to reduce changeover pressure.

7. Queues, transitions, demand peaks, departure and follow-up logistics

Questions PF-067-PF-068

PF-067

TRAVEL

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Where is a confirmed public place to wait for a taxi, lift or agreed pick-up after the visit?

Sensors and telemetry

Proposed evidence: In-zone temperature/RH, direct NDIR CO₂, illuminance, numerical LAeq/background percentiles and anonymous aggregate occupancy inside organiser-approved public waiting areas. Coverage: inside the specific organiser-approved public waiting area; corridor or adjacent-room readings are context only. Timing and quality: Use clock-aligned 1-minute aggregates from representative in-zone devices. Require commissioning and calibration, exact room/zone mapping, uptime/gaps, drift/relocation, and maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: public waiting-space eligibility/opening, pick-up guidance, exit route, transport/road status, accessibility, closures and security instructions. Precedence: Current public-space purpose, opening/access, seating rules and closures determine eligibility; telemetry describes conditions only. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + observation and recommendation. Decision interval: expected collection period. Minimum evidence: current public-space eligibility plus healthy commissioned in-zone sensors for every criterion used; occupancy does not prove a seat. Method: Filter to confirmed public spaces, then compare fresh in-zone conditions and walking distance; never equate low occupancy with a guaranteed seat. Controls/baseline: Compare only simultaneously eligible public spaces with aligned fresh observations; historic quietness is not current availability. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not reserve space, identify waiting people, guarantee vehicle access or treat low occupancy as permission. Use aggregates only; no identities or movement histories. Use numerical non-content acoustics only; retain no speech. If public eligibility or target-area coverage is inadequate, provide confirmed location facts only; do not claim conditions or seating availability.

Why this is useful: Provides a lawful and easy-to-describe place for onward collection after the visit.

PF-068

PRIVACY

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: If my family member and I attend different sessions, what meeting time and place should we agree on?

Sensors and telemetry

Proposed evidence: No background location sensing. Optional anonymous area occupancy may describe a confirmed public meeting point; the service does not locate either person. Coverage: the organiser-confirmed public meeting point; no attempt is made to locate either person. Timing and quality: Use only organiser-confirmed public-location data. Optional area counts are clock-aligned 1-minute aggregates with exact area mapping and no movement linkage. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-selected session end times/venues, current programme, public route graph, organiser-recommended meeting points, opening/access rules and closures. Precedence: Current organiser-confirmed public meeting-point eligibility and opening govern; occupancy cannot locate people or grant access. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised lookup + meeting-point recommendation. Decision interval: reunion. Minimum evidence: a current organiser-confirmed public meeting place, opening/eligibility and route from each stated session. Method: Choose a simple confirmed public landmark reachable from both activities and calculate a meeting time using schedules and bounded route times; track nobody. Controls/baseline: Use confirmed public eligibility and route time from both stated activities; no inferred person location. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not locate or track either person, inspect messages/calendars beyond user-stated constraints, expose identities or guarantee punctuality. If the place is not confirmed public/open or route timing is uncertain, offer only verified landmarks and ask the pair to choose.

Why this is useful: Helps family members reunite through an agreed plan without the building locating either person.

7. Queues, transitions, demand peaks, departure and follow-up logistics

Questions PF-069-PF-070

PF-069

FOLLOW-UP

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: After the visit, where can I find the official information for the courses and support services we discussed?

Sensors and telemetry

Proposed evidence: Owner-issued status for the public information channel, help point, display or public network service, with optional synthetic health checks that inspect no content. Coverage: the named official information/help channel or service; telemetry does not establish event policy. Timing and quality: Use owner-issued service state and optional synthetic checks with scope, interval, heartbeat, maintenance state, effective/retrieved time and no content inspection. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: official course pages, admissions/public enquiry contacts, accessibility/support information, organiser follow-up resources and versioned source metadata. Precedence: Official organiser communications and owner-issued help-point/display/network status override synthetic checks or occupancy. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised information-service lookup. Decision interval: immediately after the visit. Minimum evidence: current organiser information channel or owner-issued service/help-point status, with an authorised offline fallback. Method: Return the current channel/service status and verified offline alternative; synthetic checks are secondary and inspect no content. Controls/baseline: Use current owner service state and organiser communication policy. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not create or access an application, capture personal data, infer interests beyond the request, provide unofficial advice or expose staff/student details. If owner status is stale/conflicting, provide the official alternative contact/help point only and do not infer service availability.

Why this is useful: Directs the prospective student to official follow-up sources rather than an unverified conversational summary.

PF-070

FOLLOW-UP

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: I missed part of the programme. Which later public session or official online information is still useful?

Sensors and telemetry

Proposed evidence: No environmental sensing is needed. Optional route/lift status may support transfer feasibility after the organiser confirms which later activity or information is valid. Coverage: the confirmed remaining programme items, official online information and verified transfer route. Timing and quality: No sensor quality claim is needed for programme eligibility. Any transfer telemetry must meet current route/asset mapping, freshness and uptime requirements. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated missed topic, current programme, repeat-session equivalence, public eligibility, remaining times/venues and official follow-up resources. Precedence: Current organiser programme changes, session eligibility and official online information govern; telemetry cannot create an alternative activity. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised programme lookup and recovery recommendation. Decision interval: remaining visit or post-visit. Minimum evidence: current revised programme, remaining eligibility, official online information and feasible public route to any alternative. Method: Filter the current remaining programme and official online material, then recommend a feasible recovery sequence without creating eligibility. Controls/baseline: Use the programme version effective after the delay/change and official eligibility for each remaining item. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer attendance history, inspect tickets or application data, guarantee entry or evaluate course fit. Do not infer disability or certify accessibility. If current programme eligibility or timing is unresolved, provide official information links/contact only and no recovery plan.

Why this is useful: Lets the visitor recover useful course or service information despite missing part of the programme.

8. Disruption, weather, safety, emergencies and lower-impact visit choices

Questions PF-071-PF-072

PF-071

WEATHER

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Will tomorrow's weather affect the public entrance, walking route or arrival buffer we should allow?

Sensors and telemetry

Proposed evidence: Fresh official weather information or a commissioned representative outdoor station, plus current public entrance, door, route and closure status. Coverage: the organiser-approved entrance and verified public route segments exposed to current weather. Timing and quality: Use fresh official forecast/warning times and current route status. A local station, if used, requires representative siting, commissioning and calibration, uptime/gaps and observed time. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: authorised weather forecast/warnings, organiser travel guidance, public entrance/route, closure notices, transport status and accessibility information. Precedence: Official weather warnings, organiser/security entrance instructions and current route/closure status override optimisation. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised weather/route lookup + recommendation. Decision interval: travel and arrival. Minimum evidence: fresh official forecast/warning, current approved entrance/route and visitor-stated arrival/access constraints. Method: Apply official warnings and stated access constraints first, then compare only approved entrances/routes by exposure and timing. Controls/baseline: Use the same official forecast window and current access/closure state for all options. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not guarantee weather or route safety, infer health, override official warnings or use a local sensor as the sole forecast. If weather or route/access status is stale/conflicting, repeat official warnings and confirmed route facts only; do not optimise.

Why this is useful: Supports deciding when to leave, what route to use and when to recheck weather or organiser advice.

PF-072

CONTINGENCY

L2 - calculation/comparison

R2 - integration-dependent

Prospective-student or family-member question: Has my session venue, entrance or start time officially changed, and what should we do now?

Sensors and telemetry

Proposed evidence: Current route-critical door/lift status and optional anonymous route counts; telemetry cannot determine a replacement venue or start time. Coverage: the organiser-confirmed replacement venue/time and the verified public route to it. Timing and quality: Use organiser notice and official booking as authoritative; route telemetry must be fresh, correctly mapped and secondary. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser programme/version, official venue booking, approved entrance, public-opening/access rules, closures and official notifications. Precedence: The organiser change notice and official room booking jointly determine venue/time; telemetry cannot infer them. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised change lookup and route recalculation. Decision interval: now. Minimum evidence: organiser change notice, official room booking/time and current public route/access status to the replacement. Method: Reconcile organiser notice with official booking/time; if they agree, recalculate the current public route, otherwise show the conflict and defer. Controls/baseline: Require agreement between organiser notice and official booking/time before routing. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not infer relocation from an empty room, inspect tickets/messages, grant access or override organiser instructions. Use aggregates only; no identities or movement histories. Do not infer disability or certify accessibility. If organiser notice and official booking/time conflict, do not select a venue; show the conflict and defer.

Why this is useful: Prevents the family following an obsolete venue or start time and identifies the current action.

8. Disruption, weather, safety, emergencies and lower-impact visit choices

Questions PF-073-PF-074

PF-073

ACCESS

L3 - forecast/contingency

R2 - integration-dependent

Prospective-student or family-member question: The lift on our route is unavailable. What verified step-free alternative or programme change is possible?

Sensors and telemetry

Proposed evidence: Owner-issued fault/status for the relevant lift, door or route-critical asset, mapped to a current organiser/accessibility-approved fallback or assistance process. Coverage: the unavailable asset, the approved fallback/assistance process and every route-critical segment. Timing and quality: Use fresh owner-issued fault/status and current approved contingency; preserve effective/retrieved time, asset mapping, heartbeat and conflicts. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: accessible-route graph, organiser venues/times, public access, alternative lift/entrance status, closures, assistance arrangements and accessibility/security guidance. Precedence: The responsible accessibility/service owner and organiser-approved fallback override sensor status or inferred alternatives. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised status lookup + contingency recommendation. Decision interval: next transition. Minimum evidence: fresh owner fault status and an explicitly approved fallback, assistance point or programme alternative valid for the visit time. Method: Return only the responsible-owner approved alternative/assistance and its current status; do not improvise an unverified route. Controls/baseline: Use the approved fallback valid for the exact failed asset, event and time. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not operate the lift, certify accessibility, route through restricted service areas or require disclosure of disability. If no current approved alternative/assistance is confirmed, state not assessable and direct the visitor immediately to the responsible service.

Why this is useful: Helps the visitor choose an authorised fallback or ask for an event adjustment when the planned route fails.

PF-074

CONTINGENCY

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: Our train or bus is delayed. Which confirmed parts of the visit can we still attend?

Sensors and telemetry

Proposed evidence: No environmental sensing is needed. Optional route/lift status may support transfer feasibility after the organiser confirms which later activity or information is valid. Coverage: the confirmed remaining programme items, official online information and verified transfer route. Timing and quality: No sensor quality claim is needed for programme eligibility. Any transfer telemetry must meet current route/asset mapping, freshness and uptime requirements. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated revised arrival time, current transport status, organiser late-arrival policy, programme, public eligibility, check-in hours, venues and route/closure status. Precedence: Current organiser programme changes, session eligibility and official online information govern; telemetry cannot create an alternative activity. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised programme lookup and recovery recommendation. Decision interval: revised arrival through end of visit. Minimum evidence: current revised programme, remaining eligibility, official online information and feasible public route to any alternative. Method: Filter the current remaining programme and official online material, then recommend a feasible recovery sequence without creating eligibility. Controls/baseline: Use the programme version effective after the delay/change and official eligibility for each remaining item. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect tickets, promise entry or ask organisers to bend policy. Do not infer disability or certify accessibility. If current programme eligibility or timing is unresolved, provide official information links/contact only and no recovery plan.

Why this is useful: Lets a delayed family decide whether the remaining journey and revised programme are still worthwhile.

8. Disruption, weather, safety, emergencies and lower-impact visit choices

Questions PF-075-PF-076

PF-075

RESILIENCE

L3 - forecast/contingency

R2 - integration-dependent

Prospective-student or family-member question: A power, network or digital check-in problem has been announced. What official visitor process should we follow?

Sensors and telemetry

Proposed evidence: Owner-issued status for check-in, public information, power or network services and the organiser-approved offline process; synthetic checks inspect no traffic content. Coverage: the named organiser-owned check-in/information service and its authorised offline fallback. Timing and quality: Use owner-issued service/fault status and authorised fallback with source time, service scope, heartbeat, maintenance and conflict flags; no traffic inspection. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser continuity instructions, official check-in/session status, IT/service notices, public access, room changes and help points. Precedence: Official organiser communications and owner-issued service/fallback status override synthetic checks or telemetry. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised service-status lookup and contingency relay. Decision interval: current disruption. Minimum evidence: current owner-issued fault/status and organiser-approved offline check-in/information process. Method: Relay the organiser-approved offline process and current service status; do not troubleshoot personal devices or inspect traffic. Controls/baseline: Use the exact affected service and currently authorised fallback process. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not diagnose IT systems, inspect devices/network content, bypass registration or operate equipment. If service/fallback status is stale or conflicting, provide the organiser contact and no inferred process.

Why this is useful: Directs visitors to the organiser's approved fallback rather than improvising around a service failure.

PF-076

SAFETY

L1 - lookup/observation

R3 - research or restricted

Prospective-student or family-member question: An alarm or emergency message has started. Which official instruction applies at my location?

Sensors and telemetry

Proposed evidence: certified alarm/public-address interfaces and official emergency communications only. Coverage: the current certified zone or official message applicable to the visitor location. Timing and quality: show official source, affected area, effective and retrieved time; experimental sensors and predictions are excluded. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: certified alarm state, official public-address or emergency communication, security/fire-safety instructions, organiser incident message and competent-authority direction, all with observed/effective/retrieval times. Precedence: Certified alarms, public-address messages, official communications and competent-authority instructions override every telemetry stream and inference. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: official emergency-instruction relay. Decision interval: immediate. Minimum evidence: a current certified alarm/public-address message or competent-authority instruction for the affected area. Method: repeat the instruction, source and time only. No diagnosis, forecast, crowd optimisation or alternative route generation is allowed.

Answer boundary

Relay only the current certified alarm, public-address message or competent-authority instruction for the affected area. Do not diagnose the incident, delay action or generate a route that conflicts with official directions. If the message cannot be verified, direct the visitor immediately to alarms, signage, staff and responders.

Why this is useful: Supports immediate compliance with the current official emergency instruction.

8. Disruption, weather, safety, emergencies and lower-impact visit choices

Questions PF-077-PF-078

PF-077

SAFETY

L1 - lookup/observation

R1 - practical

Prospective-student or family-member question: I cannot contact the person accompanying me. Where is the official help point or our agreed meeting place?

Sensors and telemetry

Proposed evidence: Owner-issued open/closed or staffed-service status for the organiser-confirmed public help point, with optional anonymous aggregate queue counts at its public boundary. Coverage: the named organiser-confirmed public help or information point and its public queue boundary. Timing and quality: Use owner-issued service status and optional 1-minute queue aggregates with exact boundary mapping, uptime/gaps, plus freshness. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser help point, reception/security contact, official meeting locations, public opening/route, lost-person procedure and emergency guidance. Precedence: Current organiser-owned help-point location, opening/staffed status and visitor-service rules override occupancy or apparent activity. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised service-point lookup. Decision interval: immediate. Minimum evidence: current organiser-confirmed location, service/open status, public eligibility and responsible contact. Method: Return the current organiser-confirmed location, open/service status and public route; counts may describe queueing but not staff identity or availability beyond the owner status. Controls/baseline: Use the service owner status effective for the visitor's free period. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not locate or track the missing person, inspect communications or disclose another person's presence. Provide only the agreed public meeting point and current official help service. If neither is confirmed, direct the visitor to reception or security.

Why this is useful: Gives the visitor a safe, public way to seek help or reunite without tracking the other person.

PF-078

TRAVEL

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: The visit ends after dark. Which confirmed public exit and onward route should we use?

Sensors and telemetry

Proposed evidence: Current public exit, route-critical door/lift and lighting fault status, with calibrated illuminance only on confirmed public outdoor/indoor approach segments. Coverage: the organiser-approved public exit and every verified route segment to the stated onward point. Timing and quality: Use fresh route/lighting asset state and representative calibrated illuminance on every critical segment, with exact mapping, uptime/gaps and closure/maintenance flags. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: organiser departure instructions, public exit/access rules, official pedestrian route, lighting/closure/security notices, transport status and weather. Precedence: Current organiser/security-approved exit, route/closure and lighting owner status govern; illuminance cannot certify safety. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: authorised exit lookup and route recommendation. Decision interval: departure. Minimum evidence: current approved public exit, complete onward route/closure status and current lighting owner state for critical segments. Method: Resolve the approved exit and current route first, then use owner lighting status and measured illuminance only as condition context. Controls/baseline: Use the same exit, destination, access needs and current closure/lighting state. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not certify personal safety, track the group, reveal restricted routes or contradict security/staff instructions. Do not infer disability or certify accessibility. If exit, route or lighting status is unresolved, provide the current exit/contact only and do not certify route safety.

Why this is useful: Helps the group leave through a current public exit and connect safely with its onward journey.

8. Disruption, weather, safety, emergencies and lower-impact visit choices

Questions PF-079-PF-080

PF-079

SUSTAINABILITY

L2 - recommendation

R2 - integration-dependent

Prospective-student or family-member question: What is the most practical lower-impact way to travel here for our timing and stated access needs?

Sensors and telemetry

Proposed evidence: No personal sensing is required. Use official transport status, verified public entrance/route information and optional anonymous aggregate congestion context. Coverage: the visitor-stated origin, arrival deadline and access constraints plus verified public routes to Abacws. Timing and quality: Use fresh official provider data with source time and service scope. Any emissions estimate must state method, factors and uncertainty; no personal travel history. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: user-stated origin/time/functional constraints, current public transport, walking/cycling and drop-off information, weather, accessibility, closures and organiser arrival guidance. Precedence: Official provider data, organiser timing and verified public route/access information govern; environmental preference cannot override feasibility or access. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: multi-criteria transport comparison and recommendation. Decision interval: outward and return journeys. Minimum evidence: visitor-stated origin/time/access constraints, fresh official provider data and verified public routes to the approved entrance. Method: Filter official options by stated arrival/access constraints, then compare time, walking/interchange burden, reliability and disclosed emissions assumptions. Controls/baseline: Use the same origin, arrival deadline, access needs and fresh provider data; disclose emissions-method uncertainty. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not inspect tickets/accounts, infer disability, calculate personal carbon with unsupported precision, promise service performance or shame a choice. Use aggregates only; no identities or movement histories. If provider or route/access data is stale/conflicting, present confirmed options without ranking or false emissions precision.

Why this is useful: Supports a lower-impact travel choice that remains feasible for the group's stated timing and access needs.

PF-080

EVIDENCE

L3 - provenance/assurance

R3 - research or restricted

Prospective-student or family-member question: Which parts of this advice are authoritative facts, observations, calculations, estimates or forecasts, and which are not assessable?

Sensors and telemetry

Proposed evidence: No additional sensing is required. Expose mapping, sampling/aggregation, commissioning and calibration, uptime, gaps, drift/relocation, maintenance, observed and retrieved times for every telemetry source used. Coverage: every named room, entrance, route, amenity, service, device and external feed actually used in the answer. Timing and quality: Retain exact mapping, sampling/aggregation, clock sync, commissioning and calibration, uptime/gaps, drift/relocation, maintenance, observed/retrieved time and method version. Status: proposed unless current deployment, mapping, commissioning, permissions and interval health are independently verified.

Authoritative supporting data

Authoritative sources: the source and permission metadata for every organiser, programme, access, route, room, lift, amenity, transport, weather, security and emergency fact used, including owner, effective time, retrieval time, staleness and conflicts. Precedence: For each statement, the owner-controlled source valid for the requested interval governs; conflicts remain visible and unsupported criteria are omitted. Provenance: retain owner, effective/observed/retrieved times, permission scope, version, staleness and conflicts.

Analysis required

Operation: provenance and answerability synthesis. Decision interval: the whole visit plan. Minimum evidence: the complete permitted source list, mappings, quality flags, times, method versions, permissions and conflicts for every statement. Method: label each item as authoritative lookup, observation, calculation, estimate, forecast, comparison, recommendation or not assessable; show uncertainty and recheck points. Output: label source times, eligible coverage, assumptions, uncertainty and the recheck or safe-failure point.

Answer boundary

Do not hide missing or conflicting evidence, present forecasts as facts, expose protected source details or treat telemetry as permission, accessibility or safety certification. If provenance or permissions are incomplete, show only permitted facts and mark the remainder not assessable.

Why this is useful: Supports deciding which advice is reliable now and which points still require staff verification.

4. Catalogue summary and implementation requirements

The catalogue combines current organiser, programme, public-access and service information with correctly located proposed entrance, route, lift, queue, room, amenity, environmental and acoustic evidence. Each record defines minimum evidence, timing, spatial coverage, commissioning and calibration, data quality, provenance, source precedence, uncertainty, permissions and safe failure.

Questions	80	Eight prospective-student and family-member sections containing ten distinct questions each.
R1 practical	16	Can be supported with core verified public information and basic current spatial, status or provenance feeds.
R2 integration-dependent	50	Require programme, room, access, route, lift, queue, amenity, service, weather, transport or forecasting integration.
R3 research or restricted	14	Require dense validated sensing, controlled operational data, or stronger accessibility, privacy and safety controls.

Recurring system capabilities

- 1

Programme and public-access resolution
Resolve organiser-confirmed visit, time, venue, entrance, check-in, public opening and companion rules without inspecting applications or granting access.
- 2

Dynamic public itinerary and wayfinding
Use current programme, topology, door, lift, closure and accessibility sources to calculate feasible routes without tracking visitors or using restricted paths.
- 3

Anonymous crowd and queue evidence
Use commissioned aggregate counts and bounded forecasts without identities, movement histories, attendance inference or admission decisions.
- 4

Space, amenity and visit context
Combine correctly located room/environment/acoustic evidence with authorised seating, assistive technology, amenities and public-use rules.
- 5

Evidence quality and provenance
Check spatial mapping, clocks, sampling, commissioning/calibration, uptime, gaps, drift, source agreement, observed/retrieved times and permissions.
- 6

Privacy, admissions, accessibility, safety and abstention
Minimise personal data, refuse application/access/safety claims, preserve inclusive alternatives and return not assessable when evidence is inadequate.

QUESTION RECORD STRUCTURE

Each entry can become a system test containing the natural utterance and paraphrases, visit/programme/spatial entities, minimum room/entrance/route evidence, source-precedence rule, quality threshold, expected operation, permission rule, answerability class, acceptable clarification, uncertainty statement, safe failure, expected answer characteristics and prohibited overclaims.

5. Evidence, permissions and answerability rules

These rules apply across all 80 records and define when the building may answer, qualify, ask for clarification, defer to an organiser or authorised service, or return not assessable.

Current visit and building status

The May 2021 plan is a historical reference. Current programme, room purpose, venue, public opening, entrance, route, lift, capacity, access, accessibility, amenity, service and closure status require authoritative current sources.

Spatial coverage

A room, entrance, waiting-zone, queue or route-segment answer requires correctly located sensing in the named space or verified segment. Corridor and adjacent-room data may be labelled context but cannot be silently substituted.

Time window and operation type

Every answer resolves the requested interval and labels observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation. Preserve effective, observed and retrieved times.

Calibration and data quality

Use stated sampling/aggregation, synchronised clocks, commissioning/calibration, uptime, gap and drift/relocation flags, maintenance state and source agreement. Failed, stale or unverified points cannot support precision.

Applications, identities and personal data

Do not inspect or reproduce applications, admissions decisions, rankings, CRM records, tickets, registrations, invitations, faces, number plates, personal records, emails, messages, meetings, calls, speech, screens, network traffic or device content.

Occupancy, queues and sound

Use anonymous aggregate counts and numerical LAeq or percentile statistics only where proportionate. Do not identify or track people, infer attendance/interests/traits, build movement histories or retain speech.

Room and environmental interpretation

Room-level claims require target-room sensing. NDIR CO2 is a ventilation indicator, not complete air quality. Environmental quietness/crowding cannot establish public opening, availability, permission, accessibility or safety.

Visit, access and organiser authority

Organiser instructions, admissions-event programme, registration/access policy, official booking, public opening, visitor rules and current wayfinding take precedence. The service cannot grant admission, offers, scholarships, entry, bookings or access.

Operational services and permissions

Lift, door, network, power, amenities, maintenance and closures come from authorised feeds. The service cannot operate systems or override organisers, admissions staff, security, accessibility, facilities, IT or transport authorities.

Emergency and high-consequence answers

Certified alarms and official emergency communications take precedence. Relay current instructions and defer to staff/responders; never diagnose the incident or optimise routes contrary to official directions.

FINAL ANSWERABILITY RULE

Answer only when the required programme, room, entrance, route or amenity evidence, requested interval, source authority, spatial coverage, quality threshold, permissions, privacy, accessibility and safety constraints are adequate. Otherwise ask for clarification, omit unsupported criteria, return confirmed facts with explicit uncertainty, restrict disclosure, defer to the organiser or responsible service, or mark the analytical part not assessable.