


Stakeholder Question Catalogue

Regulatory and Institutional Compliance Teams

80 operational questions for evidence-led, privacy-preserving and accountable building compliance conversations



EVIDENCE

Separate authoritative records, observed conditions, derived analysis and unresolved gaps.

BOUNDARIES

Support accountable judgement without legal advice, certification, approval, control or hidden certainty.

ACTION

Name the competent owner, evidence request, decision point or escalation that must happen next.

Purpose

This catalogue helps regulatory and institutional compliance teams ask decision-ready questions about Abacws. Each card connects one operational decision to proposed evidence, named authoritative owners, source precedence, time and provenance rules, a minimum-evidence test, safe failure and a concrete accountable action.

PROPOSED BY DEFAULT

Sensors, integrations and analytics remain proposals until deployment, mapping, commissioning, permission and current health are independently verified.

HISTORICAL PLAN ONLY

The May 2021 floor plan supports spatial orientation only. It cannot establish current room use, access, services, hazards, capacity or closures.

AUTHORITY FIRST

Current source owners, competent professionals, authorised governance and regulators take precedence over telemetry, analytics and older documents.

SAFE FAILURE

When minimum evidence is absent, the service states the gap, preserves uncertainty and routes the matter. It never manufactures a positive answer.

Catalogue map

1	Obligations, registers, scope and applicability	RC-001 to RC-010	Pages 5-9
2	Policies, responsibilities and accountable owners	RC-011 to RC-020	Pages 10-14
3	Assets, activities, services and regulated conditions	RC-021 to RC-030	Pages 15-19
4	Monitoring, inspections, evidence and data quality	RC-031 to RC-040	Pages 20-24
5	Incidents, breaches, complaints and escalation	RC-041 to RC-050	Pages 25-29
6	Change control, approvals, records and retention	RC-051 to RC-060	Pages 30-34
7	Audits, actions, exceptions and assurance boundaries	RC-061 to RC-070	Pages 35-39
8	Reporting, governance, review and continuous improvement	RC-071 to RC-080	Pages 40-44

One card, one decision-ready evidence conversation


STAKEHOLDER QUESTION A natural question a compliance team would genuinely ask, framed around a decision rather than a generic dashboard request.	SENSORS AND TELEMETRY Proposed coverage, physical location, sampling or event timing, aggregation, privacy limits, known failure modes and an independent verification gate.
AUTHORITATIVE SUPPORTING DATA Current owners and precedence, effective/observed/retrieved times, permissions, provenance, version, staleness and conflict handling.	ANALYSIS REQUIRED Operation type, decision interval, minimum evidence, method, material uncertainty and the safe-failure response when the test is not met.
ANSWER BOUNDARY What the service must not infer, disclose, promise, certify, authorise, advise, control or substitute for competent judgement.	WHY THIS IS USEFUL The concrete governance decision, inspection, evidence request, resource action, escalation or owner assignment that can happen next.

Interpretation discipline


AUTHORITATIVE Approved record owned by the competent source owner.	OBSERVED Time-stamped condition or event from a verified source.	DERIVED Transparent calculation or mapping with reproducible provenance.	UNRESOLVED Missing, stale, conflicted, outside scope or requiring judgement.
---	---	---	---

Evidence is sufficient only for a defined claim

A source is not sufficient evidence in the abstract. It is sufficient only for a defined claim, asset or location scope, period, decision interval and assurance need. The service follows the sequence below and stops when authority, permission, provenance, coverage, currency or minimum evidence is missing.



Keep three times distinct



SAFE-FAILURE RULE

If the minimum-evidence test is not met, the answer states what is missing, stale, conflicted, unpermissioned or outside scope; preserves uncertainty; and routes authority or competent judgement to the named owner. It must not infer compliance, certify, approve, submit, control equipment or conceal the gap.

RC-001

Category 1 of 8

STAKEHOLDER QUESTION

Which current external and institutional requirements require a documented applicability decision for Abacws, and which services, locations, activities and duty holders are within each proposed scope?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Read-only BMS status, utility meters, anonymous entrance counts and asset heartbeats across commissioned common areas; 5-minute capture, daily summaries, no identities. **Privacy / quality limits.** Coverage gaps, unconnected assets and changing activities mean telemetry can describe conditions but cannot establish legal applicability. **Independent verification gate.** Independently verify the BMS, meter, anonymous entrance-counter and asset-heartbeat points against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not provide legal advice, decide that an obligation applies, declare compliance, infer undocumented activity, or treat sensing as authoritative. Do not replace regulators, legal counsel or accountable institutional decision makers. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Institutional Compliance Office, Legal Services, Estates and competent safety leads. **Precedence:** The approved obligations register and current regulator or institutional direction over local spreadsheets, dashboards and the May 2021 plan. **Times / access / lineage.** **Effective time:** the requirement version and applicability-decision period. **Observed time:** the inventory snapshot and telemetry event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark entries not reviewed after an effective-date or material service change as stale. Keep conflicts with local procedures, contracts or operational evidence visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. join obligation clauses to the current service, activity, asset and location inventory, then classify mapped, not mapped or uncertain. **Decision interval:** quarterly and whenever a material change is proposed. **Minimum evidence / method.** A versioned obligations register plus current owners, uses and asset inventory. **Method:** rule-based applicability matrix followed by competent human review. **Uncertainty / safe failure.** Ambiguous definitions, undocumented activities and unmapped third parties. **Safe failure:** if the minimum-evidence test fails, return 'applicability unresolved', list missing evidence and route the case to Legal or Compliance.

WHY THIS IS USEFUL

Supports a scoped applicability review, assigns competent reviewers and prevents teams from relying on an incomplete or historical compliance picture.

RC-002

Category 1 of 8

STAKEHOLDER QUESTION

For every room, zone and building service, what use is currently authorised, what conditions attach to that use, and which requirements may be triggered?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Anonymous doorway counts, equipment-power state and temperature/CO2 telemetry in permissioned rooms; 1-minute observations aggregated to 15 minutes, with no trajectories or content. **Privacy / quality limits.** Occlusion, shared circuits, portable equipment and closed rooms limit any inference about actual use. **Independent verification gate.** Independently verify the doorway counters, room sensors and equipment-power mappings against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not identify occupants, infer research or teaching content, determine lawful use, certify a room, or authorise occupancy. The May 2021 plan may locate a room but cannot prove its present function. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Space Management, the local service owner, Estates and the relevant competent professional. **Precedence:** Approved room schedules, change-of-use approvals and operating licences over sensor patterns and the historical floor plan. **Times / access / lineage.** **Effective time:** the approved room-use or licence period. **Observed time:** the declared activity, booking, inspection and sensor times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark room-use records not confirmed after a move, refurbishment or service change as stale. Keep conflicts with booking data, permits, signage or observed conditions visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare approved room use with declared activities and condition indicators, then flag possible mismatches. **Decision interval:** monthly and on every proposed change of use. **Minimum evidence / method.** Current room owner, approved use, active services and at least four representative weeks of available telemetry where relevant. **Method:** spatial join plus exception rules and owner confirmation. **Uncertainty / safe failure.** Telemetry may reflect cleaning, maintenance or temporary events rather than normal use. **Safe failure:** if the minimum-evidence test fails, label the room 'current use unverified' and prohibit automated applicability conclusions.

WHY THIS IS USEFUL

Helps target change-of-use checks, update local registers and route rooms with uncertain status to the correct owner before decisions are made.

RC-003

Category 1 of 8

STAKEHOLDER QUESTION

Which compliance registers are required for Abacws, and which are missing, stale, duplicated, incomplete or without a current accountable owner?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Quarterly QR or RFID scans of fixed assets and locations, plus read-only register-system heartbeats; asset/location level only, no people. **Privacy / quality limits.** Unlabelled assets, inaccessible areas, duplicate tags and manual registers create unavoidable completeness limits. **Independent verification gate.** Independently verify the asset/location scans and register-system health records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not create a statutory register by inference, expose restricted register content, declare completeness without owner confirmation, or silently merge conflicting records. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Each statutory or institutional register owner, coordinated by Compliance and Information Governance. **Precedence:** Signed or approved register records and governing retention rules over discovery scans, exports and informal lists. **Times / access / lineage.** **Effective time:** the register approval and review period. **Observed time:** the scan and source-system record times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark registers past their stated review date or with no active owner as stale. Keep conflicts with asset systems, inspection records, departmental logs or contractor records visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile the register catalogue against obligations, assets, activities, owners and required review dates. **Decision interval:** monthly dashboard with a formal quarterly reconciliation. **Minimum evidence / method.** Register inventory, owner, purpose, scope, review date and source-system access. **Method:** completeness matrix, duplicate detection and exception sampling. **Uncertainty / safe failure.** Unregistered activities and paper-only records may remain invisible. **Safe failure:** if the minimum-evidence test fails, report gaps as 'not evidenced', never as absent, and require owner attestation.

WHY THIS IS USEFUL

Enables the compliance lead to appoint owners, recover missing registers, close duplicate records and schedule targeted verification.

RC-004

Category 1 of 8

STAKEHOLDER QUESTION

For each applicable requirement, can we trace the current effective source to an approved policy, procedure or local control that implements it?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. No physical sensor can prove legal currency Proposed repository audit telemetry can record publication, approval and supersession events; event-level capture with monthly summaries. **Privacy / quality limits.** Offline documents, external changes and incomplete version histories remain material limits. **Independent verification gate.** Independently verify the obligation, policy, procedure and local-control mappings against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not interpret legislation, promise that policy wording is legally sufficient, or substitute a repository timestamp for formal approval and competent advice. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Legal Services for external requirements and the named policy owner for institutional documents. **Precedence:** Official regulator publications or legal update service, then approved institutional policy, over cached copies and local guidance. **Times / access / lineage.** **Effective time:** the requirement, policy and control approval dates. **Observed time:** the mapping and export event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark a source not checked after its next-review or known commencement date as stale. Keep conflicts with superseded versions, regulator notices or local procedure wording visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. map each obligation to the policy clauses intended to implement it and test effective-date alignment. **Decision interval:** monthly, and within the institution's defined change-response window after a source update. **Minimum evidence / method.** Official source reference, effective date, current approved policy version and mapping owner. **Method:** version-aware clause mapping with manual legal validation. **Uncertainty / safe failure.** Commencement, transitional provisions and local interpretation may be uncertain. **Safe failure:** if the minimum-evidence test fails, show 'currency not confirmed' and block automated assurance statements.

WHY THIS IS USEFUL

Allows policy owners to prioritise updates, document the rationale for mappings and avoid operating from superseded requirements.

RC-005

Category 1 of 8

STAKEHOLDER QUESTION

Which exemptions, waivers, derogations or alternative controls are currently relied upon, and are their scope, conditions, owner and expiry still valid?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Condition telemetry only where an exception depends on measurable limits, such as occupancy, temperature or equipment status; 1-minute capture with daily exception summaries. **Privacy / quality limits.** Sensors cannot prove the validity, scope or continuing legality of an exemption. **Independent verification gate.** Independently verify the exception, waiver and compensating-control records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not grant, renew or interpret an exemption; do not disclose sensitive rationale beyond authorised roles; do not treat absence of a breach signal as proof that conditions are met. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. The approving authority named in the exception, with Compliance and Legal oversight. **Precedence:** Signed approval and its conditions over emails, dashboard flags or operational custom. **Times / access / lineage.** **Effective time:** the exemption or waiver validity and conditions. **Observed time:** the compensating-control check times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark an exception past its expiry, review date or triggering-condition change as stale. Keep conflicts with current conditions, asset status, policy revisions or a later authority decision visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. link each exception to affected obligations, locations, controls, conditions, owner and expiry. **Decision interval:** weekly, daily for time-critical conditions, and before any renewal. **Minimum evidence / method.** Signed approval, scope, conditions, expiry and current evidence for each condition. **Method:** exception ledger with temporal rules and condition checks. **Uncertainty / safe failure.** Conditions may be partly qualitative or outside sensor coverage. **Safe failure:** if the minimum-evidence test fails, mark the exception 'not currently evidenced' and escalate before continued reliance.

WHY THIS IS USEFUL

Supports timely renewal, withdrawal or replacement of temporary arrangements and reduces accidental reliance on expired approvals.

RC-006

Category 1 of 8

STAKEHOLDER QUESTION

Which changes in occupancy, activity, event scale, equipment, opening pattern or work conditions would trigger additional controls, approvals or notifications?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Anonymous footfall counters, temporary-power monitoring, environmental thresholds and permit-zone status across event and work areas; 1-minute observations aggregated to 15 minutes. **Privacy / quality limits.** Counters can undercount, temporary devices may be uninstrumented and activity type is not observable. **Independent verification gate.** Independently verify the booking, occupancy, equipment and service-change indicators against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer event content, hazardous activity or individual behaviour; do not authorise an event, impose a control or decide that a notification duty has arisen. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Compliance, event owners, Estates, Health and Safety and any specialist permit owner. **Precedence:** Approved trigger definitions and current permits over inferred occupancy or equipment patterns. **Times / access / lineage.** **Effective time:** the approval or notification trigger rules in force. **Observed time:** the detected change and event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark trigger rules not rechecked after policy, capacity or service change as stale. Keep conflicts with event bookings, work orders, room approvals or competent-professional advice visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. evaluate declared and observed conditions against a trigger matrix without deciding legal consequence. **Decision interval:** near-real-time for safety-related thresholds, otherwise before events and weekly. **Minimum evidence / method.** Approved thresholds, current capacity/use, active bookings or permits and healthy sensors where used. **Method:** rule evaluation plus owner confirmation. **Uncertainty / safe failure.** Unknown activities, sensor error and ambiguous thresholds. **Safe failure:** if the minimum-evidence test fails, issue a precautionary 'possible trigger' alert and route it; never suppress a trigger because evidence is missing.

WHY THIS IS USEFUL

Gives organisers and compliance owners time to obtain approvals, add controls or seek competent advice before a condition becomes critical.

RC-007

Category 1 of 8

STAKEHOLDER QUESTION

Are contractors, tenants, visitors, research projects and teaching activities included in the correct compliance scope, with interface duties explicitly allocated?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Permit check-in counts and work-zone asset/environment status, aggregated by zone and shift with no names or badge histories. **Privacy / quality limits.** Unregistered visitors, subcontractors, shared work areas and off-system projects make coverage incomplete. **Independent verification gate.** Independently verify the contractor access, induction and service-interface records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not inspect project content, research data, communications or personal access histories; do not determine employment or legal status; do not transfer accountability by inference. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Contract owner, project or activity sponsor, Space Management and Compliance. **Precedence:** Signed contracts, permits, project approvals and responsibility matrices over access counts or local assumptions. **Times / access / lineage.** **Effective time:** the contract, delegation and interface-duty periods. **Observed time:** the induction, access and service-event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark third-party records not updated after personnel, scope, location or contract change as stale. Keep conflicts with access records, work orders, booking systems or sponsor declarations visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile third-party activities, locations and responsibilities against the obligation and control map. **Decision interval:** before mobilisation, monthly during activity and at close-out. **Minimum evidence / method.** Current agreement, named sponsor, locations, activities, dates and responsibility allocation. **Method:** scope matrix with unresolved-responsibility flags and sample verification. **Uncertainty / safe failure.** Informal activity and subcontract chains may be missing. **Safe failure:** if the minimum-evidence test fails, classify as 'scope not confirmed' and require sponsor validation before relying on controls.

WHY THIS IS USEFUL

Helps contract and project owners close responsibility gaps, issue the right induction and include external parties in monitoring and escalation.

RC-008

Category 1 of 8

STAKEHOLDER QUESTION

Where do regulator requirements, institutional policies, contracts and local procedures overlap or conflict, and which authorised source takes precedence?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. No physical telemetry resolves rule conflicts. **Privacy / quality limits.** Proposed evidence indexes can attach condition summaries to each requirement at building, service and asset level; daily data refresh with monthly comparison. Missing mappings and changing source text constrain conclusions. **Independent verification gate.** Independently verify the requirement, contract, policy and local-procedure source copies against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not rank legal authority, resolve conflicts, advise which rule to ignore, or conceal contradictory instructions. Analytics may support navigation only. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Legal Services, Compliance and the owners of each affected policy domain. **Precedence:** Current external authority and formally approved institutional governance decisions over local practice. **Times / access / lineage.** **Effective time:** the authoritative requirement, policy and contract versions in force. **Observed time:** the source retrieval and operational-conflict times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark mappings not refreshed after either source changes as stale. Keep conflicts with different policy clauses, contracts, competent-professional instructions or regulator correspondence visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. build a clause-to-control crosswalk and identify duplicate, stricter, incompatible or unresolved requirements. **Decision interval:** quarterly and immediately after a material source change. **Minimum evidence / method.** Current texts, effective dates, scope statements, control owners and documented interpretations. **Method:** semantic-assisted mapping followed by legal and domain review. **Uncertainty / safe failure.** Wording similarity does not establish equivalence and hierarchy may be context-specific. **Safe failure:** if the minimum-evidence test fails, present conflicts without selecting a winner and refer them to the competent authority.

WHY THIS IS USEFUL

Supports a single coordinated control approach, avoids duplicated work and identifies matters requiring formal interpretation or governance decision.

RC-009

Category 1 of 8

STAKEHOLDER QUESTION

What has changed since the last scope review, and which changes require the applicability assessment or register mappings to be reopened?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Weekly change telemetry from BMS configuration, fixed-asset discovery, anonymous occupancy patterns and room-access state; summarised by zone with no identities. **Privacy / quality limits.** Firmware resets, seasonal patterns and unlogged physical changes can create false or missed signals. **Independent verification gate.** Independently verify the change-event logs, booking patterns and asset/service deltas against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer that a change is unauthorised, decide materiality where governance judgement is required, or treat sensor drift as proof of changed use. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Change owners in Estates, Space Management, IT, service teams and Compliance. **Precedence:** Approved change records, project handover and current inventories over automated change detection. **Times / access / lineage.** **Effective time:** the last approved scope baseline and each change effective date. **Observed time:** the change-event log, asset and booking observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark a baseline older than the last approved change or lacking retrieval time as stale. Keep conflicts with asset records, room schedules, permits, contracts or observed condition shifts visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare the last signed assessment baseline with current authoritative records and corroborated condition changes. **Decision interval:** weekly scan and formal assessment on material change. **Minimum evidence / method.** Dated baseline, complete versioned change history, current inventory/use and owner confirmation. **Method:** temporal diff, materiality rules and targeted evidence checks. **Uncertainty / safe failure.** Unrecorded changes and benign drift may be indistinguishable. **Safe failure:** if the minimum-evidence test fails, flag 'possible unassessed change' and require owner review before reuse of the old assessment.

WHY THIS IS USEFUL

Lets the compliance team reopen only affected assessments and prevents stale scope decisions from being carried forward unnoticed.

RC-010

Category 1 of 8

STAKEHOLDER QUESTION

Which applicability or scope decisions remain unresolved, what evidence is missing, and which competent owner must decide each case by when?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Targeted evidence packs may combine zone conditions, asset state and anonymous service-use counts for the disputed scope; time-bounded and aggregated. **Privacy / quality limits.** Telemetry cannot answer questions of legal interpretation, institutional mandate or professional judgement. **Independent verification gate.** Independently verify the open applicability cases, evidence requests and decision logs against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not fabricate certainty, select an interpretation, provide legal advice or disclose privileged material. Do not let an unanswered question silently default to compliant. Only the authorised applicability owner may record the formal scope decision.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Compliance triage owner, Legal Services and the relevant competent professional or governance body. **Precedence:** Formal opinions and accountable decisions over analytics, precedent notes or informal advice. **Times / access / lineage.** **Effective time:** the case target and decision due dates. **Observed time:** the evidence-request and response times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark open questions with no review date or evidence refreshed after material change as stale. Keep conflicts with different expert opinions, regulator guidance or local facts visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. classify uncertainty by missing fact, ambiguous rule, conflicting authority or competence gap and route accordingly. **Decision interval:** weekly open-case review and before any dependent decision. **Minimum evidence / method.** Question statement, affected scope, evidence pack, owner and decision deadline. **Method:** structured uncertainty register and responsibility routing. **Uncertainty / safe failure.** Some matters remain irreducibly judgement-based. **Safe failure:** if the minimum-evidence test fails, state 'decision required by named authority' and prevent the service from supplying a substitute answer.

WHY THIS IS USEFUL

Creates a defensible queue of unresolved matters, assigns the right decision maker and makes dependencies visible to operational teams.

RC-011

Category 2 of 8

STAKEHOLDER QUESTION

Are all policies governing Abacws current, approved, accessible to authorised users and explicitly linked to the obligations and controls they address?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. No physical sensor can establish policy validity. Proposed document-repository telemetry records approval, publication, acknowledgement and supersession events; event-level logs summarised monthly. **Privacy / quality limits.** Paper copies, offline local instructions and incomplete metadata remain gaps. **Independent verification gate.** Independently verify the policy-repository metadata, publication copies and access links against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Each policy owner, Policy Governance, Compliance and Legal Services. **Precedence:** The signed approved version and formal governance record over intranet copies, training slides and local summaries. **Times / access / lineage.** **Effective time:** the policy approval, publication and withdrawal dates. **Observed time:** the repository and access-check times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark a policy beyond its review date or not reassessed after a mapped obligation changes as stale. Keep conflicts with procedure text, local practice, regulator direction or another approved policy visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. map policy clauses to obligations, owners, controls and review dates, then test approval and currency. **Decision interval:** monthly and after any source or policy change. **Minimum evidence / method.** Approved policy file, decision record, effective date, owner and obligation mapping. **Method:** version graph, clause crosswalk and owner attestation. **Uncertainty / safe failure.** A mapping can be incomplete even when wording appears similar. **Safe failure:** if the minimum-evidence test fails, show unmapped or unapproved status and block claims that policy coverage is complete.

ANSWER BOUNDARY

Do not approve policy, interpret legal sufficiency or expose restricted drafts. A publication timestamp is not a governance decision. Only the accountable governance owner may assign, delegate or approve responsibility.

WHY THIS IS USEFUL

Allows policy governance to schedule updates, close unmapped obligations and retire uncontrolled local copies.

RC-012

Category 2 of 8

STAKEHOLDER QUESTION

For each obligation, control, register, exception and report, who is accountable, who performs the work, who verifies it and who may approve or escalate?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Workflow assignment and CMMS ownership telemetry at role level, refreshed daily and reported by function, not individual performance. **Privacy / quality limits.** Shared mailboxes, vacancies and manual delegation can make system ownership misleading. **Independent verification gate.** Independently verify the RACI assignments, workflow queues and control-owner records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Institutional governance, Human Resources, Compliance and the relevant service executive. **Precedence:** Formally approved role descriptions, delegations and governance decisions over workflow assignees or historic contact lists. **Times / access / lineage.** **Effective time:** the delegation and RACI effective periods. **Observed time:** the task execution and verification workflow times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark ownership records after a role, structure or delegation change as stale. Keep conflicts with policy RACI tables, contracts, committee decisions or operational assignment visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. construct a responsibility graph and find missing, duplicated or circular accountability. **Decision interval:** weekly, and before accepting any assurance statement. **Minimum evidence / method.** Each obligation/control, one accountable role, responsible roles, deputies and escalation route. **Method:** RACI validation with separation-of-duties rules and owner confirmation. **Uncertainty / safe failure.** System assignment may show who acts, not who is accountable. **Safe failure:** if the minimum-evidence test fails, return 'accountability not evidenced' and escalate to governance rather than guessing.

ANSWER BOUNDARY

Do not assign accountability, infer responsibility from activity logs, publish personal data unnecessarily or treat a job title as proof of competence. Only the accountable governance owner may assign, delegate or approve responsibility.

WHY THIS IS USEFUL

Enables leadership to close orphaned controls, clarify escalation and ensure every obligation has an accountable institutional owner.

RC-013

Category 2 of 8

STAKEHOLDER QUESTION

Do delegated owners have current competence, formal authority, sufficient capacity and named cover to discharge their assigned compliance duties?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Training-system completion, professional-registration status and rota coverage aggregated by role and team; daily refresh, monthly summary, no individual performance scoring. **Privacy / quality limits.** External qualifications, informal mentoring and workload pressure may be missing. **Independent verification gate.** Independently verify the competence, delegation, workload and deputy records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Line management, Human Resources, professional competence owners and the delegating authority. **Precedence:** Approved competence criteria, current authorisations and verified qualifications over self-declaration or task completion. **Times / access / lineage.** **Effective time:** the delegation, competence-validity and rota periods. **Observed time:** the workload and availability evidence times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark credentials past expiry or delegations not rechecked after role or scope change as stale. Keep conflicts with training records, rota data, contractor competence files or professional advice visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare delegated tasks with required competence, authority and available cover. **Decision interval:** monthly and before high-risk or specialist work. **Minimum evidence / method.** Task profile, competence standard, current evidence, authorisation and backup role. **Method:** role-based gap analysis with expiry checks and manual validation. **Uncertainty / safe failure.** Competence quality cannot be inferred from attendance or system use. **Safe failure:** if the minimum-evidence test fails, report the delegation as 'not fully evidenced' and route work to a competent authority.

ANSWER BOUNDARY

Do not assess individual capability, infer poor performance, disclose sensitive HR data or authorise a person to undertake regulated work. Only the accountable governance owner may assign, delegate or approve responsibility.

WHY THIS IS USEFUL

Helps managers arrange training, reallocate work, renew authorisations and maintain safe cover without using surveillance as a proxy for competence.

RC-014

Category 2 of 8

STAKEHOLDER QUESTION

Do Abacws local procedures and work instructions implement the current institutional policies without omissions, contradictions or unauthorised local variation?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Repository version telemetry plus read-only operational indicators for the controls described, aggregated by procedure and zone. **Privacy / quality limits.** These signals can show possible divergence but cannot observe unrecorded steps, judgement or staff intent. **Independent verification gate.** Independently verify the local-procedure copies, point-of-work evidence and exception logs against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Local procedure owner, institutional policy owner and Compliance. **Precedence:** Approved institutional policy and formally authorised local procedure over informal checklists or customary practice. **Times / access / lineage.** **Effective time:** the institutional policy and procedure versions in force. **Observed time:** the point-of-work observation and exception times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark local instructions not reviewed after policy, asset or service change as stale. Keep conflicts with control telemetry, training material, work orders or staff-reported practice visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare policy requirements with local procedural steps, responsible roles and available evidence. **Decision interval:** quarterly and on every policy or material operational change. **Minimum evidence / method.** Current versions, mapping owner, control list and sample execution evidence. **Method:** clause-to-step traceability with walk-through sampling. **Uncertainty / safe failure.** A documented procedure may not represent actual practice and vice versa. **Safe failure:** if the minimum-evidence test fails, label gaps as needing validation; do not conclude non-compliance from text mismatch alone.

ANSWER BOUNDARY

Do not inspect private communications, attribute deviations to individuals, approve procedures or certify that implementation is effective. Only the accountable governance owner may assign, delegate or approve responsibility.

WHY THIS IS USEFUL

Supports targeted procedure updates, clearer work instructions and evidence-focused walk-throughs rather than broad, repetitive checking.

RC-015

Category 2 of 8

STAKEHOLDER QUESTION

Have vacancies, leave, restructuring, supplier changes or role transfers created unowned controls, lapsed approvals or single points of failure?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Role-directory and workflow telemetry, refreshed daily and summarised by role vacancy, unassigned queue and ageing; no individual productivity measures. **Privacy / quality limits.** Informal cover and delayed HR updates can distort the picture. **Independent verification gate.** Independently verify the role, rota, supplier and approval-workflow changes against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not disclose personal employment details, infer absence or competence, appoint replacements or treat workflow inactivity as evidence of vacancy. Only the accountable governance owner may assign, delegate or approve responsibility.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Human Resources, institutional governance, line management and Compliance. **Precedence:** Approved organisational structure and delegation records over workflow history and directory labels. **Times / access / lineage.** **Effective time:** the role, supplier and approval changes effective dates. **Observed time:** the vacancy, handover and workflow event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark role data not refreshed after a confirmed personnel or structure change as stale. Keep conflicts with policy ownership tables, committee terms, rota records or local declarations visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. diff current role/delegation records against the control and approval map. **Decision interval:** weekly and immediately after notified organisational change. **Minimum evidence / method.** Current structure, vacancies, delegations, control owners and approval thresholds. **Method:** responsibility graph diff with orphan and over-concentration rules. **Uncertainty / safe failure.** Acting arrangements may be valid but not recorded promptly. **Safe failure:** if the minimum-evidence test fails, flag affected controls as 'owner confirmation required' and prevent automatic approval routing.

WHY THIS IS USEFUL

Lets leaders put interim cover in place, update delegations and protect time-sensitive obligations during organisational change.

RC-016

Category 2 of 8

STAKEHOLDER QUESTION

Which staff, students and contractors require induction, role-specific instruction or refresher training, and can completion and currency be evidenced?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Learning-platform completion and induction check-in data, aggregated by role, organisation and work area; daily refresh with monthly reporting, no test answers or behavioural tracking. **Privacy / quality limits.** Offline briefings and identity-matching errors may cause gaps. **Independent verification gate.** Independently verify the training, induction and competence-system records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not expose learner scores, infer capability or misconduct, deny access automatically, or claim that course completion alone satisfies an obligation. Only the accountable governance owner may assign, delegate or approve responsibility.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Training owner, line or contract manager, Human Resources and Compliance. **Precedence:** Approved training requirement matrix and verified completion record over attendance estimates or access activity. **Times / access / lineage.** **Effective time:** the training requirement and competence-validity period. **Observed time:** the completion, assessment and refresher times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark completion past its validity period or training content superseded as stale. Keep conflicts with role assignment, contractor list, project dates or local induction records visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. match in-scope populations to mandatory learning and validity windows. **Decision interval:** weekly for new starters and monthly for established populations. **Minimum evidence / method.** Current population list, role requirements, course version, completion and expiry. **Method:** set reconciliation with exception categories and manager confirmation. **Uncertainty / safe failure.** Completion does not prove understanding or competent practice. **Safe failure:** if the minimum-evidence test fails, report 'training evidence missing or expired' without judging the individual.

WHY THIS IS USEFUL

Supports targeted reminders, scheduling and contractor mobilisation decisions while preserving proportionality and human oversight.

RC-017

Category 2 of 8

STAKEHOLDER QUESTION

For each compliance concern, are the escalation route, decision rights, response target, fallback contact and required evidence clear and current?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Incident-workflow routing, acknowledgement and hand-off timestamps, aggregated by case type and severity; no message content or individual performance dashboards. **Privacy / quality limits.** Cases managed by phone or email may be absent. **Independent verification gate.** Independently verify the case-routing, contact, acknowledgement and escalation timestamps against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not read complaint or incident content without permission, rank staff performance, make the decision or bypass established emergency channels. Only the accountable governance owner may assign, delegate or approve responsibility.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Compliance, incident management owner and the governance body that sets decision rights. **Precedence:** Approved escalation matrix, on-call arrangements and committee delegations over historic routing behaviour. **Times / access / lineage.** **Effective time:** the escalation standard and contact-rota effective dates. **Observed time:** the concern, acknowledgement and escalation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark routes not revalidated after role, contact or policy change as stale. Keep conflicts with incident plans, contracts, emergency arrangements or local contact lists visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. test each concern type against a complete route from reporter to accountable decision maker. **Decision interval:** monthly, and before major events or service changes. **Minimum evidence / method.** Case taxonomy, severity rules, response targets, primary and fallback contacts. **Method:** path validation, timeout simulation and tabletop sampling. **Uncertainty / safe failure.** Real incidents may require judgement outside the standard route. **Safe failure:** if the minimum-evidence test fails, show 'route incomplete' and present approved emergency contacts; never invent an escalation.

WHY THIS IS USEFUL

Enables owners to repair broken routes, update contact arrangements and rehearse time-critical escalations before they are needed.

RC-018

Category 2 of 8

STAKEHOLDER QUESTION

Are inspection, assurance and approval roles sufficiently independent, and are conflicts of interest declared, assessed and controlled?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Workflow metadata can show requester, operator, checker and approver roles at transaction level, with quarterly aggregated separation-of-duties indicators. **Privacy / quality limits.** It cannot infer personal interests, bias or informal influence. **Independent verification gate.** Independently verify the assurance assignments, declarations and reviewer-access records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer motives, accuse individuals, disclose confidential declarations or decide whether a conflict is acceptable. Only the accountable governance owner may assign, delegate or approve responsibility.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Governance, Internal Audit or assurance owner, Human Resources and the relevant approval authority. **Precedence:** Approved independence and conflict-declaration rules over workflow role patterns. **Times / access / lineage.** **Effective time:** the assurance assignment and independence requirements in force. **Observed time:** the declaration and reviewer-activity times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark declarations or role mappings past review or changed after reorganisation as stale. Keep conflicts with committee membership, contracts, declared interests or assurance terms of reference visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare role combinations and declared relationships with independence rules. **Decision interval:** quarterly and before significant assurance or certification decisions. **Minimum evidence / method.** Transaction roles, assurance scope, declared interests and approval criteria. **Method:** separation-of-duties checks plus confidential human review. **Uncertainty / safe failure.** Undeclared interests and contextual conflicts cannot be detected reliably. **Safe failure:** if the minimum-evidence test fails, flag 'independence requires review' without alleging a conflict.

WHY THIS IS USEFUL

Helps governance assign alternative reviewers, document safeguards and protect the credibility of assurance decisions.

RC-019

Category 2 of 8

STAKEHOLDER QUESTION

Are equality, accessibility and reasonable-adjustment duties translated into named operational responsibilities, service standards and escalation routes?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Automatic-door, lift, accessible-WC alarm and route-status telemetry at asset level; event capture with 5-minute health summaries, no user identity. **Privacy / quality limits.** It cannot observe every barrier, hidden disability or quality of assistance. **Independent verification gate.** Independently verify the accessibility service checks, requests and published arrangements against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer disability, identify users, decide what adjustment is reasonable, certify accessibility or direct a person into an unverified route. Only the accountable governance owner may assign, delegate or approve responsibility.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Equality, Diversity and Inclusion, Disability Services, Estates and local service owners. **Precedence:** Approved accessibility standards, adjustment decisions and competent access assessments over sensor availability or historical layouts. **Times / access / lineage.** **Effective time:** the accessibility duty, service standard and arrangement-validity period. **Observed time:** the route, service and request observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark asset and procedure records not reviewed after a reported barrier or physical change as stale. Keep conflicts with user reports, inspections, maintenance records or emergency plans visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. map accessibility duties and approved adjustments to assets, routes, services and owners. **Decision interval:** daily for asset availability, formal review monthly and after any barrier report. **Minimum evidence / method.** Current access assessment, asset status, service plan and responsible owner. **Method:** requirement-to-control mapping with barrier triage and human confirmation. **Uncertainty / safe failure.** Telemetry cannot capture experiential accessibility or individual need. **Safe failure:** if the minimum-evidence test fails, report a possible barrier and offer approved alternative routes through authorised channels.

WHY THIS IS USEFUL

Supports prompt repair, service adjustment and ownership of barriers while keeping personal needs with authorised support teams.

RC-020

Category 2 of 8

STAKEHOLDER QUESTION

Who carries compliance responsibility outside normal hours, and are duty, emergency, deputy and handover arrangements current and testable?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Alarm acknowledgement, on-call routing and critical-asset status telemetry, event-level with weekly response summaries; no audio, message content or individual ranking. **Privacy / quality limits.** Phone-only actions, network outages and shared devices create gaps. **Independent verification gate.** Independently verify the duty rosters, handovers, call trees and out-of-hours access logs against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not publish personal contact details broadly, infer staff location, measure productivity or replace emergency services and established response procedures. Only the accountable governance owner may assign, delegate or approve responsibility.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Emergency planning, Estates operations, security and each specialist on-call owner. **Precedence:** Approved rota, emergency plan and delegated authority over system login history or assumed availability. **Times / access / lineage.** **Effective time:** the duty-rota and handover-arrangement validity. **Observed time:** the call, response and access-event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark rota or contacts not refreshed after shift, role or service change as stale. Keep conflicts with incident logs, contractor cover, access permissions or local notices visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. verify end-to-end coverage for each critical concern, including fallback and decision authority. **Decision interval:** weekly and before closures, holidays or major events. **Minimum evidence / method.** Current rota, contact validation, access rights, escalation target and fallback route. **Method:** coverage matrix and communication-path test. **Uncertainty / safe failure.** Presence on a rota does not guarantee real-time availability. **Safe failure:** if the minimum-evidence test fails, use the approved emergency route, show uncertainty and never delay urgent action awaiting analytics.

WHY THIS IS USEFUL

Enables managers to close rota gaps, test fallback routes and confirm that authorised responders can access the information they need.

RC-021

Category 3 of 8

STAKEHOLDER QUESTION

Which Abacws assets are regulated, safety-critical or subject to mandatory inspection, and can every asset be matched to its current owner, location and maintenance regime?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Fixed-asset tags, BMS discovery and quarterly QR surveys across plant, life-safety, access and environmental systems; asset-level data, no people. **Privacy / quality limits.** Hidden components, portable items, duplicate identifiers and inaccessible areas limit completeness. **Independent verification gate.** Independently verify the asset tags, inspection status, maintenance and fixed-location records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not classify an asset as legally regulated, certify it safe, expose security-sensitive locations unnecessarily or control equipment. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Estates asset owner, specialist system owner, Finance asset management and Compliance. **Precedence:** Verified asset register and commissioning or handover records over network discovery and historical lists. **Times / access / lineage.** **Effective time:** the asset status, inspection requirement and maintenance-regime validity. **Observed time:** the scan, test and maintenance-event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark assets not physically verified within the risk-based interval or after replacement as stale. Keep conflicts with maintenance systems, drawings, certificates, contractor records or observed identifiers visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile discovered and surveyed assets with the regulated-asset register and inspection schedule. **Decision interval:** monthly, with risk-based physical verification. **Minimum evidence / method.** Unique asset ID, location, owner, class, commissioning status and inspection requirement. **Method:** record linkage, duplicate detection and stratified spot checks. **Uncertainty / safe failure.** Unlabelled and embedded assets may remain unknown. **Safe failure:** if the minimum-evidence test fails, report unmatched items for survey and never assume an undiscovered asset is absent.

WHY THIS IS USEFUL

Supports inspection planning, owner assignment, replacement decisions and recovery of assets missing from mandatory schedules.

RC-022

Category 3 of 8

STAKEHOLDER QUESTION

Where might actual room or zone use differ from the currently approved use, operating envelope or service conditions?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Anonymous occupancy counts, equipment-power state, temperature, CO2 and noise-level summaries by zone; 1-minute sampling aggregated to 15 minutes, no speech or device identities. **Privacy / quality limits.** Temporary activity and sensor ambiguity prevent reliable activity classification. **Independent verification gate.** Independently verify the room counters, environmental points, bookings and approved-use records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer research content, teaching activity, speech, individual behaviour or unlawful use. Do not use the May 2021 plan as evidence of current room function. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Space Management, local service owner, event or project sponsor and competent safety lead. **Precedence:** Approved room use, booking conditions and change approvals over patterns inferred from telemetry. **Times / access / lineage.** **Effective time:** the approved room-use and operating-envelope period. **Observed time:** the booking, count and environmental-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark use records not confirmed after refurbishment, relocation or repeated anomaly as stale. Keep conflicts with bookings, permits, signage, inspection notes or owner declarations visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare approved conditions with declared bookings and non-identifying condition anomalies. **Decision interval:** daily exception scan and monthly owner review. **Minimum evidence / method.** Current approved use, capacity, permitted equipment, active bookings and healthy relevant sensors. **Method:** rule-based exception detection with contextual confirmation. **Uncertainty / safe failure.** Conditions cannot reveal purpose and may reflect cleaning or maintenance. **Safe failure:** if the minimum-evidence test fails, state 'possible mismatch' and request owner verification; do not enforce or accuse.

WHY THIS IS USEFUL

Helps owners identify where a booking, permit, risk assessment or room record may need updating before use continues.

RC-023

Category 3 of 8

STAKEHOLDER QUESTION

Which life-safety or other safety-critical systems are unavailable, impaired, isolated or overdue for test, and what authorised compensating controls are active?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Read-only status, fault and test-mode telemetry from commissioned fire, lift, emergency-lighting, ventilation and access systems; event capture with 1-minute health checks. **Privacy / quality limits.** Integration gaps, vendor semantics and common-mode network failure limit confidence. **Independent verification gate.** Independently verify the life-safety panel states, impairment logs and test records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not silence alarms, reset or control systems, declare them safe, replace statutory tests or instruct occupants contrary to emergency procedures. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. The competent system owner and approved maintenance provider, with Estates oversight. **Precedence:** Native panel records, signed test certificates and competent inspection over the integrated dashboard. **Times / access / lineage.** **Effective time:** the authorised impairment and compensating-control periods. **Observed time:** the alarm, isolation and test times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark status not refreshed within the system's criticality threshold or after maintenance as stale. Keep conflicts with panel display, work order, isolation record or manual inspection visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. correlate current states, recent tests, impairments and maintenance windows against approved operating expectations. **Decision interval:** near-real-time for alarms or impairments, daily for assurance. **Minimum evidence / method.** Healthy source connection, asset mapping, current test record and known maintenance context. **Method:** state reconciliation and temporal exception rules. **Uncertainty / safe failure.** Telemetry may lag, mistranslate proprietary states or fail with the system. **Safe failure:** if the minimum-evidence test fails, show 'status unverified', use the native system and escalate through approved emergency procedures.

WHY THIS IS USEFUL

Supports rapid impairment escalation, maintenance coordination and evidence-led checks without turning the catalogue into a control system.

RC-024

Category 3 of 8

STAKEHOLDER QUESTION

Are accessible entrances, routes, lifts, doors, toilets, refuges and assistance arrangements available as currently published, including temporary alternatives?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Asset-health telemetry from automatic doors, lifts, refuge communication and accessible-WC alarms, plus privacy-preserving route obstruction checks; event capture with 5-minute summaries. **Privacy / quality limits.** Temporary obstacles and experiential barriers may not be sensed. **Independent verification gate.** Independently verify the accessible door/lift status, route checks and service notices against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer disability or destination, track users, promise accessibility, certify a route or direct someone through an area not confirmed safe and open. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Estates accessibility asset owners, Disability Services, Security and local service management. **Precedence:** Current access assessment, approved route plan and native asset status over the historical floor plan or generic availability dashboard. **Times / access / lineage.** **Effective time:** the published accessible-service arrangement validity. **Observed time:** the door, lift, route-check and outage times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark route information after any fault, works or layout change as stale. Keep conflicts with user reports, inspection findings, work orders or event arrangements visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. combine approved route requirements with current asset availability and reported barriers. **Decision interval:** continuous status with daily service review and immediate response to critical faults. **Minimum evidence / method.** Current route definition, asset mapping, healthy status feeds and fallback arrangements. **Method:** route dependency graph with human verification. **Uncertainty / safe failure.** A technically available route may still be unusable for a particular person. **Safe failure:** if the minimum-evidence test fails, publish only verified availability, mark unknowns clearly and route support requests to authorised staff.

WHY THIS IS USEFUL

Enables prompt repairs, temporary assistance and accurate service information for affected users. It supports inspection, restriction, repair or service recovery by the competent owner.

RC-025

Category 3 of 8

STAKEHOLDER QUESTION

Are controlled stores, cabinets, cold storage and sensitive materials maintained within their approved environmental, segregation and access conditions?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Calibrated temperature, humidity, leak and door-open telemetry inside permissioned stores; 1-minute capture, 5-minute aggregates and threshold events, without identifying entrants. **Privacy / quality limits.** Sensor placement, calibration drift and unopened containers limit representation. **Independent verification gate.** Independently verify the store, cabinet, cold-storage and access-control points against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not identify entrants, infer exact contents, certify material integrity, authorise storage or remotely lock/unlock access. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. The material or store owner, competent safety professional, Estates and Security. **Precedence:** Approved storage specification, inventory and risk assessment over generic sensor thresholds. **Times / access / lineage.** **Effective time:** the approved storage conditions and access-authority period. **Observed time:** the temperature, door and stock-check times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark requirements or calibrations past review, or inventory changed materially as stale. Keep conflicts with manual checks, manufacturer data, access records or incident reports visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare time-aligned conditions and access events with approved limits and known maintenance or handling periods. **Decision interval:** near-real-time for excursions and weekly trend review. **Minimum evidence / method.** Current limits, calibrated sensors, mapped store, active inventory class and 90% data completeness for the interval. **Method:** temporal threshold analysis with duration and corroboration rules. **Uncertainty / safe failure.** Local gradients and sensor failure may hide exposure. **Safe failure:** if the minimum-evidence test fails, raise an 'environmental condition not verified' alert and require competent inspection.

WHY THIS IS USEFUL

Supports timely inspection, product or sample quarantine decisions by competent owners and maintenance of storage controls.

RC-026

Category 3 of 8

STAKEHOLDER QUESTION

In spaces with capacity or occupancy conditions, is there credible evidence that limits and event-specific controls are being respected?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Anonymous bidirectional doorway counters and CO2 context in selected rooms; 1-second events aggregated to 1- and 15-minute counts, with no images or identities. **Privacy / quality limits.** Tailgating, multiple entrances and sensor occlusion can under- or over-count. **Independent verification gate.** Independently verify the anonymous counts, admission tallies and event-control logs against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not identify or track people, make fire-safety decisions, authorise capacity, lock doors or promise that a room is safe because the estimate is below a limit. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Space Management, event owner, fire-safety competent person and local service owner. **Precedence:** Approved capacity and event conditions over sensor estimates and booking defaults. **Times / access / lineage.** **Effective time:** the capacity or event-control approval period. **Observed time:** the admission, count and steward-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark capacity records after layout, furniture, route or use change as stale. Keep conflicts with booking counts, steward observations, temporary closures or access restrictions visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. estimate occupancy range and compare it with approved limits, incorporating counter error and unmonitored entrances. **Decision interval:** near-real-time during relevant events and post-event review. **Minimum evidence / method.** Current capacity, mapped entrances, counter health and a verified starting state or reconciliation point. **Method:** bounded count estimation with conservative error margins. **Uncertainty / safe failure.** True occupancy may fall outside the estimate. **Safe failure:** if the minimum-evidence test fails, show a cautious range and trigger human verification; never declare exact occupancy or enforce access.

WHY THIS IS USEFUL

Helps event and space owners deploy stewards, pause admissions through authorised processes or investigate repeated capacity pressure.

RC-027

Category 3 of 8

STAKEHOLDER QUESTION

Are hazardous substances, controlled waste and other regulated materials stored, moved and collected under current authorised conditions?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Cabinet door-state, local ventilation status, leak detection, container-scale and waste-bin fill telemetry in approved areas; event capture with hourly aggregates, no user identity. **Privacy / quality limits.** Sensors cannot identify contents, compatibility, labelling or correct handling technique. **Independent verification gate.** Independently verify the storage sensors, container scans, waste-transfer and collection records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Hazardous-materials owner, waste manager, competent safety professional and authorised contractor. **Precedence:** Approved inventory, manifests, risk assessments and collection records over fill or door signals. **Times / access / lineage.** **Effective time:** the authorisation, storage and waste-arrangement validity. **Observed time:** the movement, scan, collection and transfer times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark inventory or contractor documentation after material, quantity or process change as stale. Keep conflicts with purchase records, inspections, transfer notes or incident reports visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile declared inventory and movements with condition telemetry and scheduled collections. **Decision interval:** daily exceptions and monthly formal reconciliation. **Minimum evidence / method.** Current inventory, container/location mapping, authorised routes, collection records and healthy relevant sensors. **Method:** mass-balance plausibility checks plus document and sample inspection. **Uncertainty / safe failure.** Weight changes are non-specific and uninstrumented movements remain invisible. **Safe failure:** if the minimum-evidence test fails, report unexplained variance and require competent investigation; never infer a specific substance.

ANSWER BOUNDARY

Do not identify handlers, classify unknown material, advise on disposal, certify containment or control ventilation and access. Do not command plant, doors, alarms or access systems, or authorise continued operation.

WHY THIS IS USEFUL

Supports collection scheduling, targeted inspections, inventory correction and early response to possible storage or containment problems.

RC-028

Category 3 of 8

STAKEHOLDER QUESTION

Are water hygiene, ventilation and indoor-environment control tasks and operating conditions being delivered as specified in current competent schemes?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Outlet temperature and flow, tank or plant status, ventilation airflow/pressure, CO₂, temperature and humidity telemetry at representative assets and zones; 1-minute capture with 15-minute and daily summaries. **Privacy / quality limits.** Sampling points cannot represent every outlet or breathing zone. **Independent verification gate.** Independently verify the water temperatures, flushing, ventilation and environmental-control records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Competent water-hygiene and ventilation owners, Estates and Health and Safety. **Precedence:** Approved risk assessments, written schemes, commissioning data and manual test records over generic thresholds or comfort guidance. **Times / access / lineage.** **Effective time:** the competent scheme and control-task schedule validity. **Observed time:** the temperature, flow, CO₂ and task-completion times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark risk controls after system, occupancy or use change, or tests beyond due date as stale. Keep conflicts with maintenance work, flushing logs, balancing reports or complaints visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare time-series conditions and completed control tasks with the current written scheme. **Decision interval:** near-real-time for critical excursions, weekly operational review and formal scheduled assessment. **Minimum evidence / method.** Current scheme, mapped assets/zones, calibrated data, task records and known operating context. **Method:** temporal compliance-support checks with representative-sampling caveats. **Uncertainty / safe failure.** Sensors do not test microbiological quality or all ventilation performance dimensions. **Safe failure:** if the minimum-evidence test fails, state 'condition evidence only' and route required sampling or inspection to a competent professional.

ANSWER BOUNDARY

Do not diagnose health risk, certify water or air quality, change plant controls or replace statutory and professional testing. Do not command plant, doors, alarms or access systems, or authorise continued operation.

WHY THIS IS USEFUL

Helps competent owners target sampling, investigate persistent excursions and verify that planned control tasks are being completed.

RC-029

Category 3 of 8

STAKEHOLDER QUESTION

For permit-controlled maintenance, construction or specialist work, are authorised scope, isolations, prerequisites, conditions and close-out evidence in place?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Read-only isolator state, temporary-power use, work-zone environmental conditions and permit check-in counts; event capture aggregated by permit and shift, no worker tracking. **Privacy / quality limits.** Manual isolations, shared circuits and work outside mapped zones limit assurance. **Independent verification gate.** Independently verify the permit, isolation, plant-state and close-out evidence against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not issue, extend or cancel permits, identify workers, judge competence, control plant or instruct work to continue or stop outside authorised procedures. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Permit issuer, project manager, competent contractor and Estates. **Precedence:** Signed permit, method statement, risk assessment and isolation record over telemetry or contractor presence. **Times / access / lineage.** **Effective time:** the permit, isolation and work-approval validity. **Observed time:** the start, plant-state, inspection and close-out times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark permits past expiry or after scope, personnel, equipment or condition change as stale. Keep conflicts with work orders, toolbox records, inspections or native system states visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare declared permit conditions and time window with corroborating asset and zone evidence. **Decision interval:** before start, during active shifts and at close-out. **Minimum evidence / method.** Valid permit, authorised scope, zone, responsible persons, isolation evidence and known exceptions. **Method:** condition checklist with time-bound exception alerts and human confirmation. **Uncertainty / safe failure.** Telemetry cannot prove every procedural step or safe system of work. **Safe failure:** if the minimum-evidence test fails, stop at 'condition mismatch or not evidenced' and escalate to the permit authority.

WHY THIS IS USEFUL

Supports permit holders in checking prerequisites, investigating unexpected states and completing safe, evidenced close-out.

RC-030

Category 3 of 8

STAKEHOLDER QUESTION

When Abacws is open, are mandatory notices, public access information, visitor controls and fallback services accurate and available?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Entrance and lift status, digital-signage uptime, queue counts and service-point environmental telemetry; 1-minute status with 15-minute aggregates, no facial recognition or content capture. **Privacy / quality limits.** Paper notices, staff-led services and temporary diversions may be missed. **Independent verification gate.** Independently verify the notice displays, access points, visitor systems and fallback-service checks against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer visitor identity or purpose, publish security-sensitive detail, declare the building safe/open, or override authorised closure and emergency messages. Do not command plant, doors, alarms or access systems, or authorise continued operation.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Building operations, Security, service desk, Communications and accessibility owners. **Precedence:** Approved opening status, service notices and emergency instructions over sensor availability or cached web information. **Times / access / lineage.** **Effective time:** the notice, access and visitor-control requirement validity. **Observed time:** the display-check, entry and fallback-service observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark public information after a closure, fault, event or route change as stale. Keep conflicts with on-site checks, incident decisions, event plans or help-desk updates visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile published service information with current verified operating and access states. **Decision interval:** every 5 minutes during opening and immediately after a change decision. **Minimum evidence / method.** Authorised opening decision, current asset/route status, notice version and fallback service. **Method:** state reconciliation with publication-age checks. **Uncertainty / safe failure.** A green device state does not prove the whole service is available. **Safe failure:** if the minimum-evidence test fails, mark uncertain services clearly and direct users to an authorised contact rather than promise availability.

WHY THIS IS USEFUL

Helps operations correct misleading information, arrange alternatives and reduce avoidable access and service failures.

RC-031

Category 4 of 8

STAKEHOLDER QUESTION

Which required inspections, tests and checks are due, overdue, incomplete or unusable because competence, scope, method, timing or evidence is inadequate?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Inspection-app timestamps, asset QR scans and native test-panel events, captured per task and summarised daily; no worker location tracking outside the task. **Privacy / quality limits.** Backdated records, offline forms and scan-without-inspection behaviour limit evidential strength. **Independent verification gate.** Independently verify the inspection schedules, test certificates and completion records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not judge professional competence, certify inspection quality, expose personal details beyond authorised need or close tasks automatically on a scan. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Inspection scheme owner, competent assessor, Estates or service manager and Compliance. **Precedence:** Signed inspection or test record and competence authorisation over app check-ins or sensor events. **Times / access / lineage.** **Effective time:** the inspection or test requirement and certificate-validity period. **Observed time:** the inspection, test and completion times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark tasks past due, records not linked to the current asset, or evidence after a scheme change as stale. Keep conflicts with work orders, certificates, panel logs or physical asset condition visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. match each mandated task to due date, asset, scheme, competent role and completion evidence. **Decision interval:** daily for overdue detection and monthly assurance. **Minimum evidence / method.** Current task schedule, asset register, authorised inspector list and signed result. **Method:** schedule reconciliation, identity/role validation and risk-based sample checks. **Uncertainty / safe failure.** A timestamp proves submission, not inspection quality. **Safe failure:** if the minimum-evidence test fails, report 'completion not adequately evidenced' and retain the task as open.

WHY THIS IS USEFUL

Allows managers to chase overdue work, correct asset links and commission reinspection where evidence is weak.

RC-032

Category 4 of 8

STAKEHOLDER QUESTION

For the compliance decision in question, does monitoring cover the relevant assets, locations, periods and failure modes well enough to support any conclusion?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Sensor inventory, placement map, health, sampling rate and data-completeness telemetry for every commissioned feed; hourly health and daily coverage summaries. **Privacy / quality limits.** Unknown blind spots, environmental gradients and uninstrumented assets remain explicit limitations. **Independent verification gate.** Independently verify the claim-specific sensors, inspection samples and coverage maps against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not imply that more sensors automatically create legal sufficiency, infer conditions in unmonitored areas or disclose sensitive sensor locations without permission. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Sensor service owner, asset owner, data steward and the competent compliance question owner. **Precedence:** Commissioning and placement records plus approved monitoring specification over dashboard presence. **Times / access / lineage.** **Effective time:** the claim period and authorised monitoring design. **Observed time:** the sensor, manual-sample and coverage-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark coverage maps after moves, failures, firmware changes or altered question scope as stale. Keep conflicts with physical surveys, network inventory, calibration records or manual observations visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare claim-required variables, locations, timing and quality against actual monitored coverage. **Decision interval:** per query, with weekly estate-wide coverage review. **Minimum evidence / method.** Defined claim, minimum evidence specification, current sensor map, health and completeness. **Method:** coverage matrix and spatial-temporal gap analysis. **Uncertainty / safe failure.** Representativeness cannot be guaranteed from availability alone. **Safe failure:** if the minimum-evidence test fails, return 'insufficient monitoring coverage' and list the exact gap; do not extrapolate silently.

WHY THIS IS USEFUL

Helps the team decide whether to answer, collect manual evidence, reposition sensing or narrow the claim.

RC-033

Category 4 of 8

STAKEHOLDER QUESTION

Are instruments and sensors correctly mapped, commissioned, calibrated where required, time-aligned and healthy for the claims they are being used to support?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Device self-tests, reference-check results, calibration dates and time-sync status, captured at source and summarised daily. **Privacy / quality limits.** Self-reported health cannot detect all bias, poor placement or systematic reference error. **Independent verification gate.** Independently verify the sensor inventory, calibration, clocks, commissioning and health telemetry against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Metrology or calibration owner, sensor service owner, competent engineer and data steward. **Precedence:** Traceable calibration certificate, commissioning record and approved specification over self-test status. **Times / access / lineage.** **Effective time:** the calibration and commissioning validity. **Observed time:** the measurement, health and clock-check times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark calibration past due, moved devices, altered firmware or unexplained drift as stale. Keep conflicts with reference instruments, manual spot checks, maintenance records or cross-sensor comparisons visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. verify suitability, calibration validity, placement and drift for each measurement used in a claim. **Decision interval:** before each material decision and monthly quality review. **Minimum evidence / method.** Device ID, specification, calibration, location, firmware, time sync and recent reference check. **Method:** fitness-for-purpose rules, drift detection and risk-based validation. **Uncertainty / safe failure.** Passing self-tests does not guarantee measurement accuracy. **Safe failure:** if the minimum-evidence test fails, exclude suspect data, state the resulting gap and request competent recalibration or replacement.

ANSWER BOUNDARY

Do not certify an instrument, invent corrected values, conceal drift or use data beyond its approved measurement purpose. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

WHY THIS IS USEFUL

Prevents weak measurements from entering reports and supports targeted calibration and sensor maintenance.

RC-034

Category 4 of 8

STAKEHOLDER QUESTION

Where are inspection records or monitoring intervals missing, delayed, corrupted or unavailable, and which decisions or reports must remain open as a result?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Device heartbeats, gateway sequence numbers and inspection-schedule events across all approved sources; minute-level health rolled to daily gap summaries. **Privacy / quality limits.** Intermittent networks, local buffering and clock errors can misstate exact gap timing. **Independent verification gate.** Independently verify the monitoring streams, inspection records and data-transfer status against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Inspection owner, sensor operations, system administrator and data steward. **Precedence:** Signed task records and source-system logs over downstream dashboard completeness. **Times / access / lineage.** **Effective time:** the inspection and monitoring requirement period. **Observed time:** the missing-record, transfer and recovery-event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark gap assessments not recalculated after late-arriving data or corrected records as stale. Keep conflicts with gateway logs, backups, manual checks or vendor status visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. detect temporal gaps, late data and missed tasks, then map them to dependent claims and decisions. **Decision interval:** daily and before report freeze. **Minimum evidence / method.** Expected schedule, source health, arrival times, completeness rules and claim dependencies. **Method:** sequence analysis, lateness windows and impact propagation. **Uncertainty / safe failure.** Some missing data may arrive later or be irrecoverable. **Safe failure:** if the minimum-evidence test fails, withhold affected conclusions, label the period and require alternative evidence or a revised decision.

ANSWER BOUNDARY

Do not fill gaps with fabricated data, imply normal conditions during silence, or hide missingness in averages. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

WHY THIS IS USEFUL

Lets teams reschedule inspections, recover data where possible and prevent unsupported conclusions from entering assurance reports.

RC-035

Category 4 of 8

STAKEHOLDER QUESTION

Can each evidence item be traced to its authoritative source, custodian, effective time, observed time, retrieved time, version and transformation history?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Source IDs, signed gateway logs, time-sync status, processing job hashes and immutable evidence manifests; event-level provenance with daily integrity checks. **Privacy / quality limits.** Legacy exports and manual transcription may lack complete lineage. **Independent verification gate.** Independently verify the source records, exports, hashes and transformation lineage against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not present a screenshot as authoritative, rewrite timestamps, conceal transformations or disclose restricted source data beyond permission. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Data owner, system owner, records manager and the accountable compliance evidence owner. **Precedence:** Native authoritative record and signed provenance chain over copied spreadsheets, screenshots or unversioned exports. **Times / access / lineage.** **Effective time:** the source-record validity period. **Observed time:** the creation, observation, export and transformation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark evidence without a retrievable source/version or after a transformation changes as stale. Keep conflicts with system logs, checksums, archived snapshots or custodian attestation visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. construct and validate an end-to-end provenance graph for each claim-supporting datum. **Decision interval:** at ingestion, on transformation and before every formal report. **Minimum evidence / method.** Source identity, effective/observed/retrieved times, version, permissions, transformations and checksum. **Method:** lineage validation, hash checks and reproducibility test. **Uncertainty / safe failure.** Manual steps may remain only partially evidenced. **Safe failure:** if the minimum-evidence test fails, mark evidence 'provenance incomplete' and exclude it from high-assurance claims unless accepted by the owner.

WHY THIS IS USEFUL

Supports defensible evidence packs, reproducible reporting and rapid investigation of disputed figures. It determines whether the claim can be answered, narrowed or held pending better evidence.

RC-036

Category 4 of 8

STAKEHOLDER QUESTION

Before escalating an anomaly, what independent evidence corroborates it, and what plausible sensor, context or data-processing explanations remain?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Paired sensors, native system events and targeted manual observations for critical conditions; raw capture at source with event windows and hourly summaries. **Privacy / quality limits.** Common-mode failures and shared environmental influences can create false corroboration. **Independent verification gate.** Independently verify the anomaly stream, independent point, inspection and operational context against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not suppress a safety alert awaiting corroboration, assert cause, identify people or treat two readings from the same failure path as independent. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. The relevant asset or service owner, sensor data steward and competent assessor. **Precedence:** Native safety system or competent observation over secondary analytics. **Times / access / lineage.** **Effective time:** the response threshold and operating-context validity. **Observed time:** the anomaly, corroboration and inspection times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark corroboration collected outside the relevant event window or from an unhealthy source as stale. Keep conflicts with maintenance context, user reports, independent instruments or inspection records visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. test temporal, spatial and causal consistency across at least two sufficiently independent evidence types. **Decision interval:** per critical event and weekly for lower-risk anomalies. **Minimum evidence / method.** Primary anomaly, source health, contextual records and one independent corroborating source where feasible. **Method:** multi-source correlation with independence and timing checks. **Uncertainty / safe failure.** Agreement does not prove causation and disagreement may remain unresolved. **Safe failure:** if the minimum-evidence test fails, report 'unconfirmed anomaly', preserve evidence and seek competent inspection.

WHY THIS IS USEFUL

Reduces false escalation while preserving precaution for genuinely urgent conditions. It determines whether the claim can be answered, narrowed or held pending better evidence.

RC-037

Category 4 of 8

STAKEHOLDER QUESTION

Are data collection, linkage, retention and disclosure permissions current, proportionate and limited to the stated compliance purpose?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Sensor configuration, data-flow inventory, access logs and retention telemetry at dataset and role level; daily summaries, no content inspection. **Privacy / quality limits.** Shadow systems, exports and verbal sharing can evade technical visibility. **Independent verification gate.** Independently verify the data-purpose approvals, access logs, linkage jobs and retention settings against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not give legal data-protection advice, infer consent, expose personal data, repurpose data or change permissions without the authorised owner. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Information Governance, Data Protection, Cyber Security, data owner and system owner. **Precedence:** Approved purpose, data-protection assessment, access decision and retention rule over technical capability or historic practice. **Times / access / lineage.** **Effective time:** the data-purpose approval and retention-schedule validity. **Observed time:** the collection, linkage, access and deletion-event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark permissions after purpose, role, dataset or risk changes as stale. Keep conflicts with contracts, privacy notices, consent where relevant, system configuration or audit logs visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare actual collection, fields, recipients, retention and access with approved purpose and permissions. **Decision interval:** weekly and before any new integration or secondary use. **Minimum evidence / method.** Current data-flow map, lawful/approved basis, role permissions, retention and processor terms. **Method:** purpose-limitation and least-privilege checks with exception review. **Uncertainty / safe failure.** Technical logs may not capture off-system use. **Safe failure:** if the minimum-evidence test fails, disable only through authorised processes, flag uncertainty and stop unapproved analytical use.

WHY THIS IS USEFUL

Supports permission cleanup, minimisation, renewal of approvals and prevention of function creep. It determines whether the claim can be answered, narrowed or held pending better evidence.

RC-038

Category 4 of 8

STAKEHOLDER QUESTION

Does the compliance view use the latest authorised records, expose stale copies and conflicts, and prevent silent overwrite by lower-precedence sources?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Source refresh, lineage, cache age and reconciliation telemetry for every dashboard tile; minute-level ingestion health with visible retrieved times. **Privacy / quality limits.** A successful refresh can still carry incorrect source data. **Independent verification gate.** Independently verify the authorised source copies, cache ages, conflicts and overwrite logs against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not silently choose among conflicting sources, hide data age, imply source correctness or present a dashboard as certification. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Each source-system owner, dashboard product owner and compliance data steward. **Precedence:** Native authoritative source and approved reconciliation decision over cached values or derived summaries. **Times / access / lineage.** **Effective time:** the authorised record versions in force. **Observed time:** the cache, export, overwrite and conflict-detection times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark data beyond the claim-specific freshness threshold or with failed lineage checks as stale. Keep conflicts with manual registers, late corrections, alternative source systems or owner decisions visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. validate source identity, retrieval age, transformation version and conflict status before displaying a claim. **Decision interval:** on every refresh and before report export. **Minimum evidence / method.** Source owner, freshness rule, successful lineage, quality status and conflict disposition. **Method:** data-contract validation and source-to-display reconciliation. **Uncertainty / safe failure.** Authoritative data can itself be incomplete or disputed. **Safe failure:** if the minimum-evidence test fails, display 'stale', 'conflicted' or 'unavailable' rather than a misleading normal value.

WHY THIS IS USEFUL

Lets users distinguish current evidence from stale convenience views and directs corrections to the right source owner.

RC-039

Category 4 of 8

STAKEHOLDER QUESTION

What minimum evidence is required for this exact claim and assurance need, and is that threshold met for the requested scope, location and period?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Claim-specific evidence inventory can expose available sensors, coverage, health, aggregation and gaps; evaluated at query time. **Privacy / quality limits.** It cannot manufacture missing authority, permissions or professional judgement. **Independent verification gate.** Independently verify the claim evidence set, coverage, currency and quality indicators against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not decide compliance, guarantee assurance level, extrapolate beyond scope or hide the difference between observed conditions and authoritative records. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. The accountable compliance decision owner, relevant competent professional and data owners. **Precedence:** The approved claim criteria and authoritative records over generic dashboard availability. **Times / access / lineage.** **Effective time:** the claim scope, period and assurance threshold. **Observed time:** each evidence observation and extraction time. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark evidence outside the decision period, permission or quality threshold as stale. Keep conflicts with manual inspection, source-owner statements, regulator correspondence or conflicting data visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. evaluate evidence against a predeclared claim-condition matrix. **Decision interval:** for every question and again at decision freeze. **Minimum evidence / method.** Defined claim, decision interval, required authority, coverage, quality, provenance and permissions. **Method:** minimum-evidence gate with uncertainty scoring and human sign-off. **Uncertainty / safe failure.** Some sufficiency thresholds are judgement-based and context-specific. **Safe failure:** if the minimum-evidence test fails, answer 'insufficient evidence' with missing elements; never soften the requirement to produce an answer.

WHY THIS IS USEFUL

Helps the stakeholder choose between answering now, narrowing the question, collecting more evidence or seeking competent assessment.

RC-040

Category 4 of 8

STAKEHOLDER QUESTION

Which recurring faults in coverage, calibration, clocks, metadata, ownership or data transfer most threaten decisions, and what remediation should be prioritised?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Sensor dropout, drift, clock offset, duplicate record, failed refresh and manual-entry correction metrics; hourly collection with weekly trend summaries. **Privacy / quality limits.** Quality indicators may miss systematic bias and unreported workarounds. **Independent verification gate.** Independently verify the fault logs, calibration drift, clock errors and mapping exceptions against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not rank staff, blame data entry teams, claim complete detection of bias or automatically retire an authoritative system. Do not substitute telemetry for a prescribed inspection, test or competent judgement.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Data steward, sensor operations, source-system owner and affected compliance owner. **Precedence:** Validated quality incidents and source-owner assessment over automated scores alone. **Times / access / lineage.** **Effective time:** the quality-control requirement and remediation-plan period. **Observed time:** the fault, drift, clock and mapping-exception times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark quality baselines after hardware, firmware, workflow or schema change as stale. Keep conflicts with calibration, help-desk, correction logs or user-reported discrepancies visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. trend quality defects, map them to dependent claims and prioritise by decision risk and recoverability. **Decision interval:** weekly operations and monthly governance review. **Minimum evidence / method.** Quality metrics, claim dependencies, incident history, repair cost and owner. **Method:** risk-weighted Pareto analysis with confidence bands. **Uncertainty / safe failure.** Low-frequency severe defects may be underrepresented. **Safe failure:** if the minimum-evidence test fails, prioritise conservatively, expose assumptions and require owner agreement before deprecating a source.

WHY THIS IS USEFUL

Supports a focused remediation backlog that improves the evidence most important to institutional decisions.

RC-041

Category 5 of 8

STAKEHOLDER QUESTION

Which incidents, alarms, excursions or control failures in the selected period require competent compliance assessment, evidence preservation or a notification decision?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Alarms, critical faults, threshold excursions and service-availability events from commissioned systems; event-level capture with daily summaries, no person identification. **Privacy / quality limits.** Uninstrumented events and alarm suppression within native systems may not appear. **Independent verification gate.** Independently verify the alarm, incident, excursion and control-failure evidence against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not determine that a breach occurred, advise on legal notification, identify affected people unnecessarily or delay emergency action. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Incident owner, relevant competent professional, Compliance and Legal Services where notification may arise. **Precedence:** Confirmed incident record and competent classification over telemetry alerts. **Times / access / lineage.** **Effective time:** the event-time rule set and control status. **Observed time:** the alarm, incident, recognition and containment times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark open incidents without updated status or events discovered after report cut-off as stale. Keep conflicts with manual reports, native panels, complaints, maintenance records or external notifications visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. detect and group candidate events, then match them to approved triage criteria without making the legal classification. **Decision interval:** near-real-time triage and daily case review. **Minimum evidence / method.** Event evidence, source health, affected asset/service, time window and current triage criteria. **Method:** event correlation, deduplication and human severity assessment. **Uncertainty / safe failure.** Alarms can be false, duplicated or incomplete. **Safe failure:** if the minimum-evidence test fails, create a candidate case, preserve evidence and route it promptly; never decide reportability.

WHY THIS IS USEFUL

Helps incident teams find potentially relevant events quickly and begin the authorised assessment and notification workflow.

RC-042

Category 5 of 8

STAKEHOLDER QUESTION

Do complaints, service requests and accessibility reports reveal a repeated, location-specific or systemic control weakness rather than isolated dissatisfaction?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Complaint metadata limited to time band, authorised location, issue category and resolution status, correlated with aggregate environmental or asset telemetry; no free-text analysis or complainant identity. **Privacy / quality limits.** Reporting bias and sparse complaints limit representativeness. **Independent verification gate.** Independently verify the complaint, request and accessibility-issue records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not analyse sensitive free text without approval, identify complainants, infer protected characteristics, dismiss a single serious complaint or declare systemic non-compliance. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Complaints Office, service owner, Compliance and any specialist case owner. **Precedence:** Authorised case record and formal classification over sensor correlation or keyword summaries. **Times / access / lineage.** **Effective time:** the service standard and complaint-handling rule validity. **Observed time:** the issue occurrence, receipt and follow-up times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark cases without current status or taxonomy changed since capture as stale. Keep conflicts with incident records, maintenance faults, access reports or repeated condition anomalies visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. cluster de-identified issue categories over time/location and test association with independent operational evidence. **Decision interval:** monthly, with urgent cases handled immediately through existing routes. **Minimum evidence / method.** Authorised case metadata, consistent taxonomy, minimum five comparable cases or a severity-based exception. **Method:** rate/trend analysis with denominator and corroboration checks. **Uncertainty / safe failure.** Complaints are not a random sample and causality cannot be inferred. **Safe failure:** if the minimum-evidence test fails, report a pattern hypothesis, not a finding, and route case content to authorised reviewers.

WHY THIS IS USEFUL

Supports targeted investigation, service improvement and evidence-based escalation while protecting complainant confidentiality.

RC-043

Category 5 of 8

STAKEHOLDER QUESTION

Has every suspected breach been triaged against a consistent severity, scope, evidence, ownership and escalation framework?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Incident workflow status, timestamps, affected service/asset and non-identifying impact indicators; event-level with daily ageing summaries. **Privacy / quality limits.** Case quality depends on human entry and off-system decisions may be missing. **Independent verification gate.** Independently verify the suspected-breach cases, triage fields and escalation events against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Incident manager, Compliance, Legal Services and the accountable service owner. **Precedence:** Signed or authorised triage decision over algorithmic severity scores. **Times / access / lineage.** **Effective time:** the triage criteria and escalation framework in force. **Observed time:** the suspected event, triage and escalation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark triage not revisited after material new evidence or beyond target time as stale. Keep conflicts with native alerts, complaints, inspection findings or external correspondence visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. validate required triage fields, compare with approved severity rules and identify inconsistent or overdue cases. **Decision interval:** hourly for urgent cases and daily for all open cases. **Minimum evidence / method.** Case ID, facts known, affected scope, preliminary severity, owner, next action and decision time. **Method:** rule consistency checks plus competent review. **Uncertainty / safe failure.** Severity rules may leave legitimate judgement ranges. **Safe failure:** if the minimum-evidence test fails, mark 'triage incomplete' and escalate; never assign a final breach status.

ANSWER BOUNDARY

Do not provide legal conclusions, override the incident lead, expose case details broadly or infer severity solely from telemetry magnitude. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

WHY THIS IS USEFUL

Improves consistency, ensures accountable ownership and prevents cases from remaining unassessed. It supports triage, evidence preservation and routing to the authorised decision maker.

RC-044

Category 5 of 8

STAKEHOLDER QUESTION

For each notifiable or internally reportable event, were decisions and notifications completed within the applicable time window by an authorised owner?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Workflow creation, approval, dispatch and acknowledgement timestamps, summarised per notification obligation; no message content. **Privacy / quality limits.** Manual phone calls, regulator portals and delayed acknowledgements may not be fully captured. **Independent verification gate.** Independently verify the notification decisions, submission receipts and deadline timestamps against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Incident lead, Legal Services, Compliance and the authorised notifying officer. **Precedence:** Verified dispatch receipt and approved decision record over workflow status. **Times / access / lineage.** **Effective time:** the reporting or notification rule and decision-authority period. **Observed time:** the event, decision, submission and receipt times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark notification evidence without recipient confirmation or after corrected event time as stale. Keep conflicts with email gateway, regulator portal receipt, telephone log or committee decision visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare confirmed trigger and decision times with required workflow milestones and approved deadlines. **Decision interval:** continuous for active cases and at closure. **Minimum evidence / method.** Authorised trigger determination, applicable deadline, time-zone rule, approvals and dispatch evidence. **Method:** deadline arithmetic with pause/exclusion rules validated by Legal. **Uncertainty / safe failure.** The service may not know when the legal clock began. **Safe failure:** if the minimum-evidence test fails, show 'deadline assessment requires legal confirmation' and escalate immediately when time may be short.

ANSWER BOUNDARY

Do not decide that notification is required, calculate legal deadlines without validated rules, send notices or disclose incident details. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

WHY THIS IS USEFUL

Helps authorised officers see missing steps early, preserve receipts and evidence timely handling. It supports triage, evidence preservation and routing to the authorised decision maker.

RC-045

Category 5 of 8

STAKEHOLDER QUESTION

After an incident was recognised, were immediate protective measures, access restrictions, evidence preservation and handover actions authorised and recorded?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Read-only alarm state, system snapshot hashes, configuration-change events and access to evidence vaults; event-level around the incident, with no remote control. **Privacy / quality limits.** Local manual actions and damaged systems may leave incomplete traces. **Independent verification gate.** Independently verify the protective-action, access-restriction, evidence-custody and handover records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not control systems, instruct emergency response, alter evidence, disclose forensic material or declare that protective action was sufficient. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Incident commander, system or asset owner, Records Management and Cyber Security where relevant. **Precedence:** Authorised incident log, native system state and forensic preservation record over dashboard snapshots. **Times / access / lineage.** **Effective time:** the emergency or control authority and action-validity period. **Observed time:** the recognition, protective-action, custody and handover times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark evidence captured after alteration without a documented chain as stale. Keep conflicts with maintenance actions, witness records, backups or physical inspection visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. build a time-ordered sequence of detection, protective action, evidence capture and later changes. **Decision interval:** immediately and at each incident handover. **Minimum evidence / method.** Trusted timestamps, action owner, control status, preserved artefacts and chain of custody. **Method:** timeline reconstruction and integrity verification. **Uncertainty / safe failure.** Clock offsets and emergency actions may create gaps. **Safe failure:** if the minimum-evidence test fails, preserve available evidence, label gaps and defer causal or adequacy judgement to competent investigators.

WHY THIS IS USEFUL

Supports defensible investigation, continuity of evidence and verification that urgent actions were assigned and recorded.

RC-046

Category 5 of 8

STAKEHOLDER QUESTION

Which near misses recur by asset, location, activity, contractor or control pathway, and what common weakness should be investigated first?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. De-identified near-miss category, asset/location and time metadata linked to aggregate condition telemetry; weekly summaries, no reporter identity or narrative mining. **Privacy / quality limits.** Under-reporting and taxonomy inconsistency can obscure patterns. **Independent verification gate.** Independently verify the near-miss cases, asset/location/activity coding and control references against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not identify reporters, infer blame or individual behaviour, claim causation or replace formal investigation. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Health and Safety, service owner, incident learning lead and Compliance. **Precedence:** Validated near-miss record and approved classification over sensor anomalies alone. **Times / access / lineage.** **Effective time:** the control requirement and near-miss classification period. **Observed time:** the event, report and investigation-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark records not reclassified after taxonomy change or lacking closure status as stale. Keep conflicts with work orders, inspection findings, complaints or incident records visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. trend recurrence by control, asset class, zone and operating context with exposure denominators. **Decision interval:** monthly and after any serious near miss. **Minimum evidence / method.** Consistent categories, at least three comparable events or severity override, exposure context and owner. **Method:** rate analysis, control-path clustering and confidence intervals. **Uncertainty / safe failure.** Reporting behaviour affects apparent frequency. **Safe failure:** if the minimum-evidence test fails, present possible recurrence and require human review; never dismiss low-count severe patterns.

WHY THIS IS USEFUL

Helps owners prioritise preventive action before a recurring weakness becomes a harmful incident. It supports triage, evidence preservation and routing to the authorised decision maker.

RC-047

Category 5 of 8

STAKEHOLDER QUESTION

Could an incident or service failure have created disproportionate barriers or harm for disabled, vulnerable or otherwise protected users, and were support arrangements activated?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Accessibility-asset status, service interruption and approved assistance-request counts aggregated by time and area; no health data, identities or movement tracking. **Privacy / quality limits.** Hidden needs and unreported impacts cannot be inferred. **Independent verification gate.** Independently verify the accessible-service failures, assistance activations and anonymised impact records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer disability or protected characteristics, disclose identities, decide reasonable adjustments or quantify personal harm from telemetry. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Disability Services, Equality team, incident lead and the authorised case owner. **Precedence:** Confidential authorised case evidence and approved adjustment plans over asset telemetry. **Times / access / lineage.** **Effective time:** the service and adjustment arrangements in force. **Observed time:** the barrier, harm-report and support-activation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark support status after the incident evolves or affected-service scope changes as stale. Keep conflicts with complaints, assistance logs, access reports or service-owner confirmation visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. map affected services and accessibility dependencies to approved support arrangements, without identifying individuals. **Decision interval:** during incident response and at formal after-action review. **Minimum evidence / method.** Verified incident scope, affected service/route, approved fallback and authorised impact data. **Method:** dependency analysis and confidential human assessment. **Uncertainty / safe failure.** Absence of requests does not mean absence of impact. **Safe failure:** if the minimum-evidence test fails, state 'potential differential impact requires specialist review' and route to authorised teams.

WHY THIS IS USEFUL

Supports inclusive incident response, activation of alternatives and evidence for subsequent equality review.

RC-048

Category 5 of 8

STAKEHOLDER QUESTION

Are contractor, tenant and visitor incidents captured, investigated and escalated through the same evidence and governance standards as institutional incidents?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Permit/work-order references, contractor check-in counts and zone condition events aggregated per job; no worker tracking or content. **Privacy / quality limits.** Off-system subcontractor reports and shared work zones can break linkage. **Independent verification gate.** Independently verify the contractor, tenant and visitor case feeds and interface notifications against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not disclose worker identities, determine liability, accept contractor conclusions as certification or inspect unrelated commercial information. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Contract owner, principal contractor where applicable, incident lead and Compliance. **Precedence:** Contractual reporting record and authorised institutional incident case over access or work-order signals. **Times / access / lineage.** **Effective time:** the contract and interface-incident duties in force. **Observed time:** the event, partner-notification and institutional-intake times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark cases not updated after contractor investigation or contract close-out as stale. Keep conflicts with permit logs, insurer reports, maintenance records or regulator correspondence visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile contractor-reported events with institutional case, asset, location and escalation records. **Decision interval:** daily for active work and at contract performance review. **Minimum evidence / method.** Contract/job ID, incident reference, affected scope, reporting responsibility, evidence and current owner. **Method:** cross-system record linkage with unresolved-match queue. **Uncertainty / safe failure.** Naming and timing differences may prevent confident linkage. **Safe failure:** if the minimum-evidence test fails, keep possible duplicates open and require contract-owner confirmation.

WHY THIS IS USEFUL

Ensures external incidents enter institutional learning, action tracking and notification assessment without duplication or omission.

RC-049

Category 5 of 8

STAKEHOLDER QUESTION

How strong is the evidence for the recorded root cause, which causal links are demonstrated, and which alternative explanations remain unresolved?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. High-resolution event windows from independent asset, environmental and workflow sources, with clocks synchronised and data frozen; no personal content. **Privacy / quality limits.** Missing events, common causes and post-incident changes can prevent causal reconstruction. **Independent verification gate.** Independently verify the root-cause evidence, test results, interviews and alternative hypotheses against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Formal investigation lead and relevant competent technical owners. **Precedence:** Approved investigation evidence and signed conclusions over automated correlation. **Times / access / lineage.** **Effective time:** the causal standard and investigation scope. **Observed time:** the event, test, interview and analysis times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark evidence added or corrected after the analysis freeze without version update as stale. Keep conflicts with witness accounts, maintenance history, design records or laboratory tests visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. construct competing causal timelines and test whether each is consistent with observed and authoritative evidence. **Decision interval:** at investigation milestones, not as a live automated verdict. **Minimum evidence / method.** Preserved evidence set, validated timestamps, system context and at least one alternative hypothesis. **Method:** fault-tree or causal-graph analysis with sensitivity checks. **Uncertainty / safe failure.** Correlation, missing data and latent causes limit inference. **Safe failure:** if the minimum-evidence test fails, report supported, unsupported and unresolved hypotheses; never select blame automatically.

ANSWER BOUNDARY

Do not accuse individuals, determine liability, provide legal conclusions or present model confidence as proof of cause. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

WHY THIS IS USEFUL

Helps investigators request the right additional evidence and communicate causal uncertainty honestly. It supports triage, evidence preservation and routing to the authorised decision maker.

RC-050

Category 5 of 8

STAKEHOLDER QUESTION

Which incidents, suspected breaches and escalations remain open, who owns the next decision, what evidence is missing and what is blocking closure?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Case status, owner role, due date, dependency and evidence-completeness telemetry, refreshed hourly and summarised daily; no case narrative or individual performance ranking. **Privacy / quality limits.** Off-system decisions and sensitive dependencies may be hidden. **Independent verification gate.** Independently verify the open-case queues, ownership, evidence requests and blocker records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Incident manager, Compliance case owner and accountable service executive. **Precedence:** Authorised case record and decision log over task-system status. **Times / access / lineage.** **Effective time:** the case status, target and authority period. **Observed time:** the last action, evidence-request, response and blocker times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark cases without owner update by the defined interval or after new material evidence as stale. Keep conflicts with legal advice, investigation records, corrective actions or regulator correspondence visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. classify open cases by decision stage, blocker, risk and overdue status. **Decision interval:** daily and before governance meetings. **Minimum evidence / method.** Current owner, next decision, due date, dependencies, evidence status and escalation route. **Method:** workflow ageing and dependency analysis with human risk confirmation. **Uncertainty / safe failure.** A long-open case may be appropriate due to external dependency. **Safe failure:** if the minimum-evidence test fails, show the blocker and route; do not auto-close, reassign or disclose restricted detail.

ANSWER BOUNDARY

Do not make closure decisions, expose privileged material, infer staff performance or promise a resolution date not authorised by the owner. Do not decide notifiability, culpability or case closure, and do not contact a regulator.

WHY THIS IS USEFUL

Supports focused escalation, resource allocation and clear governance of unresolved cases. It supports triage, evidence preservation and routing to the authorised decision maker.

RC-051

Category 6 of 8

STAKEHOLDER QUESTION

Before a change to room use, fabric, services or regulated assets became operational, were the required assessments, consultations, approvals and records complete and effective?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. BMS configuration diffs, fixed-asset discovery, room condition baselines and commissioning events, summarised weekly by zone. **Privacy / quality limits.** Firmware updates, portable equipment and undocumented physical work can create ambiguous change signals. **Independent verification gate.** Independently verify the change requests, approvals, drawings, commissioning and updated registers against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Change authority, Estates project owner, Space Management and relevant competent professional. **Precedence:** Signed change approval, design record and handover over automated change detection. **Times / access / lineage.** **Effective time:** the change approval and authorised go-live period. **Observed time:** the survey, installation, test, commissioning and record-update times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark approvals not updated after scope, design or implementation change as stale. Keep conflicts with work orders, project files, room schedules, permits or physical inspection visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare detected/current state with approved baseline and change records. **Decision interval:** weekly and before handover or service acceptance. **Minimum evidence / method.** Approved change ID, scope, location, asset list, decision, commissioning and current baseline. **Method:** configuration and inventory diff with materiality rules and owner confirmation. **Uncertainty / safe failure.** Not every detected change requires approval and some approved work is not machine-visible. **Safe failure:** if the minimum-evidence test fails, flag 'change approval not linked' and request evidence; do not label it unauthorised.

ANSWER BOUNDARY

Do not approve changes, infer misconduct, certify commissioning, control assets or rely on the 2021 plan as the current baseline. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

WHY THIS IS USEFUL

Helps project and compliance teams recover missing approvals, complete handover and reassess affected obligations.

RC-052

Category 6 of 8

STAKEHOLDER QUESTION

Before controlled work began, were permits, isolations, competence checks, method statements, prerequisites and authorised start conditions all in force?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Permit workflow events, work-zone check-in counts, isolator status and temporary-power activation; event-level per job, no worker tracking. **Privacy / quality limits.** Manual permits, shared circuits and early equipment delivery can confuse timing. **Independent verification gate.** Independently verify the permit, isolation, competence, method and authorised-start evidence against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Permit issuer, project or maintenance manager and competent contractor. **Precedence:** Signed permit and prerequisite evidence over access or equipment telemetry. **Times / access / lineage.** **Effective time:** the permit, isolation and start-authority validity. **Observed time:** the prerequisite check, authorisation and work-start times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark permit conditions after scope, timing, personnel or method changes as stale. Keep conflicts with toolbox records, isolation certificates, inspection or native equipment state visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. sequence permit approval, prerequisite evidence and first corroborated work indicator. **Decision interval:** for every controlled job at start and close-out. **Minimum evidence / method.** Valid permit, scope, location, responsible roles, prerequisite checks and trusted event times. **Method:** temporal ordering with tolerance windows and manual validation. **Uncertainty / safe failure.** Telemetry cannot prove the first act of work or all prerequisites. **Safe failure:** if the minimum-evidence test fails, report 'start sequence not evidenced' and refer to the permit authority.

ANSWER BOUNDARY

Do not issue permits, identify workers, determine a breach, stop or start work, or substitute telemetry for a competent pre-work check. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

WHY THIS IS USEFUL

Supports investigation of process gaps and improvement of permit mobilisation controls. It supports approval recovery, record correction or controlled access and retention action.

RC-053

Category 6 of 8

STAKEHOLDER QUESTION

For a past decision or event, can we identify the exact obligation, policy, procedure, form and approval versions that were effective at that time?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Repository version, approval, publication and access-event telemetry; event-level with immutable monthly snapshots. **Privacy / quality limits.** Printed copies, local downloads and retroactive metadata corrections may not be fully visible. **Independent verification gate.** Independently verify the historical requirement, policy, form and approval versions against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not alter historical records, infer what a person read, disclose restricted drafts or claim a document was understood because it was accessed. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Policy owner, Records Management, system administrator and Compliance. **Precedence:** Signed approved version and effective-date record over last-modified timestamps or user downloads. **Times / access / lineage.** **Effective time:** the requirement, policy, form and approval versions effective at the decision time. **Observed time:** the record-creation and decision-event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark documents lacking a clear effective period or supersession link as stale. Keep conflicts with committee decisions, archived files, local controlled-copy logs or legal hold visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. resolve event time against document effective intervals and retrieve the preserved version. **Decision interval:** per case, audit sample or disputed decision. **Minimum evidence / method.** Trusted event time, document ID, approval/effective dates, version chain and retention access. **Method:** temporal version lookup and checksum validation. **Uncertainty / safe failure.** Event times and effective dates may be disputed or incomplete. **Safe failure:** if the minimum-evidence test fails, state 'applicable version not reproducible' and do not substitute the current document.

WHY THIS IS USEFUL

Enables fair investigation, reproducible assurance and accurate interpretation of past decisions. It supports approval recovery, record correction or controlled access and retention action.

RC-054

Category 6 of 8

STAKEHOLDER QUESTION

Are compliance records retained for the correct period, in the authorised system and format, with integrity, access and disposal controls appropriate to their purpose?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Repository inventory, retention-tag, format, storage-tier and deletion-queue telemetry; daily counts with monthly exception reports, no content inspection. **Privacy / quality limits.** Unmanaged drives, paper files and exported copies remain difficult to detect. **Independent verification gate.** Independently verify the records repository, format, access, integrity and retention metadata against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not provide legal retention advice, inspect restricted content unnecessarily, delete or extend records without authority, or equate storage with evidential integrity. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Records Management, Information Governance, data owner and system owner. **Precedence:** Approved retention schedule and record-class decision over default system settings. **Times / access / lineage.** **Effective time:** the retention rule and repository-control period. **Observed time:** the creation, access, migration, archive and disposal times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark retention mappings after purpose, law, contract or system migration changes as stale. Keep conflicts with legal holds, contracts, case needs or archival requirements visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. map record classes to storage locations, retention rules and actual age/status. **Decision interval:** monthly and before migration or disposal runs. **Minimum evidence / method.** Record inventory, class, owner, creation/effective dates, retention rule, hold status and system. **Method:** retention-rule validation and orphan-record sampling. **Uncertainty / safe failure.** Classification errors can make apparently correct retention wrong. **Safe failure:** if the minimum-evidence test fails, quarantine uncertain records from disposal and route classification to Records Management.

WHY THIS IS USEFUL

Supports safe disposal, migration planning and recovery of records stored outside controlled systems. It supports approval recovery, record correction or controlled access and retention action.

RC-055

Category 6 of 8

STAKEHOLDER QUESTION

Were deletion, disposal, archival, legal hold and investigation hold decisions authorised, consistently executed and evidenced across all relevant copies?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Hold, deletion-request, approval, execution and backup-expiry events at record-set level; daily reconciliation, no record content. **Privacy / quality limits.** Offline copies, local caches and third-party processors may not be fully observable. **Independent verification gate.** Independently verify the disposal, archive, legal-hold and investigation-hold transactions against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Records Management, Legal Services, Information Governance and the system owner. **Precedence:** Authorised hold or disposal decision and execution evidence over automated expiry state. **Times / access / lineage.** **Effective time:** the hold or disposal authority and period. **Observed time:** the hold-placement, deletion, archive and verification times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark hold scopes not revalidated after case or dataset changes as stale. Keep conflicts with processor confirmations, backup schedules, case records or access logs visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile eligible records, active holds, approvals and confirmed disposal across primary and backup systems. **Decision interval:** before every disposal run and monthly hold review. **Minimum evidence / method.** Record scope, rule, hold authority, approval, execution log and processor status. **Method:** set reconciliation with exception and residual-copy checks. **Uncertainty / safe failure.** Technical deletion may not mean immediate physical erasure from all media. **Safe failure:** if the minimum-evidence test fails, suspend uncertain disposal and escalate; never claim complete deletion without owner evidence.

ANSWER BOUNDARY

Do not issue or lift a legal hold, delete data, disclose held content or promise irreversible erasure. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

WHY THIS IS USEFUL

Helps prevent premature destruction and documents controlled disposal across systems and suppliers. It supports approval recovery, record correction or controlled access and retention action.

RC-056

Category 6 of 8

STAKEHOLDER QUESTION

Can every configuration change to BMS, IoT, access, life-safety or reporting systems be traced from approved request through testing, deployment and rollback readiness?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Signed configuration logs, firmware/version telemetry and before/after state snapshots for approved systems; event-level with daily reconciliation. **Privacy / quality limits.** Vendor changes, emergency adjustments and devices without logging can leave gaps. **Independent verification gate.** Independently verify the configuration request, test, deployment, version and rollback records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. System owner, Cyber Security, change manager and competent asset owner. **Precedence:** Approved change ticket, native configuration record and test evidence over dashboard history. **Times / access / lineage.** **Effective time:** the approved configuration and change window. **Observed time:** the test, deployment, rollback and monitoring-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark baselines not updated after approved emergency or vendor change as stale. Keep conflicts with maintenance reports, backups, commissioning records or incident actions visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. link each material configuration delta to request, approver, implementer role, test and rollback evidence. **Decision interval:** daily and before assurance reporting. **Minimum evidence / method.** Trusted baseline, change ID, scope, approval, implementation time, test result and current version. **Method:** configuration diff, cryptographic integrity and exception workflow. **Uncertainty / safe failure.** Some settings are vendor-opaque or changed automatically. **Safe failure:** if the minimum-evidence test fails, isolate the evidence gap, preserve state and request system-owner validation; do not roll back automatically.

ANSWER BOUNDARY

Do not expose security-sensitive configurations, identify implementers beyond need, approve or execute changes, or certify system security. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

WHY THIS IS USEFUL

Supports controlled maintenance, incident investigation and confidence that monitoring rules were not silently altered.

RC-057

Category 6 of 8

STAKEHOLDER QUESTION

Have temporary works, events, closures, overrides and compensating controls been formally closed, with normal conditions verified as restored?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Temporary access, signage uptime, occupancy, power and environmental telemetry by authorised event/work zone; event-level with next-day summary, no attendee tracking. **Privacy / quality limits.** Portable signs, manual barriers and partial restoration may be missed. **Independent verification gate.** Independently verify the temporary-work, closure, override and restoration evidence against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not reopen areas, remove barriers, certify restoration or infer event content and attendee behaviour. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Event or project owner, Estates, Security and relevant control owner. **Precedence:** Signed close-out and verified restoration checklist over telemetry returning to baseline. **Times / access / lineage.** **Effective time:** the temporary authorisation and expiry period. **Observed time:** the override, inspection, restoration and verification times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark temporary arrangements beyond end time or after scope extension as stale. Keep conflicts with work orders, inspections, permit closure, room schedule or service notices visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare temporary-control register, planned end, actual state and restoration evidence. **Decision interval:** at close-out, next working day and weekly for overdue items. **Minimum evidence / method.** Temporary change record, affected controls, end time, owner, restoration checklist and current state. **Method:** time-bound exception reconciliation with targeted verification. **Uncertainty / safe failure.** Baseline return does not prove every control was restored. **Safe failure:** if the minimum-evidence test fails, keep the item open and request physical confirmation where evidence is incomplete.

WHY THIS IS USEFUL

Prevents temporary arrangements from becoming undocumented permanent conditions and supports safe return to normal service.

RC-058

Category 6 of 8

STAKEHOLDER QUESTION

Have supplier, contract, maintenance or service-level changes been assessed for impacts on obligations, control ownership, evidence access and continuity?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Service availability, maintenance completion, response-time and data-feed telemetry aggregated by contract and month; no commercial message content or worker monitoring. **Privacy / quality limits.** Contract scope, subcontracting and quality may not be represented by metrics. **Independent verification gate.** Independently verify the supplier, contract, service-level and evidence-access changes against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not interpret contracts, select suppliers, disclose confidential terms, determine breach or approve a variation. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Contract owner, Procurement, Legal Services, service owner and Compliance. **Precedence:** Signed contract/change notice and approved responsibility schedule over operational performance data. **Times / access / lineage.** **Effective time:** the contract, service-level and transition effective dates. **Observed time:** the supplier-handover, access and service-event times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark contract mappings after variation, renewal, supplier or subcontractor change as stale. Keep conflicts with service reports, work orders, incident records, certifications or data-processing terms visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. diff obligations, control responsibilities, evidence supply and escalation terms before and after contract change. **Decision interval:** at procurement gateways, variation and quarterly performance review. **Minimum evidence / method.** Current and proposed terms, responsibility map, control/evidence list, service metrics and owner. **Method:** contract-impact matrix with gap and dependency analysis. **Uncertainty / safe failure.** Commercial wording may require legal interpretation and metrics may not show capability. **Safe failure:** if the minimum-evidence test fails, flag unresolved responsibilities and withhold assurance until authorised review.

WHY THIS IS USEFUL

Helps procurement preserve control ownership, evidence access and escalation obligations through supplier change.

RC-059

Category 6 of 8

STAKEHOLDER QUESTION

Are physical and digital access permissions approved, least-privilege, time-bounded where needed, reviewed after role change and promptly revoked?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Entitlement change, approval, activation and expiry telemetry at role/group level; daily reconciliation and monthly least-privilege summary, no movement histories. **Privacy / quality limits.** Shared credentials, manual keys and emergency access may be outside coverage. **Independent verification gate.** Independently verify the physical and digital access grants, reviews and revocations against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Security, Cyber Security, system owner, line or contract manager and Information Governance. **Precedence:** Approved access policy and authorised entitlement decision over observed use or historic group membership. **Times / access / lineage.** **Effective time:** the access approval, role and expiry period. **Observed time:** the grant, use, review and revocation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark access after role, contract, project or need changes, or beyond review date as stale. Keep conflicts with key register, HR status, project records, incident override or local access list visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconcile current entitlements with approved role/need, expiry and separation-of-duties requirements. **Decision interval:** daily for joiner/mover/leaver changes and monthly review. **Minimum evidence / method.** Identity authority, approved role, resource, grant/expiry, approver and exception. **Method:** least-privilege and orphan-access checks with owner attestation. **Uncertainty / safe failure.** Technical access does not prove use or misuse. **Safe failure:** if the minimum-evidence test fails, flag and route excess access; removal must follow authorised security process.

ANSWER BOUNDARY

Do not publish individual access rights, infer behaviour, revoke access automatically or use building access data for productivity monitoring. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

WHY THIS IS USEFUL

Supports timely access cleanup, safer contractor offboarding and defensible permission review. It supports approval recovery, record correction or controlled access and retention action.

RC-060

Category 6 of 8

STAKEHOLDER QUESTION

Can the evidence, source versions, exclusions and calculation used for a past compliance decision be reproduced exactly and independently reviewed?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Versioned data snapshots, transformation hashes, time-sync records, code/configuration manifests and immutable report inputs; frozen per decision. **Privacy / quality limits.** External sources, manual judgement and unavailable legacy software may limit exact reproduction. **Independent verification gate.** Independently verify the frozen source snapshots, calculation version and decision evidence pack against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Decision owner, data steward, Records Management and each source-system owner. **Precedence:** The signed decision pack and preserved source versions over a rerun using current data. **Times / access / lineage.** **Effective time:** the decision criteria and source versions effective then. **Observed time:** the source-snapshot, calculation and decision timestamps. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark packs lacking source/version, permissions or transformation metadata as stale. Keep conflicts with archived datasets, system backups, committee records or assessor notes visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. reconstruct the decision-time dataset, transformation and output, then compare hashes and material differences. **Decision interval:** on challenge, audit sample and before relying on precedent. **Minimum evidence / method.** Decision timestamp, source snapshots, versions, permissions, method, parameters and signed output. **Method:** reproducibility run with difference report and human interpretation. **Uncertainty / safe failure.** Some manual reasoning cannot be mechanically reproduced. **Safe failure:** if the minimum-evidence test fails, state the reproducible and non-reproducible portions; never silently substitute current evidence.

ANSWER BOUNDARY

Do not alter the historical record, claim equivalence when inputs changed, expose restricted data or recreate privileged advice outside permission. Do not approve, deploy, revoke, dispose, alter a hold or authorise access.

WHY THIS IS USEFUL

Supports fair challenge, transparent assurance and learning from how earlier conclusions were reached. It supports approval recovery, record correction or controlled access and retention action.

RC-061

Category 7 of 8

STAKEHOLDER QUESTION

Does the assurance programme cover every material obligation, service, asset, third-party interface and known risk area at a defensible frequency, depth and sample size?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Audit-universe, asset, service, incident and telemetry-coverage indexes aggregated quarterly; no staff performance data. **Privacy / quality limits.** Unknown activities, rapidly changing risks and unregistered assets can leave hidden gaps. **Independent verification gate.** Independently verify the assurance universe, risk model, plans and completed-engagement records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Internal Audit or assurance programme owner, Compliance, risk owners and governance committee. **Precedence:** Approved audit universe and risk assessment over historical audit frequency alone. **Times / access / lineage.** **Effective time:** the assurance scope, risk model and plan period. **Observed time:** the fieldwork, sample and report-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark coverage maps after material risk, service or obligation change as stale. Keep conflicts with incident trends, regulator feedback, control failures or external assurance visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. map planned/completed assurance to the obligation-control-risk universe and identify untested areas. **Decision interval:** quarterly and during annual planning. **Minimum evidence / method.** Current universe, risk rating, last assurance, scope, findings and exclusions. **Method:** coverage heat map with risk-weighted gap analysis. **Uncertainty / safe failure.** Absence of findings may reflect lack of testing. **Safe failure:** if the minimum-evidence test fails, show uncovered and partially covered areas without claiming they are non-compliant.

ANSWER BOUNDARY

Do not set the audit plan, determine regulatory sufficiency, disclose sensitive scopes broadly or infer control effectiveness from coverage alone. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

WHY THIS IS USEFUL

Helps assurance leaders prioritise future work and explain deliberate exclusions to governance. It supports action escalation, exception review or a bounded assurance statement.

RC-062

Category 7 of 8

STAKEHOLDER QUESTION

Which corrective or preventive actions are overdue, high-consequence, repeatedly deferred or blocked, and what governance decision is needed now?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Action status, due date, dependency and relevant control-condition telemetry, refreshed daily and summarised weekly; no individual productivity ranking. **Privacy / quality limits.** Off-system work and qualitative completion may be missing. **Independent verification gate.** Independently verify the corrective-action status, dependencies, deferrals and escalation records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Finding owner, action owner, assurance function and accountable executive. **Precedence:** Approved action record and owner-accepted closure criteria over task-system percentage complete. **Times / access / lineage.** **Effective time:** the action requirement, owner and due-date period. **Observed time:** the progress, deferral, dependency and escalation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark actions not updated within the agreed interval or after risk changes as stale. Keep conflicts with work orders, budgets, project plans, inspections or regulator commitments visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. rank open actions by risk, lateness, dependency criticality and evidence readiness. **Decision interval:** daily operations and monthly governance. **Minimum evidence / method.** Action, finding link, owner, due date, risk, dependency, closure criteria and current evidence. **Method:** risk-weighted ageing with dependency graph and confidence flag. **Uncertainty / safe failure.** Reported progress may not equal control improvement. **Safe failure:** if the minimum-evidence test fails, highlight priority and blocker; never reassign, extend or close actions automatically.

ANSWER BOUNDARY

Do not judge staff performance, approve deadline extensions, certify completion or conceal overdue commitments. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

WHY THIS IS USEFUL

Supports targeted escalation, resource decisions and recovery plans for actions most important to assurance.

RC-063

Category 7 of 8

STAKEHOLDER QUESTION

Are approved exceptions and risk acceptances still within authorised scope, conditions, ownership, review date and expiry, with compensating controls evidenced?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Condition telemetry specific to each exception, such as occupancy, asset state or monitoring availability; captured at approved frequency and summarised by exception. **Privacy / quality limits.** Sensor coverage cannot validate qualitative conditions or legal validity. **Independent verification gate.** Independently verify the exception approvals, conditions, compensating-control evidence and expiry against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not approve risk acceptance, extend exceptions, decide residual risk or treat silence from sensors as evidence of control. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Exception approver, risk owner, Compliance and relevant competent professional. **Precedence:** Signed exception or risk-acceptance record over local custom or dashboard status. **Times / access / lineage.** **Effective time:** the exception or risk-acceptance validity and conditions. **Observed time:** the compensating-control and review observations. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark exceptions past expiry, review date or after a triggering change as stale. Keep conflicts with incidents, inspections, control telemetry, contract or policy change visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. match each exception to scope, conditions, compensating controls, evidence, owner and expiry. **Decision interval:** daily for critical conditions and monthly for all exceptions. **Minimum evidence / method.** Signed decision, affected controls, measurable conditions, owner, evidence and end date. **Method:** condition evaluation with conservative uncertainty and manual review. **Uncertainty / safe failure.** Some conditions cannot be continuously evidenced. **Safe failure:** if the minimum-evidence test fails, mark reliance as 'not currently supported' and escalate before continuation.

WHY THIS IS USEFUL

Helps owners renew, withdraw or replace exceptions before conditions drift or approvals expire. It supports action escalation, exception review or a bounded assurance statement.

RC-064

Category 7 of 8

STAKEHOLDER QUESTION

Which findings recur across audits, inspections, incidents, complaints or other buildings, and do they indicate a shared control or governance failure?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Finding taxonomy, control ID, asset class and anonymised location metadata, aggregated quarterly; no auditor or staff ranking. **Privacy / quality limits.** Inconsistent wording and control identifiers can hide or create apparent recurrence. **Independent verification gate.** Independently verify the findings, incidents, complaints and cross-building control codes against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not rank teams, attribute blame, disclose confidential reports beyond permission or reopen findings automatically. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Assurance function, Compliance, finding owners and risk governance. **Precedence:** Validated finding records and agreed taxonomy over automated text similarity. **Times / access / lineage.** **Effective time:** the finding and control-taxonomy version plus reporting periods. **Observed time:** the finding, incident, complaint and recurrence times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark records not remapped after taxonomy or control changes as stale. Keep conflicts with incident causes, corrective actions, regulator feedback or local inspections visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. cluster validated findings by underlying control and context, then test recurrence after prior closure. **Decision interval:** quarterly and at annual assurance review. **Minimum evidence / method.** Normalised finding/control IDs, dates, scopes, closure evidence and comparable exposure. **Method:** taxonomy mapping, similarity-assisted review and recurrence rate. **Uncertainty / safe failure.** Similar wording may reflect different causes; different wording may share one cause. **Safe failure:** if the minimum-evidence test fails, present candidate recurrence for human validation, not an automatic systemic finding.

WHY THIS IS USEFUL

Supports cross-cutting corrective action and tests whether earlier remedies produced durable improvement.

RC-065

Category 7 of 8

STAKEHOLDER QUESTION

Does the evidence submitted to close each finding directly satisfy the agreed closure criteria and demonstrate implementation over an adequate period?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Before/after control telemetry, work-order completion, configuration hashes and targeted inspection evidence; time-bounded to the action, with no personal monitoring. **Privacy / quality limits.** Short stable periods and selective evidence can overstate effectiveness. **Independent verification gate.** Independently verify the closure criteria, implementation evidence and operating-period samples against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not certify effectiveness, accept closure, hide contrary evidence or infer individual compliance from aggregate improvement. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Assurance owner who accepts closure, action owner and relevant competent professional. **Precedence:** Agreed closure criteria and signed acceptance over task completion or improved dashboard values. **Times / access / lineage.** **Effective time:** the closure criteria and action effective date. **Observed time:** the implementation and sustained-operation observations. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark evidence outside the post-change observation window or after subsequent change as stale. Keep conflicts with inspection, testing, policy approval, training records or incident trend visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. test each closure criterion against authoritative and observed evidence, including a defined sustainment period. **Decision interval:** at proposed closure and after any required follow-up period. **Minimum evidence / method.** Finding, criteria, implemented action, current evidence, observation window and residual limitations. **Method:** criterion-by-criterion evidence matrix with sample validation. **Uncertainty / safe failure.** Early improvement may not persist and causal attribution may be weak. **Safe failure:** if the minimum-evidence test fails, keep the finding open or conditionally tracked; do not approve closure automatically.

WHY THIS IS USEFUL

Helps assurance owners request precise missing evidence and avoid premature closure. It supports action escalation, exception review or a bounded assurance statement.

RC-066

Category 7 of 8

STAKEHOLDER QUESTION

Was each assurance activity performed by people with the required competence, independence, authority and access, against an explicit and current scope?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Assignment, scope, approval and professional-credential status metadata, reviewed per engagement; no scoring of auditors or inspection of working-paper content without permission. **Privacy / quality limits.** External credentials and informal specialist input may be incomplete. **Independent verification gate.** Independently verify the assessor competence, independence, authority and access evidence against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not judge an assessor's performance, infer conflicts, disclose confidential declarations or certify professional standing. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Assurance function head, commissioning authority, Human Resources or professional body records where authorised. **Precedence:** Approved terms of reference, competence criteria and declarations over workflow assignment. **Times / access / lineage.** **Effective time:** the assignment, scope and competence-validity period. **Observed time:** the fieldwork, access and report-activity times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark credentials, declarations or scope after team or engagement changes as stale. Keep conflicts with contracts, accreditation records, committee approvals or specialist sign-off visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. validate engagement requirements against assigned roles, declared independence, authority and approved scope. **Decision interval:** before fieldwork, before report issue and on team change. **Minimum evidence / method.** Terms, role requirements, current evidence, declarations and approvals. **Method:** engagement-gate checklist with confidential exception review. **Uncertainty / safe failure.** Credential status does not prove performance quality. **Safe failure:** if the minimum-evidence test fails, mark the assurance boundary and refer unresolved competence or independence to the commissioning authority.

WHY THIS IS USEFUL

Protects the credibility of assurance and lets commissioners arrange specialist or independent support where needed.

RC-067

Category 7 of 8

STAKEHOLDER QUESTION

Which sampling, access, observation, timing and data-quality limitations constrain the assurance conclusion, and how materially do they affect confidence?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Coverage maps, sample-selection records, data completeness and sensor-health statistics per assurance period; no personal sampling labels. **Privacy / quality limits.** Hidden populations, inaccessible areas and non-random missingness remain possible.

Independent verification gate. Independently verify the sampling frame, access limitations, observations and data-quality measures against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not imply statistical representativeness without evidence, identify sampled individuals unnecessarily or generalise beyond the defined population. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Assurance lead, data steward and owners of sampled populations. **Precedence:** Approved methodology and documented population over convenience samples or available telemetry. **Times / access / lineage.** **Effective time:** the agreed scope and sampling-plan period. **Observed time:** the sample, denied-access and data-quality observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark population or sample frame after material scope change as stale. Keep conflicts with asset registers, booking records, manual observations or excluded cases visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare sampled units, times and conditions with the defined population and claim. **Decision interval:** during planning, fieldwork and report drafting. **Minimum evidence / method.** Population definition, sample frame, selection method, coverage, exclusions and quality. **Method:** sampling diagnostics, representativeness analysis and sensitivity bounds. **Uncertainty / safe failure.** Unknown units and non-response can invalidate statistical assumptions. **Safe failure:** if the minimum-evidence test fails, state limitations prominently and narrow or withhold the conclusion when minimum coverage fails.

WHY THIS IS USEFUL

Helps decision makers understand exactly what was and was not tested and commission additional work where needed.

RC-068

Category 7 of 8

STAKEHOLDER QUESTION

For each key control, what evidence shows sustained operating effectiveness rather than policy existence, a one-off demonstration or a temporary improvement?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Control-specific state, task, exception and outcome telemetry at the minimum necessary granularity; daily capture with weekly/monthly summaries, no individual surveillance. **Privacy / quality limits.** Manual judgement and off-system steps may not be observable. **Independent verification gate.** Independently verify the control design, repeated-operation evidence and outcome indicators against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not certify control effectiveness, infer individual behaviour, direct control operation or treat documentation alone as evidence of sustained performance. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Control owner, process owner and independent assurance function. **Precedence:** Approved control design and authoritative execution records over isolated sensor indicators. **Times / access / lineage.** **Effective time:** the control design and required-frequency period. **Observed time:** the repeated execution and outcome-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark design or operating evidence after process, system or owner change as stale. Keep conflicts with inspections, work orders, training, incident outcomes or user reports visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare control design frequency, trigger, performer role and expected evidence with observed operation over a defined window. **Decision interval:** monthly or at the control's designed frequency. **Minimum evidence / method.** Approved design, complete population or justified sample, execution evidence, exceptions and outcome context. **Method:** design-to-operation testing with duration and exception-rate analysis. **Uncertainty / safe failure.** Observed execution does not prove the control achieves its objective. **Safe failure:** if the minimum-evidence test fails, report design, operation and effectiveness as separate claims; withhold any unsupported layer.

WHY THIS IS USEFUL

Supports precise remediation by distinguishing design gaps, execution gaps and uncertain outcomes. It supports action escalation, exception review or a bounded assurance statement.

RC-069

Category 7 of 8

STAKEHOLDER QUESTION

When audits, inspections or competent assessors reach different conclusions, how should the differences, evidence bases and unresolved judgements be presented and resolved?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Versioned report metadata and shared evidence indexes can align scope, time and sources; no access to restricted working papers without permission. **Privacy / quality limits.** Different mandates, samples and thresholds may legitimately yield different conclusions. **Independent verification gate.** Independently verify the assurance reports, working papers, evidence bases and adjudication records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not overrule assessors, disclose privileged working papers, imply bad faith or present a composite score as resolution. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. The commissioning authorities, assurance leads, Compliance and relevant governance body. **Precedence:** Signed reports within their stated scopes over a merged dashboard score. **Times / access / lineage. Effective time:** the engagement scopes and criteria in force. **Observed time:** the evidence-collection, conclusion and reconciliation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark conclusions not reconsidered after material new evidence or corrected scope as stale. Keep conflicts with method statements, evidence packs, assessor correspondence or regulator direction visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. compare claim wording, scope, period, criteria, evidence and limitations across conclusions. **Decision interval:** when conflict is identified and before governance reliance. **Minimum evidence / method.** Full signed conclusions, terms, criteria, period, evidence references and limitations. **Method:** structured contradiction analysis and facilitated competent review. **Uncertainty / safe failure.** Apparent conflict may disappear after scope alignment, or remain irreducible. **Safe failure:** if the minimum-evidence test fails, display both positions and unresolved basis; never average or choose one automatically.

WHY THIS IS USEFUL

Gives governance a clear basis for commissioning clarification, additional evidence or an authoritative decision.

RC-070

Category 7 of 8

STAKEHOLDER QUESTION

What bounded assurance statement can the institution responsibly make today, for which scope and period, and what must remain explicitly unassured or unresolved?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Claim ledger summarises authoritative records, monitored coverage, data quality, permissions and unresolved exceptions per claim; recalculated on demand. **Privacy / quality limits.** It cannot create professional authority or eliminate unknown unknowns. **Independent verification gate.** Independently verify the scope, period, evidence coverage, limitations and signatory records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not certify, approve, provide legal assurance, conceal exclusions or promise that regulators or assessors will accept the evidence. Do not issue an assurance opinion, accept risk, approve an exception or close a finding.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Accountable assurance signatory, Compliance, Legal Services and relevant competent professionals. **Precedence:** Signed assurance criteria and owner decisions over dashboard confidence scores. **Times / access / lineage. Effective time:** the proposed statement scope, period and signatory authority. **Observed time:** the underlying evidence and report-assembly times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark claim status after evidence, obligation, scope or control changes as stale. Keep conflicts with audit reports, incident status, exceptions, regulator correspondence or source-owner attestations visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. evaluate each proposed assurance statement against authority, scope, minimum evidence, quality, uncertainty and open contradictions. **Decision interval:** at every report or certification decision point. **Minimum evidence / method.** Precise claim, authorised signatory, criteria, period, evidence pack, limitations and unresolved matters. **Method:** claim-by-claim evidence gate with conservative boundary wording. **Uncertainty / safe failure.** Some residual uncertainty is unavoidable and cannot be reduced numerically. **Safe failure:** if the minimum-evidence test fails, narrow, qualify or withhold the claim; never convert evidence support into certification.

WHY THIS IS USEFUL

Helps signatories issue bounded, honest statements and identify the exact work needed before stronger assurance is possible.

RC-071

Category 8 of 8

STAKEHOLDER QUESTION

What compliance information must be reported internally or externally, to whom, by what deadline, in what form and under whose authority?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Reporting-calendar, indicator refresh and workflow milestone telemetry; daily status with deadline alerts, no report content or recipient personal data beyond role. **Privacy / quality limits.** Ad hoc regulator requests and legal triggers may not be preconfigured. **Independent verification gate.** Independently verify the reporting obligations, calendars, templates and submission routes against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Compliance, Legal Services, governance secretariat and each authorised reporting owner. **Precedence:** Approved reporting obligation and current authority instruction over calendar templates. **Times / access / lineage.** **Effective time:** the reporting obligation, template and calendar validity. **Observed time:** the source cut-off, preparation, approval and submission times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark reporting rules after obligation, recipient, period or governance change as stale. Keep conflicts with regulator correspondence, committee terms, contract or incident decision visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. map each reporting duty to trigger, period, data owner, approver, recipient and deadline. **Decision interval:** weekly calendar review and immediate update on trigger. **Minimum evidence / method.** Current duty, authoritative trigger, deadline rule, reporting owner, data sources and approval route. **Method:** obligation-to-workflow mapping with deadline dependency checks. **Uncertainty / safe failure.** Legal trigger and deadline interpretation may require advice. **Safe failure:** if the minimum-evidence test fails, label uncertain duties and escalate to Legal/Compliance; never send or suppress a report.

ANSWER BOUNDARY

Do not decide reportability, give legal advice, contact regulators, disclose restricted information or promise acceptance. Do not sign, submit, publish or represent a report as the institution's formal position.

WHY THIS IS USEFUL

Supports timely planning, data collection, approval and evidence of authorised reporting. It supports a governance agenda, reporting caveat, resource decision or forward plan.

RC-072

Category 8 of 8

STAKEHOLDER QUESTION

Can every figure, status and narrative statement in a compliance report be traced, reproduced, caveated and approved by the correct accountable owner?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Source lineage, frozen data snapshots, calculation hashes and approval-workflow telemetry per report item; created at report freeze. **Privacy / quality limits.** Manual narrative judgement and external data may have partial machine lineage. **Independent verification gate.** Independently verify the report figures, source snapshots, calculations, caveats and approvals against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Report owner, data owners, competent reviewers and authorised signatory. **Precedence:** Signed source-owner confirmation and frozen authoritative dataset over live dashboard values. **Times / access / lineage.** **Effective time:** the report version and approval period. **Observed time:** the source observation, calculation, drafting and sign-off times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark figures after source correction, formula change or report re-open as stale. Keep conflicts with source records, calculation files, methodology, reviewer comments or decision minutes visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. trace each statement to source, method, period, owner and approval, then rerun material calculations. **Decision interval:** at draft, final freeze and any reissue. **Minimum evidence / method.** Claim inventory, source/version, calculation, uncertainty, owner and sign-off. **Method:** line-by-line evidence matrix and reproducibility test. **Uncertainty / safe failure.** Narrative statements may rely on bounded professional judgement. **Safe failure:** if the minimum-evidence test fails, remove, qualify or return unsupported items; never infer sign-off from workflow inactivity.

ANSWER BOUNDARY

Do not sign reports, fabricate supporting evidence, alter owner statements or disclose data beyond the report's authorised audience. Do not sign, submit, publish or represent a report as the institution's formal position.

WHY THIS IS USEFUL

Reduces reporting error, speeds review and creates a defensible evidence pack for challenge. It supports a governance agenda, reporting caveat, resource decision or forward plan.

RC-073

Category 8 of 8

STAKEHOLDER QUESTION

What do trends show after adjusting for scope changes, occupancy, service intensity, reporting practice and evidence quality, and which movements are not interpretable?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Aggregate incidents, overdue actions, inspection completion, asset faults, environmental excursions and service-use denominators; daily capture with monthly trends, no individual ranking. **Privacy / quality limits.** Definition changes and missing denominators can distort trends. **Independent verification gate.** Independently verify the trend series, scope changes, denominators and evidence-quality metadata against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not rank teams, infer individual performance, equate a lower incident rate with compliance or compare incompatible periods silently. Do not sign, submit, publish or represent a report as the institution's formal position.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Indicator owner, source-system owners, Compliance and governance. **Precedence:** Approved metric definition and source-owner data over locally recomputed figures. **Times / access / lineage.** **Effective time:** the measurement definitions and baselines in force. **Observed time:** the source observations, scope changes and data-quality events. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark metrics after definition, scope, source or threshold change as stale. Keep conflicts with audit findings, operational records, occupancy context or data-quality incidents visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. calculate version-aware rates and trends with scope and exposure normalisation. **Decision interval:** monthly and quarterly governance review. **Minimum evidence / method.** Stable definitions, source versions, coverage, denominators, definition-change history and at least six comparable periods where available. **Method:** segmented trend analysis with confidence bands and break annotations. **Uncertainty / safe failure.** Small counts and operational changes can dominate movement. **Safe failure:** if the minimum-evidence test fails, show uncertainty and discontinuities; do not label improvement or deterioration without contextual review.

WHY THIS IS USEFUL

Helps governance distinguish real movement from reporting, scope or data-quality effects and target investigation.

RC-074

Category 8 of 8

STAKEHOLDER QUESTION

Which overdue obligations, actions, inspections, exceptions and evidence gaps require the earliest governance attention, considering consequence and uncertainty?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Due-date, risk, dependency, control-condition and evidence-status telemetry, refreshed daily and aggregated by accountable area. **Privacy / quality limits.** Risk data can be subjective and unrecorded mitigating action may not appear. **Independent verification gate.** Independently verify the open obligations, actions, inspections, exceptions and risk ratings against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not conceal overdue items, assign blame, approve extensions or imply that lower-ranked items are safe to ignore. Do not sign, submit, publish or represent a report as the institution's formal position.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Risk and action owners, Compliance, assurance function and accountable executives. **Precedence:** Approved risk assessment and due-date decision over algorithmic priority. **Times / access / lineage.** **Effective time:** the governance risk criteria and reporting period. **Observed time:** the open-item status, consequence evidence and last-action times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark risk ratings not reassessed after new evidence or control change as stale. Keep conflicts with incidents, regulator commitments, resource constraints or exception conditions visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. prioritise overdue items by consequence, likelihood, control dependency, exposure and evidence confidence. **Decision interval:** daily operational view and monthly governance. **Minimum evidence / method.** Validated item, owner, risk basis, due date, dependencies, current controls and uncertainty. **Method:** multi-criteria ranking with transparent weights and sensitivity analysis. **Uncertainty / safe failure.** Rank order may change with reasonable judgement. **Safe failure:** if the minimum-evidence test fails, present priority bands and rationale; do not make risk-acceptance or resource decisions.

WHY THIS IS USEFUL

Supports focused agendas, escalation and allocation of competent attention to the most material open issues.

RC-075

Category 8 of 8

STAKEHOLDER QUESTION

Can each governance decision be traced to its evidence, conditions, accountable action, deadline, implementation record and follow-up verification?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Decision-register, action-workflow and evidence-link telemetry at item level, refreshed daily; no analysis of meeting audio, chat or personal behaviour. **Privacy / quality limits.** Informal decisions and confidential discussions may not be captured. **Independent verification gate.** Independently verify the governance papers, decisions, conditions, action logs and verification evidence against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not infer decisions from discussion, expose confidential minutes, alter governance records or implement actions automatically. Do not sign, submit, publish or represent a report as the institution's formal position.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Governance secretariat, committee chair, decision owner and Records Management. **Precedence:** Approved minutes or formal written decision over task-system activity. **Times / access / lineage.** **Effective time:** the meeting authority and decision effective date. **Observed time:** the evidence cut-off, decision, action and verification times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark decisions not confirmed after draft minutes or amended by later authority as stale. Keep conflicts with papers, resolutions, action records, delegated decisions or correspondence visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. link each formal decision to authority, conditions, owner, due date, implementation evidence and review point. **Decision interval:** after each meeting and before the next agenda. **Minimum evidence / method.** Approved decision, scope, owner, conditions, actions, deadlines and evidence. **Method:** decision-to-action traceability and exception ageing. **Uncertainty / safe failure.** Minutes may intentionally omit sensitive rationale and approval may be delayed. **Safe failure:** if the minimum-evidence test fails, show 'decision not yet formalised' and prevent downstream treatment as approved.

WHY THIS IS USEFUL

Helps secretariats maintain a complete decision trail and gives committees a reliable follow-up view. It supports a governance agenda, reporting caveat, resource decision or forward plan.

RC-076

Category 8 of 8

STAKEHOLDER QUESTION

Are policies, registers, assessments and control frameworks reviewed on schedule and promptly reopened after incidents, changes or new authoritative requirements?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Review-date, approval, change-event and owner telemetry, refreshed daily with monthly ageing summaries. **Privacy / quality limits.** A recorded review may be superficial, and unlogged changes may not trigger the schedule. **Independent verification gate.** Independently verify the policy, register and assessment review dates plus trigger-event records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not approve reviews, interpret legal frequency, infer diligence from system use or modify due dates without authority. Do not sign, submit, publish or represent a report as the institution's formal position.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Each document/control owner, Policy Governance, Compliance and relevant competent professional. **Precedence:** Approved review rule and signed review outcome over last-opened or last-modified dates. **Times / access / lineage.** **Effective time:** the scheduled-review framework version and trigger rules. **Observed time:** the incident, change, requirement and reassessment times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark items beyond scheduled event-triggered review as stale. Keep conflicts with change records, incidents, regulator updates, audit findings or service redesign visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. evaluate calendar-based and event-based review triggers and validate completion evidence. **Decision interval:** monthly and immediately after a material trigger. **Minimum evidence / method.** Review rule, last approved outcome, current owner, change triggers and next due date. **Method:** temporal rule engine with trigger linkage and sample quality check. **Uncertainty / safe failure.** Systems may not record every trigger or review depth. **Safe failure:** if the minimum-evidence test fails, keep the review open unless signed evidence is present; never mark complete from a timestamp alone.

WHY THIS IS USEFUL

Supports timely reassessment and prevents policies or controls remaining nominally current after material change.

RC-077

Category 8 of 8

STAKEHOLDER QUESTION

Which lessons from incidents, complaints, audits and near misses have become implemented controls, and is there evidence that the improvement has been sustained?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Links among findings, actions, policy/training versions, configuration changes and post-change condition metrics; monthly summaries, no individual performance tracking. **Privacy / quality limits.** Improvement effects may be delayed or confounded. **Independent verification gate.** Independently verify the lesson logs, implemented controls and post-change effectiveness evidence against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Learning/action owner, Compliance, service owner and assurance function. **Precedence:** Approved lesson and closure evidence over a decline in related alerts alone. **Times / access / lineage.** **Effective time:** the lesson or action approval and implementation date. **Observed time:** the post-change control and outcome-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark lesson status after later incidents, control changes or expired follow-up as stale. Keep conflicts with training, procedure, design, maintenance, user feedback or audit follow-up visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. trace each lesson through decision, implementation, verification and sustainment evidence. **Decision interval:** quarterly and after significant events. **Minimum evidence / method.** Validated lesson, action, owner, implementation proof, outcome measure and follow-up window. **Method:** logic-chain evaluation with before/after and alternative-explanation checks. **Uncertainty / safe failure.** Observed improvement may not be caused by the action. **Safe failure:** if the minimum-evidence test fails, report implementation and outcome separately; keep impact uncertain where evidence is weak.

ANSWER BOUNDARY

Do not claim causal impact, rank teams, close findings or disclose sensitive incident details beyond permission. Do not sign, submit, publish or represent a report as the institution's formal position.

WHY THIS IS USEFUL

Helps governance see whether learning has moved beyond documentation into durable operational change. It supports a governance agenda, reporting caveat, resource decision or forward plan.

RC-078

Category 8 of 8

STAKEHOLDER QUESTION

Can Abacws be compared fairly with other buildings or services without masking differences in scope, use, risk, controls, reporting maturity and evidence coverage?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Standardised aggregate indicators, asset/service denominators, occupancy context and data-quality metadata for authorised sites; monthly reporting, no individual or sensitive location detail. **Privacy / quality limits.** Different systems and definitions may prevent comparability. **Independent verification gate.** Independently verify the peer-building scope, use, risk and coverage descriptors against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Institutional Compliance, each site's data and service owners, and governance. **Precedence:** Approved common metric specification and locally validated source data over raw dashboard comparisons. **Times / access / lineage.** **Effective time:** the comparison definition and reporting period. **Observed time:** each building's source-observation and extraction times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark comparators after definition, scope, building use or system change as stale. Keep conflicts with site risk profiles, operating hours, asset age, audit scope or data completeness visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. normalise indicators by agreed exposure and segment by material contextual differences. **Decision interval:** quarterly. **Minimum evidence / method.** Common definitions, comparable period, denominators, coverage, quality and contextual variables. **Method:** benchmarking with comparability gates, stratification and uncertainty intervals. **Uncertainty / safe failure.** Residual differences may reflect unmeasured context. **Safe failure:** if the minimum-evidence test fails, withhold rankings when comparability fails and present ranges rather than league tables.

ANSWER BOUNDARY

Do not rank staff or sites, infer non-compliance from relative position, disclose sensitive security data or imply that average performance is an acceptable standard. Do not sign, submit, publish or represent a report as the institution's formal position.

WHY THIS IS USEFUL

Supports peer learning and targeted support while avoiding misleading league-table conclusions. It supports a governance agenda, reporting caveat, resource decision or forward plan.

RC-079

Category 8 of 8

STAKEHOLDER QUESTION

Which planned or foreseeable changes could create new obligations, control gaps or evidence needs during the next governance period?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Scenario inputs from authorised occupancy forecasts, asset age/condition, climate and energy observations, project pipeline and service changes; monthly updates with scenario aggregates. **Privacy / quality limits.** Forecasts and external conditions are inherently uncertain. **Independent verification gate.** Independently verify the capital plans, activity forecasts, service changes and regulatory-horizon records against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not provide legal forecasts, promise future compliance, infer undisclosed projects or treat scenarios as approved plans. Do not sign, submit, publish or represent a report as the institution's formal position.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Risk owners, Estates strategy, Space Management, Sustainability, Compliance and Legal Services. **Precedence:** Approved plans and authoritative forecasts over extrapolated sensor trends. **Times / access / lineage.** **Effective time:** the planning horizon and authoritative forecast versions. **Observed time:** the proposed-change, approval and dependency-observation times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark scenario inputs after project, policy, service or external assumption changes as stale. Keep conflicts with capital plans, regulator horizon scanning, incident trends or competent engineering advice visible until the authoritative owner records resolution.

ANALYSIS REQUIRED

Operation / decision interval. construct bounded scenarios and map changed conditions to obligations, controls, capacity and evidence needs. **Decision interval:** quarterly and at strategic planning gates. **Minimum evidence / method.** Documented assumptions, current baseline, planned changes, dependencies, uncertainty ranges and owners. **Method:** scenario analysis with sensitivity and trigger points, not point prediction. **Uncertainty / safe failure.** Unknown regulatory and operational changes remain material. **Safe failure:** if the minimum-evidence test fails, present plausible ranges and decision triggers; do not predict legal outcomes or certify future compliance.

WHY THIS IS USEFUL

Helps leaders commission early assessments, budget for controls and monitor trigger conditions before risk crystallises.

RC-080

Category 8 of 8

STAKEHOLDER QUESTION

Which evidence-based compliance improvements should be prioritised now, in what sequence, with which owners, dependencies, resources, decision gates and success measures?

SENSORS AND TELEMETRY

Proposed evidence / coverage / timing. Aggregate evidence from obligations, incidents, actions, asset condition, monitoring gaps, service impact and cost/dependency records; refreshed monthly, no individual scoring. **Privacy / quality limits.** Benefits, costs and risk reduction may be uncertain or unevenly distributed. **Independent verification gate.** Independently verify the improvement proposals, dependencies, resource estimates and success measures against current asset/location or source-record IDs, purpose permission, commissioning or schema/version, clock/time-zone, calibration or integrity, current health and declared coverage. Exclude unmapped, stale, incomplete or unhealthy evidence; treat it as proposed until this gate is passed for the stated scope and period.

ANSWER BOUNDARY

Do not set institutional priorities, approve spend, defer mandatory duties, promise outcomes or optimise at the expense of safety, accessibility, privacy or legal obligations. Do not sign, submit, publish or represent a report as the institution's formal position.

AUTHORITATIVE SUPPORTING DATA

Owners / precedence. Accountable executives, Compliance, Finance, Estates, service owners and governance. **Precedence:** Approved risk priorities, statutory commitments and competent assessments over analytics ranking. **Times / access / lineage.** **Effective time:** the prioritisation criteria and governance period. **Observed time:** the proposal evidence, estimate, dependency and outcome-baseline times. **Retrieved time:** exact query or export time. Approved role and purpose only; retain owner, record ID, version/approval, permission, query, immutable reference or hash, mappings and transformations. **Staleness / conflict.** Mark plans after material risk, budget, obligation or project change as stale. Keep conflicts with audit actions, incident learning, user impact, asset plans or regulator commitments visible until the authoritative owner records resolution.


ANALYSIS REQUIRED

Operation / decision interval. generate option portfolios, sequence dependencies and compare risk reduction, feasibility, cost and evidence confidence. **Decision interval:** quarterly and at budget/change gateways. **Minimum evidence / method.** Validated issues, mandatory commitments, owners, options, dependencies, resources, benefits and uncertainty. **Method:** multi-criteria option appraisal with sensitivity and minimum-control constraints. **Uncertainty / safe failure.** Estimated benefits are not guarantees and mandatory actions cannot be traded away. **Safe failure:** if the minimum-evidence test fails, present transparent options and assumptions; governance must choose, fund and authorise.


WHY THIS IS USEFUL

Supports a sequenced investment and action plan that is explicit about mandatory work, evidence gaps and decision trade-offs.

The catalogue is organised around eight connected decision areas. Each category starts with authoritative ownership and evidence boundaries, then identifies the operational action that a competent owner can take.



Common decision pattern



These rules apply across all 80 records. They keep sensing physically plausible, data use proportionate, source precedence visible and every answer within the authority of competent people.

1. PROPOSED EVIDENCE GATE

Treat every sensor, integration and analytic as proposed until deployment, asset/location mapping, commissioning, permission and current health are independently verified.

2. AUTHORITY AND PRECEDENCE

Use current records from the named owner. Regulators, legal counsel, competent professionals and accountable institutional decision makers take precedence over telemetry and dashboards.

3. TIME, VERSION AND LINEAGE

Separate effective, observed and retrieved times. Retain source IDs, versions, permissions, retrieval details, transformations, staleness status and unresolved conflicts.

4. PRIVACY AND MINIMISATION

Use the least data needed for the stated purpose. Prefer asset, zone, role or aggregate evidence; do not identify, track, profile, inspect content or infer protected characteristics.

5. MINIMUM EVIDENCE AND UNCERTAINTY

Apply the declared operation only when its minimum evidence is present. Show coverage, freshness, quality limits, ambiguity and alternative explanations with the result.

6. SAFE FAILURE AND HUMAN AUTHORITY

When evidence is insufficient, state the gap and route the decision. Do not provide legal advice, determine compliance, certify, approve, submit or control systems or replace accountable judgement.

Universal boundary: the service may expose authorised evidence, uncertainty, source conflicts and routing. It must never manufacture certainty, use the May 2021 floor plan as proof of current conditions, or displace regulators, legal counsel, competent assessors and accountable institutional decision makers.