

## STAKEHOLDER QUESTION CATALOGUE 12

# Room-booking Team

80 practical questions for evidence-disciplined room search, availability, release review, handover, disruption and lower-impact choices.

**STAKEHOLDER**

University room-booking professionals who search, hold, reserve and review rooms while authoritative booking, room, accessibility, service and safety owners retain decision authority.

**QUESTION RANGE**

RB-001 to RB-080 across eight categories covering suitability, availability, capacity, anonymous use evidence, turnaround, disruption, permissions and utilisation.

**EVIDENCE MODEL**

Current authoritative booking and room sources plus proposed privacy-preserving aggregate telemetry with verified mapping, timing, quality, provenance and permissions. Proposed capability is never presented as current deployment.

**CORE PRINCIPLE**

---

Help the room-booking team compare eligible options from current authoritative evidence, using qualified aggregate telemetry only when it adds decision value. Never create, change or cancel a booking; grant access; infer who is present; override responsible owners; or treat occupancy and environmental data as availability, accessibility or safety approval.

# 1. Catalogue scope and design principles

Stakeholder-facing questions support evidence-aware room-booking decisions; they do not transfer authority from current source owners or competent professionals.

All sensing, analytics and integrations are proposed design requirements unless independently verified. The May 2021 floor plan is historical spatial reference only and cannot establish current room purpose, capacity, access, equipment, services, hazards or closures.

## DECISION SUPPORT, NOT BOOKING AUTHORITY

The service may look up, calculate, compare, diagnose and recommend options. It never creates, changes, cancels, confirms or releases the authoritative booking.

## PROPOSED CAPABILITY, NOT CURRENT FACT

Treat sensors, mappings, models and integrations as proposed until deployment, commissioning, permission and current health are independently verified.

## CURRENT OWNER STATUS BEFORE HISTORY

Use current booking, room, accessibility, service, closure and emergency owners. Historical reservations and the May 2021 plan provide context only.

## ELIGIBILITY BEFORE PREFERENCES

Apply capacity, layout, access, equipment, privacy, safety and room-owner constraints before comparing distance, quietness, comfort, utilisation or energy.

## PRIVACY-PRESERVING AGGREGATE EVIDENCE

Use anonymous room or route counts only when proportionate. Never identify people, infer attendance or reconstruct movement histories, and never inspect content.

## HONEST OPERATIONS AND SAFE FAILURE

Label lookup, observation, calculation, estimate, forecast, comparison, diagnosis and recommendation correctly. Clarify, qualify, defer or return not assessable when evidence is insufficient.

## 2. How to read each question record

Every record states the room-booking decision, minimum evidence, operation, uncertainty, authority boundary and practical value.

### ROOM-BOOKING TEAM QUESTION

A natural question a room-booking professional would ask to make a room, hold, release, handover, exception or reporting decision.

### SENSORS AND TELEMETRY

Only physically plausible, privacy-preserving proposed evidence. The field states the named asset or area, spatial coverage, timing/aggregation, mapping, commissioning, calibration and quality limits.

### AUTHORITATIVE SUPPORTING DATA

Current owner-controlled booking, room, access, equipment, service, closure and emergency sources, with source owner, effective/observed/retrieved times, permissions, provenance, staleness and conflicts.

### ANALYSIS REQUIRED

The named operation, decision interval, minimum evidence, method, comparator or baseline, uncertainty and safe failure. Estimates and forecasts are not observations.

### ANSWER BOUNDARY

What the service must not infer, disclose, promise, certify, authorise or control, and when it must clarify, qualify, defer or return not assessable.

### WHY THIS IS USEFUL

The concrete room-booking action supported: shortlist a room, resolve a state, review a release, verify dependencies, escalate a conflict or compare a scenario.

### IMPLEMENTATION READINESS

#### R1 - PRACTICAL

Primarily authoritative lookup, verified static information or current owner-issued status.

#### R2 - INTEGRATION-DEPENDENT

Requires current cross-system integration and/or proposed privacy-preserving sensing with verified coverage, timing and quality.

#### R3 - RESEARCH OR RESTRICTED

Requires validated modelling, policy simulation, restricted governance, specialist permission or higher-consequence interpretation.

### 3. Worked question-to-evidence example

A room request is translated into explicit evidence obligations before any recommendation is made.

#### EXAMPLE QUESTION

**Which current rooms can host a 60-person hybrid workshop while meeting authorised capacity, whole-route accessibility, layout and AV requirements?**

#### 1. RESOLVE THE REQUEST

Confirm activity, group-size range, approved layout, duration, equipment, privacy, route, seating, setup/clear-down and preference weights. Separate hard constraints from preferences.

#### 2. VERIFY AUTHORITATIVE DATA

Use current booking eligibility, capacity by layout, room-owner purpose, equipment, whole-route access, opening, services and closures. Record owner, version, effective time and conflicts.

#### 3. VERIFY OPTIONAL TELEMETRY

Room-level aggregate use, environment or acoustics are secondary context only. Require exact mapping, timing, commissioning/calibration, clock alignment, uptime/gaps, drift, maintenance state and provenance.

#### 4. PERFORM THE RIGHT OPERATIONS

Apply authorised lookup and hard-constraint filtering first; calculate capacity and buffers; validate linked routes/services; compare only eligible rooms; report uncertainty and excluded evidence.

#### 5. PRESERVE AUTHORITY

Do not create the booking, reinterpret capacity or certify accessibility. Keep verified alternatives and identify responsible booking, room, AV and accessibility owners.

#### 6. COMMUNICATE ANSWERABILITY

Separate confirmed facts, calculations and qualified context. If booking, capacity, route, equipment, permission or evidence quality is stale, conflicting or unverified, return not assessable.

#### ANSWER SHAPE

Lead with the eligible room set or state that none is assessable. Then show authoritative evidence, calculations, qualified aggregate context, trade-offs, uncertainty, recheck time and responsible source owners.

# 1. Room search and suitability

RB-001 to RB-010 | 10 questions in this section | Resolve the request into current hard constraints, then compare only rooms that are genuinely eligible.

## RB-001 CONSTRAINT-MATCHED SHORTLIST

L2 - calculation R1 - practical

### ROOM-BOOKING TEAM QUESTION

**Which currently bookable rooms satisfy the request's capacity, approved layout, whole-route accessibility, equipment, location and timing constraints?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: booking inventory; room-owner profiles; capacity by approved layout; accessibility and whole-route records; equipment/service inventory; opening, access, maintenance and closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus hard-constraint filtering. Decision interval - this booking request and its setup/clear-down window. Minimum evidence - current request constraints and current room profiles. Exclude non-eligible rooms, explain conflicts and rank only remaining options; if a critical field is stale or missing, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not create, change or cancel a booking; grant access; infer identities or individual attendance; reinterpret capacity, accessibility or safety; or operate room/building systems. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to produce a defensible eligible-room shortlist before comparing preferences.

## RB-002 NEAREST ELIGIBLE ROOM

L2 - calculation R2 - integration-dependent

### ROOM-BOOKING TEAM QUESTION

**Which eligible room minimises travel from the authorised preceding location while preserving the required transition, setup and clear-down time?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous counts on named route segments plus owner-issued lift and door status; use current status and 1-5 minute aggregates. No identities or route histories may be retained. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking inventory and room profiles; user-supplied or authorised preceding location; current spatial/route graph; opening, access, lift, door and closure status; setup and transition rules. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus whole-route calculation. Decision interval - the gap between the preceding activity and proposed booking. Minimum evidence - eligible room set, origin, route topology and current access dependencies. Calculate feasible travel and buffer; if any required route segment is unverified, qualify the result or return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer an individual's origin, mobility requirement or attendance. It must not certify a route as accessible or promise lift/door availability. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to avoid room choices that are technically free but impractical to reach or prepare in time.

# 1. Room search and suitability

RB-001 to RB-010 | 10 questions in this section | Resolve the request into current hard constraints, then compare only rooms that are genuinely eligible.

## RB-003 APPROVED PRIVACY CLASS

L1 - lookup R1 - practical

### ROOM-BOOKING TEAM QUESTION

**Which currently eligible rooms are authorised for the declared confidentiality and privacy class?**

#### SENSORS AND TELEMETRY

No acoustic or occupancy sensor can certify confidentiality. Optional owner-issued door/partition status may be displayed for the named room with verified asset mapping and current timestamp; it remains operational context, not a privacy approval. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room-owner privacy classification; approved activity types; access-control policy; booking inventory; room layout and door/partition records; visitor rules and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup and hard-constraint filter. Decision interval - the requested meeting window. Minimum evidence - declared privacy class and current room classification. Return eligible rooms only; if classification is absent or conflicting, defer to the privacy/room owner and return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer confidentiality from low noise, vacancy or a closed door. It must not inspect meeting content, invitees, calendars beyond authorised constraints, speech, screens or network traffic; it must not grant access. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to offer only rooms approved for the declared confidentiality class.

## RB-004 WORKSHOP LAYOUT MATCH

L2 - calculation R1 - practical

### ROOM-BOOKING TEAM QUESTION

**Which eligible room can support a 24-person workshop with an approved movable-table layout, display, wall-working area and short breakout activity?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking inventory; room-owner layout catalogue; furniture and setup restrictions; approved capacity for the requested layout; AV inventory; breakout-space eligibility; accessibility, access, opening and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus constraint matching. Decision interval - booking, setup and clear-down periods. Minimum evidence - declared activity, layout and equipment needs plus current room records. Filter by hard constraints, calculate setup dependencies and show trade-offs; do not assume movable furniture from historical plans. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not move furniture, reserve breakout space, reinterpret capacity or treat the May 2021 plan as current. A room that appears large or empty is not necessarily permitted for the layout. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to choose a room designed and authorised for participatory work rather than forcing the activity into a lecture layout.

# 1. Room search and suitability

RB-001 to RB-010 | 10 questions in this section | Resolve the request into current hard constraints, then compare only rooms that are genuinely eligible.

RB-005

HYBRID MEETING READINESS

L3 - comparison R2 - integration-dependent

ROOM-BOOKING TEAM QUESTION

Which eligible rooms have the currently authorised hybrid-meeting capability and current non-content service status required for this group?

SENSORS AND TELEMETRY

Proposed integration of owner-issued non-content status for the named AV, network, power or room-service assets; optional circuit or access-point health may be aggregated by asset. Never inspect packets, screens, devices or content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room booking and owner records; approved hybrid-room inventory; AV configuration and service status; network/power status; capacity, accessibility, opening, support and closure information. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

ANALYSIS REQUIRED

Operation - authorised lookup plus service-readiness comparison. Decision interval - booking and pre-test window. Minimum evidence - eligible rooms, required functions and current non-content service health. Separate confirmed capability from live status; if any critical service is unknown, recommend a pre-check or return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

ANSWER BOUNDARY

The service must not inspect calls, recordings, teaching/research content, devices or network traffic; it must not operate AV/IT, promise service quality, create a booking or override support owners. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

WHY THIS IS USEFUL

Enables the team to offer rooms that match the interaction format and identify when a technical pre-check is necessary.

RB-006

INTERVIEW PANEL SETTING

L2 - calculation R2 - integration-dependent

ROOM-BOOKING TEAM QUESTION

Which eligible room supports an interview panel, a separate waiting point and an authorised visitor route without exposing confidential activity?

SENSORS AND TELEMETRY

No physical sensing is required. Optional anonymous waiting-area counts may be used only as 5-minute aggregates for congestion context, with no identities or movement history and with verified zone mapping, uptime and gaps. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking inventory; room-owner privacy and interview-use approval; waiting-area designation; visitor entrance/check-in rules; current accessible route and lift/door status; capacity, opening, access and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

ANALYSIS REQUIRED

Operation - authorised lookup plus linked-space and route validation. Decision interval - arrival, waiting, interview and clear-down windows. Minimum evidence - approved interview room, permitted waiting point and current visitor route. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

ANSWER BOUNDARY

The service must not inspect candidate or panel identities, invitations, applications or meeting content; it must not infer confidentiality from quietness; it must not grant visitor access or certify accessibility. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

WHY THIS IS USEFUL

Enables the team to coordinate a dignified arrival and waiting arrangement while preserving the panel's privacy requirements.

# 1. Room search and suitability

RB-001 to RB-010 | 10 questions in this section | Resolve the request into current hard constraints, then compare only rooms that are genuinely eligible.

## RB-007 QUIET SESSION FORECAST

L3 - forecast R2 - integration-dependent

### ROOM-BOOKING TEAM QUESTION

**Which eligible room is most likely to remain relatively quiet for the full two-hour writing, review or small-group session?**

#### SENSORS AND TELEMETRY

Proposed evidence: room-level numerical acoustic sensor producing 1-minute LAeq and percentile summaries, plus anonymous aggregate occupancy for the same room. No raw audio or speech content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking inventory and room eligibility; approved room purpose; nearby scheduled activity and closure information; current room acoustic specification where available. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - forecast and comparison. Decision interval - requested two-hour window. Minimum evidence - eligible rooms, comparable historical acoustic/occupancy coverage and known nearby activity. Compare matched day/time/room-type cases, report prediction intervals and exclude rooms with insufficient coverage. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not record speech, infer conversations or treat quietness as availability, confidentiality, accessibility or permission. Forecasts cannot guarantee a quiet session and must state coverage limitations. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to provide a realistic quietness preference after eligibility has been established.

## RB-008 COMFORT OVER DURATION

L3 - forecast R2 - integration-dependent

### ROOM-BOOKING TEAM QUESTION

**Which eligible room has the strongest evidence of maintaining acceptable temperature and CO2 conditions for about 30 people over three hours?**

#### SENSORS AND TELEMETRY

Proposed evidence: room-level NDIR CO2, air-temperature and relative-humidity nodes; add numerical LAeq only where acoustic context is needed. Use 1-minute aggregates across the occupied zone. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking and capacity records; expected aggregate group size supplied by the requester; current room purpose and HVAC served-zone mapping; BMS owner status; opening, maintenance and closure information; relevant outdoor weather. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - forecast and comparison. Decision interval - setup through session end. Minimum evidence - eligible rooms, room-level environmental history, expected occupancy, served-zone status and weather. Use comparable occupancy/duration cases, report uncertainty and data gaps; if room-level coverage is absent, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not claim health, comfort, ventilation compliance or safety from CO2/temperature alone; it must not substitute corridor data; it must not identify attendees or operate HVAC. The room owner retains suitability authority. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to compare likely environmental performance without presenting a forecast as a guarantee.

# 1. Room search and suitability

RB-001 to RB-010 | 10 questions in this section | Resolve the request into current hard constraints, then compare only rooms that are genuinely eligible.

## RB-009 SPECIALIST EQUIPMENT ELIGIBILITY

L2 - calculation R2 - integration-dependent

### ROOM-BOOKING TEAM QUESTION

**Which eligible rooms have the approved specialist equipment, power and network provision required for the declared activity?**

#### SENSORS AND TELEMETRY

Proposed integration of owner-issued non-content status for the named AV, network, power or room-service assets; optional circuit or access-point health may be aggregated by asset. Never inspect packets, screens, devices or content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room-owner equipment inventory and permitted-use rules; authoritative AV/IT or specialist-service status; booking inventory; power/network provision; required training or permission; capacity, access, opening, maintenance and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus hard-constraint filtering. Decision interval - booking and required test/setup period. Minimum evidence - declared equipment/function needs and current room/asset records. Return only rooms with verified eligibility and current service status; otherwise defer or return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not inspect files, code, models, network content or devices; it must not grant specialist permission, operate equipment, certify electrical safety or infer capability from sockets or room labels. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to avoid booking a general room for an activity that requires controlled specialist provision.

## RB-010 FALLBACK OPTION SET

L4 - recommendation R2 - integration-dependent

### ROOM-BOOKING TEAM QUESTION

**If the preferred room becomes unavailable, which three eligible alternatives are closest and what verified trade-offs would each introduce?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: use only telemetry relevant to declared preferences, such as proposed room-level environmental/acoustic aggregates or current owner-issued service status. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking inventory; room-owner profiles; capacity, layout, access, equipment, route, opening, maintenance and closure records; original request constraints and preference weights. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - recommendation after hard-constraint filtering. Decision interval - requested booking window. Minimum evidence - current eligible alternative set and explicit preferences. Calculate distance/setup impacts, compare optional evidence, show trade-offs and sensitivity; if no eligible alternative exists, state so. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not book an alternative, relax hard constraints, infer unstated preferences or use environmental evidence to override room/access owners. Recommendations remain advisory. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to present verified fallbacks quickly if the preferred room becomes unavailable.

## 2. Availability, holds, reservations and release rules

RB-011 to RB-020 | 10 questions in this section | Interpret authoritative booking states, holds, linked reservations and release rules without altering the booking record.

### RB-011 FREE, HELD OR RESTRICTED

L1 - lookup R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**At the requested time, is this room genuinely available, or is it protected by a hold, owner restriction, setup period or linked reservation?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: booking system; hold and approval states; room-owner restrictions; linked-space reservations; setup/clear-down blocks; opening, maintenance and closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup and state reconciliation. Decision interval - requested booking window plus buffers. Minimum evidence - current booking/hold records and owner restrictions. Explain each blocking state and source; if systems disagree, do not declare availability and defer to the authoritative owner. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not create, change or cancel a booking; grant access; infer identities or individual attendance; reinterpret capacity, accessibility or safety; or operate room/building systems. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to distinguish real capacity from space that only appears open in one calendar view.

### RB-012 HOLD EXPIRY REVIEW

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Which provisional holds expire before the decision deadline for these competing requests?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: booking/hold records; published hold duration and expiry rules; owner or approver state; competing request deadlines; room restrictions and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus expiry calculation. Decision interval - now to the decision deadline. Minimum evidence - current hold state, start time, policy and owner. Calculate eligible review points, not automatic release; if policy or timestamp is missing, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not release a hold, contact owners automatically, infer intent or expose requester identities beyond authorised operational fields. Current owner decisions prevail. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to plan when capacity may become decidable without prematurely treating a provisional hold as free.

## 2. Availability, holds, reservations and release rules

RB-011 to RB-020 | 10 questions in this section | Interpret authoritative booking states, holds, linked reservations and release rules without altering the booking record.

### RB-013 UNCONFIRMED HOLD ESCALATION

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Can this unconfirmed hold be referred to its owner for review under the current release policy?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current hold status; owner response/approval fields; release and escalation policy; request priority category; decision deadline; room-owner restrictions. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus policy-rule evaluation. Decision interval - current review point. Minimum evidence - hold state, elapsed time, policy and decision deadline. Return "eligible for review" or "not eligible" with reason; never execute release. Missing or conflicting policy requires deferral. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer why an owner has not responded, expose private calendar/content, release the room or set policy. The authorised booking owner decides. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to escalate consistently while avoiding arbitrary treatment of unconfirmed requests.

### RB-014 LINKED ROOM PACKAGE

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Are the main room, breakout rooms, waiting area and support spaces reserved consistently for this event?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: booking records for every linked space; event-space dependency definition; setup/clear-down periods; room-owner permissions; access, opening, maintenance and closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus dependency check. Decision interval - full event lifecycle. Minimum evidence - declared linked-space set and current reservations. Identify missing, overlapping or differently timed elements; if the dependency definition is incomplete, ask for clarification. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer that nearby empty rooms are part of the booking, create missing reservations or override separate room owners. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to detect a partially booked event package before organisers arrive.

## 2. Availability, holds, reservations and release rules

RB-011 to RB-020 | 10 questions in this section | Interpret authoritative booking states, holds, linked reservations and release rules without altering the booking record.

### RB-015 PROTECTED SETUP BUFFER

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Does this reservation protect enough setup and clear-down time for the approved layout, equipment and visitor requirements?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking times; approved setup/clear-down standards by activity and room; room-owner restrictions; AV/catering/delivery dependencies; visitor and access rules; adjacent reservations and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - calculation and constraint check. Decision interval - previous booking end through next booking start. Minimum evidence - declared setup requirements, standard durations and adjacent reservations. Calculate available buffer and report shortfall; do not invent a standard where none exists. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not extend the booking, reserve staff, operate equipment or assume a faster setup from historical occupancy. The relevant service and room owners approve exceptions. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to protect the time needed to make the room genuinely usable, not merely calendar-free.

### RB-016 RECURRING-DATE EXCEPTIONS

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Which dates in this recurring reservation are blocked, shortened or governed by different room rules?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: recurrence pattern; current academic/operational calendar; room bookings and holds; holidays, closures, maintenance and owner restrictions; access/opening variations. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus recurrence expansion and exception detection. Decision interval - full recurring series. Minimum evidence - approved recurrence and current calendars. List valid and exceptional dates separately; if a calendar or room rule is unresolved, mark the date not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not copy dates from a prior year, create the series or override closure/owner rules. Historical use does not confer future eligibility. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to prevent a seemingly valid recurring booking from failing on exceptional dates.

## 2. Availability, holds, reservations and release rules

RB-011 to RB-020 | 10 questions in this section | Interpret authoritative booking states, holds, linked reservations and release rules without altering the booking record.

### RB-017 PENDING OWNER APPROVAL

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Which requests still await owner approval, and which are approaching their decision deadline?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: request and approval workflow; room-owner assignment; submission and due times; escalation policy; competing holds and closures. Use only authorised workflow metadata and preserve owner, effective/retrieved time, permissions and conflicts. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus deadline calculation. Decision interval - current work queue. Minimum evidence - request status, responsible owner, due time and policy. Order by decision deadline without ranking people; if ownership is missing, flag for workflow correction. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not approve, reject or infer the reason for delay; it must not expose requester details beyond authorised fields or set owner workload policy. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to focus follow-up on requests that could otherwise block room supply or miss organiser deadlines.

### RB-018 CONTINGENCY HOLD VALUE

L4 - recommendation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Which contingency holds could be reviewed for release without leaving the event below its authorised fallback requirement?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: optional current room/service status may inform scenario context, but no physical sensing is required. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current contingency-hold records; event risk/backup policy; main-room status; alternative-room eligibility; decision deadlines; owner and organiser instructions; opening, access, maintenance and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - scenario comparison and recommendation. Decision interval - until the contingency can no longer be exercised. Minimum evidence - authorised fallback requirement, current main/alternative status and policy. Compare retained versus released scenarios, show risk and uncertainty; owner decides. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not release the hold, set risk tolerance or infer event importance. It must not let occupancy or environmental data override the organiser or room owner. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to ask owners to review unnecessary contingency holds while preserving the approved fallback plan.

## 2. Availability, holds, reservations and release rules

RB-011 to RB-020 | 10 questions in this section | Interpret authoritative booking states, holds, linked reservations and release rules without altering the booking record.

### RB-019 DUPLICATE REQUEST CHECK

L3 - estimate R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Are these overlapping requests duplicates, or do they represent distinct activities requiring separate decisions?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: authorised booking/request identifiers; requesting unit; declared activity category; time, room and linked-space needs; organiser-supplied relationship fields; workflow history. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus record-linkage check. Decision interval - current conflict review. Minimum evidence - request IDs, declared relationship and key constraints. Flag probable duplicates with reasons and uncertainty; ask the owner to confirm rather than merging automatically. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not inspect meeting content, emails, documents or invitees; it must not infer common purpose from names alone, merge requests or cancel either record. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to avoid blocking scarce rooms twice while protecting genuinely separate activities.

### RB-020 STALE RESERVATION REVIEW

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Which stale or unchanged reservations should be referred to their owners before new eligible demand is refused?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: booking status, creation/last-confirmed time, recurrence, owner and current release/reconfirmation policy; competing demand and decision deadlines; room restrictions and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus policy-based staleness calculation. Decision interval - current demand window. Minimum evidence - booking age/status and published reconfirmation rule. Produce a review list, not a cancellation list; missing policy or ownership yields not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer that age means abandonment, expose owner activity, cancel a reservation or rank requesters. Only the authorised workflow may contact or release. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to check potentially dormant capacity before telling a new requester that no room exists.

### 3. Capacity, layout, equipment and accessibility

RB-021 to RB-030 | 10 questions in this section | Validate capacity, approved layout, equipment and whole-route accessibility from current owner-controlled records.

#### RB-021 CAPACITY BY LAYOUT

L1 - lookup R1 - practical

##### ROOM-BOOKING TEAM QUESTION

**What is this room's current approved capacity for the requested seating or furniture layout?**

##### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room-owner capacity by approved layout; current furniture/configuration catalogue; fire/safety and accessibility owner records; maintenance/closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup. Decision interval - proposed booking and setup window. Minimum evidence - room, requested layout and current approved capacity. Return the authorised figure and source; if layout-specific capacity is absent or conflicting, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not calculate legal capacity from floor area, chair counts, occupancy sensors or the May 2021 plan; it must not certify safety or alter the layout. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to apply the correct capacity instead of a generic room total.

#### RB-022 RIGHT-SIZED CAPACITY MARGIN

L3 - comparison R1 - practical

##### ROOM-BOOKING TEAM QUESTION

**Which eligible room provides sufficient capacity margin without using a substantially oversized space?**

##### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current approved capacity by requested layout; authorised expected aggregate group size and contingency margin; booking inventory; room purpose, access, equipment, setup and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - calculation and comparison. Decision interval - requested booking. Minimum evidence - eligible rooms, approved capacities and declared group-size range. Calculate margin and oversizing ratio, exclude non-eligible rooms and show sensitivity to attendance uncertainty. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not infer individual attendance, change the expected group size, relax accessibility/equipment requirements or treat historic occupancy as an approved capacity. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to balance resilience against avoidable use of a much larger room.

### 3. Capacity, layout, equipment and accessibility

RB-021 to RB-030 | 10 questions in this section | Validate capacity, approved layout, equipment and whole-route accessibility from current owner-controlled records.

#### RB-023 WHOLE-ROUTE ACCESSIBILITY

L2 - calculation R2 - integration-dependent

##### ROOM-BOOKING TEAM QUESTION

**Which eligible rooms have a currently verified whole route that meets the functional requirements the requester chose to state?**

##### SENSORS AND TELEMETRY

Proposed evidence: anonymous counts on named route segments plus owner-issued lift and door status; use current status and 1-5 minute aggregates. No identities or route histories may be retained. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current accessible-route, entrance, door, lift and room records owned by authorised accessibility/facilities sources; current booking eligibility, opening, access, maintenance and closures; requester-stated functional requirements for this interaction only. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus whole-route validation. Decision interval - arrival through departure. Minimum evidence - origin/entrance, destination, functional requirements and current status of every route dependency. Validate the complete path; if any segment is unverified, offer a qualified alternative or return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not infer disability, diagnosis or need; require medical proof; certify accessibility or safety; grant access; or treat occupancy as route suitability. Competent accessibility owners retain authority. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to avoid assigning a technically free room that the intended users cannot reliably reach or use.

#### RB-024 ACCESSIBLE SEATING PROVISION

L2 - calculation R1 - practical

##### ROOM-BOOKING TEAM QUESTION

**Does the approved layout provide the required accessible seating, companion positions and circulation clearances?**

##### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room-owner seating/layout plan; accessibility provision and authorised adjustment requirements; approved capacity and circulation constraints; furniture/setup status; booking and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus layout constraint check. Decision interval - setup and booking window. Minimum evidence - requested functional provision and current approved layout. Confirm supported positions or identify a verified alternative; missing current layout evidence yields not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not infer needs, expose adjustment reasons, redesign the room, certify accessibility or treat unused seats as approved accessible provision. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to select a room and layout that can support the stated seating requirement without disclosing personal information.

### 3. Capacity, layout, equipment and accessibility

RB-021 to RB-030 | 10 questions in this section | Validate capacity, approved layout, equipment and whole-route accessibility from current owner-controlled records.

#### RB-025 LAYOUT CHANGE FEASIBILITY

L2 - calculation R2 - integration-dependent

##### ROOM-BOOKING TEAM QUESTION

**Can the requested furniture layout be prepared within the available turnaround time and current room rules?**

##### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: optional owner-issued furniture/setup status only; no sensor can approve a layout. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current approved layout catalogue; furniture inventory and movement restrictions; setup/clear-down standards; adjacent bookings; authorised setup team availability/status; access, safety, maintenance and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - calculation and constraint check. Decision interval - previous booking end to requested start. Minimum evidence - approved target layout, setup duration, current room state and access window. Calculate feasibility and dependencies; if setup status or authority is missing, defer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not move furniture, assign staff, approve a non-standard layout or infer readiness from vacancy. Safety and room owners decide exceptions. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to avoid confirming a layout that cannot be delivered between bookings.

#### RB-026 AV AND ASSISTIVE CAPABILITY

L3 - comparison R2 - integration-dependent

##### ROOM-BOOKING TEAM QUESTION

**Which eligible rooms have the authorised AV, capture, display and assistive-listening capability required for the activity?**

##### SENSORS AND TELEMETRY

Proposed integration of owner-issued non-content status for the named AV, network, power or room-service assets; optional circuit or access-point health may be aggregated by asset. Never inspect packets, screens, devices or content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room/AV owner inventory; assistive-technology provision; non-content service status and maintenance; booking eligibility, capacity, access, opening and closures; required support or pre-test rules. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus capability comparison. Decision interval - booking and test window. Minimum evidence - required functions, eligible rooms and current owner status. Separate installed capability from current health; if critical status is unknown, recommend pre-test or return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not inspect recordings, speech, screens, devices or network traffic; it must not operate AV, promise successful capture, certify accessibility or override AV/accessibility owners. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to match the room to the declared participation format and identify support dependencies early.

### 3. Capacity, layout, equipment and accessibility

RB-021 to RB-030 | 10 questions in this section | Validate capacity, approved layout, equipment and whole-route accessibility from current owner-controlled records.

#### RB-027 POWER AND NETWORK PROVISION

L2 - calculation R2 - integration-dependent

##### ROOM-BOOKING TEAM QUESTION

**Which eligible rooms have sufficient approved power, socket and network provision for the declared device load?**

##### SENSORS AND TELEMETRY

Proposed integration of owner-issued non-content status for the named AV, network, power or room-service assets; optional circuit or access-point health may be aggregated by asset. Never inspect packets, screens, devices or content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current electrical/room-owner socket and circuit inventory; authorised IT/network service and coverage records; room equipment rules; booking eligibility, access, maintenance and closures; declared aggregate device/load requirement. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus capacity/compatibility check. Decision interval - setup through event end. Minimum evidence - declared load/function and current room/asset records. Return eligible rooms and unresolved assumptions; if electrical or service evidence is missing, defer to the owner. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not inspect devices, traffic or content; infer electrical safety from live current alone; allocate circuits, grant access or operate systems. Only competent owners can approve unusual loads. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to avoid a room that has seats but cannot support the declared technical setup.

#### RB-028 SPEECH-ROOM ACOUSTIC FIT

L3 - comparison R2 - integration-dependent

##### ROOM-BOOKING TEAM QUESTION

**Which eligible room has approved acoustic characteristics and sufficiently low background noise for a speech-led activity?**

##### SENSORS AND TELEMETRY

Proposed evidence: room-level numerical acoustic sensor producing 1-minute LAeq and percentile summaries; no raw audio or speech. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room acoustic specification where available; room purpose and booking eligibility; nearby scheduled activity; AV/assistive provision; opening, maintenance and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus comparison of eligible rooms. Decision interval - requested activity window. Minimum evidence - current acoustic specification or adequate room-level numerical coverage and comparable periods. Report variability and uncertainty; if coverage is indirect or insufficient, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not record or infer speech/content, certify audibility for every participant, treat quietness as availability/confidentiality or override accessibility/AV advice. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to account for the communication demands of the activity without monitoring its content.

### 3. Capacity, layout, equipment and accessibility

RB-021 to RB-030 | 10 questions in this section | Validate capacity, approved layout, equipment and whole-route accessibility from current owner-controlled records.

#### RB-029 VENTILATION EVIDENCE SUFFICIENCY

L3 - forecast R3 - research or restricted

##### ROOM-BOOKING TEAM QUESTION

**Which eligible rooms have sufficient current room-level evidence to assess likely CO2 performance for the expected group size and duration?**

##### SENSORS AND TELEMETRY

Proposed evidence: room-level NDIR CO2, air-temperature and relative-humidity nodes; add numerical LAeq only where acoustic context is needed. Use 1-minute aggregates across the occupied zone. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking/capacity records; requester-supplied aggregate group-size range and duration; current HVAC served-zone mapping and BMS owner status; room purpose, opening, maintenance and closures; outdoor weather. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - evidence-sufficiency check plus forecast where supported. Decision interval - full occupied window. Minimum evidence - room-level CO2 history under comparable occupancy/duration, current sensor health and served-zone status. Forecast only for rooms meeting coverage criteria; otherwise state not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not claim compliance, health, safety or individual comfort; it must not substitute corridor readings, infer identities or operate ventilation. Environmental evidence is advisory context after room eligibility. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to distinguish rooms with defensible predictive evidence from rooms where the service should remain silent.

#### RB-030 BREAKOUT-SPACE PROXIMITY

L2 - calculation R2 - integration-dependent

##### ROOM-BOOKING TEAM QUESTION

**Which eligible main room has enough bookable breakout or support space along a permitted, accessible route?**

##### SENSORS AND TELEMETRY

Proposed evidence: anonymous counts on named route segments plus owner-issued lift and door status; use current status and 1-5 minute aggregates. No identities or route histories may be retained. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking inventory for main and linked spaces; current room purpose/owner rules; capacity and accessibility records; whole-route topology and current lift/door/access status; setup, opening, maintenance and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus linked-space and route calculation. Decision interval - whole booking including transitions. Minimum evidence - required number/size of breakout spaces and current eligibility of every room/route. Return complete packages only; missing route or booking evidence yields not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not infer that adjacent or empty rooms are available, grant access, certify accessibility or create linked bookings. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to identify workable room packages rather than a main room with unusable or inaccessible breakout options.

## 4. Occupancy, no-shows and responsible release

RB-031 to RB-040 | 10 questions in this section | Use anonymous aggregate evidence only to support owner review; never release a booking automatically.

### RB-031 GRACE-PERIOD RELEASE CHECK

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**The booking has started and anonymous evidence indicates no use. Under the current policy, should the owner be asked to review the reservation?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway counter and room-presence sensor covering the booked room only; use 1-minute aggregate count/state with no identities or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: booking and check-in state; published grace/release rule; protected-booking flags; owner instructions; room access/closure and incident status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - observation plus policy-rule evaluation. Decision interval - start time through grace-period end. Minimum evidence - current booking, protected-status check and healthy room-level occupancy coverage. Return "eligible for review", not "released"; uncertain or conflicting evidence keeps the room protected. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not identify who is absent, infer attendance or intent, release the room, expose booking details or treat an empty estimate as proof. The authoritative owner decides. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to refer a possible no-show for owner review without releasing the room automatically.

### RB-032 TEMPORARY BREAK OR NO-SHOW

L3 - estimate R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Does the available anonymous aggregate evidence support a temporary break rather than a genuine no-show?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway counter and room-presence sensor covering the booked room only; use 1-minute aggregate count/state with no identities or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking and check-in state; authorised break/re-entry and release policy; door state where owner-issued; event/organiser status if voluntarily supplied; protected flags and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - estimate, not identification. Decision interval - booking start and policy-defined observation window. Minimum evidence - healthy room-level count/state plus booking context. Compare entry/exit and recent presence patterns without tracking individuals; if ambiguity remains, retain the booking and return uncertain. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer who left, where they went, why, or whether they will return; it must not build movement histories or release the room from sensor evidence alone. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to avoid releasing a room during a planned break or short temporary absence.

## 4. Occupancy, no-shows and responsible release

RB-031 to RB-040 | 10 questions in this section | Use anonymous aggregate evidence only to support owner review; never release a booking automatically.

### RB-033 CONFLICTING OCCUPANCY SOURCES

L4 - diagnosis R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**The authorised occupancy sources disagree about this booked room. Should the booking remain protected from release?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway count and room-presence state for the same room, 1-minute aggregates only. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking/check-in and protected-status records; release policy; sensor inventory/health provenance; owner-issued door/access status and incidents. Authoritative booking state and policy prevail when sources conflict. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - source-agreement diagnosis plus conservative policy evaluation. Decision interval - current grace/release window. Minimum evidence - at least one healthy room-level source and current booking state. Quantify disagreement and keep protected when evidence is insufficient. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not choose the most convenient sensor, infer identities, release the room or hide conflict with a confident answer. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to treat disagreement as an evidence problem rather than a reason to make a risky release.

### RB-034 AGGREGATE NO-SHOW PATTERN

L3 - comparison R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Which room and time categories show repeated no-shows strongly enough to justify an owner-led review of release rules?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous room-level occupancy/check-in aggregates aligned to confirmed bookings; no identities or movement histories. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: historical authoritative booking, cancellation and check-in records; policy versions/effective dates; room categories and closures; sensor provenance. Use only authorised aggregate extracts and preserve changes in policy or coverage. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - historical calculation and comparison. Decision interval - a defined term or year. Minimum evidence - adequate booking and room-level coverage across comparable periods. Calculate no-show rates with confidence intervals, stratify by room/time category and exclude unstable coverage. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not identify or rank requesters, staff or students; infer reasons or performance; set policy automatically; or compare periods with incompatible coverage without warning. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to decide where a release-policy review could recover capacity without targeting individuals.

## 4. Occupancy, no-shows and responsible release

RB-031 to RB-040 | 10 questions in this section | Use anonymous aggregate evidence only to support owner review; never release a booking automatically.

### RB-035 SUSTAINED UNDER-CAPACITY USE

L3 - comparison R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Which recurring bookings show sustained aggregate use below their declared room requirement and merit an owner-led right-sizing discussion?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway counter and room-presence sensor covering the booked room only; use 1-minute aggregate count/state with no identities or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: historical confirmed bookings; approved room capacity by layout; authorised aggregate expected group-size range; cancellation and exception flags; room/sensor mapping and policy periods. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - historical calculation and comparison. Decision interval - defined recurring series. Minimum evidence - sufficient healthy room-level coverage across representative dates. Compare occupancy ranges with declared need and capacity, account for exceptional sessions and report uncertainty. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer individual attendance, engagement or performance; contact or penalise owners automatically; change future bookings; or ignore accessibility/layout contingency needs. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to identify evidence-supported candidates for voluntary right-sizing rather than using isolated low-attendance days.

### RB-036 EARLY-FINISH AVAILABILITY

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**A booked room appears to have emptied early. Under current rules, when could the owner review it for short-notice release?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway counter and room-presence sensor covering the booked room only; use 1-minute aggregate count/state with no identities or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking and organiser release/check-out state; published early-release policy; protected flags; setup/cleaning requirements; next reservation and room-owner status; incidents and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - observation plus policy-rule evaluation. Decision interval - now to booking end. Minimum evidence - explicit owner release/check-out or policy-defined evidence, healthy room-level coverage and dependency checks. Without authorised release, keep unavailable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer that the event is finished from an empty estimate, release or advertise the room, identify occupants or bypass cleaning/setup rules. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to understand when early vacancy can become usable capacity without disrupting an event that may return.

## 4. Occupancy, no-shows and responsible release

RB-031 to RB-040 | 10 questions in this section | Use anonymous aggregate evidence only to support owner review; never release a booking automatically.

### RB-037 PROTECTED EMPTY BOOKING

L1 - lookup R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Which apparently unused bookings must remain protected because of assessment, accessibility, confidentiality or contingency requirements?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: occupancy telemetry is optional context only and must be anonymous, room-level and quality checked. It cannot reveal or infer the protected reason. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: protected-booking flag and policy; room-owner/organiser instruction; current booking and access state; setup, assessment, accessibility or contingency classification restricted to minimum necessary operational fields. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup and exclusion rule. Decision interval - current booking/release window. Minimum evidence - current protected flag and policy. Exclude protected bookings before any sensor-based review; if permission to see the flag is absent, defer to the owner. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not expose why a booking is protected, infer personal needs or confidential activity, or use vacancy to override the flag. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to prevent a release mechanism from harming high-consequence or privacy-sensitive bookings.

### RB-038 RELEASE EVIDENCE THRESHOLD

L2 - calculation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**What minimum authoritative and anonymous aggregate evidence is required before a booking can be referred to its owner for release review?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous room-level occupancy/check-in evidence with documented coverage, commissioning, aligned clocks, uptime, gaps, drift and maintenance. No identity or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current release policy and protected categories; authoritative booking/check-in state; room/sensor inventory and quality rules; owner escalation path; incident/closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - rule specification and evidence-sufficiency calculation. Decision interval - each release decision. Minimum evidence - current booking, policy eligibility, healthy room-level coverage and no conflict. Output review eligibility plus missing evidence; any failed condition means no recommendation. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not lower the threshold to maximise releases, release rooms automatically, infer attendance or claim that sensors certify non-use. The policy owner sets thresholds. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to apply one defensible evidence threshold before referring any booking for release review.

## 4. Occupancy, no-shows and responsible release

RB-031 to RB-040 | 10 questions in this section | Use anonymous aggregate evidence only to support owner review; never release a booking automatically.

### RB-039 SHORT-NOTICE ROOM SUPPLY

L1 - lookup R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Which rooms have been officially released and are now eligible for short-notice use?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: no sensing is required once release is authoritative. Optional anonymous occupancy may support the owner's earlier review but cannot itself create supply. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: released/available state in the booking system; room purpose, booking eligibility, capacity, access, opening, setup/cleaning, maintenance and closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus eligibility filtering. Decision interval - requested short-notice window. Minimum evidence - official release and current room profile. Return only rooms with a current authoritative available state; stale or conflicting records yield not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not advertise an apparently empty room, create a booking, grant access or treat telemetry as availability. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to respond to immediate demand using capacity that has actually returned to the booking pool.

### RB-040 GRACE-RULE SIMULATION

L4 - recommendation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**How would 10-, 15- and 20-minute no-show grace periods affect recovered room-hours and false-release risk?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: historical proposed anonymous room-level occupancy/check-in aggregates aligned to bookings; no identities. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: historical authoritative bookings, check-ins, explicit releases/returns, protected flags, cancellations and policy versions; room categories and closures. Use authorised aggregate extracts only and preserve source changes. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - policy scenario simulation. Decision interval - a defined historical evaluation period. Minimum evidence - high-quality labelled outcomes and representative room coverage. Simulate each grace window, estimate recovered hours and false-release risk with uncertainty and sensitivity; do not deploy automatically. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not reconstruct individual attendance, infer reasons, target requesters or set the release policy. Results are decision support for the policy owner and may be not assessable if outcome labels are weak. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to compare policy trade-offs before changing a rule that could inconvenience valid users.

## 5. Turnaround, cleaning and setup dependencies

RB-041 to RB-050 | 10 questions in this section | Verify cleaning, layout, AV, access, maintenance and environmental dependencies before handover.

### RB-041 TURNAROUND TIME

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Is the interval between these bookings sufficient for departure, room reset, setup and arrival of the next group?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: optional proposed anonymous doorway counts may estimate dispersal at the named room entrance using 1-minute aggregates; no identities. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current adjacent bookings; approved changeover/setup/clear-down standards; room layout; access/opening rules; cleaning, AV, catering or delivery dependencies; closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - calculation and constraint check. Decision interval - previous booking end to next start. Minimum evidence - current adjacent reservations and applicable turnaround standards. Calculate each dependency and total buffer; if a standard or owner status is missing, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not shorten required turnaround, infer readiness from vacancy, assign staff or operate the room. Service and room owners retain responsibility. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to prevent back-to-back bookings that leave no feasible handover window.

### RB-042 CLEANING COMPLETION

L1 - lookup R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Has the authorised cleaning or service owner confirmed that the room is ready for the next booking?**

#### SENSORS AND TELEMETRY

No sensor can certify cleaning or room setup. Use owner-issued completion status. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current cleaning/service work order and owner-issued completion status; room booking and setup schedule; incident/spill status; maintenance, access and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup. Decision interval - now to next booking start. Minimum evidence - current owner completion status for the required scope. Report complete, incomplete or unknown; anonymous occupancy after sign-off may trigger a recheck, not revoke the owner status automatically. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not certify cleanliness from sensors, inspect cleaning staff activity, identify occupants, dispatch cleaners or reopen a room. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to know whether the room may proceed or needs owner confirmation before handover.

## 5. Turnaround, cleaning and setup dependencies

RB-041 to RB-050 | 10 questions in this section | Verify cleaning, layout, AV, access, maintenance and environmental dependencies before handover.

### RB-043 FURNITURE SETUP CONFIRMATION

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Has the approved furniture layout been confirmed, and is the setup window still protected?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: no camera or occupancy inference is permitted to verify layout. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current approved layout request; room-owner/setup-team status; furniture restrictions; protected setup block; adjacent bookings; access, maintenance and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus dependency check. Decision interval - setup start to booking start. Minimum evidence - approved layout, protected window and current owner status. If setup is unconfirmed or the window is compromised, defer to the setup/room owner. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not inspect the room with cameras, infer layout from occupancy, move furniture, assign staff or approve a non-standard arrangement. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to detect a calendar-valid booking whose physical arrangement is not yet ready.

### RB-044 AV RESET AND TEST

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Has the authorised AV service confirmed readiness for the next booking after the previous event?**

#### SENSORS AND TELEMETRY

Proposed integration of owner-issued non-content status for the named AV, network, power or room-service assets; optional circuit or access-point health may be aggregated by asset. Never inspect packets, screens, devices or content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current AV owner reset/test status; room booking and support request; known faults/maintenance; required equipment profile; power/network service status; access and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus service-dependency check. Decision interval - previous event end through next pre-test/start. Minimum evidence - current AV status and required functions. Return ready, degraded or unknown with owner contact path; unknown critical capability means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not inspect recordings, calls, screens or device content; operate AV, reset systems, promise performance or override the support owner. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to know whether the room can remain assigned or needs a technical check or alternative.

## 5. Turnaround, cleaning and setup dependencies

RB-041 to RB-050 | 10 questions in this section | Verify cleaning, layout, AV, access, maintenance and environmental dependencies before handover.

### RB-045 CATERING CLEAR-DOWN

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Does this catered event require additional clear-down, waste handling or room-reset time before the next reservation?**

#### SENSORS AND TELEMETRY

No sensor can certify catering clear-down. Optional proposed anonymous room presence, door events or bin-fill status may provide qualified context only, with verified room/asset mapping, aligned time, uptime and gaps; no identities. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current catering/event requirements; room-owner food policy; cleaning/waste owner status; booked clear-down window; adjacent reservations; access, maintenance and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus turnaround calculation. Decision interval - event end to next booking. Minimum evidence - declared catering scope and current owner standards/status. Calculate required buffer and identify missing sign-offs; if scope is unknown, ask the organiser. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer catering from odour, occupancy or waste sensors; certify cleanliness; dispatch services; or shorten owner requirements. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to reserve realistic post-event time rather than passing an unready room to the next user.

### RB-046 ENVIRONMENTAL RECOVERY

L2 - calculation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**After a high-occupancy session, is there sufficient verified room-level evidence that environmental conditions recovered before the next booking?**

#### SENSORS AND TELEMETRY

Proposed evidence: room-level NDIR CO2, air-temperature and relative-humidity nodes; add numerical LAeq only where acoustic context is needed. Use 1-minute aggregates across the occupied zone. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking times and approved capacity; aggregate previous-use context where authorised; HVAC served-zone/BMS status; next booking; opening, maintenance and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - observation and recovery calculation. Decision interval - previous end to next start. Minimum evidence - healthy room-level time series, defined operational recovery criterion owned by facilities/room owner and current HVAC status. Report trend and uncertainty; absent criterion or coverage means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not certify health, ventilation compliance, safety or readiness from CO2/temperature alone; it must not substitute corridor data or operate HVAC. Official room/facilities status prevails. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to identify when room recovery evidence is adequate, limited or not assessable before handover.

## 5. Turnaround, cleaning and setup dependencies

RB-041 to RB-050 | 10 questions in this section | Verify cleaning, layout, AV, access, maintenance and environmental dependencies before handover.

### RB-047 OVERRUN RISK

L3 - estimate R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Is there authorised evidence that the current event may overrun, and how much verified handover time remains?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous aggregate room presence and doorway flow for the named room; 1-minute aggregates only, no identities or content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking end/start times; organiser or room-owner overrun/status field if supplied; setup/turnaround standards; next booking dependencies; closure/incident status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - estimate and buffer calculation. Decision interval - now to next booking start. Minimum evidence - current event status and healthy room-level aggregate flow. Estimate remaining activity/dispersal with uncertainty; do not treat presence alone as proof of overrun. If evidence is weak, alert for owner confirmation. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not identify participants, inspect event content, extend/cancel bookings, contact attendees automatically or claim a precise end time. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to seek confirmation or prepare an alternative before an overrun becomes a direct conflict.

### RB-048 MAINTENANCE WINDOW FIT

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Can the authorised maintenance task fit between reservations without putting the next booking at risk?**

#### SENSORS AND TELEMETRY

Proposed integration of owner-issued asset/work-order status only; optional equipment telemetry may show task completion or service recovery for the named asset with verified mapping, timestamps, health and provenance. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current maintenance work order, estimated duration and access requirements; affected room/asset mapping; adjacent bookings; setup/cleaning dependencies; room-owner, safety and closure status. Facilities/maintenance owners prevail when sources conflict. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus interval calculation. Decision interval - available gap between bookings. Minimum evidence - current task duration/status and room dependencies. Calculate feasible window and contingency; if duration or completion acceptance is unverified, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not schedule or approve maintenance, operate assets, reopen the room, shorten safety controls or infer completion from telemetry alone. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to understand whether a booking gap can genuinely accommodate the authorised work.

## 5. Turnaround, cleaning and setup dependencies

RB-041 to RB-050 | 10 questions in this section | Verify cleaning, layout, AV, access, maintenance and environmental dependencies before handover.

### RB-049 DELIVERY AND SETUP ACCESS

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Is there an authorised delivery and setup window compatible with the booking, entrance, route and building-access rules?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous counts on named route segments plus owner-issued lift and door status; use current status and 1-5 minute aggregates. No identities or route histories may be retained. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current delivery/visitor policy; authorised entrance and route; lift/door/access status; room booking and protected setup window; equipment/catering request; opening, security, maintenance and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus whole-route and interval validation. Decision interval - arrival through setup completion. Minimum evidence - approved delivery requirements, route, access permission and time window. Validate every dependency; if access or route status is unverified, defer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not grant delivery access, operate doors/lifts, track delivery staff, reserve loading space or certify route/safety. Security and room owners decide. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to prevent a room booking from failing because necessary materials cannot reach it in time.

### RB-050 ROOM HANDOVER READINESS

L4 - diagnosis R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Are cleaning, layout, AV, access, maintenance and room-level environmental dependencies sufficiently verified for the next handover?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: use only the specific proposed room-level evidence required by the booking: owner-issued service states, anonymous presence/door context and, where relevant, ROOM\_ENV-quality time series. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current owner-issued status for booking, cleaning, layout/setup, AV/IT, access, maintenance, closures and any agreed environmental criterion. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - multi-source readiness calculation. Decision interval - handover checkpoint to booking start. Minimum evidence - all mandatory dependency states current and non-conflicting. Return ready, conditionally ready or not assessable with missing owners; do not collapse unknowns into "ready". State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not certify safety, cleanliness, accessibility or service performance; operate systems; grant access; or override a failed/unknown owner status. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to confirm that all owner-controlled handover dependencies have been checked before the next session.

## 6. Changes, cancellations, conflicts and disruption

RB-051 to RB-060 | 10 questions in this section | Respond to authoritative changes and conflicts with traceable alternatives, clear source precedence and safe deferral.

### RB-051 CLOSURE REPLACEMENT SET

L4 - recommendation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**A booked room has been officially closed. Which current alternatives preserve the required capacity, layout, access, equipment and timing?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: use only telemetry relevant to declared preferences after eligibility, such as current owner-issued service states or proposed room-level environmental aggregates with verified mapping, timestamps and health. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: official closure notice; current booking inventory; room-owner profiles; capacity/layout, equipment, accessibility/route, opening and service status; organiser constraints. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup, hard-constraint filtering and recommendation. Decision interval - affected booking and setup window. Minimum evidence - official closure and current eligible alternatives. Show trade-offs and uncertainty; if no alternative meets hard constraints, state none is assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not reopen the room, create/change the booking, relax access/safety constraints or override the organiser/room owner. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to quickly identify defensible replacement options after a closure.

### RB-052 DOUBLE-BOOKING CONFLICT SOURCE

L4 - diagnosis R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Two authoritative systems claim the same room at the same time. What is conflicting, and which source owner must resolve it?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking transactions from each authorised system; integration ownership and precedence rules; room-owner record; hold/approval states; effective/retrieved times and audit identifiers. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - source-conflict diagnosis. Decision interval - current conflict. Minimum evidence - transaction IDs, source owners, timestamps and precedence rule. Identify the conflicting fields and responsible resolver; if precedence is undefined, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not choose a winner without authority, cancel either booking, expose unnecessary requester details or use occupancy as evidence of booking ownership. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to isolate the conflicting facts and send them to the source owner with decision authority.

## 6. Changes, cancellations, conflicts and disruption

RB-051 to RB-060 | 10 questions in this section | Respond to authoritative changes and conflicts with traceable alternatives, clear source precedence and safe deferral.

### RB-053 CANCELLATION DEPENDENCY REVIEW

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**If the booking owner cancels this reservation, which linked rooms, holds and services will need review?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking dependency graph; linked rooms/holds; AV, catering, cleaning, access, visitor and setup service requests; cancellation policy and owner status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus dependency traversal. Decision interval - proposed cancellation through downstream deadlines. Minimum evidence - confirmed dependency links and owner cancellation authority. List items for review; do not assume all linked services should be cancelled. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not cancel the booking or services, notify participants, infer organiser intent or expose personal details. Each owner acts in its own authoritative system. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to understand the operational consequences of a cancellation before capacity and services are changed.

### RB-054 THIRTY-MINUTE TIME SHIFT

L3 - comparison R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Could this booking move by 30 minutes without creating a clash, access problem or setup shortfall?**

#### SENSORS AND TELEMETRY

No physical sensing is required. Current owner-issued lift/door/service status may be displayed for time-dependent dependencies with verified asset mapping and observed/retrieved time. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking and hold inventory; setup/clear-down rules; room access/opening; linked services, visitors and deliveries; whole-route dependencies; maintenance and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - scenario calculation. Decision interval - original and shifted booking windows. Minimum evidence - current reservations and every linked dependency. Recalculate overlaps, buffers and access; show what changes. Missing dependency evidence means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not change the booking, notify users, assume staff/visitor availability or override room/service owners. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to test a small time change before asking owners to approve it.

## 6. Changes, cancellations, conflicts and disruption

RB-051 to RB-060 | 10 questions in this section | Respond to authoritative changes and conflicts with traceable alternatives, clear source precedence and safe deferral.

### RB-055 INCREASED GROUP SIZE

L4 - recommendation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**The organiser's aggregate group-size estimate has increased. Which current alternatives still satisfy all declared constraints?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: authorised updated group-size range; current room capacity by layout; booking inventory; equipment, accessibility, setup, access, opening, maintenance and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - calculation and recommendation. Decision interval - affected booking. Minimum evidence - current group-size range and eligible room profiles. Recalculate capacity margin and dependencies, compare alternatives and show uncertainty; if no room meets the upper bound, state none. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer attendance from sensors, promise capacity, change bookings or relax accessibility/equipment requirements. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to respond to a material demand change before the booked room becomes unsuitable.

### RB-056 LIFT OUTAGE IMPACT

L4 - recommendation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**A lift is officially unavailable. Which bookings no longer have a verified route for stated functional requirements, and what eligible alternatives exist?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous counts on named route segments plus owner-issued lift and door status; use current status and 1-5 minute aggregates. No identities or route histories may be retained. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: official lift outage and expected restoration; current accessible-route/entrance/door records; requester-stated functional requirements held minimally; current bookings, room eligibility, opening and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup, route impact calculation and recommendation. Decision interval - outage window. Minimum evidence - current outage, complete route graph and relevant functional constraints. Identify affected bookings and eligible alternatives; uncertain route status requires deferral. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer disability, expose adjustment reasons, certify accessibility/safety, operate the lift or move bookings automatically. Competent owners decide. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to identify room assignments that need urgent owner review because their usable route has changed.

## 6. Changes, cancellations, conflicts and disruption

RB-051 to RB-060 | 10 questions in this section | Respond to authoritative changes and conflicts with traceable alternatives, clear source precedence and safe deferral.

### RB-057 POWER OR NETWORK DISRUPTION

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Which upcoming bookings depend on the affected power or network service and need owner review?**

#### SENSORS AND TELEMETRY

Proposed integration of owner-issued non-content status for the named AV, network, power or room-service assets; optional circuit or access-point health may be aggregated by asset. Never inspect packets, screens, devices or content. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: official IT/electrical incident and affected asset/zone mapping; current room bookings; declared AV/network/power requirements; room/service ownership; restoration estimate, maintenance and closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus dependency impact calculation. Decision interval - incident window and affected bookings. Minimum evidence - authoritative incident scope, room-asset mapping and booking requirements. List affected bookings with uncertainty; unknown mapping means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not inspect network/device content, diagnose the technical root cause, operate systems, cancel/move bookings or promise restoration. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to contact the correct room or event owners rather than treating every booking as equally affected.

### RB-058 ENVIRONMENTAL ALERT REVIEW

L4 - diagnosis R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**A commissioned room-level sensor reports an abnormal pattern. Should the next booking be referred to the room owner or competent service for review?**

#### SENSORS AND TELEMETRY

Proposed evidence: room-level NDIR CO2, air-temperature and relative-humidity nodes; add numerical LAeq only where acoustic context is needed. Use 1-minute aggregates across the occupied zone. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current booking and room mapping; authoritative sensor inventory/health; BMS served-zone status; facilities incident/maintenance record; official room restriction/closure state; relevant outdoor conditions. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - anomaly observation and evidence-sufficiency diagnosis. Decision interval - alert onset through next booking. Minimum evidence - healthy room-level sensor, aligned BMS/context and current owner status. Report pattern, duration, agreement and uncertainty; recommend review, not closure. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not declare the room unsafe, close/reopen it, diagnose a mechanical cause from correlation, substitute corridor data or operate HVAC. Telemetry cannot override competent owners. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to escalate a credible room-specific anomaly without converting an experimental reading into an operational decision.

## 6. Changes, cancellations, conflicts and disruption

RB-051 to RB-060 | 10 questions in this section | Respond to authoritative changes and conflicts with traceable alternatives, clear source precedence and safe deferral.

### RB-059 OFFICIAL BUILDING CLOSURE

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Which bookings are affected by the official building closure, and which linked rooms or services require owner review?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: official closure notice and scope; current bookings/holds; linked room/service dependencies; organiser/room/service owners; effective start/end and update time; security/emergency communications. Official closure source has precedence. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus impact traversal. Decision interval - closure window. Minimum evidence - authoritative closure scope and current bookings. List affected records and responsible owners; identify conflicts or unknown scope. Do not generate unofficial instructions. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not reopen rooms, cancel or relocate bookings, send emergency messages, infer safety, or override security/emergency authorities. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to build an accurate review list from the official closure rather than relying on informal reports.

### RB-060 CONFLICTING LATE CHANGE

L4 - diagnosis R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**The booking system, room owner and organiser show different late changes. Which facts are current, and what requires authoritative resolution?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current transaction/status from each authorised source; published precedence and approval workflow; booking identifiers; effective/observed/retrieved times; permission scope and audit trail. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - source-conflict diagnosis. Decision interval - current booking change. Minimum evidence - current records, owners and precedence rule. Separate confirmed facts from disputed fields and identify responsible resolver; no precedence means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not select the most recent message automatically, expose unnecessary content, change the booking or claim resolution without owner authority. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to distinguish confirmed late changes from unresolved conflicts before advising requesters.

## 7. Prioritisation, permissions and exception handling

RB-061 to RB-070 | 10 questions in this section | Apply published rules and permissions transparently; escalate unresolved conflicts to authorised owners.

### RB-061 COMPETING REQUEST PRIORITY

L2 - calculation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Two eligible requests need the same room. Which published priority rule applies, and which owner must decide any unresolved exception?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current request categories and authorised minimum metadata; published priority/allocation policy and version; booking/hold states; room-owner restrictions; decision deadline and approver. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup plus policy-rule evaluation. Decision interval - current conflict. Minimum evidence - eligible requests, policy and responsible approver. State the applicable rule and unresolved discretion; if policy does not cover the case, escalate rather than rank requesters. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not rank people, infer importance, approve/reject either request, expose sensitive reasons or override academic/room-owner decisions. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to apply a transparent rule consistently while preserving authorised discretion.

### RB-062 RESTRICTED ROOM ELIGIBILITY

L1 - lookup R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Is the requester authorised to use this restricted room for the declared activity and time?**

#### SENSORS AND TELEMETRY

No physical sensing is required. Owner-issued door/access status may be displayed after eligibility but cannot establish entitlement. Preserve asset mapping, current status time and permission scope. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room-owner eligibility policy; authorised requester role/permission field; declared activity category; training/induction requirements; booking inventory; opening, access, maintenance and closure status. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup and eligibility check. Decision interval - requested booking. Minimum evidence - current permission, activity eligibility and room status. Return eligible, ineligible or unresolved with owner route; do not infer permission from prior use. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not expose access details beyond authorised need, grant access, bypass training, inspect activity content or create the booking. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to avoid offering restricted capacity to a requester who cannot lawfully or operationally use it.

## 7. Prioritisation, permissions and exception handling

RB-061 to RB-070 | 10 questions in this section | Apply published rules and permissions transparently; escalate unresolved conflicts to authorised owners.

### RB-063 OUT-OF-POLICY REQUEST PACK

L2 - calculation R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**What evidence is required before this out-of-policy request can be referred to the authorised approver?**

##### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current exception policy; required justification fields; room-owner and approver roles; booking constraints, decision deadline, competing demand and access/safety dependencies. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus completeness check. Decision interval - exception submission deadline. Minimum evidence - policy-required fields and current room/request status. List missing evidence and responsible source; do not evaluate merits beyond published criteria. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not approve the exception, infer unstated reasons, inspect sensitive documents beyond authorised fields or guarantee an outcome. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to submit a complete, proportionate exception request rather than repeatedly returning it for missing information.

### RB-064 ACCESSIBILITY-RELATED ROOM CHANGE

L4 - recommendation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Does the stated functional requirement require a different room, route or approved layout?**

##### SENSORS AND TELEMETRY

Proposed evidence: anonymous counts on named route segments plus owner-issued lift and door status; use current status and 1-5 minute aggregates. No identities or route histories may be retained. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: requester-stated functional requirement for this interaction only; current room/layout/accessibility provision; whole-route entrance/door/lift status; booking inventory; accessibility-owner guidance; opening and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus whole-route/layout constraint check and recommendation. Decision interval - booking and arrival/departure. Minimum evidence - stated requirement and current verified room/route records. Offer eligible alternatives; missing route evidence requires qualified deferral. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not infer diagnosis/disability, expose adjustment reasons, decide eligibility, certify accessibility, change the booking or override accessibility/room owners. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to support the requested function while minimising disclosure and avoiding an unsuitable room.

## 7. Prioritisation, permissions and exception handling

RB-061 to RB-070 | 10 questions in this section | Apply published rules and permissions transparently; escalate unresolved conflicts to authorised owners.

### RB-065 CONFIDENTIALITY ACTIVITY ROOM

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Which rooms are authorised for the declared confidentiality class and requester access level?**

##### SENSORS AND TELEMETRY

No sensor can certify confidentiality. Optional owner-issued door/partition state may be displayed only after authoritative eligibility, with verified mapping and current timestamp. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room privacy classification; requester access/role field; approved activity classes; booking inventory; visitor/access policy; room-owner restrictions and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup and hard-constraint filter. Decision interval - requested booking. Minimum evidence - declared classification, current room approval and authorised requester status. Return eligible rooms only; absent classification means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not inspect meeting/case content, infer sensitivity from participants, expose access lists, grant access or infer confidentiality from low noise/vacancy. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to protect sensitive activity through approved rooms rather than environmental assumptions.

### RB-066 AFTER-HOURS REQUIREMENTS

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**What approvals, access, lone-working and service dependencies must be verified for this after-hours request?**

##### SENSORS AND TELEMETRY

Proposed integration of owner-issued status for entrance, access, lift, lighting/HVAC service and certified alarms may be displayed; no occupancy sensor can authorise after-hours use. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current opening-hours and after-hours policy; requester/organiser approval; access-control eligibility; lone-working procedure; room booking; required services/support; security, maintenance, closures and emergency information. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus completeness/dependency check. Decision interval - arrival through departure. Minimum evidence - all required approvals and service states. List unresolved conditions; any missing high-consequence approval means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not grant access, approve lone working, operate services, certify safety or replace security/emergency guidance. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to identify every authorisation and service dependency before treating an evening slot as usable.

## 7. Prioritisation, permissions and exception handling

RB-061 to RB-070 | 10 questions in this section | Apply published rules and permissions transparently; escalate unresolved conflicts to authorised owners.

### RB-067 EXTERNAL EVENT PERMISSIONS

L2 - calculation R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**What permissions and visitor controls must be verified before this external-event request can proceed?**

##### SENSORS AND TELEMETRY

No physical sensing is required for permission. Optional anonymous entrance/queue counts may inform later operational planning only, with 5-minute aggregates, no identities and verified coverage/health. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current external-event policy; organiser status; room-owner permission; public/visitor access and check-in rules; capacity, accessibility, security, insurance/catering where applicable; booking, opening and closure records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus requirement-completeness check. Decision interval - event approval deadline. Minimum evidence - event category and current policy-required approvals. List confirmed and missing owners; do not recommend confirmation until mandatory conditions are met. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not approve the event, inspect attendee lists, grant entry, set security policy or treat expected occupancy as permission. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to distinguish a room request from a fully authorised external event.

### RB-068 SAFEGUARDING CONDITIONS

L2 - calculation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Which current safeguarding and access conditions must be verified for this event before a room can be confirmed?**

##### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: no camera, microphone or biometric sensing is permitted. Physical telemetry cannot establish safeguarding. Owner-issued access/door status may be operational context only after authoritative approval. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

##### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current safeguarding/event policy; event category and authorised minimum age/supervision fields; organiser approvals; visitor/access plan; room/route eligibility; security and emergency arrangements. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

##### ANALYSIS REQUIRED

Operation - authorised lookup plus completeness check. Decision interval - event approval deadline. Minimum evidence - policy-defined conditions and responsible owner confirmations. Return missing requirements and deferral route; do not infer ages or participants. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

##### ANSWER BOUNDARY

The service must not inspect identities or attendee lists, infer minors, approve safeguarding, grant access or replace competent staff judgement. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

##### WHY THIS IS USEFUL

Enables the team to ensure the request reaches the correct safeguarding and access owners before confirmation.

## 7. Prioritisation, permissions and exception handling

RB-061 to RB-070 | 10 questions in this section | Apply published rules and permissions transparently; escalate unresolved conflicts to authorised owners.

### RB-069 SPECIALIST ACTIVITY PERMISSION

L1 - lookup R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Is the declared specialist or higher-risk activity permitted in this room under current owner and safety rules?**

#### SENSORS AND TELEMETRY

Proposed integration of only owner-issued equipment, extraction, utility and certified safety-system status may be displayed. Optional risk-specific telemetry must be verified and professionally governed; it cannot authorise the activity. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room permitted-use classification; authorised risk assessment/approval status; specialist equipment/service owner; trained-user requirement; booking, access, maintenance, closure and certified safety records. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - authorised lookup and eligibility check. Decision interval - proposed activity/setup window. Minimum evidence - declared activity class and current permissions/status. Return eligible, ineligible or unresolved; no inference from room labels or historical use. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not inspect research/teaching content, perform a risk assessment, certify safety, grant permission, operate equipment or override competent professionals. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to prevent a general room allocation from bypassing specialist-use controls.

### RB-070 CONSTRAINT CONFLICT ESCALATION

L4 - diagnosis R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**When priority, accessibility, room-owner and operational constraints conflict, which authorised owner must decide and what evidence should be presented?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current conflict/escalation policy; responsible owners and approvers; minimum request/room constraints; accessibility and operational status; decision deadline and audit trail. Use minimum necessary sensitive data and preserve source/version/permission. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - source and policy resolution. Decision interval - current exception decision. Minimum evidence - explicit conflicting constraints, owners and precedence/escalation rule. Produce a neutral evidence pack and responsible decision path; undefined authority means not assessable. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not resolve the conflict, rank people, expose adjustment reasons, relax hard constraints or claim that telemetry determines priority. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to present a neutral evidence pack and the correct escalation path without deciding the conflict.

## 8. Utilisation, reporting and lower-impact booking choices

RB-071 to RB-080 | 10 questions in this section | Produce defensible aggregate reporting and scenario comparisons without tracking people or automating policy.

### RB-071 UNDERUSED ROOM-TIME BANDS

L3 - comparison R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Across the selected reporting period, which room and time bands show reliable underuse after cancellations, closures and evidence gaps are removed?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway counter and room-presence sensor covering the booked room only; use 1-minute aggregate count/state with no identities or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: historical confirmed bookings, cancellations and official releases; current room categories/capacities; closures and policy changes; sensor inventory/health and mapping provenance. Use authorised aggregate extracts only and preserve source periods. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - historical calculation and comparison. Decision interval - defined term/year. Minimum evidence - representative booking and healthy room-level coverage. Calculate utilisation with confidence intervals, exclude closures/known gaps and separate booked, available and observed-use time. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not identify or rank users, infer performance or reasons, change room supply automatically, or compare incompatible coverage without warning. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to identify where booking rules or room portfolios merit further review.

### RB-072 BOOKED VERSUS OBSERVED USE

L3 - comparison R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Across comparable periods, how closely does anonymous aggregate room use match confirmed bookings?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway counter and room-presence sensor covering the booked room only; use 1-minute aggregate count/state with no identities or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: historical confirmed bookings and changes; room capacity/type; policy and academic/event periods; closures; sensor mapping/health/provenance. Use anonymous aggregates only and preserve booking/sensor effective times. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - historical calculation and comparison. Decision interval - selected comparable periods. Minimum evidence - aligned booking and room-level coverage. Calculate matched-use, no-observation and unbooked-use categories with uncertainty; control for closures and policy changes. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not reconstruct individual attendance, identify groups, infer unauthorised use, performance or intent, or treat a count as proof of a booking violation. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to understand the scale and type of mismatch before changing release or booking policy.

## 8. Utilisation, reporting and lower-impact booking choices

RB-071 to RB-080 | 10 questions in this section | Produce defensible aggregate reporting and scenario comparisons without tracking people or automating policy.

### RB-073 RIGHT-SIZE RECURRING SERIES

L4 - recommendation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Which recurring reservations are credible candidates for a smaller room, based on sustained aggregate evidence and current requirements?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous doorway counter and room-presence sensor covering the booked room only; use 1-minute aggregate count/state with no identities or movement history. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current recurring booking requirements; authorised aggregate group-size range; approved capacity/layout and accessibility/equipment constraints; historical room-level occupancy quality; exceptional dates and closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - historical comparison and recommendation. Decision interval - future recurrence review. Minimum evidence - representative dates, stable coverage and current hard constraints. Compare observed ranges with candidate-room margins, show uncertainty and exceptions; owner discussion is required. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer individual attendance, change bookings, remove contingency/accessibility needs or target requesters based on isolated sessions. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to begin evidence-based right-sizing conversations while preserving current functional requirements.

### RB-074 RELEASE-POLICY YIELD

L4 - recommendation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**How many room-hours could a responsible no-show or early-release rule recover, and what false-release risk would it introduce?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: historical anonymous room occupancy/check-in aggregates aligned to bookings; no identities. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: historical authoritative bookings, explicit releases/returns, cancellations, protected flags and outcome labels; room categories and closures; current proposed policy criteria. Use authorised aggregate data only. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - policy simulation and uncertainty analysis. Decision interval - defined historical period and candidate future rule. Minimum evidence - representative labelled outcomes. Estimate recovered hours and false-release risk with sensitivity; if ground truth is weak, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not reconstruct attendance, set policy, release rooms automatically, target users or present simulated yield as guaranteed future capacity. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to judge whether a release-rule pilot could recover useful capacity at an acceptable false-release risk.

## 8. Utilisation, reporting and lower-impact booking choices

RB-071 to RB-080 | 10 questions in this section | Produce defensible aggregate reporting and scenario comparisons without tracking people or automating policy.

### RB-075 DEMAND HOTSPOTS

L3 - comparison R1 - practical

#### ROOM-BOOKING TEAM QUESTION

**Where and when does verified booking demand exceed the supply of rooms that are genuinely eligible for those requests?**

#### SENSORS AND TELEMETRY

No sensor evidence is needed to establish booking eligibility. Optional live context may use only current owner-issued service or asset status with verified room/asset mapping, effective and retrieval times, health and conflict flags. Any optional live status or aggregate telemetry is secondary. Use only a verified mapping to the named room, route or asset and the stated interval; exclude data with unverified timing, commissioning/calibration, health, gaps, drift, relocation/maintenance or provenance.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current/historical authorised requests and bookings; room eligibility profiles; capacity/layout/equipment/access requirements; holds, closures and policy periods. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - calculation and comparison. Decision interval - selected planning horizon. Minimum evidence - complete eligible demand and supply records. Match requests to eligible room sets, calculate unmet demand by time/requirement and report data gaps; do not count ineligible rooms as supply. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer unmet need from informal enquiries, rank requesters, approve capacity expansion or relax constraints to improve the metric. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to locate genuine scarcity by requirement, not just high calendar occupancy.

### RB-076 EVENING CONSOLIDATION SCENARIO

L4 - recommendation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Could low-demand evening bookings be consolidated into fewer open zones without worsening access, travel, room fit or service dependencies?**

#### SENSORS AND TELEMETRY

Proposed or owner-issued evidence: optional proposed anonymous route/room occupancy and room-level environment/energy context; require exact mapping, aligned clocks, representative coverage, uptime, gaps and provenance. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current evening bookings and requirements; room eligibility/capacity/access; opening, security, lone-working and service zones; lift/door/route status; energy/BMS zone mapping; closures. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - scenario optimisation and comparison. Decision interval - selected evening pattern. Minimum evidence - current constraints and validated zone/energy mappings. Compare baseline and consolidation scenarios for travel, access, service and estimated energy; show trade-offs and uncertainty. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not move bookings, reduce access/safety provision, infer individual work patterns, operate services or treat estimated energy as authority. Responsible owners decide. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to test whether consolidation could reduce operational load without creating a worse user experience.

## 8. Utilisation, reporting and lower-impact booking choices

RB-071 to RB-080 | 10 questions in this section | Produce defensible aggregate reporting and scenario comparisons without tracking people or automating policy.

### RB-077 LOWER-IMPACT ELIGIBLE ROOM

L3 - estimate R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Among equally eligible rooms, which is expected to require the least incremental energy during the booking window?**

#### SENSORS AND TELEMETRY

Proposed evidence: room/zone electricity, HVAC and lighting telemetry aggregated at 1-15 minutes, with verified room-to-meter/served-zone mapping, calibration, aligned clocks, uptime, gaps, drift and maintenance. No individual device/content monitoring. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current eligible-room set; booking window; BMS/energy owner zone and control schedule; current occupancy-independent base load; weather; opening, access and service requirements. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - estimate and comparison. Decision interval - requested booking plus setup/clear-down. Minimum evidence - comparable eligible rooms with validated incremental-energy models. Estimate marginal, not total, energy and report uncertainty; if mappings are weak, return a limited or not assessable answer. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not compromise capacity, accessibility, equipment or safety; operate HVAC/lighting; claim exact savings; or use energy preference to override room owners. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to apply a proportionate sustainability preference only after all functional constraints are satisfied.

### RB-078 CONDITIONED BUT UNUSED ROOMS

L4 - diagnosis R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**Which confirmed bookings coincide with conditioned or lit rooms showing no anonymous aggregate use, with sufficient evidence for owner review?**

#### SENSORS AND TELEMETRY

Proposed evidence: room-level anonymous occupancy plus room/zone HVAC, lighting and power telemetry; 1-5 minute aggregates. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: historical/current confirmed bookings, explicit cancellations/releases, room/zone BMS schedules, opening/closure and protected-booking flags. Use authorised aggregate evidence and preserve source times and policy context. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - observation and cross-source diagnosis. Decision interval - defined booking windows. Minimum evidence - healthy occupancy and service-state coverage plus current booking state. Identify candidate episodes with duration and uncertainty; owner review must consider setup, protected use and sensor gaps. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not infer who failed to attend, blame users, alter bookings or controls, or treat no detected presence as definitive non-use. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team and responsible service owners to investigate avoidable conditioned-room time without targeting individuals.

## 8. Utilisation, reporting and lower-impact booking choices

RB-071 to RB-080 | 10 questions in this section | Produce defensible aggregate reporting and scenario comparisons without tracking people or automating policy.

### RB-079 UTILISATION ANSWERABILITY GAPS

L4 - diagnosis R2 - integration-dependent

#### ROOM-BOOKING TEAM QUESTION

**Which utilisation conclusions are not defensible because booking, occupancy, room mapping or quality evidence is incomplete?**

#### SENSORS AND TELEMETRY

Proposed evidence inventory: sensor inventory/health metadata for relevant room-level occupancy and service streams: mapping, sampling/aggregation, commissioning/calibration, clock alignment, uptime, gaps, drift, relocation, maintenance and provenance. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: booking/cancellation/release records; current room inventory and mapping; policy periods; closure history; permissions and data-retention scope. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - evidence-sufficiency audit. Decision interval - selected reporting period. Minimum evidence - explicit metric definitions and source requirements. Classify each metric/room/time band as assessable, qualified or not assessable, with missing evidence and responsible owner. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not fill gaps with assumptions, infer use from bookings alone, expose personal data or present incomplete coverage as a building-wide result. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to separate defensible utilisation findings from claims that the available evidence cannot support.

### RB-080 FUTURE DEMAND SCENARIO

L4 - recommendation R3 - research or restricted

#### ROOM-BOOKING TEAM QUESTION

**For the defined planning horizon, which room-mix, hold-rule and release-policy scenario best meets approved demand assumptions within stated uncertainty?**

#### SENSORS AND TELEMETRY

Proposed evidence: anonymous aggregate room-use evidence may calibrate demand/no-show assumptions; require stable mapping, representative coverage, aligned clocks, uptime, gaps, drift and policy-version provenance. No identities or movement histories. Use only verified coverage mapped to the named room, zone, route, doorway or served asset for the stated interval. Require documented sampling/aggregation, clock alignment, commissioning/calibration, health, gaps, drift, relocation/maintenance and provenance; exclude unfit streams.

#### AUTHORITATIVE SUPPORTING DATA

Current authoritative sources: current room inventory/eligibility; historical authorised requests, bookings, cancellations and releases; projected programme/event demand supplied by owners; capacity/layout/access/equipment constraints; policy alternatives, closures and planned changes. Preserve source owner and version, effective/observed/retrieved times, permission, provenance, staleness and conflicts. The current owner-controlled source prevails for its domain.

#### ANALYSIS REQUIRED

Operation - forecast and scenario optimisation. Decision interval - defined future planning horizon. Minimum evidence - approved demand assumptions, current room constraints and validated historical calibration. Compare scenarios, show unmet demand, sensitivity and uncertainty; no automatic policy or booking changes. State the comparator, assumptions and uncertainty. If minimum evidence, permission, mapping or current status is missing, stale or conflicting, clarify, limit the answer, defer to the responsible owner or return not assessable.

#### ANSWER BOUNDARY

The service must not predict individual attendance, rank requesters, approve room/policy changes, override accessibility/academic/owner constraints or present one scenario as certain. Telemetry cannot override the booking system, room owner, organiser, accessibility service or competent authority. The service cannot alter bookings, grant access, operate systems or identify occupants.

#### WHY THIS IS USEFUL

Enables the team to compare future room and policy scenarios before proposing any authoritative change.

# 4. Catalogue summary and implementation requirements

The 80 records define the evidence, authority and safe-failure conditions required for responsible room-booking decision support.

| CATEGORY                                                   | PRIMARY DECISION SUPPORT                                                                                                  | RECORDS         |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------|
| 1. Room search and suitability                             | Resolve the request into current hard constraints, then compare only rooms that are genuinely eligible.                   | RB-001 - RB-010 |
| 2. Availability, holds, reservations and release rules     | Interpret authoritative booking states, holds, linked reservations and release rules without altering the booking record. | RB-011 - RB-020 |
| 3. Capacity, layout, equipment and accessibility           | Validate capacity, approved layout, equipment and whole-route accessibility from current owner-controlled records.        | RB-021 - RB-030 |
| 4. Occupancy, no-shows and responsible release             | Use anonymous aggregate evidence only to support owner review; never release a booking automatically.                     | RB-031 - RB-040 |
| 5. Turnaround, cleaning and setup dependencies             | Verify cleaning, layout, AV, access, maintenance and environmental dependencies before handover.                          | RB-041 - RB-050 |
| 6. Changes, cancellations, conflicts and disruption        | Respond to authoritative changes and conflicts with traceable alternatives, clear source precedence and safe deferral.    | RB-051 - RB-060 |
| 7. Prioritisation, permissions and exception handling      | Apply published rules and permissions transparently; escalate unresolved conflicts to authorised owners.                  | RB-061 - RB-070 |
| 8. Utilisation, reporting and lower-impact booking choices | Produce defensible aggregate reporting and scenario comparisons without tracking people or automating policy.             | RB-071 - RB-080 |

## MINIMUM IMPLEMENTATION REQUIREMENTS

|                                                                                                                                                                                                                                           |                                                                                                                                                                                                                    |                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>1. AUTHORITATIVE INTEGRATION</b></p> <p>Current booking, room-owner, accessibility, equipment/service, access, maintenance/closure and emergency sources with owner, version, time, permission and conflict handling.</p>           | <p><b>2. VERIFIED SEMANTIC MAPPING</b></p> <p>Current mapping among requests, rooms, layouts, assets, routes, services and time-series identifiers. Historical floor-plan labels cannot establish current use.</p> | <p><b>3. TELEMETRY QUALITY GATES</b></p> <p>For optional aggregate sensing: named coverage, sampling/aggregation, clock alignment, commissioning/calibration, uptime/gaps, drift, relocation/maintenance and provenance.</p> |
| <p><b>4. OPERATION AND FAILURE LABELS</b></p> <p>Distinguish lookup, observation, calculation, estimate, forecast, comparison, diagnosis and recommendation; state uncertainty and return not assessable when minimum evidence fails.</p> | <p><b>5. PRIVACY AND AUTHORITY</b></p> <p>No identity, individual attendance or movement history; no content inspection; no booking alteration, access grant or system operation.</p>                              | <p><b>6. REPRODUCIBLE DECISIONS</b></p> <p>Preserve request constraints, source versions, retrieved times, excluded evidence, assumptions, calculation method, result and responsible source owners.</p>                     |

## 5. Evidence, permissions and answerability rules

These rules apply to every catalogue question and every generated answer.

### AUTHORITATIVE SOURCE PRECEDENCE

The current authorised booking system, room owner, event organiser, accessibility service, service owner and competent authority control their domains. Preserve source owner, effective/observed/retrieved time, permission, provenance, staleness and conflicts.

### HISTORICAL PLAN LIMIT

The May 2021 Abacws floor plan is a historical spatial reference only. It cannot prove current room purpose, capacity, bookability, access, equipment, services, hazards or closures.

### PROPOSED SENSING ONLY

Treat sensing, integrations and analytics as proposed until mapping, deployment, commissioning, calibration, permission and current health are independently verified. Never substitute corridor or adjacent-room evidence for a room-level claim.

### PRIVACY MINIMISATION

Use anonymous aggregate occupancy or route counts only when proportionate. Never identify people, infer individual attendance, retain movement histories or inspect speech, meetings, screens, devices, content or network traffic.

### BOOKING AND ACCESS AUTHORITY

The service never creates, changes, cancels, confirms or releases a booking; grants access; operates a door, lift, AV or building system; or overrides the booking system, room owner, organiser, accessibility service or emergency authority.

### EVIDENCE QUALITY

State spatial coverage, interval, sampling/aggregation, clock alignment, commissioning/calibration, uptime, gaps, drift, relocation/maintenance and provenance where relevant. Exclude unfit evidence rather than silently filling gaps.

### HONEST ANALYSIS

Name the operation, decision interval, minimum evidence, method, baseline or comparator, assumptions and uncertainty. Do not present estimates or forecasts as observations or correlations as proven causes.

### SAFE FAILURE

When evidence, permission, mapping or authority is missing, stale, conflicting or insufficient, ask only the minimum clarification, give a qualified result, preserve a safe alternative, defer to the responsible owner or return not assessable.

**A responsible answer is sometimes a qualified answer, a referral, or "not assessable".**