

Stakeholder Question Catalogue 08

Visitors and Event Attendees

80 practical visitor and event-attendee questions mapped to proposed privacy-preserving sensing, current authoritative event and access information, explicit operations, minimum evidence, provenance, uncertainty, permissions and safe answer boundaries.

STAKEHOLDER	External visitors, invited guests, conference, seminar and public-event attendees, community visitors and accompanying people who need current public information to plan and navigate their own visit.
QUESTION RANGE	Pre-arrival confirmation; entrances and check-in; public wayfinding; event-room conditions and participation; breaks and amenities; accessibility and sensory comfort; queues and onward travel; disruptions, weather, emergencies and lower-impact travel.
EVIDENCE MODEL	Proposed anonymous sensing is combined with current organiser, event, room, entrance, route, lift, amenity, accessibility, closure, security, transport and official emergency sources. Every record states scope, timing, quality, source precedence, operation, uncertainty, permissions and safe failure.

Core principle: Help visitors make their own arrival, route, participation, break and contingency choices from verified public information - without inspecting tickets or communications, identifying or tracking people, inferring sensitive traits, granting access, replacing organisers or competent authorities, or overstating the evidence.

1. Catalogue scope and design principles

This catalogue covers questions external visitors and event attendees may ask before arrival, at an entrance, while following a public route, during an event or break, and when plans change. It supports visitor choices with verified public information; it does not replace organisers or operational authorities.

Proposed capability, not current fact

Every sensor, integration and service is a design requirement unless deployment, spatial coverage, permission and operational status are independently verified. The catalogue does not claim that all capabilities currently exist.

Current event and building information

The May 2021 floor plan is a historical spatial reference. Current room purpose, event venue, public opening, entrance, route, lift, service, accessibility, capacity and closure status require authoritative verification.

Visitor-owned decisions

Questions help a visitor decide whether and when to travel, where to enter, which public route to take, where to sit or wait, when to move and how to respond to disruption. They do not organise or operate the event.

Correctly located evidence

A room, entrance, queue or route claim requires sensing in the named space or verified segment. Corridor or adjacent-room readings may be labelled context but cannot be silently substituted.

Privacy by design

Use anonymous aggregate counts and numerical environmental/acoustic indicators only where proportionate. Never inspect tickets, identities, faces, speech, messages, screens, network traffic or device content, or build movement histories.

Authoritative-source precedence

Organiser instructions, event schedule, registration/access policy, room booking, public opening, wayfinding, accessibility, lift/service status, security notices, certified alarms and official communications take precedence over telemetry.

Honest operation and failure

Each record labels observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation. Missing, stale, conflicting or unauthorised evidence produces clarification, a limited answer, deferral or not assessable.

Concrete visitor value

The output should support a practical arrival, route, participation, break, access or contingency decision, not expose other people or transfer organiser, security, facilities, accessibility or emergency authority to the conversational service.

2. How to read each question record

Each record turns a natural visitor question into a bounded evidence requirement. The fields identify proposed sensing, current authoritative sources, the operation performed, uncertainty and when the service must clarify, qualify, defer or return not assessable.

VISITOR OR EVENT ATTENDEE QUESTION	A natural question the visitor may ask to make an arrival, route, participation, break, accessibility or contingency choice rather than an organiser or operator decision.
SENSORS AND TELEMETRY	Physically plausible proposed entrance, room, route, lift, queue, environmental, acoustic, amenity, weather or service evidence with location, timing, aggregation, privacy and quality limits.
AUTHORITATIVE SUPPORTING DATA	Current organiser, event, room, access, public-opening, wayfinding, accessibility, amenity, security, service, closure or emergency records that take precedence over inference.
ANALYSIS REQUIRED	The exact operation: observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation. It states the decision window, method and safe failure.
ANSWER BOUNDARY	What the building must not infer, disclose, control, certify or authorise; when it must ask for clarification, give a limited answer, defer to the responsible service or return not assessable.
WHY THIS IS USEFUL	The concrete travel, arrival, route, participation, break, access or contingency decision supported by the answer.

Readiness

R1 - practical Core public information and basic current spatial, status or provenance data.	R2 - integration-dependent Event, room, access, accessibility, route, lift, queue, amenity, weather, service or forecast integration.	R3 - research or restricted Dense validated sensing, controlled operational data, high-consequence accessibility/safety handling or stronger privacy and governance controls.
Global rule: use only verified public spaces and authorised data; preserve timestamps, spatial coverage and quality; inspect no ticket, identity or communication content; never identify or track people; and return a limited or not-assessable answer when critical evidence or authority is missing.		

3. Worked example: arriving for an evening event

A responsible answer combines organiser instructions and current public access with correctly scoped route, queue, lift and environmental evidence. It never treats an open door as permission, an empty room as available or telemetry as accessibility or safety certification.

Visitor: "I am attending a 6 p.m. seminar, need step-free access, would prefer a quieter arrival route and may arrive early. Which entrance, route and waiting place can you verify, and what remains uncertain?"

1. Resolve the visit

Use the visitor-stated event, time and functional preferences only. Do not inspect tickets, registrations, messages or personal history.

2. Verify authoritative status

Check the organiser-confirmed venue and entrance, public opening, access policy, accessible route, lift/door status, waiting-space eligibility and current closures before using sensors.

3. Verify evidence quality

Require correctly mapped route and waiting-zone evidence, timestamps, commissioning/calibration, uptime, gaps, count error, drift and source agreement. Mark unverified criteria unknown.

4. Perform the right operation

Use lookup for permission/status, route calculation for navigation, observation for current crowd/environment and forecast only when comparable evidence is valid.

5. Recommend visitor-owned actions

Recommend an arrival buffer, verified entrance, route and eligible waiting option. Do not grant entry, allocate space, operate systems or override organisers/security.

6. Communicate answerability

Separate confirmed facts, estimates and forecasts; show source times and uncertainty; provide a fallback contact; return not assessable when critical authority or evidence is absent.

ILLUSTRATIVE ANSWER STRUCTURE

"The organiser confirms the public entrance and event room. The step-free route is currently open and the lift reports operational, but status should be rechecked shortly before arrival. The quieter route is estimated from anonymous counts and is five minutes longer; confidence is moderate because one segment has a data gap. A public waiting area is confirmed open, but seating is not guaranteed. I cannot validate registration, grant entry or certify that the route meets every individual need; use the organiser/accessibility contact if the lift status changes."

1. Planning before arrival: opening, timing and event confirmation

Questions VE-001-VE-002

VE-001

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: I'm attending a public seminar at 6 p.m. Are visitors admitted, when does check-in open, and when should I arrive?

Sensors and telemetry

Proposed sensing: anonymous bidirectional counts at every entrance and exit of organiser-defined check-in or queue boundary, plus owner-issued service-point open/closed status where available. Scope: organiser-defined queue/waiting boundary and all relevant entries/exits; uncovered branches make a wait estimate incomplete. Timing/quality: Count crossings as events and reconcile to one-minute queue estimates. Require complete boundary coverage, validated count error and service-rate model, clock alignment, uptime, gaps, drift/relocation and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: aggregate counts only; no identities, queue membership or movement histories.

Authoritative supporting data

Authoritative sources: event organiser instructions, official event schedule, public-opening hours, approved entrance, registration/check-in policy, security notices and closure communications. Precedence: The organiser-defined check-in/service location, open status, registration rules and steward instructions override queue counts and forecasts. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus arrival-time recommendation. Interval: from the planned arrival until event start. Minimum evidence: organiser-confirmed queue/check-in point and open status, complete boundary-count coverage, validated count error and a service-rate model if wait time is estimated. Method: use current anonymous counts and organiser context. Estimate waiting time only with complete coverage and a validated service-rate range; otherwise report a fresh crowd band. Controls: use matched events/check-in points with similar size, timing, service arrangement and complete coverage. Report: state source/time, eligible options, coverage, trade-offs and uncertainty.

Answer boundary

Do not infer public access from an open door or low occupancy, inspect the invitation, validate registration, grant entry or guarantee admission. Certified safety and security instructions take precedence. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If boundary coverage, count quality, service status or rate model is inadequate, report crowding only or mark wait time not assessable.

Why this is useful: Helps the visitor decide whether to travel, which entrance to use and how much arrival time to allow.

VE-002

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: Which entrance should visitors use tomorrow evening, and will it be open when I arrive?

Sensors and telemetry

Proposed sensing: event-driven door-controller/contact status and anonymous bidirectional counts at the organiser-designated public entrance and any explicitly authorised alternative. Scope: authorised public entrance and any organiser-approved alternative, not all building doors. Timing/quality: Door state is event-driven; counts may be aggregated each minute. Require door-ID mapping, synchronised clocks, count error, uptime, gaps, drift/relocation, maintenance state and freshness. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate counts only; no identities or movement histories.

Authoritative supporting data

Authoritative sources: organiser's current arrival instructions, official public-opening record, security-approved entrance list, temporary closure notices and visitor-access policy. Precedence: Current organiser and security-approved entrance/access status and closure notices override door activity, counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: the visitor's stated arrival time. Minimum evidence: organiser-confirmed entrance, current public opening/access and closure status, correct door mapping and fresh owner status; counts are optional context. Method: Resolve the organiser/security-approved entrance, verify current physical/open status, then optionally describe aggregate congestion. Present only confirmed alternatives. Report: state source and effective/retrieval time.

Answer boundary

An unlocked or active door is not evidence of public permission. The service cannot unlock doors, grant access, reveal restricted entrances or contradict security instructions. Physical door state does not grant permission. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event-specific entrance/access or current door status is unresolved, give confirmed public facts only and direct the visitor to the official contact; do not test doors.

Why this is useful: Helps the visitor choose the authorised entrance and avoid a closed or non-public door.

1. Planning before arrival: opening, timing and event confirmation

Questions VE-003-VE-004

VE-003

CORE

L3 - predictive analysis

R2 - integration-dependent

Visitor or event attendee question: From the station, bus stop or pick-up point I choose, how much time should I allow for walking, check-in and finding the room?

Sensors and telemetry

Proposed sensing: current public exit/route, door and lift status, optional anonymous route counts, and official external transport status; no travel-account or device tracking. Scope: the confirmed public route from the visitor-stated arrival/departure point to the authorised entrance or exit, plus the named official transport stop. Timing/quality: Use current owner status and one-minute route counts where available. Retain effective/observed/retrieved times, route coverage, external-feed staleness, clock alignment, gaps and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no travel-account, ticket, device or journey-history inspection.

Authoritative supporting data

Authoritative sources: user-stated arrival point and access needs; official event start/check-in times; current public route, entrance, lift and closure records; official external transport or weather feeds where available. Precedence: Official event timing, current public route/exit status and authorised transport provider data override crowd estimates and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route calculation, queue estimate and recommendation. Interval: departure to event start. Minimum evidence: confirmed event timing, current public route/exit status and a fresh official transport feed for the named stop/departure. Method: reconcile event timing with official transport status, then calculate a bounded public-route time using current closures and congestion. Use only confirmed fallbacks. Controls: use the same official departure, current disruption state and route/access constraints; external predictions remain provider-dependent. Report: show inputs, assumptions, range/buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not inspect travel accounts or personal messages, track the visitor, promise transport performance or treat estimated journey time as guaranteed admission. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event timing, route status or official transport data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Helps the visitor choose a departure time with a realistic allowance for the final journey and check-in.

VE-004

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: I need a step-free route. Before I travel, can you verify the public entrance, lift and route to the event room?

Sensors and telemetry

Proposed sensing: authoritative lift-controller and route-critical door status plus anonymous aggregate counts on each verified step-free public segment. Scope: every segment of current organiser-approved step-free public route, including route-critical doors and lifts. Timing/quality: Use event-driven lift/door state and one-minute counts. Require current route version, asset mapping, heartbeat, observed time, uptime, gaps, maintenance and explicit uncovered segments. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no identity tracking or inference of disability; use only visitor-stated functional requirements.

Authoritative supporting data

Authoritative sources: organiser-confirmed venue, authoritative accessible-route record, lift/door status, temporary closures, public opening, visitor-access policy and accessibility-service guidance. Precedence: Current organiser/accessibility-approved route, lift/door status and closures override low crowding, inferred routes and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus accessible-route calculation. Interval: planned arrival. Minimum evidence: confirmed destination, current accessibility-approved route, fresh lift/door/closure status and coverage of every critical segment. Method: Apply the visitor-stated functional constraints to current approved routes, remove unavailable segments and identify a confirmed fallback or assistance point. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not infer disability, certify that a route meets every individual need, grant access or route through staff-only areas. Ask only for functional preferences the visitor chooses to share. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any critical route, lift, door, closure or authority is unresolved, do not recommend the route; defer to the organiser/accessibility assistance.

Why this is useful: Helps the visitor decide whether the planned visit is workable and which verified step-free route or assistance to use.

1. Planning before arrival: opening, timing and event confirmation

Questions VE-005-VE-006

VE-005

ACCESS

L1 - verified lookup

R1 - practical

Visitor or event attendee question: May I bring a companion or support person, and do they need separate registration?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: organiser policy, ticket/registration conditions, visitor and support-person policy, capacity rules and named contact point. The service should use public or user-authorized information only. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: before travel. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not identities, health or disability information, enrol or register anyone, or decide reasonable adjustments. Policy owners and accessibility services retain authority. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor plan accompaniment or support without arriving with an unregistered companion unexpectedly.

VE-006

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: Has the event venue or room changed since the information I received?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: organiser notice, official event schedule, authoritative room booking, venue-change communications and public wayfinding source. Historic room labels are not current evidence. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup and conflict check. Interval: immediately before travel and again near arrival. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not inspect attendee lists or private invitations, infer the event from occupancy, or disclose non-public bookings. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor travel to the current venue rather than relying on an earlier room announcement.

1. Planning before arrival: opening, timing and event confirmation

Questions VE-007-VE-008

VE-007

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is the authorised entrance or main public route likely to be busy when I arrive?

Sensors and telemetry

Proposed sensing: anonymous aggregate counts on every eligible public corridor, stair and lift-lobby segment, combined with current door/lift/closure status. Scope: every eligible route segment being compared; uncovered segments must be marked unknown. Timing/quality: Use event counts aggregated to one minute. Require complete compared-route coverage, synchronised clocks, count uncertainty, uptime, gaps, drift/relocation and current closures. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no individual paths or movement histories.

Authoritative supporting data

Authoritative sources: public event schedule, relevant building timetable at aggregate level, entrance/route closures and organiser arrival guidance. Precedence: Current public route graph, access rules, lift/door status and closures override route counts, forecasts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: short-horizon crowd forecast and comparison. Interval: the stated 20-30 minute arrival window. Minimum evidence: confirmed origin/destination, eligible public routes, current closures/lift/door status and valid comparable count coverage on every route being compared. Method: Compare only authorised routes using current topology and one-minute aggregate counts; report travel-time/crowding trade-offs and unknown segments. Controls: Compare the same time window across routes with aligned counts and identical public/access constraints. Report: range, confidence, recheck time, eligible options, coverage and uncertainty.

Answer boundary

Do not infer who is present, expose schedules beyond authorised public/aggregate information, or treat low predicted crowding as access permission or safety approval. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any compared route lacks eligible status or adequate segment coverage, do not claim a less crowded route.

Why this is useful: Helps the visitor choose an arrival time or public route that is less likely to be congested.

VE-008

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: What is the latest arrival time that still leaves a sensible margin before the organiser's check-in cut-off?

Sensors and telemetry

Proposed sensing: anonymous bidirectional counts at every entrance and exit of organiser-defined check-in or queue boundary, plus owner-issued service-point open/closed status where available. Scope: organiser-defined queue/waiting boundary and all relevant entries/exits; uncovered branches make a wait estimate incomplete. Timing/quality: Count crossings as events and reconcile to one-minute queue estimates. Require complete boundary coverage, validated count error and service-rate model, clock alignment, uptime, gaps, drift/relocation and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: aggregate counts only; no identities, queue membership or movement histories.

Authoritative supporting data

Authoritative sources: official check-in opening/closing times, event start, late-arrival policy, public entrance route and organiser contact. Precedence: The organiser-defined check-in/service location, open status, registration rules and steward instructions override queue counts and forecasts. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus conservative arrival-time calculation. Interval: before check-in closure. Minimum evidence: organiser-confirmed queue/check-in point and open status, complete boundary-count coverage, validated count error and a service-rate model if wait time is estimated. Method: use current anonymous counts and organiser context. Estimate waiting time only with complete coverage and a validated service-rate range; otherwise report a fresh crowd band. Controls: use matched events/check-in points with similar size, timing, service arrangement and complete coverage. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not guarantee entry, validate a ticket, extend check-in, infer staffing adequacy or override organiser policy. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If boundary coverage, count quality, service status or rate model is inadequate, report crowding only or mark wait time not assessable.

Why this is useful: Helps the visitor decide whether there is still enough time to travel, contact the organiser or change plans.

1. Planning before arrival: opening, timing and event confirmation

Questions VE-009-VE-010

VE-009

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: May I bring a large bag or coat, and is an official cloakroom or storage service available?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: event and building visitor rules, organiser instructions, official amenity inventory, opening/status and security guidance. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: pre-arrival. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not inspect bags, infer contents, promise storage, reserve a facility, grant exceptions or reveal restricted security procedures. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor decide what to bring and whether an organiser-approved storage arrangement is needed.

VE-010

EVIDENCE

L3 - predictive analysis

R2 - integration-dependent

Visitor or event attendee question: Before I leave home, which parts of my visit are confirmed, which are estimates, and what still needs organiser confirmation?

Sensors and telemetry

Proposed sensing: no new sensing; expose quality metadata for every telemetry and authoritative source used. Scope: each named room, entrance, queue boundary, route segment, amenity, device or external service actually used in the answer. Timing/quality: For every source show mapping, units, sampling/aggregation, commissioning/calibration, effective/observed/retrieved times, uptime, gaps, drift/relocation, maintenance, permission and conflicts. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no visitor identity or movement history; protect restricted source details.

Authoritative supporting data

Authoritative sources: public event schedule, organiser instructions, room/entrance/accessibility/amenity status, official notices and source ownership/permission metadata. Precedence: For each statement, the owner-controlled source valid for the requested interval governs; conflicts remain visible and unsupported criteria are omitted. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: evidence sufficiency assessment. Interval: the proposed visit. Minimum evidence: the complete permitted source list, mappings, quality flags, times, method version, permissions and unresolved conflicts. Method: Classify every statement as observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation, with source and uncertainty. Report: show the source/quality chain and separate confirmed, estimated, forecast and unsupported statements.

Answer boundary

Do not reveal restricted operational data, inspect tickets or identities, or present a forecast as a confirmed fact. Critical uncertainty must trigger clarification or organiser referral. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: Protect restricted source details and display conflicts or weak evidence rather than hiding them behind fluent text.

Why this is useful: Helps the visitor judge whether the available information is reliable enough to begin the journey.

2. Entrances, check-in and first orientation

Questions VE-011-VE-012

VE-011

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: I'm outside Abacws. Which entrance is authorised for my event?

Sensors and telemetry

Proposed sensing: event-driven door-controller/contact status and anonymous bidirectional counts at the organiser-designated public entrance and any explicitly authorised alternative. Scope: authorised public entrance and any organiser-approved alternative, not all building doors. Timing/quality: Door state is event-driven; counts may be aggregated each minute. Require door-ID mapping, synchronised clocks, count error, uptime, gaps, drift/relocation, maintenance state and freshness. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate counts only; no identities or movement histories.

Authoritative supporting data

Authoritative sources: organiser's event-specific entrance, current public-opening record, security notices, temporary closures and public wayfinding data. Precedence: Current organiser and security-approved entrance/access status and closure notices override door activity, counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: now. Minimum evidence: organiser-confirmed entrance, current public opening/access and closure status, correct door mapping and fresh owner status; counts are optional context. Method: Resolve the organiser/security-approved entrance, verify current physical/open status, then optionally describe aggregate congestion. Present only confirmed alternatives. Report: state source and effective/retrieval time.

Answer boundary

Do not route through staff-only doors, unlock doors, infer public access from traffic or expose restricted entry information. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event-specific entrance/access or current door status is unresolved, give confirmed public facts only and direct the visitor to the official contact; do not test doors.

Why this is useful: Helps the visitor enter at the organiser-approved point instead of testing several doors.

VE-012

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Where is check-in, and what waiting time can you responsibly estimate?

Sensors and telemetry

Proposed sensing: anonymous bidirectional counts at every entrance and exit of organiser-defined check-in or queue boundary, plus owner-issued service-point open/closed status where available. Scope: organiser-defined queue/waiting boundary and all relevant entries/exits; uncovered branches make a wait estimate incomplete. Timing/quality: Count crossings as events and reconcile to one-minute queue estimates. Require complete boundary coverage, validated count error and service-rate model, clock alignment, uptime, gaps, drift/relocation and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: aggregate counts only; no identities, queue membership or movement histories.

Authoritative supporting data

Authoritative sources: organiser check-in location and process, event schedule, access policy, staffed/open status from the service owner and any closure notice. Precedence: The organiser-defined check-in/service location, open status, registration rules and steward instructions override queue counts and forecasts. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus bounded queue-wait estimate. Interval: the next 15-30 minutes. Minimum evidence: organiser-confirmed queue/check-in point and open status, complete boundary-count coverage, validated count error and a service-rate model if wait time is estimated. Method: use current anonymous counts and organiser context. Estimate waiting time only with complete coverage and a validated service-rate range; otherwise report a fresh crowd band. Controls: use matched events/check-in points with similar size, timing, service arrangement and complete coverage. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not identify attendees, inspect registrations, infer queue purpose, claim the desk is staffed from occupancy, or guarantee admission time. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If boundary coverage, count quality, service status or rate model is inadequate, report crowding only or mark wait time not assessable.

Why this is useful: Helps the visitor decide whether to join the queue, allow more time or use an approved alternative.

2. Entrances, check-in and first orientation

Questions VE-013-VE-014

VE-013

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: I've arrived at the wrong entrance. What public route takes me to the official check-in point?

Sensors and telemetry

Proposed sensing: event-driven route-critical door and lift status plus anonymous aggregate counts on each verified public route segment. Scope: every verified public segment between the confirmed origin and destination. Timing/quality: Use event-driven door/lift state and one-minute anonymous counts. Require current route topology, clock alignment, segment coverage, count uncertainty, uptime, gaps and maintenance. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no device tracking or individual paths.

Authoritative supporting data

Authoritative sources: public spatial graph, reception/check-in location, visitor-access rules, temporary closures, lift status and organiser instructions. Precedence: Current public topology, access rules, destination, door/lift status and closures override route counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route calculation and recommendation. Interval: now. Minimum evidence: confirmed origin/destination, current public topology/access, lift/door/closure state and status for every route-critical segment. Method: Calculate only authorised public paths using current topology, closures and lift/door state; use conservative travel time and mark uncovered segments unknown. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions, range/buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not use personal-device tracking, route through restricted areas, grant access or treat a shorter route as accessible without authoritative accessibility data. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If origin/destination, access, topology, lift/door or closure status is missing/conflicting, provide confirmed static directions only or mark the route not assessable.

Why this is useful: Helps the visitor recover quickly from arriving at the wrong entrance without entering restricted areas.

VE-014

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: Is reception or the event help point open now, and where should I go if it is closed?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: reception/help-point opening record, organiser contact arrangements, approved fallback contact point, public access and closure notices. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: now. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not infer staffing from lights, noise or occupancy, disclose staff contact details beyond authorised channels, or promise that someone will be present. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor find an authorised source of help when the expected desk is closed.

2. Entrances, check-in and first orientation

Questions VE-015-VE-016

VE-015

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: I'm early. Where may I wait without obstructing check-in or entering a restricted area?

Sensors and telemetry

Proposed sensing: correctly located temperature/RH, direct NDIR CO2, illuminance, numerical LAeq/percentiles and anonymous occupancy within organiser-approved public waiting areas. Scope: inside the specific authorised public waiting area; corridor or adjacent-room readings are context only. Timing/quality: Sample environment every 10-30 seconds and store one-minute aggregates; occupancy may be event-driven/1-5 seconds. Require placement, calibration, clock alignment, uptime, gaps, drift/relocation and no raw audio. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate occupancy and numerical environment/acoustics only; no audio, faces or tracking.

Authoritative supporting data

Authoritative sources: public-space designation, opening/access rules, authorised seating inventory, event waiting instructions, accessibility information and closures. Precedence: Current public-space purpose, opening/access, seating and closures determine eligibility; telemetry describes conditions only. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised eligibility filter plus current-condition comparison and recommendation. Interval: until check-in. Minimum evidence: current public-space eligibility plus healthy commissioned target-area sensors for every criterion used; occupancy does not establish a free seat. Method: Filter to authorised public areas, then compare fresh target-area conditions and crowding. Do not equate low occupancy with a guaranteed seat. Controls: Compare only simultaneously eligible public spaces and fresh observations; do not use historic quietness as current availability. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Low occupancy alone or quietness does not make a space public, available, confidential or accessible. Do not identify people, guarantee a seat, allocate space or infer health needs. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public eligibility or target-area coverage is inadequate, provide confirmed space facts only and do not claim conditions or seating availability.

Why this is useful: Helps the visitor choose a permitted waiting place that does not obstruct event operations.

VE-016

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: The check-in queue is long. Has the organiser opened another check-in point, or should I remain here?

Sensors and telemetry

Proposed sensing: anonymous bidirectional counts at every entrance and exit of organiser-defined check-in or queue boundary, plus owner-issued service-point open/closed status where available. Scope: organiser-defined queue/waiting boundary and all relevant entries/exits; uncovered branches make a wait estimate incomplete. Timing/quality: Count crossings as events and reconcile to one-minute queue estimates. Require complete boundary coverage, validated count error and service-rate model, clock alignment, uptime, gaps, drift/relocation and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: aggregate counts only; no identities, queue membership or movement histories.

Authoritative supporting data

Authoritative sources: organiser check-in policy, approved locations and times, late-arrival procedure, capacity/registration rules and contact point. Precedence: The organiser-defined check-in/service location, open status, registration rules and steward instructions override queue counts and forecasts. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup with queue observation. Interval: the next event-entry window. Minimum evidence: organiser-confirmed queue/check-in point and open status, complete boundary-count coverage, validated count error and a service-rate model if wait time is estimated. Method: use current anonymous counts and organiser context. Estimate waiting time only with complete coverage and a validated service-rate range; otherwise report a fresh crowd band. Report: state source and effective/retrieval time.

Answer boundary

Do not invent an alternative, bypass the queue, validate registration, direct visitors to non-public desks or infer entitlement from crowd levels. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If boundary coverage, count quality, service status or rate model is inadequate, report crowding only or mark wait time not assessable.

Why this is useful: Helps the visitor use only an organiser-approved alternative to the current queue.

2. Entrances, check-in and first orientation

Questions VE-017-VE-018

VE-017

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: Where should I present my ticket or invitation? I do not want to upload it to the talking-building service.

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: organiser check-in instructions, public wayfinding, approved staff/contact point and registration policy. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup and route calculation. Interval: arrival. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

The service must never collect, scan, reproduce or validate ticket, QR code, invitation or identity; never grant entry or expose attendee data. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor find the correct presentation point while keeping registration material private.

VE-018

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: Is there an official place near check-in to leave a coat or bag, and is it open?

Sensors and telemetry

Proposed sensing: owner-issued operational/fault status for the named public amenity, with optional anonymous aggregate counts on the public approach only. Scope: the named public amenity and its public approach, not private internal areas. Timing/quality: Use owner-issued event/fault state with effective/retrieval times. Optional approach counts require one-minute aggregation, coverage/error, uptime, gaps and no identities. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no user identity, behaviour or private-area sensing.

Authoritative supporting data

Authoritative sources: event and building amenity record, opening hours, organiser/security policy, capacity limits and closure notice. Precedence: The amenity owner/service record, public opening/access and closure notice override occupancy, flow or apparent equipment activity. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: arrival and event duration. Minimum evidence: current owner-issued amenity open/fault status, public permission and route status; telemetry is optional context only. Method: return owner-issued availability/open/fault status and route facts; use optional telemetry only to describe approach conditions. Report: state source and effective/retrieval time.

Answer boundary

Do not inspect belongings, guarantee space, reserve storage, infer capacity from low occupancy or grant exceptions to security rules. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If owner status, public permission or closure information is absent/conflicting, give location only or mark availability not assessable.

Why this is useful: Helps the visitor decide whether to use an official storage service or keep belongings with them.

2. Entrances, check-in and first orientation

Questions VE-019-VE-020

VE-019

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: My host has not arrived. Which official public contact point should I use?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: organiser-provided public contact channel, reception/help-point status, event schedule, visitor procedure and security-approved escalation route. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: now. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not locate the host, inspect messages, disclose personal phone numbers, infer absence or grant access. Security and organiser procedures take precedence. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor reconnect with the event through a public channel rather than seeking personal contact details.

VE-020

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: I only know the event title. What is the confirmed room and floor?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: public event listing or user-authorized invitation metadata limited to title/time, official room booking, organiser notice and current public wayfinding. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: privacy-minimised authorised lookup. Interval: arrival. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not search private calendars or attendee lists, expose other event details, infer the event from occupancy or disclose restricted bookings. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor reach the correct room when only the event title is known.

3. Public routes, floors, lifts, stairs and exits

Questions VE-021-VE-022

VE-021

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: What is the current authorised public route from reception to the event room?

Sensors and telemetry

Proposed sensing: event-driven route-critical door and lift status plus anonymous aggregate counts on each verified public route segment. Scope: every verified public segment between the confirmed origin and destination. Timing/quality: Use event-driven door/lift state and one-minute anonymous counts. Require current route topology, clock alignment, segment coverage, count uncertainty, uptime, gaps and maintenance. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no device tracking or individual paths.

Authoritative supporting data

Authoritative sources: event room, public route graph, visitor-access rules, lift/door status and temporary closures. Precedence: Current public topology, access rules, destination, door/lift status and closures override route counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: dynamic route calculation. Interval: now. Minimum evidence: confirmed origin/destination, current public topology/access, lift/door/closure state and status for every route-critical segment. Method: Calculate only authorised public paths using current topology, closures and lift/door state; use conservative travel time and mark uncovered segments unknown. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not route through staff-only areas, grant access, locate the visitor automatically or treat low crowding as accessibility or safety approval. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If origin/destination, access, topology, lift/door or closure status is missing/conflicting, provide confirmed static directions only or mark the route not assessable.

Why this is useful: Helps the visitor follow a current public route rather than an outdated or restricted path.

VE-022

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Which step-free public route should I take, and are its lift and doors currently available?

Sensors and telemetry

Proposed sensing: authoritative lift-controller and route-critical door status plus anonymous aggregate counts on each verified step-free public segment. Scope: every segment of current organiser-approved step-free public route, including route-critical doors and lifts. Timing/quality: Use event-driven lift/door state and one-minute counts. Require current route version, asset mapping, heartbeat, observed time, uptime, gaps, maintenance and explicit uncovered segments. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no identity tracking or inference of disability; use only visitor-stated functional requirements.

Authoritative supporting data

Authoritative sources: accessible-route record, event room, public access, lift/door status, temporary closures and accessibility guidance. Precedence: Current organiser/accessibility-approved route, lift/door status and closures override low crowding, inferred routes and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus accessible-route calculation. Interval: now. Minimum evidence: confirmed destination, current accessibility-approved route, fresh lift/door/closure status and coverage of every critical segment. Method: Apply the visitor-stated functional constraints to current approved routes, remove unavailable segments and identify a confirmed fallback or assistance point. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not infer disability, certify suitability for every person, operate lifts/doors, route through restricted spaces or override accessibility/security authorities. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any critical route, lift, door, closure or authority is unresolved, do not recommend the route; defer to the organiser/accessibility assistance.

Why this is useful: Helps the visitor choose a workable step-free route and seek assistance before a blocked segment.

3. Public routes, floors, lifts, stairs and exits

Questions VE-023-VE-024

VE-023

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is there a less crowded authorised public route, even if it takes a little longer?

Sensors and telemetry

Proposed sensing: anonymous aggregate counts on every eligible public corridor, stair and lift-lobby segment, combined with current door/lift/closure status. Scope: every eligible route segment being compared; uncovered segments must be marked unknown. Timing/quality: Use event counts aggregated to one minute. Require complete compared-route coverage, synchronised clocks, count uncertainty, uptime, gaps, drift/relocation and current closures. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no individual paths or movement histories.

Authoritative supporting data

Authoritative sources: destination, public route graph, closures, access rules and lift status. Precedence: Current public route graph, access rules, lift/door status and closures override route counts, forecasts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route comparison and recommendation. Interval: the next 10-15 minutes. Minimum evidence: confirmed origin/destination, eligible public routes, current closures/lift/door status and valid comparable count coverage on every route being compared. Method: Compare only authorised routes using current topology and one-minute aggregate counts; report travel-time/crowding trade-offs and unknown segments. Controls: Compare the same time window across routes with aligned counts and identical public/access constraints. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not identify people, create movement histories, direct through restricted routes or treat lower crowding as safer or accessible without authoritative evidence. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any compared route lacks eligible status or adequate segment coverage, do not claim a less crowded route.

Why this is useful: Helps the visitor choose between the quickest route and a calmer route with a stated time trade-off.

VE-024

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is the lift operating now, and what official alternative applies if it becomes unavailable?

Sensors and telemetry

Proposed sensing: authoritative lift-controller and route-critical door status plus anonymous aggregate counts on each verified step-free public segment. Scope: every segment of current organiser-approved step-free public route, including route-critical doors and lifts. Timing/quality: Use event-driven lift/door state and one-minute counts. Require current route version, asset mapping, heartbeat, observed time, uptime, gaps, maintenance and explicit uncovered segments. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no identity tracking or inference of disability; use only visitor-stated functional requirements.

Authoritative supporting data

Authoritative sources: lift service notice, accessible-route alternatives, public access, closure and assistance arrangements from the responsible service. Precedence: Current organiser/accessibility-approved route, lift/door status and closures override low crowding, inferred routes and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus contingency route calculation. Interval: now and the next journey. Minimum evidence: confirmed destination, current accessibility-approved route, fresh lift/door/closure status and coverage of every critical segment. Method: Apply the visitor-stated functional constraints to current approved routes, remove unavailable segments and identify a confirmed fallback or assistance point. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not operate the lift, diagnose the fault, certify an alternative route, grant restricted access or contradict official outage instructions. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any critical route, lift, door, closure or authority is unresolved, do not recommend the route; defer to the organiser/accessibility assistance.

Why this is useful: Helps the visitor decide whether to use the lift now or follow the approved contingency.

3. Public routes, floors, lifts, stairs and exits

Questions VE-025-VE-026

VE-025

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: Which public staircase gives the most direct route to the next floor?

Sensors and telemetry

Proposed sensing: event-driven route-critical door and lift status plus anonymous aggregate counts on each verified public route segment. Scope: every verified public segment between the confirmed origin and destination. Timing/quality: Use event-driven door/lift state and one-minute anonymous counts. Require current route topology, clock alignment, segment coverage, count uncertainty, uptime, gaps and maintenance. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no device tracking or individual paths.

Authoritative supporting data

Authoritative sources: destination, public circulation graph, access rules, temporary closures and event instructions. Precedence: Current public topology, access rules, destination, door/lift status and closures override route counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route calculation and comparison. Interval: immediate journey. Minimum evidence: confirmed origin/destination, current public topology/access, lift/door/closure state and status for every route-critical segment. Method: Calculate only authorised public paths using current topology, closures and lift/door state; use conservative travel time and mark uncovered segments unknown. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions, range/buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not infer physical capability, recommend stairs when the visitor requested step-free access, unlock doors or route through non-public areas. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If origin/destination, access, topology, lift/door or closure status is missing/conflicting, provide confirmed static directions only or mark the route not assessable.

Why this is useful: Helps the visitor choose the most direct authorised staircase without entering staff-only areas.

VE-026

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: My next session starts in ten minutes. Based on the current route, am I likely to arrive on time?

Sensors and telemetry

Proposed sensing: the same verified route, door and lift status plus anonymous segment counts needed for a bounded travel-time estimate. Scope: every verified public segment used in the time calculation. Timing/quality: Use the same route evidence as route calculation and a validated segment-time model. Report conservative ranges when crowd coverage or mobility assumptions are incomplete. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals and visitor-stated constraints only; no tracking.

Authoritative supporting data

Authoritative sources: official next-session room and start time supplied by the visitor or public programme; current public route, closures and access status. Precedence: Current public topology, access rules, destination, lift/door state and closures govern the route; counts only adjust a bounded time estimate. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route-time calculation and estimate. Interval: the next ten minutes. Minimum evidence: the complete eligible route, current lift/door/closure status and a validated segment-time model or conservative assumptions. Method: Calculate a time range from route geometry, current lift/door state and bounded crowd delay; expose assumptions and a recheck point. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not inspect private calendars, guarantee arrival, hold the session, grant shortcuts or infer mobility needs. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If route completeness or timing evidence is inadequate, give a conservative static estimate with limitations or no time estimate.

Why this is useful: Helps the visitor decide whether to leave immediately, alert the organiser or accept a late arrival.

3. Public routes, floors, lifts, stairs and exits

Questions VE-027-VE-028

VE-027

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Can you route me to a public toilet and then to the event room?

Sensors and telemetry

Proposed sensing: authorised amenity status plus current route-critical door/lift status; no sensing inside private facilities. Scope: the named public amenity and the verified public route from the stated origin. Timing/quality: Use current owner status and route evidence; preserve amenity effective/retrieval time and route observed time. Missing amenity status or route segment prevents a current availability claim. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no sensing inside private amenities and no identity tracking.

Authoritative supporting data

Authoritative sources: publicly available toilet inventory, facility status, event room, access rules, accessible-route record and closures. Precedence: Current amenity owner status and public route/access records override approach counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: multi-stop route calculation. Interval: before the session. Minimum evidence: current amenity status, confirmed public origin, eligible route and fresh lift/door/closure information. Method: Resolve the current amenity status, then calculate the eligible public route. If either status is stale, provide static location only. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not infer gender, disability or health, inspect toilet occupancy internally, route through restricted areas or certify facility accessibility without authoritative data. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If amenity or route status is unresolved, give the confirmed static location and responsible contact only.

Why this is useful: Helps the visitor meet an immediate need while still planning to reach the event on time.

VE-028

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: After the session, what public route returns me to reception or the main exit?

Sensors and telemetry

Proposed sensing: event-driven route-critical door and lift status plus anonymous aggregate counts on each verified public route segment. Scope: every verified public segment between the confirmed origin and destination. Timing/quality: Use event-driven door/lift state and one-minute anonymous counts. Require current route topology, clock alignment, segment coverage, count uncertainty, uptime, gaps and maintenance. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no device tracking or individual paths.

Authoritative supporting data

Authoritative sources: room, public exit/reception locations, visitor route graph, public opening and closure notices. Precedence: Current public topology, access rules, destination, door/lift status and closures override route counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route calculation. Interval: after the session. Minimum evidence: confirmed origin/destination, current public topology/access, lift/door/closure state and status for every route-critical segment. Method: Calculate only authorised public paths using current topology, closures and lift/door state; use conservative travel time and mark uncovered segments unknown. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not route through restricted areas, infer the visitor's destination, unlock doors or guarantee that reception remains staffed. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If origin/destination, access, topology, lift/door or closure status is missing/conflicting, provide confirmed static directions only or mark the route not assessable.

Why this is useful: Helps the visitor leave the room confidently and return to reception or a public exit.

3. Public routes, floors, lifts, stairs and exits

Questions VE-029-VE-030

VE-029

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Which confirmed public exit is best for the pick-up point I name?

Sensors and telemetry

Proposed sensing: current public exit/route, door and lift status, optional anonymous route counts, and official external transport status; no travel-account or device tracking. Scope: the confirmed public route from the visitor-stated arrival/departure point to the authorised entrance or exit, plus the named official transport stop. Timing/quality: Use current owner status and one-minute route counts where available. Retain effective/observed/retrieved times, route coverage, external-feed staleness, clock alignment, gaps and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no travel-account, ticket, device or journey-history inspection.

Authoritative supporting data

Authoritative sources: user-stated pick-up location, current public exits, access/closure status, external pedestrian route and organiser/security instructions. Precedence: Official event timing, current public route/exit status and authorised transport provider data override crowd estimates and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route calculation and recommendation. Interval: event end. Minimum evidence: confirmed event timing, current public route/exit status and a fresh official transport feed for the named stop/departure. Method: reconcile event timing with official transport status, then calculate a bounded public-route time using current closures and congestion. Use only confirmed fallbacks. Controls: use the same official departure, current disruption state and route/access constraints; external predictions remain provider-dependent. Report: show inputs, assumptions, range/buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not locate or identify a vehicle/person, expose number plates, open doors, route through restricted exits or claim external safety certification. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event timing, route status or official transport data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Helps the visitor choose the exit that best matches the stated collection point.

VE-030

PRIVACY

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: I am unsure where I am. Can you guide me from a sign or landmark I select, without tracking my phone?

Sensors and telemetry

Proposed sensing: no background tracking; use only a visitor-selected public sign, room label or landmark and the current public route graph. Scope: the visitor-selected landmark and the verified public route from that landmark. Timing/quality: Use current public map/version and visitor-selected landmark only. No background location, device identifier or route history may be collected. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no phone tracking, device identifier or retained route history.

Authoritative supporting data

Authoritative sources: public spatial graph, verified landmarks, destination and access/closure status. Precedence: Current authorised wayfinding and route data override the historic plan and any inferred location. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: user-initiated location resolution plus route calculation. Interval: now. Minimum evidence: a visitor-selected public landmark, current authorised map and a route from that landmark; no background location is needed. Method: Resolve the visitor-selected landmark against the current public map, ask for clarification if ambiguous, and calculate a route without storing location history. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not use Wi-Fi/Bluetooth tracking, retain location history, identify the visitor, infer past movement or route through restricted areas. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the selected landmark is ambiguous or not in the current public map, ask for another landmark and do not guess.

Why this is useful: Helps the visitor recover orientation without enabling personal-device tracking or movement histories.

4. Event-room conditions, seating and participation

Questions VE-031-VE-032

VE-031

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: What are the current temperature, CO2 trend and anonymous crowd level inside the event room?

Sensors and telemetry

Proposed sensing: occupied-zone temperature/RH, direct NDIR CO2, anonymous aggregate occupancy and mapped HVAC airflow/status inside organiser-confirmed event room. Scope: inside organiser-confirmed event room at representative occupied-zone locations; large rooms need multiple commissioned points. Timing/quality: Sample temperature/RH and direct NDIR CO2 every 10-30 seconds, aggregate to one minute, and align with event-driven occupancy and mapped HVAC status. Require representative placement, calibration, uptime, gaps, drift and maintenance. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate occupancy only; no identities, attendance inference or health profiling.

Authoritative supporting data

Authoritative sources: organiser-confirmed event room, permitted environmental-display policy, official room capacity and current event status. Precedence: The organiser-confirmed room, current event status, room capacity and authorised display policy govern; room telemetry describes conditions only. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: observation and calculation. Interval: now. Minimum evidence: organiser-confirmed room, representative in-room coverage, healthy calibrated sensors, current event status and aligned occupancy/HVAC context where used. Method: Report fresh in-room values and trends with coverage/quality; explain that CO2 is a ventilation indicator, not complete air quality, and avoid health/safety conclusions. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not identify occupants, infer attendance, diagnose health or safety, guarantee comfort, or treat occupancy as permission or capacity certification. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If target-room coverage, calibration/health or freshness is inadequate, mark the room condition not assessable; never substitute corridor or adjacent-room data.

Why this is useful: Helps the visitor decide whether to enter, take a break or ask the organiser about current room conditions.

VE-032

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Which authorised seating zone is most likely to have clear sound, without recording speech?

Sensors and telemetry

Proposed sensing: numerical LAeq and background-noise percentiles at representative authorised seating zones, with owner-issued AV/hearing-support status where relevant; no raw audio. Scope: representative authorised seating zones inside organiser-confirmed event room. Timing/quality: Calculate numerical LAeq/percentiles locally each second and retain one-minute statistics only. Require representative placement, instrument specification/commissioning, clock alignment, uptime, gaps and no speech retention. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: numerical non-content statistics only; no raw audio, speech or conversation inference.

Authoritative supporting data

Authoritative sources: event-room layout, public seating/aisle rules, authorised AV configuration and accessibility provisions such as hearing support. Precedence: The organiser-confirmed room, current seating/aisle rules, AV configuration and participation arrangements govern; numerical acoustics are supplementary. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: spatial comparison and recommendation. Interval: before choosing a seat. Minimum evidence: organiser-confirmed room and seating layout, representative numerical acoustic coverage and current AV/participation-aid status where relevant. Method: Compare simultaneous numerical acoustic conditions across authorised seating zones and combine them with current AV/layout facts; retain no speech. Controls: Compare simultaneous authorised seating zones under the same event/AV state. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not record speech, identify speakers/attendees, infer conversation or guarantee audibility. The service cannot allocate seats or replace official hearing-support arrangements. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If representative in-room acoustic coverage or AV/layout status is inadequate, do not recommend a seating zone.

Why this is useful: Helps the visitor choose a likely better listening position while preserving speech privacy.

4. Event-room conditions, seating and participation

Questions VE-033-VE-034

VE-033

CORE

L3 - predictive analysis

R3 - research or restricted

Visitor or event attendee question: The session lasts two hours. Is the room likely to become too warm or poorly ventilated before the break?

Sensors and telemetry

Proposed sensing: the same in-room environment and anonymous occupancy evidence as a current observation, plus mapped HVAC status and outdoor weather context. Scope: organiser-confirmed event room and its mapped served HVAC zone; no proxy room substitution. Timing/quality: Use the room-environment quality rules plus time-aligned occupancy, HVAC and weather. Forecast only from enough eligible comparable events with similar duration, load and operating state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate room evidence only; no attendance, health or individual comfort inference.

Authoritative supporting data

Authoritative sources: room, session duration, authorised capacity/expected attendance range, break schedule and BMS service relationship. Precedence: The organiser-confirmed room, event schedule/capacity and mapped HVAC owner status govern; matched history may support only a bounded forecast. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: short-horizon environmental forecast. Interval: session start to the scheduled break. Minimum evidence: the room-environment minimum plus enough matched events with similar occupancy, duration, HVAC state and outdoor conditions. Method: Model the requested session using matched room/event/occupancy/HVAC/weather cases; return a range and likely deterioration time, not a guarantee. Controls: use the same room or truly comparable mapped room, similar occupancy/event duration, HVAC operation and outdoor weather; disclose residual confounding. Report: a prediction range, confidence and recheck time.

Answer boundary

Do not infer individual attendance or health, operate HVAC, declare the room safe/unsafe or substitute adjacent-room data. Missing airflow or occupancy context limits the answer. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If matched cases, room mapping, occupancy/HVAC/weather context or sensor health are inadequate, report current facts only and mark the forecast not assessable.

Why this is useful: Helps the visitor plan a break or raise conditions with the organiser before they may deteriorate.

VE-034

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: I did not register in advance. What is the organiser's walk-in policy, and should I ask before joining the queue?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: official event room, organiser admission policy, authoritative capacity, registration/ticket status and any reserved seating/accessibility arrangements. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus anonymous occupancy estimate. Interval: before approaching the room. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not grant entry, validate registration, expose attendee lists, guarantee a seat or infer permission from spare capacity. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor decide whether to approach the organiser or check-in rather than assuming admission.

4. Event-room conditions, seating and participation

Questions VE-035-VE-036

VE-035

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is there a less crowded authorised seating area that keeps aisles, exits and accessible spaces clear?

Sensors and telemetry

Proposed sensing: anonymous zone-level entry/exit and occupancy counts at authorised seating zones; current seating layout, aisle, exit and accessible-space geometry remain authoritative data. Scope: authorised seating zones and room entrances inside the confirmed event room. Timing/quality: Use event-based entry/exit counting with one-minute zone aggregates and reconciliation. Require current layout mapping, count error, all relevant entrances, uptime, gaps and no identities. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous zone totals only; no identity, face, ticket or attendance inference.

Authoritative supporting data

Authoritative sources: public seating layout, protected aisles/exits, accessibility seating rules, organiser guidance and authorised room use. Precedence: Current organiser seating rules, authoritative room layout/capacity, aisle/exit clearances and steward instructions override counts. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: zone comparison and recommendation. Interval: seating. Minimum evidence: current authoritative room layout/capacity and seating rules plus reconciled anonymous counts covering every relevant entrance/zone. Method: Apply authoritative aisle/exit/accessible-space constraints first, then compare anonymous zone crowding. Counts never allocate or reserve a seat. Controls: use the current authoritative layout and simultaneous anonymous zone counts. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not allocate or reserve seating, infer sensory or health traits, block egress, identify attendees or treat low traffic as permission. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If current layout/capacity or complete count coverage is missing, do not infer free places, allocate seats or recommend a zone.

Why this is useful: Helps the visitor choose a less crowded authorised seat while keeping aisles and exits clear.

VE-036

ACCESS

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: Has the organiser confirmed a hearing loop, live captions or another participation aid for this session?

Sensors and telemetry

Proposed sensing: owner-issued non-content operational status for the named hearing, captioning or other participation system; no personal or environmental sensing is required to establish the arrangement. Scope: the confirmed event room and the specific organiser/AV/accessibility-owned system. Timing/quality: Use owner-issued configuration and non-content online/fault state with effective/observed/retrieved times and maintenance status. Telemetry cannot prove that the arrangement is suitable for an individual. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no health/disability inference or personal usage monitoring.

Authoritative supporting data

Authoritative sources: organiser accessibility arrangements, event listing, room AV/assistive-technology inventory, service-status record and support contact. Precedence: Current organiser/accessibility/AV confirmation and assistance process override device telemetry or advertising. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: before or at session start. Minimum evidence: current organiser/accessibility/AV confirmation, named room/session and owner-issued device/service status when availability is claimed. Method: return organiser-confirmed arrangement and responsible contact; device telemetry may only indicate owner-reported online/fault status. Report: state source and effective/retrieval time.

Answer boundary

Do not infer disability, inspect audio/transcripts, operate equipment, promise captions, certify suitability or disclose adjustment requests. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If organiser confirmation or owner status is absent/conflicting, state the unverified status and direct the visitor to the organiser/accessibility contact.

Why this is useful: Helps the visitor decide whether confirmed participation support is adequate or whom to contact.

4. Event-room conditions, seating and participation

Questions VE-037-VE-038

VE-037

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Which authorised seating zone currently offers the best light for reading and note-taking with the lowest measured glare risk?

Sensors and telemetry

Proposed sensing: calibrated illuminance at representative seating or reading planes, optional blind state and outdoor solar context; no cameras. Scope: representative authorised seating/reading planes inside the confirmed event room. Timing/quality: Sample 10-30 seconds and aggregate to one minute. Require sensor orientation/height, representative seating coverage, calibration, clock alignment, blind/solar context, uptime, gaps and drift. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no cameras or visual-content capture.

Authoritative supporting data

Authoritative sources: event-room layout, authorised seating zones, lighting system status and any organiser lighting constraints for the presentation. Precedence: Current authorised seating layout and event-room status govern; light telemetry describes measured conditions only. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: observation and spatial comparison. Interval: now. Minimum evidence: current authorised seating layout and representative calibrated light coverage with aligned solar/blind context when glare is compared. Method: Compare simultaneous calibrated light across authorised seating zones with solar/blind context; report measured conditions and uncertainty, not visual suitability for everyone. Controls: Compare simultaneous authorised seating zones under the same blind/solar state. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not certify visual accessibility, infer individual vision needs, operate lights/blinds, inspect slides or guarantee a particular seat. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If representative placement or solar/blind context is inadequate, report only measured room light and do not recommend a seating zone.

Why this is useful: Helps the visitor choose a better note-taking position or request assistance with lighting.

VE-038

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: If I step out briefly, is re-entry allowed and which door should I use?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: organiser re-entry policy, registration/access rules, official door/entrance to use and security instructions. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: during the event. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not grant re-entry, unlock a door, validate a ticket, infer permission from an open door or expose security procedures. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor decide whether to step out and how to re-enter without breaching event rules.

4. Event-room conditions, seating and participation

Questions VE-039-VE-040

VE-039

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: The room door is closed. Is the session still scheduled to be running, and where should late arrivals report?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: event schedule, organiser late-arrival instruction, authorised room/door, registration policy and any live organiser notice. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup with limited status observation. Interval: now. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not infer that a session is active from occupancy or sound, inspect speech, open doors, grant late entry or disturb a session. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor choose a respectful next step after arriving late without interrupting the session.

VE-040

CORE

L3 - predictive analysis

R2 - integration-dependent

Visitor or event attendee question: If the room becomes uncomfortable, has the organiser confirmed an overflow room, remote option or repeat session?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: public programme, organiser-approved overflow/alternative rooms, official bookings, access/capacity, accessibility, AV and closure status. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised eligibility filter plus comparison and recommendation. Interval: the current session. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: state source/time, eligible options, coverage, trade-offs and uncertainty.

Answer boundary

Do not create an overflow room, transfer a booking, grant admission, infer availability from low occupancy or override the organiser. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor decide whether an organiser-approved alternative exists instead of abandoning the event.

5. Breaks, toilets, refreshments and quiet spaces

Questions VE-041-VE-042

VE-041

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: Where is the nearest public toilet from this event room?

Sensors and telemetry

Proposed sensing: authorised amenity status plus current route-critical door/lift status; no sensing inside private facilities. Scope: the named public amenity and the verified public route from the stated origin. Timing/quality: Use current owner status and route evidence; preserve amenity effective/retrieval time and route observed time. Missing amenity status or route segment prevents a current availability claim. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no sensing inside private amenities and no identity tracking.

Authoritative supporting data

Authoritative sources: public toilet inventory, event room, public route, opening/access rules and closures. Precedence: Current amenity owner status and public route/access records override approach counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus route calculation. Interval: now. Minimum evidence: current amenity status, confirmed public origin, eligible route and fresh lift/door/closure information. Method: Resolve the current amenity status, then calculate the eligible public route. If either status is stale, provide static location only. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not infer gender, disability or health, inspect toilet occupancy, route through restricted areas or certify hygiene/safety. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If amenity or route status is unresolved, give the confirmed static location and responsible contact only.

Why this is useful: Helps the visitor find a public facility quickly from the current event room.

VE-042

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Where is the nearest accessible toilet, and is the verified step-free route available now?

Sensors and telemetry

Proposed sensing: authoritative accessible-amenity status plus current lift and route-critical door status; no sensing inside the facility. Scope: the confirmed accessible amenity and every segment of the current step-free public route. Timing/quality: Use current amenity, lift, door and closure status with owner, effective/observed/retrieved times, heartbeat, maintenance and route coverage. No sensing occurs inside the facility. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no sensing inside the facility and no inference of disability or personal need.

Authoritative supporting data

Authoritative sources: accessible-facility record, public access, route, lift/door status, temporary closures and accessibility-service guidance. Precedence: Current authoritative amenity, accessible-route, lift/door and closure records override telemetry or low crowding. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus accessible-route calculation. Interval: now. Minimum evidence: current confirmed amenity, accessibility-approved route and fresh status for every lift/door/closure on that route. Method: Resolve the confirmed amenity and approved step-free route using current owner status; identify any unresolved segment and assistance point. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not infer disability, certify suitability for every need, operate doors/lifts or expose accessible-facility access codes. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If amenity or route status is missing/conflicting, do not claim current accessibility; defer to the responsible service.

Why this is useful: Helps the visitor choose a confirmed accessible facility and route or seek assistance when status is incomplete.

5. Breaks, toilets, refreshments and quiet spaces

Questions VE-043-VE-044

VE-043

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Are refreshments confirmed for the break, where are they, and what wait should I allow?

Sensors and telemetry

Proposed sensing: anonymous entry/exit counts at the public amenity queue or approach boundary, never inside private areas, plus owner-issued amenity open/fault status. Scope: the public queue/approach boundary outside the named amenity; never inside toilets or other private facilities. Timing/quality: Use event counts aggregated to one minute outside the amenity. Require complete boundary coverage, count error, uptime, gaps, comparable break periods and no identities or sensing inside. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous approach totals only; no sensing inside, identities or movement history.

Authoritative supporting data

Authoritative sources: organiser catering information, authorised service location/hours, dietary/allergen information from the provider, closure and payment policy. Precedence: Current amenity open/fault status and organiser break/service arrangements override aggregate queue estimates. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised service lookup plus bounded queue estimate. Interval: the scheduled break. Minimum evidence: current amenity/service status, complete approach-boundary counts and enough matched break periods if a future wait is forecast. Method: use current approach counts and comparable breaks of similar event size/timing; report a broad range and no individual behaviour. Controls: use matched breaks with similar event size, timing, service layout and complete approach coverage. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not inspect purchases, identify customers, certify allergen safety, infer dietary or religious traits, promise stock or operate the service. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If current amenity status, boundary coverage or comparable history is inadequate, provide no wait forecast.

Why this is useful: Helps the visitor decide whether to use the break service, bring an alternative or avoid a long queue.

VE-044

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Where may I sit during the break in a public area that is not currently too crowded?

Sensors and telemetry

Proposed sensing: correctly located temperature/RH, direct NDIR CO2, illuminance, numerical LAeq/percentiles and anonymous occupancy within organiser-approved public waiting areas. Scope: inside the specific authorised public waiting area; corridor or adjacent-room readings are context only. Timing/quality: Sample environment every 10-30 seconds and store one-minute aggregates; occupancy may be event-driven/1-5 seconds. Require placement, calibration, clock alignment, uptime, gaps, drift/relocation and no raw audio. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate occupancy and numerical environment/acoustics only; no audio, faces or tracking.

Authoritative supporting data

Authoritative sources: public-area designation, authorised seating inventory, access/accessibility, opening and closure status. Precedence: Current public-space purpose, opening/access, seating and closures determine eligibility; telemetry describes conditions only. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: eligibility filter plus observation/comparison. Interval: the break. Minimum evidence: current public-space eligibility plus healthy commissioned target-area sensors for every criterion used; occupancy does not establish a free seat. Method: Filter to authorised public areas, then compare fresh target-area conditions and crowding. Do not equate low occupancy with a guaranteed seat. Controls: Compare only simultaneously eligible public spaces and fresh observations; do not use historic quietness as current availability. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not identify people, allocate seats, infer permission from empty space, certify accessibility or direct to staff-only areas. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public eligibility or target-area coverage is inadequate, provide confirmed space facts only and do not claim conditions or seating availability.

Why this is useful: Helps the visitor choose a permitted place to sit without assuming that a seat is available.

5. Breaks, toilets, refreshments and quiet spaces

Questions VE-045-VE-046

VE-045ACCESSL2 - current analysisR2 - integration-dependent

Visitor or event attendee question: Is there a confirmed quiet public place where I may wait for about fifteen minutes?

Sensors and telemetry

Proposed sensing: numerical LAeq/background percentiles and anonymous aggregate occupancy in organiser-approved public waiting or call areas; no raw audio or call detection. Scope: inside organiser-approved public waiting/call areas only. Timing/quality: Compute numerical acoustics locally each second and one-minute aggregates; align with anonymous occupancy. Require placement, commissioning, uptime, gaps and no audio, speech or call detection. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no audio, speech, call, device or identity capture.

Authoritative supporting data

Authoritative sources: public-space designation, opening/access rules, seating and accessibility status, closures and event waiting guidance. Precedence: Current public-area purpose, access/opening, event rules and closures determine eligibility; low sound never establishes privacy. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: observation and comparison. Interval: next 15 minutes. Minimum evidence: current public-area eligibility and representative numerical acoustic coverage; low noise is not confidentiality or guaranteed availability. Method: Filter to organiser-approved public areas, then compare non-content sound and crowding. State explicitly that low sound does not prove privacy. Controls: Compare only simultaneously eligible public areas with aligned numerical sound observations. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

The service must keep this answer within authority. Quietness does not imply confidentiality, availability or permission. Do not record speech, identify people, infer conversations or allocate space. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public eligibility or representative acoustic coverage is inadequate, do not claim a quieter or private space.

Why this is useful: Helps the visitor find a calmer short-term waiting option without implying privacy or reservation.

VE-046COREL1 - verified lookupR2 - integration-dependent

Visitor or event attendee question: Where is the nearest public drinking-water point, and is it officially reported as working?

Sensors and telemetry

Proposed sensing: owner-issued operational/fault status for the named public amenity, with optional anonymous aggregate counts on the public approach only. Scope: the named public amenity and its public approach, not private internal areas. Timing/quality: Use owner-issued event/fault state with effective/retrieval times. Optional approach counts require one-minute aggregation, coverage/error, uptime, gaps and no identities. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no user identity, behaviour or private-area sensing.

Authoritative supporting data

Authoritative sources: public amenity inventory, access/opening status, maintenance/fault notice and route. Precedence: The amenity owner/service record, public opening/access and closure notice override occupancy, flow or apparent equipment activity. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus equipment-status observation. Interval: now. Minimum evidence: current owner-issued amenity open/fault status, public permission and route status; telemetry is optional context only. Method: return owner-issued availability/open/fault status and route facts; use optional telemetry only to describe approach conditions. Report: state source and effective/retrieval time.

Answer boundary

Do not certify water quality unless an authoritative testing source supports it, operate equipment or infer usage by individuals. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If owner status, public permission or closure information is absent/conflicting, give location only or mark availability not assessable.

Why this is useful: Helps the visitor decide where to refill a bottle before the next session.

5. Breaks, toilets, refreshments and quiet spaces

Questions VE-047-VE-048

VE-047

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: Will any public vending or refreshment service remain open after the evening event?

Sensors and telemetry

Proposed sensing: owner-issued operational/fault status for the named public amenity, with optional anonymous aggregate counts on the public approach only. Scope: the named public amenity and its public approach, not private internal areas. Timing/quality: Use owner-issued event/fault state with effective/retrieval times. Optional approach counts require one-minute aggregation, coverage/error, uptime, gaps and no identities. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no user identity, behaviour or private-area sensing.

Authoritative supporting data

Authoritative sources: authorised amenity hours, public access, payment/service policy, maintenance and closure notices. Precedence: The amenity owner/service record, public opening/access and closure notice override occupancy, flow or apparent equipment activity. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: event end. Minimum evidence: current owner-issued amenity open/fault status, public permission and route status; telemetry is optional context only. Method: return owner-issued availability/open/fault status and route facts; use optional telemetry only to describe approach conditions. Report: state source and effective/retrieval time.

Answer boundary

Do not inspect transactions, identify users, promise stock, operate machines or infer access from powered equipment. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If owner status, public permission or closure information is absent/conflicting, give location only or mark availability not assessable.

Why this is useful: Helps the visitor decide whether to use a verified evening facility or make another plan before leaving.

VE-048

CORE

L1 - verified lookup

R2 - integration-dependent

Visitor or event attendee question: Is there an approved public place where I may charge my phone during the break?

Sensors and telemetry

Proposed sensing: owner-issued circuit/fault status for a designated public charging point and optional aggregate area occupancy; no device identity or charging history. Scope: the specifically designated public charging point and its authorised public area. Timing/quality: Use owner-issued circuit/fault state with effective/observed/retrieved times and maintenance. Optional occupancy is one-minute aggregate only; inspect no connected device. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no connected-device identity, content or charging history.

Authoritative supporting data

Authoritative sources: public charging/outlet inventory, access and use policy, operational/maintenance status and event-area rules. Precedence: The amenity owner, public-use permission, circuit/fault status and closure record override occupancy or apparent socket use. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus status observation. Interval: the break. Minimum evidence: current public-use permission and owner-issued charging-point/circuit status for the named point. Method: return owner-issued charging-point status and public-use rule; do not infer availability from low occupancy or inspect connected devices. Report: state source and effective/retrieval time.

Answer boundary

Do not inspect the device, promise compatibility, reserve an outlet, grant access to non-public sockets or certify electrical safety from telemetry alone. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public-use permission or owner status is unresolved, do not claim the charging point is available.

Why this is useful: Helps the visitor keep a phone available for travel or contact without using unauthorised sockets.

5. Breaks, toilets, refreshments and quiet spaces

Questions VE-049-VE-050

VE-049

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is there a designated public place for a short phone call without disturbing the event?

Sensors and telemetry

Proposed sensing: numerical LAeq/background percentiles and anonymous aggregate occupancy in organiser-approved public waiting or call areas; no raw audio or call detection. Scope: inside organiser-approved public waiting/call areas only. Timing/quality: Compute numerical acoustics locally each second and one-minute aggregates; align with anonymous occupancy. Require placement, commissioning, uptime, gaps and no audio, speech or call detection. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no audio, speech, call, device or identity capture.

Authoritative supporting data

Authoritative sources: public-space purpose, privacy classification, access/opening rules, event quiet-zone policy and closures. Precedence: Current public-area purpose, access/opening, event rules and closures determine eligibility; low sound never establishes privacy. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: eligibility filter plus current-condition comparison. Interval: next 10 minutes. Minimum evidence: current public-area eligibility and representative numerical acoustic coverage; low noise is not confidentiality or guaranteed availability. Method: Filter to organiser-approved public areas, then compare non-content sound and crowding. State explicitly that low sound does not prove privacy. Controls: Compare only simultaneously eligible public areas with aligned numerical sound observations. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not record speech, detect calls, inspect devices, identify people or promise confidentiality. A quiet area is not necessarily private or available. Recommend only a currently authorised public call area; if privacy classification or access is unconfirmed, ask for clarification or defer to the organiser. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public eligibility or representative acoustic coverage is inadequate, do not claim a quieter or private space.

Why this is useful: Helps the visitor choose an approved place for a brief call without assuming acoustic privacy.

VE-050

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: My companion is not attending the session. Where are they permitted to wait?

Sensors and telemetry

Proposed sensing: correctly located temperature/RH, direct NDIR CO2, illuminance, numerical LAeq/percentiles and anonymous occupancy within organiser-approved public waiting areas. Scope: inside the specific authorised public waiting area; corridor or adjacent-room readings are context only. Timing/quality: Sample environment every 10-30 seconds and store one-minute aggregates; occupancy may be event-driven/1-5 seconds. Require placement, calibration, clock alignment, uptime, gaps, drift/relocation and no raw audio. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate occupancy and numerical environment/acoustics only; no audio, faces or tracking.

Authoritative supporting data

Authoritative sources: event companion policy, public-space/access record, opening hours, seating, accessibility and closures. Precedence: Current public-space purpose, opening/access, seating and closures determine eligibility; telemetry describes conditions only. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised eligibility lookup plus recommendation. Interval: session duration. Minimum evidence: current public-space eligibility plus healthy commissioned target-area sensors for every criterion used; occupancy does not establish a free seat. Method: Filter to authorised public areas, then compare fresh target-area conditions and crowding. Do not equate low occupancy with a guaranteed seat. Controls: Compare only simultaneously eligible public spaces and fresh observations; do not use historic quietness as current availability. Report: state source/time, eligible options, coverage, trade-offs and uncertainty.

Answer boundary

Do not infer relationships, grant entry, allocate seating, expose restricted areas or treat low occupancy as permission. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public eligibility or target-area coverage is inadequate, provide confirmed space facts only and do not claim conditions or seating availability.

Why this is useful: Helps the visitor choose a permitted waiting arrangement for a non-attending companion.

6. Accessibility, sensory comfort and well-being

Questions VE-051-VE-052

VE-051

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Can you give me a verified step-free route that avoids any lift or door currently out of service?

Sensors and telemetry

Proposed sensing: authoritative lift-controller and route-critical door status plus anonymous aggregate counts on each verified step-free public segment. Scope: every segment of current organiser-approved step-free public route, including route-critical doors and lifts. Timing/quality: Use event-driven lift/door state and one-minute counts. Require current route version, asset mapping, heartbeat, observed time, uptime, gaps, maintenance and explicit uncovered segments. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no identity tracking or inference of disability; use only visitor-stated functional requirements.

Authoritative supporting data

Authoritative sources: destination, accessible-route record, public access, lift/door/closure status and assistance arrangements. Precedence: Current organiser/accessibility-approved route, lift/door status and closures override low crowding, inferred routes and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: accessible-route calculation. Interval: now. Minimum evidence: confirmed destination, current accessibility-approved route, fresh lift/door/closure status and coverage of every critical segment. Method: Apply the visitor-stated functional constraints to current approved routes, remove unavailable segments and identify a confirmed fallback or assistance point. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not infer disability, certify universal accessibility, operate equipment, route through restricted areas or override official closure/safety instructions. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any critical route, lift, door, closure or authority is unresolved, do not recommend the route; defer to the organiser/accessibility assistance.

Why this is useful: Helps the visitor follow a current step-free route and avoid a failed lift or door.

VE-052

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Can you suggest an authorised public route with lower measured crowding and noise?

Sensors and telemetry

Proposed sensing: anonymous route-segment counts and numerical LAeq/background percentiles on verified public segments; no audio or movement history. Scope: each eligible public route segment being compared. Timing/quality: Use one-minute route counts and one-minute numerical acoustic summaries. Require segment coverage, clock alignment, count/acoustic uncertainty, uptime, gaps and no audio or tracking. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: aggregate counts and numerical acoustics only; no audio, identities or individual routes.

Authoritative supporting data

Authoritative sources: destination, public route/accessibility graph, closures and user-stated preference for lower crowding/noise. Precedence: Current public route/access/closure information governs; counts and numerical sound only compare eligible routes. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route comparison and recommendation. Interval: now. Minimum evidence: confirmed eligible routes, complete segment counts and representative numerical acoustics with aligned timestamps. Method: Compare only eligible routes using aligned aggregate crowd and non-content sound evidence; report trade-offs and coverage gaps. Controls: Compare identical route eligibility/time windows with aligned segment coverage. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not identify people, infer disability/health, guarantee quietness, grant access or treat low noise as safety certification. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any route lacks eligible status or adequate aligned coverage, do not rank routes by quietness/crowding.

Why this is useful: Helps the visitor choose a calmer route from aggregate conditions rather than personal tracking.

6. Accessibility, sensory comfort and well-being

Questions VE-053-VE-054

VE-053

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Which arrival window is expected to be least crowded while still meeting the organiser's check-in rules?

Sensors and telemetry

Proposed sensing: anonymous bidirectional counts at every entrance and exit of organiser-defined check-in or queue boundary, plus owner-issued service-point open/closed status where available. Scope: organiser-defined queue/waiting boundary and all relevant entries/exits; uncovered branches make a wait estimate incomplete. Timing/quality: Count crossings as events and reconcile to one-minute queue estimates. Require complete boundary coverage, validated count error and service-rate model, clock alignment, uptime, gaps, drift/relocation and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: aggregate counts only; no identities, queue membership or movement histories.

Authoritative supporting data

Authoritative sources: official event/check-in times, public entrance, expected arrival guidance, known simultaneous events and closure/access status. Precedence: The organiser-defined check-in/service location, open status, registration rules and steward instructions override queue counts and forecasts. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: short-horizon crowd forecast and recommendation. Interval: the organiser-approved arrival period. Minimum evidence: organiser-confirmed queue/check-in point and open status, complete boundary-count coverage, validated count error and a service-rate model if wait time is estimated. Method: use current anonymous counts and organiser context. Estimate waiting time only with complete coverage and a validated service-rate range; otherwise report a fresh crowd band. Controls: use matched events/check-in points with similar size, timing, service arrangement and complete coverage. Report: range, confidence, recheck time, eligible options, coverage and uncertainty.

Answer boundary

Do not infer who is attending, alter check-in rules, promise no queue or treat lower crowding as admission permission. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If boundary coverage, count quality, service status or rate model is inadequate, report crowding only or mark wait time not assessable.

Why this is useful: Helps the visitor choose an arrival window that balances lower crowding with the organiser's check-in rules.

VE-054

ACCESS

L1 - verified lookup

R1 - practical

Visitor or event attendee question: May I request an aisle or exit-side seat, and which organiser contact should I ask?

Sensors and telemetry

Proposed sensing: owner-issued non-content operational status for the named hearing, captioning or other participation system; no personal or environmental sensing is required to establish the arrangement. Scope: the confirmed event room and the specific organiser/AV/accessibility-owned system. Timing/quality: Use owner-issued configuration and non-content online/fault state with effective/observed/retrieved times and maintenance status. Telemetry cannot prove that the arrangement is suitable for an individual. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no health/disability inference or personal usage monitoring.

Authoritative supporting data

Authoritative sources: organiser seating/accessibility policy, room layout, reserved seating arrangements and official request/contact channel. Precedence: Current organiser/accessibility/AV confirmation and assistance process override device telemetry or advertising. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup. Interval: before seating. Minimum evidence: current organiser/accessibility/AV confirmation, named room/session and owner-issued device/service status when availability is claimed. Method: return organiser-confirmed arrangement and responsible contact; device telemetry may only indicate owner-reported online/fault status. Report: state source and effective/retrieval time.

Answer boundary

Do not infer disability, reserve or assign a seat, disclose other people's adjustments, obstruct egress or treat telemetry as permission. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If organiser confirmation or owner status is absent/conflicting, state the unverified status and direct the visitor to the organiser/accessibility contact.

Why this is useful: Helps the visitor request an appropriate seat through the organiser rather than assume it is available.

6. Accessibility, sensory comfort and well-being

Questions VE-055-VE-056

VE-055

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Which accessibility or participation arrangements has the organiser confirmed, and where can I get help if one fails?

Sensors and telemetry

Proposed sensing: owner-issued non-content operational status for the named hearing, captioning or other participation system; no personal or environmental sensing is required to establish the arrangement. Scope: the confirmed event room and the specific organiser/AV/accessibility-owned system. Timing/quality: Use owner-issued configuration and non-content online/fault state with effective/observed/retrieved times and maintenance status. Telemetry cannot prove that the arrangement is suitable for an individual. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no health/disability inference or personal usage monitoring.

Authoritative supporting data

Authoritative sources: organiser accessibility statement, booked support, assistive-technology inventory/status, accessibility-service contact and contingency procedure. Precedence: Current organiser/accessibility/AV confirmation and assistance process override device telemetry or advertising. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup and contingency guidance. Interval: before or during the event. Minimum evidence: current organiser/accessibility/AV confirmation, named room/session and owner-issued device/service status when availability is claimed. Method: return organiser-confirmed arrangement and responsible contact; device telemetry may only indicate owner-reported online/fault status. Report: state source and effective/retrieval time.

Answer boundary

Do not infer disability, inspect captions/audio, promise an adjustment, operate equipment or disclose support requests. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If organiser confirmation or owner status is absent/conflicting, state the unverified status and direct the visitor to the organiser/accessibility contact.

Why this is useful: Helps the visitor decide what participation support is confirmed and where to seek help if it fails.

VE-056

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is the authorised public route adequately lit and easy to follow now, especially near stairs and lift lobbies?

Sensors and telemetry

Proposed sensing: calibrated illuminance and lighting fault/status on route-critical public segments, plus current door/lift status. Scope: each route-critical public segment, stair, door and lift lobby on the verified route. Timing/quality: Use 10-30 second light samples aggregated to one minute plus event-driven lighting/door/lift status. Require route-segment placement, calibration, clock alignment, uptime, gaps and maintenance. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no camera or identity sensing.

Authoritative supporting data

Authoritative sources: public route, lighting asset map, access/closure status and authoritative accessibility information. Precedence: Current authorised route/access, lift/door and lighting fault records govern; measured light does not certify accessibility or safety. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: observation plus route comparison. Interval: now. Minimum evidence: confirmed public route and current lift/door/closure status plus representative calibrated light coverage of every critical segment. Method: Check current route/access status, then compare measured light across critical segments. Do not treat illumination alone as accessibility or safety approval. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not certify visual accessibility, infer impairment, operate lighting, route through restricted areas or guarantee visibility for every person. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If route status or representative light coverage is inadequate, provide route facts only and defer accessibility/safety questions.

Why this is useful: Helps the visitor choose a route or request assistance when route lighting or status is uncertain.

6. Accessibility, sensory comfort and well-being

Questions VE-057-VE-058

VE-057

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Which eligible public seating area has lower glare and a more stable temperature right now?

Sensors and telemetry

Proposed sensing: correctly located illuminance, optional solar/glare proxy, temperature/RH and anonymous occupancy in authorised public seating areas. Scope: inside the authorised public seating area at representative occupied positions. Timing/quality: Use 10-30 second environment/light samples aggregated to one minute and anonymous occupancy. Require zone mapping, calibration, solar context, uptime, gaps and drift. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate occupancy only; no identity or sensitive-trait inference.

Authoritative supporting data

Authoritative sources: public seating eligibility, access/accessibility, opening and closure status. Precedence: Current public-space purpose, access/opening, seating and closures determine eligibility; telemetry does not reserve a place. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: current spatial comparison and recommendation. Interval: next 15-30 minutes. Minimum evidence: current public-area eligibility and healthy representative in-zone sensors for the criteria used. Method: Filter to authorised public areas and compare fresh light/environment/crowding; give a conditional option rather than promise a place. Controls: Compare only simultaneously eligible public areas with fresh, aligned in-zone evidence. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not infer a health condition, guarantee comfort or seating, certify accessibility, identify occupants or allocate a space. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public eligibility or target-area coverage is inadequate, provide confirmed location only and no condition-based recommendation.

Why this is useful: Helps the visitor choose a permitted waiting area that better matches stated comfort preferences.

VE-058

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Has the organiser confirmed a low-stimulation public space where I may take a short break?

Sensors and telemetry

Proposed sensing: numerical LAeq/background percentiles, illuminance and anonymous occupancy in organiser-approved calm or waiting zones; no audio or identity sensing. Scope: inside organiser-approved public calm/waiting zones only. Timing/quality: Use one-minute numerical acoustic, illuminance and anonymous occupancy summaries. Require authorised-space mapping, calibration/commissioning, uptime, gaps and no audio or personal profiling. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no identity, health/disability inference, audio or personal profile.

Authoritative supporting data

Authoritative sources: public-space purpose, access/opening, seating, accessibility, event re-entry rules and closures. Precedence: Current organiser-approved public-space purpose, access/opening and closures determine eligibility; telemetry does not certify suitability. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: eligibility lookup plus current-condition comparison. Interval: a short break. Minimum evidence: current organiser-approved public-space eligibility and representative numerical acoustic/light/crowd evidence; suitability remains individual. Method: Filter to approved public areas and compare numerical conditions against the visitor-stated preferences; do not label a space therapeutic or universally suitable. Controls: use only the preferences the visitor states and simultaneously eligible public areas; no demographic or health profiling. Report: state source/time, eligible options, coverage, trade-offs and uncertainty.

Answer boundary

Do not infer disability or health, record speech, identify people, reserve a space, grant re-entry or describe a space as therapeutic/safe. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If eligibility or evidence is inadequate, provide organiser-approved space/contact information only and do not claim suitability.

Why this is useful: Helps the visitor take a short sensory break in a confirmed public space without disclosing personal details.

6. Accessibility, sensory comfort and well-being

Questions VE-059-VE-060

VE-059

ACCESS

L2 - current analysis

R3 - research or restricted

Visitor or event attendee question: If the lift or another accessibility feature fails, what official alternative or assistance is available?

Sensors and telemetry

Proposed sensing: owner-issued fault/status for the relevant lift, door or assistive feature, mapped to the current approved contingency. Scope: the failed feature, the organiser/authority-approved alternative and every route-critical segment. Timing/quality: Use owner-issued fault/status and approved contingency with effective/observed/retrieved times, heartbeat, maintenance and route coverage. Telemetry cannot certify universal accessibility. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no health/disability inference; use only visitor-stated functional requirements.

Authoritative supporting data

Authoritative sources: accessibility contingency procedure, authorised assistance point, alternative route/venue, organiser instructions and closure/safety notices. Precedence: The responsible accessibility/service owner and organiser-approved contingency override sensor status or inferred alternatives. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised contingency lookup. Interval: now. Minimum evidence: current responsible-owner fault status and an explicitly approved alternative or assistance process valid for the visitor's time. Method: return only the responsible-owner approved alternative/assistance and its current route status; do not improvise an unverified route. Report: state source and effective/retrieval time.

Answer boundary

Do not improvise an unsafe route, infer needs, operate equipment, promise assistance or override accessibility/security/safety authorities. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If no current approved alternative or assistance is confirmed, state not assessable and direct the visitor immediately to the responsible service.

Why this is useful: Helps the visitor reach the official contingency or assistance point when an access feature fails.

VE-060

ACCESS

L3 - predictive analysis

R3 - research or restricted

Visitor or event attendee question: Using only the access and sensory preferences I choose to share, what can you confirm and what still needs human advice?

Sensors and telemetry

Proposed sensing: only the minimum route, lift/door, room-environment, numerical acoustic and anonymous crowd evidence relevant to the visitor-stated functional preferences. Scope: only the event, routes, rooms, amenities and participation aids relevant to the preferences the visitor voluntarily states. Timing/quality: Apply the timing/quality rules of each included source and show which preference lacks valid coverage. Store only the visitor-stated functional constraints needed for the current request. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: retain only the minimum visitor-stated functional preferences for the current request; no sensitive-trait inference.

Authoritative supporting data

Authoritative sources: event/room, public access, accessibility features, route, assistive provisions, organiser policy and assistance contacts. Precedence: Current organiser, access, accessibility, route, amenity and participation-aid sources govern each criterion; visitor preferences only constrain the search. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: requirement-to-evidence matching and bounded recommendation. Interval: the visit. Minimum evidence: current authoritative evidence for every visitor-stated functional criterion and a clear record of unsupported criteria. Method: Evaluate each visitor-stated functional criterion separately as confirmed, conditionally supported, uncertain or not assessable, with a responsible contact for gaps. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not infer disability, health or sensory traits, request unnecessary personal details, certify accessibility or decide reasonable adjustments. Use only functional preferences voluntarily supplied for this visit. When authoritative route or support information is incomplete, state the limitation and defer to the organiser or accessibility service. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If a critical criterion lacks authoritative/current evidence, label it uncertain or not assessable and offer the responsible human contact.

Why this is useful: Helps the visitor decide whether the visit is workable while keeping personal disclosures voluntary and minimal.

7. Queues, transitions, dispersal and onward travel

Questions VE-061-VE-062

VE-061

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is the nearest public toilet likely to be especially busy during the scheduled break?

Sensors and telemetry

Proposed sensing: anonymous entry/exit counts at the public amenity queue or approach boundary, never inside private areas, plus owner-issued amenity open/fault status. Scope: the public queue/approach boundary outside the named amenity; never inside toilets or other private facilities. Timing/quality: Use event counts aggregated to one minute outside the amenity. Require complete boundary coverage, count error, uptime, gaps, comparable break periods and no identities or sensing inside. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous approach totals only; no sensing inside, identities or movement history.

Authoritative supporting data

Authoritative sources: break time, public facility location/status, route and event schedule. Precedence: Current amenity open/fault status and organiser break/service arrangements override aggregate queue estimates. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: bounded demand forecast. Interval: the scheduled break. Minimum evidence: current amenity/service status, complete approach-boundary counts and enough matched break periods if a future wait is forecast. Method: use current approach counts and comparable breaks of similar event size/timing; report a broad range and no individual behaviour. Controls: use matched breaks with similar event size, timing, service layout and complete approach coverage. Report: a prediction range, confidence and recheck time.

Answer boundary

Do not identify users, inspect inside the facility, infer health needs or guarantee a wait time. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If current amenity status, boundary coverage or comparable history is inadequate, provide no wait forecast.

Why this is useful: Helps the visitor choose when to use the facility during a short break while recognising forecast uncertainty.

VE-062

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: When should I leave this session to reach the next confirmed room by its published start time?

Sensors and telemetry

Proposed sensing: the same verified route, door and lift status plus anonymous segment counts needed for a bounded travel-time estimate. Scope: every verified public segment used in the time calculation. Timing/quality: Use the same route evidence as route calculation and a validated segment-time model. Report conservative ranges when crowd coverage or mobility assumptions are incomplete. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals and visitor-stated constraints only; no tracking.

Authoritative supporting data

Authoritative sources: public programme or user-stated next session, official room, start/end times, public routes, closures and organiser late-entry policy. Precedence: Current public topology, access rules, destination, lift/door state and closures govern the route; counts only adjust a bounded time estimate. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: route-time calculation and departure recommendation. Interval: between sessions. Minimum evidence: the complete eligible route, current lift/door/closure status and a validated segment-time model or conservative assumptions. Method: Calculate a time range from route geometry, current lift/door state and bounded crowd delay; expose assumptions and a recheck point. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions, range/buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not inspect private calendars, interrupt sessions, guarantee arrival, grant shortcuts or override event timing. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If route completeness or timing evidence is inadequate, give a conservative static estimate with limitations or no time estimate.

Why this is useful: Helps the visitor time departure from one session and reach the next without rushing unnecessarily.

7. Queues, transitions, dispersal and onward travel

Questions VE-063-VE-064

VE-063

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Between sessions, which authorised public route is expected to be less crowded?

Sensors and telemetry

Proposed sensing: anonymous aggregate counts on every eligible public corridor, stair and lift-lobby segment, combined with current door/lift/closure status. Scope: every eligible route segment being compared; uncovered segments must be marked unknown. Timing/quality: Use event counts aggregated to one minute. Require complete compared-route coverage, synchronised clocks, count uncertainty, uptime, gaps, drift/relocation and current closures. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no individual paths or movement histories.

Authoritative supporting data

Authoritative sources: origin/destination rooms, public route graph, closures, lift status and event/class-change schedule at aggregate level. Precedence: Current public route graph, access rules, lift/door status and closures override route counts, forecasts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: near-term crowd forecast plus route comparison. Interval: changeover. Minimum evidence: confirmed origin/destination, eligible public routes, current closures/lift/door status and valid comparable count coverage on every route being compared. Method: Compare only authorised routes using current topology and one-minute aggregate counts; report travel-time/crowding trade-offs and unknown segments. Controls: Compare the same time window across routes with aligned counts and identical public/access constraints. Report: range, confidence, recheck time, eligible options, coverage and uncertainty.

Answer boundary

Do not identify people, reveal non-public schedules, route through restricted areas or treat low crowding as accessibility or safety certification. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any compared route lacks eligible status or adequate segment coverage, do not claim a less crowded route.

Why this is useful: Helps the visitor choose a less crowded authorised route during a known changeover period.

VE-064

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: After the event ends, how long is the main public exit likely to remain busy?

Sensors and telemetry

Proposed sensing: anonymous bidirectional counts at all public egress points and covered approach segments, plus current official exit/closure status. Scope: all public exits relevant to the event and their covered approach segments. Timing/quality: Use event counts aggregated to one minute at every relevant exit. Require count reconciliation/error, clock alignment, full egress coverage, uptime, gaps, drift/relocation and official exit status. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate counts only; no attendee identity or movement history.

Authoritative supporting data

Authoritative sources: official event end time, simultaneous event/class schedule, public exit status and closures. Precedence: Official event end, public exit status, closure and emergency instructions override dispersal forecasts. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: dispersal forecast. Interval: 0-30 minutes after event end. Minimum evidence: official event end/exit status, complete exit count coverage and enough comparable event endings if a dispersal forecast is made. Method: Forecast aggregate dispersal from current counts and matched event endings; report a busy-period range and never use the forecast during an emergency. Controls: use matched events with similar attendance range, simultaneous events, exit configuration and official end time. Report: a prediction range, confidence and recheck time.

Answer boundary

Do not infer who is leaving, direct against official egress instructions, guarantee a clear exit or use the forecast during an emergency. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If exit coverage, official end time or comparable events are inadequate, report current crowding only and no dispersal forecast.

Why this is useful: Helps the visitor decide whether to leave immediately or wait briefly before using the main exit.

7. Queues, transitions, dispersal and onward travel

Questions VE-065-VE-066

VE-065

CORE

L3 - predictive analysis

R2 - integration-dependent

Visitor or event attendee question: Which confirmed exit gives me the best chance of reaching the bus or train departure I enter?

Sensors and telemetry

Proposed sensing: current public exit/route, door and lift status, optional anonymous route counts, and official external transport status; no travel-account or device tracking. Scope: the confirmed public route from the visitor-stated arrival/departure point to the authorised entrance or exit, plus the named official transport stop. Timing/quality: Use current owner status and one-minute route counts where available. Retain effective/observed/retrieved times, route coverage, external-feed staleness, clock alignment, gaps and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no travel-account, ticket, device or journey-history inspection.

Authoritative supporting data

Authoritative sources: user-stated destination/departure time, current public exits, external pedestrian route, authorised live transport feed and closure notices. Precedence: Official event timing, current public route/exit status and authorised transport provider data override crowd estimates and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised exit lookup, route-time calculation and external-service comparison. Interval: event room to the departure time entered by the visitor. Minimum evidence: confirmed event timing, current public route/exit status and a fresh official transport feed for the named stop/departure. Method: reconcile event timing with official transport status, then calculate a bounded public-route time using current closures and congestion. Use only confirmed fallbacks. Controls: use the same official departure, current disruption state and route/access constraints; external predictions remain provider-dependent. Report: source/effective time, inputs, assumptions, range or buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not inspect transport accounts, guarantee a connection, route through restricted exits or override official disruption/safety advice. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event timing, route status or official transport data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Helps the visitor choose an exit and departure time that best fit the stated onward service.

VE-066

ACCESS

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Is there a lift queue now, and is another authorised route likely to be quicker for me?

Sensors and telemetry

Proposed sensing: authoritative lift/door state and anonymous lift-lobby and alternative-route counts on every eligible segment. Scope: the current step-free route and each approved alternative considered. Timing/quality: Use event-driven lift/door state and one-minute anonymous counts on all considered routes. Require current route mapping, count uncertainty, uptime, gaps and no tracking. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous route totals and visitor-stated constraints only; no tracking.

Authoritative supporting data

Authoritative sources: lift status, public/accessibility routes, closures and user-stated preference for step-free or stair use. Precedence: Current accessibility-approved route, lift/door and closure status govern; counts only compare eligible alternatives. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: queue estimate plus route comparison. Interval: now. Minimum evidence: current accessibility-approved routes, lift/door/closure status and complete comparable count coverage on every alternative. Method: Filter to accessibility-approved routes, then compare current aggregate delay/crowding and disclose uncovered segments. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions, range/buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not infer mobility, recommend stairs after a step-free request, operate the lift or certify alternative accessibility/safety. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any eligible route lacks current status or coverage, do not rank alternatives; provide only the approved route/assistance facts.

Why this is useful: Helps the visitor choose between waiting for the lift and using another route they can and may use.

7. Queues, transitions, dispersal and onward travel

Questions VE-067-VE-068

VE-067

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: Where is the official pick-up or taxi meeting point, and when should I leave the room?

Sensors and telemetry

Proposed sensing: current public exit/route, door and lift status, optional anonymous route counts, and official external transport status; no travel-account or device tracking. Scope: the confirmed public route from the visitor-stated arrival/departure point to the authorised entrance or exit, plus the named official transport stop. Timing/quality: Use current owner status and one-minute route counts where available. Retain effective/observed/retrieved times, route coverage, external-feed staleness, clock alignment, gaps and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no travel-account, ticket, device or journey-history inspection.

Authoritative supporting data

Authoritative sources: official visitor pick-up guidance, user-stated meeting point, public exits/routes, event end time, access/closure and external pedestrian data. Precedence: Official event timing, current public route/exit status and authorised transport provider data override crowd estimates and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus route-time calculation. Interval: before departure. Minimum evidence: confirmed event timing, current public route/exit status and a fresh official transport feed for the named stop/departure. Method: reconcile event timing with official transport status, then calculate a bounded public-route time using current closures and congestion. Use only confirmed fallbacks. Controls: use the same official departure, current disruption state and route/access constraints; external predictions remain provider-dependent. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not locate vehicles or people, expose number plates, guarantee collection, grant access to restricted drop-off areas or override security rules. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event timing, route status or official transport data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Helps the visitor coordinate collection without directing either party to an unofficial location.

VE-068

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: A class change overlaps with our break. Would waiting a few minutes probably reduce crowding?

Sensors and telemetry

Proposed sensing: anonymous aggregate counts on every eligible public corridor, stair and lift-lobby segment, combined with current door/lift/closure status. Scope: every eligible route segment being compared; uncovered segments must be marked unknown. Timing/quality: Use event counts aggregated to one minute. Require complete compared-route coverage, synchronised clocks, count uncertainty, uptime, gaps, drift/relocation and current closures. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous segment totals only; no individual paths or movement histories.

Authoritative supporting data

Authoritative sources: public route, event break window, aggregate building timetable, closures and organiser timing constraints. Precedence: Current public route graph, access rules, lift/door status and closures override route counts, forecasts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: near-term crowd forecast and recommendation. Interval: next 5-15 minutes. Minimum evidence: confirmed origin/destination, eligible public routes, current closures/lift/door status and valid comparable count coverage on every route being compared. Method: Compare only authorised routes using current topology and one-minute aggregate counts; report travel-time/crowding trade-offs and unknown segments. Controls: Compare the same time window across routes with aligned counts and identical public/access constraints. Report: range, confidence, recheck time, eligible options, coverage and uncertainty.

Answer boundary

Do not identify groups, expose class details, block circulation, override organiser timing or use crowding as a safety assessment. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If any compared route lacks eligible status or adequate segment coverage, do not claim a less crowded route.

Why this is useful: Helps the visitor decide whether a short delay may reduce crowding without missing the restart.

7. Queues, transitions, dispersal and onward travel

Questions VE-069-VE-070

VE-069

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: My transport is delayed. Where may I wait after the event, and until what time is that public area open?

Sensors and telemetry

Proposed sensing: correctly located temperature/RH, direct NDIR CO₂, illuminance, numerical LAeq/percentiles and anonymous occupancy within organiser-approved public waiting areas. Scope: inside the specific authorised public waiting area; corridor or adjacent-room readings are context only. Timing/quality: Sample environment every 10-30 seconds and store one-minute aggregates; occupancy may be event-driven/1-5 seconds. Require placement, calibration, clock alignment, uptime, gaps, drift/relocation and no raw audio. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate occupancy and numerical environment/acoustics only; no audio, faces or tracking.

Authoritative supporting data

Authoritative sources: public opening/closing time, approved waiting areas, visitor policy, exit status, accessibility and closure notices. Precedence: Current public-space purpose, opening/access, seating and closures determine eligibility; telemetry describes conditions only. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised eligibility lookup plus recommendation. Interval: until the stated departure or public closing. Minimum evidence: current public-space eligibility plus healthy commissioned target-area sensors for every criterion used; occupancy does not establish a free seat. Method: Filter to authorised public areas, then compare fresh target-area conditions and crowding. Do not equate low occupancy with a guaranteed seat. Controls: Compare only simultaneously eligible public spaces and fresh observations; do not use historic quietness as current availability. Report: state source/time, eligible options, coverage, trade-offs and uncertainty.

Answer boundary

Do not extend access, identify or track the visitor, guarantee staffing or seating, direct to restricted areas or treat occupancy as permission. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If public eligibility or target-area coverage is inadequate, provide confirmed space facts only and do not claim conditions or seating availability.

Why this is useful: Helps the visitor choose a permitted place and duration to wait when onward transport is delayed.

VE-070

CORE

L3 - predictive analysis

R2 - integration-dependent

Visitor or event attendee question: The event is running late. Can I still reach the departure time I enter, and what confirmed fallback is available?

Sensors and telemetry

Proposed sensing: current public exit/route, door and lift status, optional anonymous route counts, and official external transport status; no travel-account or device tracking. Scope: the confirmed public route from the visitor-stated arrival/departure point to the authorised entrance or exit, plus the named official transport stop. Timing/quality: Use current owner status and one-minute route counts where available. Retain effective/observed/retrieved times, route coverage, external-feed staleness, clock alignment, gaps and maintenance state. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no travel-account, ticket, device or journey-history inspection.

Authoritative supporting data

Authoritative sources: user-entered departure time/location, organiser's current expected finish where publicly available, public exits, external authorised transport feed and official disruption information. Precedence: Official event timing, current public route/exit status and authorised transport provider data override crowd estimates and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: schedule reconciliation, route-time estimate and contingency recommendation. Interval: from the current event time to the departure time entered by the visitor. Minimum evidence: confirmed event timing, current public route/exit status and a fresh official transport feed for the named stop/departure. Method: reconcile event timing with official transport status, then calculate a bounded public-route time using current closures and congestion. Use only confirmed fallbacks. Controls: use the same official departure, current disruption state and route/access constraints; external predictions remain provider-dependent. Report: show inputs, assumptions, range/buffer, eligible options, coverage and uncertainty.

Answer boundary

Do not inspect tickets/accounts, promise transport, advise unsafe shortcuts, override official travel/emergency guidance or infer the visitor's location after departure. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event timing, route status or official transport data is stale/conflicting, provide confirmed options only and do not promise the connection.

Why this is useful: Helps the visitor decide whether to leave early, use a confirmed alternative or contact the organiser about the overrun.

8. Disruptions, weather, emergencies and sustainable travel

Questions VE-071-VE-072

VE-071

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: The event room has changed. What is the new confirmed room, and what public route should I take?

Sensors and telemetry

Proposed sensing: current route-critical door/lift status and optional anonymous crowd counts; telemetry does not determine the replacement venue. Scope: organiser-confirmed replacement room and the verified public route from the visitor's stated origin. Timing/quality: Use current organiser/booking effective time plus event-driven route status and one-minute counts. Do not use telemetry to infer the new room. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no attendee identification or inference from occupancy.

Authoritative supporting data

Authoritative sources: organiser change notice, official room booking, public wayfinding, access/accessibility, closures and event schedule. Precedence: The organiser change notice and official room booking jointly determine the replacement venue; telemetry cannot infer it. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: source reconciliation plus route calculation. Interval: now. Minimum evidence: organiser change notice and official room booking agreement, plus current public route/access status to the replacement room. Method: reconcile organiser notice with official booking; if they agree, calculate the current public route. If they conflict, defer rather than infer a venue. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: show inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not infer a venue from occupancy, expose private bookings, grant access or route through restricted areas. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If organiser notice and official booking conflict, do not select a room; show the conflict and defer.

Why this is useful: Helps the visitor reach the replacement room quickly without relying on rumours or occupancy clues.

VE-072

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: I have lost contact with the organiser. Where is the official help point or public contact channel?

Sensors and telemetry

No environmental or occupancy sensing is needed. Supplementary door, room or service telemetry may describe only organiser-scoped physical status, never policy or permission. Use owner status with effective/retrieval times, verified mapping, heartbeat, uptime and maintenance state. Proposed; verify integration, permission and interval health before use. Privacy: no ticket, identity, invitation, registration or personal-record inspection.

Authoritative supporting data

Authoritative sources: organiser public contact, reception/help-point opening, visitor procedure, event schedule and security-approved escalation. Precedence: Current organiser instructions, event schedule or booking, public opening and registration/access rules override telemetry and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus route. Interval: now. Minimum evidence: a current organiser-owned rule or status for the named event/service, valid for the visitor interval and permission scope. Method: return the owner-controlled rule/status first; use telemetry only as labelled physical context, never to infer admission or permission. Report: state source and effective/retrieval time.

Answer boundary

Do not reveal personal contact details, locate the organiser, inspect messages, grant access or infer why contact was lost. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the organiser-owned rule/status is missing, stale or conflicting, provide no inferred permission and defer to the organiser or official contact.

Why this is useful: Helps the visitor obtain event help through an official channel without disclosing private contact details.

8. Disruptions, weather, emergencies and sustainable travel

Questions VE-073-VE-074

VE-073

COREL2 - current analysisR2 - integration-dependent

Visitor or event attendee question: My planned entrance is closed. Which alternative entrance is officially approved for this event?

Sensors and telemetry

Proposed sensing: event-driven door-controller/contact status and anonymous bidirectional counts at the organiser-designated public entrance and any explicitly authorised alternative. Scope: authorised public entrance and any organiser-approved alternative, not all building doors. Timing/quality: Door state is event-driven; counts may be aggregated each minute. Require door-ID mapping, synchronised clocks, count error, uptime, gaps, drift/relocation, maintenance state and freshness. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: anonymous aggregate counts only; no identities or movement histories.

Authoritative supporting data

Authoritative sources: organiser/security-approved alternatives, public opening, access policy, closures and accessible-route information. Precedence: Current organiser and security-approved entrance/access status and closure notices override door activity, counts and the historical May 2021 plan. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus route calculation. Interval: now. Minimum evidence: organiser-confirmed entrance, current public opening/access and closure status, correct door mapping and fresh owner status; counts are optional context. Method: Resolve the organiser/security-approved entrance, verify current physical/open status, then optionally describe aggregate congestion. Present only confirmed alternatives. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: source/effective time, inputs, assumptions and a range or conservative buffer.

Answer boundary

Do not unlock doors, route through staff-only access, infer permission from door activity or contradict security notices. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If event-specific entrance/access or current door status is unresolved, give confirmed public facts only and direct the visitor to the official contact; do not test doors.

Why this is useful: Helps the visitor move to an authorised alternative entrance rather than try restricted doors.

VE-074

ACCESSL2 - current analysisR3 - research or restricted

Visitor or event attendee question: The lift is out of service. What official step-free alternative or assistance should I use?

Sensors and telemetry

Proposed sensing: owner-issued fault/status for the relevant lift, door or assistive feature, mapped to the current approved contingency. Scope: the failed feature, the organiser/authority-approved alternative and every route-critical segment. Timing/quality: Use owner-issued fault/status and approved contingency with effective/observed/retrieved times, heartbeat, maintenance and route coverage. Telemetry cannot certify universal accessibility. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no health/disability inference; use only visitor-stated functional requirements.

Authoritative supporting data

Authoritative sources: accessibility contingency, alternative route/venue, assistance point, organiser instructions, public access and closure notices. Precedence: The responsible accessibility/service owner and organiser-approved contingency override sensor status or inferred alternatives. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised contingency lookup. Interval: now. Minimum evidence: current responsible-owner fault status and an explicitly approved alternative or assistance process valid for the visitor's time. Method: return only the responsible-owner approved alternative/assistance and its current route status; do not improvise an unverified route. Report: state source and effective/retrieval time.

Answer boundary

Do not improvise a route, infer disability, operate equipment, promise assistance or override safety/accessibility authorities. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If no current approved alternative or assistance is confirmed, state not assessable and direct the visitor immediately to the responsible service.

Why this is useful: Helps the visitor use the approved step-free contingency or request assistance promptly.

8. Disruptions, weather, emergencies and sustainable travel

Questions VE-075-VE-076

VE-075

CORE

L2 - current analysis

R2 - integration-dependent

Visitor or event attendee question: If my phone has no data or the public network is unavailable, where can I get official event updates?

Sensors and telemetry

Proposed sensing: owner-issued status for the public information display, help point or public network service, with optional synthetic health checks that inspect no traffic content. Scope: the named public information/help point or public network service and its owner-defined service area. Timing/quality: Use owner-issued operational/incident state and optional synthetic checks with service scope and observed/retrieved times. Require uptime, staleness, maintenance and no network, message or device-content inspection. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no ticket, message, network-traffic, account or device-content inspection.

Authoritative supporting data

Authoritative sources: organiser communication plan, physical help points/notices, reception status, public contact channel and official service notice. Precedence: Official organiser communications and owner-issued display/help-point/network status override synthetic checks or occupancy. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup and contingency recommendation. Interval: during the outage. Minimum evidence: current organiser communication channel or owner-issued display/help-point/network status, with service scope and freshness. Method: return the current official communication/help-point/service status and the verified offline fallback; synthetic checks are secondary. Controls: compare eligible options under aligned conditions and disclose unmatched factors. Report: state source/time, eligible options, coverage, trade-offs and uncertainty.

Answer boundary

Do not inspect network traffic or devices, disclose restricted IT detail, operate systems, promise connectivity or replace organiser communications. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If owner status is stale/conflicting, provide the official offline contact/help point only and do not infer service availability.

Why this is useful: Helps the visitor find an official offline information channel when personal connectivity fails.

VE-076

CORE

L3 - predictive analysis

R2 - integration-dependent

Visitor or event attendee question: Heavy rain or strong winds are forecast. Which approved entrance and route minimise outdoor exposure for the access needs I state?

Sensors and telemetry

Proposed sensing: an authoritative local weather feed or commissioned representative outdoor station, plus current public entrance, door, route and closure status. Scope: the approved public entrance and route, plus a representative external weather location. Timing/quality: Use official forecast/observation time and, if local sensing is used, one-minute calibrated weather summaries. Align with current route/door status and disclose forecast horizon and uncertainty. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no personal location history; use only the origin/access needs the visitor chooses to provide.

Authoritative supporting data

Authoritative sources: public entrances/routes, accessible-route requirements stated by the visitor, closures, organiser guidance and official severe-weather communications. Precedence: Official weather warnings, organiser/security entrance instructions and current route/closure status override environmental optimisation. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: forecast-informed route comparison and recommendation. Interval: arrival/departure. Minimum evidence: fresh official weather information, current organiser-approved entrance/route and visitor-stated functional constraints; local sensing is optional. Method: Apply official weather warnings and visitor-stated functional constraints first, then compare only approved entrances/routes by outdoor exposure. Controls: use the same official forecast window and current access/closure status for all route options. Report: range, confidence, recheck time, eligible options, coverage and uncertainty.

Answer boundary

Do not certify weather safety, override official warnings, infer mobility/health, route through restricted areas or guarantee shelter. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If weather or route/access status is stale/conflicting, repeat official warnings and confirmed route facts only; do not optimise.

Why this is useful: Helps the visitor choose a lower-exposure route without compromising verified access requirements.

8. Disruptions, weather, emergencies and sustainable travel

Questions VE-077-VE-078

VE-077

SAFETY

L1 - verified lookup

R3 - research or restricted

Visitor or event attendee question: An alarm or evacuation message has started. What official instruction should I follow?

Sensors and telemetry

Proposed sensing: certified alarm/public-address interfaces and official emergency communications only. Scope: the area and instruction scope declared by the certified system or competent authority. Timing/quality: Use only current certified/official status with affected area, effective time and retrieval time. Experimental sensing must not generate, modify or clear emergency instructions. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no visitor profiling or disclosure of restricted operational data.

Authoritative supporting data

Authoritative sources: certified alarm and public-address instructions, official emergency communications, visible signage and competent authority directions. Precedence: Certified alarms, public-address messages, official communications and competent-authority instructions override every telemetry stream and inference. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised emergency-instruction relay only. Interval: immediate. Minimum evidence: a current certified alarm/public-address message or official competent-authority instruction for the affected area. Method: Relay the latest certified/official instruction, source, area and time only. No diagnosis, route optimisation or forecast is permitted. Report: show the official source, affected area and effective time only.

Answer boundary

Do not diagnose the incident, optimise a route contrary to instructions, expose restricted operational data, delay evacuation, operate doors/lifts or replace emergency responders. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If an official message cannot be verified, say so and direct the visitor to visible alarms, signage, staff and responders without delay.

Why this is useful: Helps the visitor follow official emergency instructions immediately without unsafe AI interpretation.

VE-078

CORE

L1 - verified lookup

R1 - practical

Visitor or event attendee question: I have lost an item. Where should I report it or hand in found property?

Sensors and telemetry

Proposed sensing: No environmental, occupancy, object, camera, face, device or person sensing is required. Scope: the organiser/university lost-property process and public hand-in/contact point only. Timing/quality: Use the current authorised lost-property process and contact status only; no object tracking, image search or personal-data processing. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no object, face, number-plate, device or person tracking.

Authoritative supporting data

Authoritative sources: lost-property procedure, reception/security contact, public opening, hand-in point and visitor guidance. Precedence: The authorised lost-property process and responsible contact govern; sensing cannot locate or identify the item or owner. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: authorised lookup plus route. Interval: now. Minimum evidence: the current authorised lost-property process, public contact/hand-in point and opening/status information. Method: return the authorised report/hand-in process, location and opening/contact status; sensing is not used to search for the item or person. Report: state source and effective/retrieval time.

Answer boundary

Do not inspect cameras, network/device identifiers, track objects or people, disclose found-property records, verify ownership or promise recovery. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If the authorised process/contact is unavailable, provide no inferred location and direct the visitor to the organiser or official security/reception channel.

Why this is useful: Helps the visitor report or hand in lost property through the authorised process while preserving privacy.

8. Disruptions, weather, emergencies and sustainable travel

Questions VE-079-VE-080

VE-079

SUSTAINABILITY

L3 - predictive analysis

R2 - integration-dependent

Visitor or event attendee question: Which confirmed lower-impact travel option fits the arrival time and access needs I provide?

Sensors and telemetry

Proposed sensing: No personal sensing is required; use official transport service status, verified public route/exit information and optional aggregate congestion context. Scope: the visitor-stated origin or arrival point, official transport options and the verified public route to the event. Timing/quality: Use current official timetable/service/disruption data and verified route status. Preserve source effective/retrieval times and disclose external-feed staleness; no personal travel history. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no travel account, ticket, identity or journey-history inspection.

Authoritative supporting data

Authoritative sources: user-stated origin/destination and functional access needs; current public transport, walking/cycling guidance, event times, public entrances and accessibility/closure information. Precedence: Official transport provider data, organiser timing and verified public route/access information govern; environmental preference cannot override feasibility or access. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: multi-criteria comparison and recommendation. Interval: journey. Minimum evidence: visitor-stated origin/time/access constraints, fresh official transport data and a verified public route to the event. Method: Filter official travel options by the visitor-stated arrival/access constraints, then compare time, interchange/walking burden and available emissions information with disclosed assumptions. Controls: Compare the same origin, arrival deadline, access constraints and current provider data; disclose assumptions behind any emissions estimate. Report: state eligible options, trade-offs, coverage and uncertainty.

Answer boundary

Do not infer disability, finances or personal traits, inspect travel accounts, guarantee transport, recommend unsafe routes or present estimated emissions as audited facts. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: If provider data or route/access feasibility is stale/conflicting, present confirmed options without ranking or emissions precision.

Why this is useful: Helps the visitor choose a feasible lower-impact journey rather than receive a generic sustainability message.

VE-080

EVIDENCE

L3 - predictive analysis

R3 - research or restricted

Visitor or event attendee question: For the answers in this conversation, which are confirmed facts, which are estimates or forecasts, and which are not assessable?

Sensors and telemetry

Proposed sensing: no new sensing; expose quality metadata for every telemetry and authoritative source used. Scope: each named room, entrance, queue boundary, route segment, amenity, device or external service actually used in the answer. Timing/quality: For every source show mapping, units, sampling/aggregation, commissioning/calibration, effective/observed/retrieved times, uptime, gaps, drift/relocation, maintenance, permission and conflicts. Proposed; verify mapping, commissioning, permission and interval health before use. Privacy: no visitor identity or movement history; protect restricted source details.

Authoritative supporting data

Authoritative sources: event, room, entrance, route, lift, amenity, access, accessibility, service, closure, safety and organiser sources, with owner and permission metadata. Precedence: For each statement, the owner-controlled source valid for the requested interval governs; conflicts remain visible and unsupported criteria are omitted. Retain owner, permission scope, effective/observed/retrieved times, version, staleness, conflicts and provenance.

Analysis required

Operation: evidence and provenance assessment. Interval: the whole visit. Minimum evidence: the complete permitted source list, mappings, quality flags, times, method version, permissions and unresolved conflicts. Method: Classify every statement as observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation, with source and uncertainty. Report: show the source/quality chain and separate confirmed, estimated, forecast and unsupported statements.

Answer boundary

Do not expose restricted data, inspect tickets/identities or hide conflicts. Telemetry cannot establish permission, accessibility or safety; certified and owner-controlled sources take precedence. No ticket, identity or content inspection; no tracking, attendance or sensitive-trait inference, or movement histories. Telemetry cannot grant entry, registration, booking or access, certify accessibility or safety, or override organisers and competent authorities. Safe failure: Protect restricted source details and display conflicts or weak evidence rather than hiding them behind fluent text.

Why this is useful: Helps the visitor understand which information is dependable enough for arrival, route, participation and contingency decisions.

4. Catalogue summary and implementation requirements

The catalogue combines public event and access information with correctly located proposed entrance, route, lift, queue, room, amenity, environmental and acoustic evidence. Readiness identifies the coverage, timing, commissioning/calibration, uptime, gaps, drift, provenance, permissions and safe-failure conditions required for a responsible visitor-facing answer.

Questions	80	Eight visitor- and event-attendee-centred sections containing ten distinct questions each.
R1 practical	14	Can be supported with core public information and basic current spatial, status or provenance feeds.
R2 integration-dependent	60	Require event, room, access, route, lift, queue, amenity, service, weather or forecasting integration.
R3 research or restricted	6	Require dense validated sensing, controlled operational data, or stronger accessibility, privacy and safety controls.

Recurring system capabilities

- 1

Event and public-access resolution

Resolve organiser-confirmed event, time, room, entrance, check-in, public opening and visitor rules without inspecting tickets or granting access.
- 2

Dynamic public wayfinding

Use current public topology, door, lift, closure and accessibility sources to calculate routes without tracking visitors or using restricted paths.
- 3

Anonymous crowd and queue evidence

Use commissioned aggregate counts and bounded forecasts without identities, movement histories, attendance inference or admission decisions.
- 4

Room, amenity and participation context

Combine correctly located room/environment/acoustic evidence with authorised seating, assistive technology, amenities and event rules.
- 5

Evidence quality and provenance

Check spatial mapping, clocks, sampling, commissioning/calibration, uptime, gaps, drift, source agreement, observed/retrieved times and permissions.
- 6

Privacy, accessibility, safety and abstention

Minimise personal data, refuse unauthorised access or safety claims, preserve inclusive alternatives and return not assessable when evidence is inadequate.

QUESTION RECORD STRUCTURE

Each entry can become a system test containing the natural utterance and paraphrases, required event and spatial entities, minimum room/entrance/route evidence, source-precedence rule, quality threshold, expected operation, permission rule, answerability class, acceptable clarification, uncertainty statement, safe failure, expected answer characteristics and prohibited overclaims.

5. Evidence, permissions and answerability rules

These rules apply across all 80 records and define when the building may answer, qualify, ask for clarification, defer to an organiser or authorised service, or return not assessable.

Current event and building status

The May 2021 plan is a historical reference. Current event venue, room purpose, public opening, entrance, route, lift, capacity, access, accessibility, amenity, service and closure status require authoritative current sources.

Spatial coverage

A room, entrance, waiting-zone or route-segment answer requires correctly located sensing in the named space or verified segment. Corridor and adjacent-room data may be labelled context but cannot be silently substituted.

Time window and operation type

Every answer resolves the requested interval and labels observation, authorised lookup, calculation, estimate, forecast, comparison, diagnosis or recommendation. Preserve effective, observed and retrieved times.

Calibration and data quality

Use stated sampling/aggregation, synchronised clocks, commissioning/calibration, uptime, gap and drift/relocation flags, maintenance state and source agreement. Failed, stale or unverified points cannot support precision.

Tickets, identities and personal data

Do not inspect or reproduce tickets, registrations, invitations, faces, number plates, personal records, emails, messages, meetings, calls, speech, screens, network traffic or device content.

Occupancy, queues and sound

Use anonymous aggregate counts and numerical LAeq or percentile statistics only where proportionate. Do not identify or track people, infer attendance/traits, build movement histories or retain speech.

Room and environmental interpretation

Room-level claims require target-room sensing. NDIR CO2 is a ventilation indicator, not complete air quality. Environmental quietness/crowding cannot establish availability, permission, confidentiality, accessibility or safety.

Event, access and organiser authority

Organiser instructions, registration/access policy, official booking, public opening, visitor rules and current wayfinding take precedence. The service cannot grant entry, tickets, bookings or access.

Operational services and permissions

Lift, door, network, power, amenities, maintenance and closures come from authorised feeds. The service cannot operate systems or override organisers, security, accessibility, facilities or IT authorities.

Emergency and high-consequence answers

Certified alarms and official emergency communications take precedence. Relay current instructions and defer to staff/responders; never diagnose the incident or optimise routes contrary to official directions.

FINAL ANSWERABILITY RULE

Answer only when the required event, room, entrance, route or amenity evidence, requested interval, source authority, spatial coverage, quality threshold, permissions, privacy, accessibility and safety constraints are adequate. Otherwise ask for clarification, omit unsupported criteria, return confirmed facts with explicit uncertainty, restrict disclosure, defer to the organiser or responsible service, or mark the analytical part not assessable.